

隔離代替制度が適用されるオランダ産球根の検査について
 ーオランダ国内における検査方法の変更ー

今般、オランダ産隔離代替制度適用球根のオランダ国内での検査方法を以下のとおり変更しました。
 この検査方法は、今シーズンの球根から適用されることをお知らせします。

1 検査基準の変更について

オランダ産球根に係るウイルス検査水準一覧

品 目	現行	変更後 (赤字が変更点)
Tulip		
母球の ELISA 検定		
<i>Tulip breaking virus</i> (TBV)	1.5	1.5
ガラス室でのサンプル検査		
<i>Tobacco rattle virus</i> (TRV)	1.0	1.0
<i>Tobacco necrosis virus</i> (TNV)	1.5	1.5
<i>Tobacco ringspot virus</i> (TRSV)	0.0	0.0
<i>Arabidopsis mosaic virus</i> (ArMV)	1.0	1.0
<i>Tulip breaking virus</i> (TBV)	1.0	1.0
<i>Cucumber mosaic virus</i> (CMV)	1.0	1.0
<i>Lily symptomless virus</i> (LSV)	1.5	1.5
<i>Tulip virus X</i> (TVX)	1.0	1.0
<i>Tulip severe mosaic virus</i> (TSMV)	0.0	0.0
ほ場検査		
<i>Tobacco rattle virus</i> (TRV)	0.15	0.1
<i>Tobacco necrosis virus</i> (TNV)	0.5	0.1
<i>Tobacco ringspot virus</i> (TRSV)	0.0	0.0
<i>Arabidopsis mosaic virus</i> (ArMV)	1.0	0.1
<i>Tulip breaking virus</i> (TBV)	0.1	0.1
<i>Cucumber mosaic virus</i> (CMV)	0.1	0.1
<i>Lily symptomless virus</i> (LSV)	0.15	0.15
<i>Tulip virus X</i> (TVX)	0.1	0.05
<i>Tulip severe mosaic virus</i> (TSMV)	0.0	0.0
Iris		
ガラス室でのサンプル検査		
<i>Tobacco rattle virus</i> (TRV)	0.5	0.5
<i>Iris severe mosaic virus</i> (ISMV)	0.5	0.5
<i>Bean yellow mosaic virus</i> (BYMV)	0.5	0.5
<i>Narcissus latent virus</i> (NLV)	0.5	0.5
<i>Tobacco ringspot virus</i> (TRSV)	0.0	0.0
ほ場検査		
<i>Tobacco rattle virus</i> (TRV)	0.25	0.1
<i>Iris severe mosaic virus</i> (ISMV)	0.25	0.25
<i>Bean yellow mosaic virus</i> (BYMV)	0.25	0.25
<i>Narcissus latent virus</i> (NLV)	0.25	0.25
<i>Tobacco ringspot virus</i> (TRSV)	0.0	0.0
Crocus-vernus		
ガラス室でのサンプル検査		
<i>Tobacco rattle virus</i> (TRV)	0.5	0.5
<i>Iris severe mosaic virus</i> (ISMV)	1.0	1.0
<i>Bean yellow mosaic virus</i> (BYMV)	2.0	2.0
<i>Cucumber mosaic virus</i> (CMV)	1.0	1.0
<i>Arabidopsis mosaic virus</i> (ArMV)	1.0	1.0
ほ場検査		

<i>Tobacco rattle virus</i> (TRV)	0.1	0.1
<i>Iris severe mosaic virus</i> (ISMV)	0.1	0.1
<i>Bean yellow mosaic virus</i> (BYMV)	0.1	0.1
<i>Cucumber mosaic virus</i> (CMV)	0.1	0.1
<i>Arabidopsis mosaic virus</i> (ArMV)	0.1	0.05
Crocus species		
ほ場検査		
<i>Tobacco rattle virus</i> (TRV)	1.0	1.0
<i>Iris severe mosaic virus</i> (ISMV)	1.0	1.0
<i>Bean yellow mosaic virus</i> (BYMV)	1.0	1.0
<i>Cucumber mosaic virus</i> (CMV)	1.0	1.0
<i>Arabidopsis mosaic virus</i> (ArMV)	1.0	1.0
Hyacinth		
ほ場検査		
<i>Hyacinth mosaic virus</i> (HyaMV)	1.0	1.0
<i>Tobacco rattle virus</i> (TRV)	1.0	1.0
Allium		
ほ場検査		
<i>Tobacco rattle virus</i> (TRV)	1.0	1.0
<i>Onion Yellow dwarf virus</i> (OYDV)	2.0	2.0
<i>Leek yellow stripe virus</i> (LYSV)	2.0	2.0
<i>Shallot latent virus</i> (SLV)	2.0	2.0
<i>Ornamental onion stripe mosaic virus</i> (OOSMV)	2.0	2.0
Hippeastrum		
ほ場検査		
<i>Cucumber mosaic virus</i> (CMV)	0.5	0.5
<i>Hippeastrum mosaic virus</i> (HiMV)	0.5	0.5
<i>Tomato spotted wilt virus</i> (TSWV)	0.5	0.5
<i>Nerine latent virus</i> (NeLV)	0.5	0.5
Freesia		
ガラス室・ネットハウス検査		
<i>Tobacco rattle virus</i> (TRV)	1.0	1.0
<i>Freesia mosaic virus</i> (FMV)	1.0	1.0
Leaf necrosis virus (LNV)	1.0	1.0
<i>Bean yellow mosaic virus</i> (BYMV)	1.0	1.0
<i>Impatiens necrotic spot virus</i> (INSV)	1.0	1.0
Lily		
母球の ELISA 検定		
<i>Lily virus X</i> (LVX)	1.0	1.0
<i>Lily mottle virus</i> (LMoV)	1.0	1.0
ほ場検査		
<i>Tobacco rattle virus</i> (TRV)	1.0	0.5
<i>Tobacco ringspot virus</i> (TRSV)	0.0	0.0
<i>Arabidopsis mosaic virus</i> (ArMV)	1.0	0.1
<i>Cucumber mosaic virus</i> (CMV)	0.5	0.5
<i>Lily symptomless virus</i> (LSV)	0.5	0.5
<i>Lily virus X</i> (LVX)	0.5	0.5
<i>Lily mottle virus</i> (LMoV)	0.5	0.5
Gladiolus		
サンプル検査		
<i>Tobacco rattle virus</i> (TRV)	0.5	0.2
<i>Bean yellow mosaic virus</i> (BYMV)	2.0	1.0
<i>Cucumber mosaic virus</i> (CMV)	2.0	0.5
<i>Narcissus latent virus</i> (NLV)	2.0	0.5
<i>Arabidopsis mosaic virus</i> (ArMV)	1.0	0.5
ほ場検査		
<i>Tobacco rattle virus</i> (TRV)	0.25	0.15
<i>Bean yellow mosaic virus</i> (BYMV)	2.0	1.0

<i>Cucumber mosaic virus</i> (CMV)	0.25	0.15
<i>Narcissus latent virus</i> (NLV)	0.25	0.15
<i>Arabidopsis mosaic virus</i> (ArMV)	1.0	0.5
Dahlia		
母球の ELISA 検定		
<i>Tomato spotted wilt virus</i> (TSWV)	1.0	1.0
<i>Tobacco streak virus</i> (TSV)	1.0	1.0
ガラス室でのサンプル検査		
<i>Tomato spotted wilt virus</i> (TSWV)	0.5	0.5
<i>Tobacco streak virus</i> (TSV)	1.0	1.0
<i>Impatiens necrotic spot virus</i> (INSV)	1.0	1.0
<i>Cucumber mosaic virus</i> (CMV)	1.0	1.0
<i>Dahlia mosaic virus</i> (DMV)	1.0	1.0
ほ場検査		
<i>Tomato spotted wilt virus</i> (TSWV)	0.5	0.5
<i>Tobacco streak virus</i> (TSV)	1.0	1.0
<i>Impatiens necrotic spot virus</i> (INSV)	1.0	1.0
<i>Cucumber mosaic virus</i> (CMV)	1.0	1.0
<i>Dahlia mosaic virus</i> (DMV)	1.0	1.0

2 ほ場検査回数の変更について

ヒアシンズ 3回（現在）→2回（変更後）

チューリップ 3回→2回（ガラス室検査で、ウイルスが検査水準以下の場合、ほ場検査を1回とする。）

アイリス 2回→1回

グラジオラス 3回→2回

ユリ 2回→1回

3 ガラス室検査の免除について

チューリップ

ガラス室検査で過去に1.5%以上の不適合がないロットで、ほ場検査の結果、日本向け適合球根と認定されたロットは、次世代以降、ガラス室検査を2年間免除する。ただし、免除されたものは、ほ場検査を3回実施する。

アイリス

ガラス室検査とほ場検査の結果、日本向け適合球根と認定されたロットは、次世代球根以降、ガラス室検査を1年間免除する。

問い合わせ先

横浜植物防疫所

所在地：〒231-0003 神奈川県横浜市中区北仲通 5-57 横浜第2合同庁舎内
業務部種苗担当 TEL 045-211-7153 FAX（業務部）045-211-0611

名古屋植物防疫所

所在地：〒455-0032 愛知県名古屋市港区入船 2-3-12 名古屋港湾合同庁舎内
種苗担当 TEL 052-651-0132 FAX 052-651-0115

神戸植物防疫所

所在地：〒650-0042 兵庫県神戸市中央区波止場町 1-1 神戸第2地方合同庁舎内
業務部種苗担当 TEL 078-331-2376 FAX（種苗担当）078-331-2387

門司植物防疫所

所在地：〒801-0841 福岡県北九州市門司区西海岸 1-3-10 門司港湾合同庁舎内
輸入検疫担当 TEL 093-321-2601 FAX 093-332-5182

那覇植物防疫事務所

所在地：〒900-0001 沖縄県那覇市港町 2-11-1 那覇港湾合同庁舎内
輸入検疫担当 TEL 098-868-2850 FAX 098-861-5500

（平成22年3月作成）