

Summary of Radioactive Cesium Concentrations in Foods

(by year, by food categories, and by area)

Table of contents

1. Number of samples	• • • 1
2. Test Results	
Available for cultivation/feed management	• • • 7
(1) Vegetables, Tubes	• • • 13
(2) Fruits, Seeds	• • • 19
(3) Rice*	• • • 25
(4) Grains (Wheat, Barley, Rye and Adlay)	• • • 31
(5) Pulses, Legumes and Minor Cereals	• • • 37
(6) Meat	• • • 43
(7) Eggs	• • • 49
(8) Fresh Milk	• • • 55
(9) Tea**	• • • 61
(10) Substrate-cultivated Fungi	• • • 67
(11) Edible Wild Plants(cultivated)	• • • 73
(12) Log-cultivated Fungi	• • • 79
Difficult for cultivation/feed management	• • • 85
(13) Edible Wild-growing Fungi	• • • 91
(14) Edible Wild Plants(wild)***	• • • 100
(15) Game Meat	• • • 103
(16) Fishery Products (marine)	• • • 109
(17) Fishery Products (freshwater)	• • • 115
(18) Honey	• • • 121
Others	
(19) Processed Food	• • • 127

* Excluding test results by voluntary monitoring of all the volume of rice in every single rice bag in Fukushima prefecture

** Ready for consumption

*** Including wild vegetables

This version is a translation of the original Japanese document (https://www.maff.go.jp/j/syouan/seisaku/radio_nuclide/attach/pdf/index-8.pdf) adding supplementary explanation. If there are any discrepancies between this version and the original document, the original Japanese document prevails.

Descriptions about the data are explained as follows.

Test results of prefectural product pre-shipment inspection in 17 prefectures (Aomori, Iwate, Akita, Miyagi, Yamagata, Fukushima, Ibaraki, Tochigi, Gunma, Chiba, Saitama, Tokyo, Kanagawa, Niigata, Yamanashi, Nagano, Shizuoka) were aggregated.

The original data in monthly reports by the Ministry of Health, Labour and Welfare are available on the website (<https://www.mhlw.go.jp/stf/kinkyu/0000045250.html>).

The data of March 2011 were included into the data of FY 2011.

Numerical values for limit of detection (LOD), minimum, maximum, mean, 90th percentile, standard deviation, etc. are indicated for radioactive Cs (total of Cs-134 and Cs-137).

Minimum

The lowest concentration value among analytical results of samples. Nothing is indicated when all the samples were below the limit of detection.

Maximum

The highest concentration value among analytical results of samples. Nothing is indicated when all the samples were below the limit of detection.

Mean

Arithmetic mean of analytical results.

Mean 1: setting all results below the limit of detection equal to zero.

Mean 2: setting all results below the limit of detection equal to half the limit of detection.

Mean 3: setting all results below the limit of detection equal to the limit of detection.

Median

A value ranked in the middle when sorting several values in ascending order. Median is indicated only when more than 50% of the samples were above limit of detection. When the number of samples is even, the average of the middle two values is indicated.

90th percentile

Percentile is a number where a certain percentage of observations fall below that number. The 90th percentile is the value below which 90% of the observations may be found. The 90th percentile is indicated only when more than 10% of the samples were above limit of detection.

Standard Deviation

Standard deviation is indicated only when more than 50% of the samples were above limit of detection. Standard deviation is calculated setting all results below the limit of detection equal to the limit of detection.

1. NUMBER OF SAMPLES

Prefecture	Fiscal Year	Available for cultivation/feed management												Log-cultivated Fungi	Difficult for cultivation/feed management								Processed Food	Total	
		Vegetables, Tubes	Fruits, Seeds	Rice	Grains (Wheat, Barley, Rye and Adlay)	Pulses, Legumes and Minor Cereals	Meat	Eggs	Fresh Milk	Tea	Substrate-cultivated Fungi	Edible Wild Plants cultivated	Total		Edible Wild-growing Fungi	Edible Wild Plants wild	Game Meat	Fishery Products		Honey	Total				
																		marine	freshwater						
Total	2011	5,104	1,250	2,740	352	965	69,836	234	1,293	-	288	120	82,182	1,494	286	121	611	4,545	918	10	6,491	3,121	93,288		
	2012	12,159	3,606	8,805	1,823	7,333	149,716	276	2,457	771	1,301	275	188,522	1,854	449	1,405	1,241	13,927	3,435	73	20,530	2,016	212,922		
	2013	12,147	3,290	3,331	600	8,148	189,004	218	2,158	395	1,357	399	221,047	1,678	541	2,457	1,382	15,762	3,507	58	23,707	1,841	248,273		
	2014	10,465	2,504	1,357	394	3,449	183,093	201	1,942	169	1,254	380	205,208	2,276	638	2,932	1,363	16,416	3,392	53	24,794	1,460	233,738		
	2015	7,805	2,184	825	332	3,140	217,598	186	1,520	68	1,207	524	235,389	2,352	666	2,571	893	14,884	2,532	50	21,596	1,457	260,794		
	2016	6,648	1,726	623	247	1,392	209,118	196	1,458	62	970	668	223,108	2,554	890	3,219	1,719	14,713	2,218	53	22,812	1,359	249,833		
	2017	4,948	1,181	371	198	715	211,133	140	858	44	742	525	220,855	2,384	929	2,435	1,638	13,672	2,109	50	20,833	1,014	245,086		
	2018	4,149	945	308	188	413	210,082	109	652	17	689	340	217,892	2,085	1,063	2,577	2,133	11,003	2,214	50	19,040	985	240,002		
	2019	3,443	712	259	176	283	203,905	99	526	12	739	337	210,491	1,841	615	1,947	2,089	9,211	2,170	48	16,080	921	229,333		
	2020	3,020	641	1,232	115	262	19,843	117	273	6	779	409	26,697	1,657	667	1,620	3,435	7,891	1,467	35	15,115	789	44,258		
	2021	2,106	604	1,226	136	237	8,626	140	218	4	480	287	14,064	1,782	1,336	2,037	2,296	10,961	1,137	39	17,806	583	34,235		
	2022	1,232	146	134	106	107	5,290	60	104	0	115	290	7,584	1,250	1,115	4,131	3,272	9,655	1,641	42	19,856	551	29,241		
	2023	2,544	817	1,613	129	328	7,421	236	180	3	529	255	14,055	1,665	1,519	3,509	1,618	13,816	1,626	46	22,134	386	38,240		
	2024	1,676	478	324	103	210	6,877	91	119	3	339	217	10,437	1,003	1,514	6,024	8,020	12,586	1,487	41	29,672	325	41,437		
Aomori	2011	200	209	32	2	11	209	6	28	-	0	0	697	7	20	0	0	282	9	0	311	0	1,015		
	2012	194	134	40	9	26	3,007	11	58	0	10	0	3,489	11	45	53	0	1,050	131	0	1,279	0	4,779		
	2013	166	131	40	10	28	5,765	12	56	0	6	3	6,217	8	84	42	10	979	155	0	1,270	6	7,501		
	2014	131	57	40	10	28	5,442	8	16	0	5	0	5,737	6	194	42	0	759	136	0	1,131	4	6,878		
	2015	100	56	40	10	24	23,095	2	20	0	4	0	23,351	7	245	43	0	581	107	0	976	0	24,334		
	2016	65	54	40	6	21	23,414	2	16	0	0	3	23,621	4	392	16	2	568	113	0	1,091	1	24,717		
	2017	6	23	21	0	0	22,943	0	2	0	0	0	22,995	4	423	18	0	275	126	0	842	0	23,841		
	2018	6	23	21	0	0	24,418	0	0	0	0	0	24,468	4	390	0	1	193	126	0	710	0	25,182		
	2019	6	23	21	0	0	22,803	0	0	0	0	0	22,853	4	298	0	0	223	105	0	626	0	23,483		
	2020	7	25	21	0	0	1,953	0	0	0	0	0	2,006	4	359	0	0	217	61	0	637	1	2,648		
	2021	6	25	21	0	0	1	0	0	0	0	0	53	3	342	0	0	164	100	0	606	0	662		
	2022	8	24	21	0	0	2	0	0	0	0	0	55	3	350	0	0	165	210	0	725	0	783		
	2023	7	20	18	0	0	1	0	0	0	0	0	46	3	263	0	0	123	245	0	631	0	680		
	2024	6	20	19	0	0	0	0	0	0	0	0	45	3	304	0	0	363	200	0	867	0	915		
Iwate	2011	45	10	102	9	17	7,564	5	276	-	9	0	8,037	127	5	0	32	289	127	0	453	9	8,626		
	2012	123	57	223	73	1,016	19,265	11	612	1	94	16	21,491	634	52	44	91	1,622	350	7	2,166	185	24,476		
	2013	74	28	155	37	362	21,993	10	612	3	76	16	23,366	405	39	74	107	1,653	271	0	2,144	0	25,915		
	2014	65	33	39	40	214	21,240	12	576	3	52	11	22,285	366	26	59	66	1,528	387	0	2,066	0	24,717		
	2015	41	24	33	37	90	21,256	4	312	0	37	15	21,849	287	24	241	46	1,476	338	0	2,125	0	24,261		
	2016	41	19	33	24	66	20,978	4	261	0	47	10	21,483	296	26	139	93	1,485	117	0	1,860	0	23,639		
	2017	19	12	32	25	64	22,664	4	108	0	19	10	22,957	237	12	17	55	1,537	171	0	1,792	0	24,986		
	2018	1	0	34	24	69	20,929	0	72	0	18	9	21,156	259	13	20	122	1,512	120	0	1,787	0	23,202		
	2019	1	0	8	8	29	21,492	0	72	0	21	5	21,636	204	24	73	92	1,684	65	0	1,938	0	23,778		
	2020	5	0	10	1	43	4,726	0	72	0	18	6	4,881	181	26	85	350	1,502	48	0	2,011	7	7,080		
	2021	1	0	12	7	24	4,920	0	72	0	19	5	5,060	169	16	74	74	1,971	39	0	2,174	0	7,403		
	2022	2	0	4	7	23	4,038	0	24	0	15	1	4,114	117	27	45	605	1,815	25	0	2,517	1	6,749		
	2023	2	0	12	6	15	4,766	0	12	0	0	2	4,815	30	18	15	60	1,747	15	0	1,855	0	6,700		
	2024	0	0	11	6	25	4,964	0	8	0	0	5	5,019	42	0	82	1,988	1,797	17	0	3,884	0	8,945		

Prefecture	Fiscal Year	Available for cultivation/feed management												Log-cultivated Fungi	Difficult for cultivation/feed management								Processed Food	Total	
		Vegetables, Tubes	Fruits, Seeds	Rice	Grains (Wheat, Barley, Rye and Adlay)	Pulses, Legumes and Minor Cereals	Meat	Eggs	Fresh Milk	Tea	Substrate-cultivated Fungi	Edible Wild Plants cultivated	Total		Edible Wild-growing Fungi	Edible Wild Plants wild	Game Meat	Fishery Products		Honey	Total				
																		marine	freshwater						
Akita	2011	8	3	6	1	2	1,717	0	16	-	0	0	1,753	3	7	0	0	3	0	0	10	0	1,766		
	2012	30	8	69	3	13	3,772	0	44	0	11	3	3,953	5	3	9	5	17	20	0	54	0	4,012		
	2013	26	7	73	3	17	3,884	0	21	0	11	2	4,044	6	6	26	0	9	14	0	55	0	4,105		
	2014	20	7	69	4	14	4,420	0	26	0	8	2	4,570	5	3	25	0	9	11	0	48	0	4,623		
	2015	11	6	25	3	14	4,364	0	24	0	8	1	4,456	3	3	24	0	2	1	0	30	0	4,489		
	2016	6	5	25	1	10	4,229	0	22	0	2	0	4,300	2	1	10	0	2	1	0	14	0	4,316		
	2017	0	0	0	0	0	4,317	0	23	0	0	0	4,340	1	1	10	0	0	0	0	11	0	4,352		
	2018	0	0	0	0	0	4,318	0	13	0	0	0	4,331	0	0	3	0	0	0	0	3	0	4,334		
	2019	0	0	0	0	0	3,660	0	11	0	0	0	3,671	1	0	15	4	0	0	0	19	0	3,691		
	2020	1	0	0	0	0	286	0	1	0	0	0	288	1	3	9	7	0	0	0	19	1	309		
	2021	0	0	0	0	0	2	0	0	0	0	0	2	0	0	5	1	0	0	0	6	0	8		
	2022	0	0	0	0	0	1	0	0	0	0	0	1	0	0	10	2	0	0	0	12	0	13		
	2023	0	0	0	0	0	2	0	0	0	0	0	2	0	0	5	0	0	0	0	5	0	7		
	2024	0	0	0	0	0	4	0	0	0	0	0	4	1	0	10	0	0	0	0	10	0	15		
Miyagi	2011	217	30	381	10	104	10,917	0	82	-	13	0	11,754	52	9	3	14	509	50	0	585	15	12,406		
	2012	1,658	287	2,489	167	1,284	19,522	0	226	3	72	25	25,733	89	4	69	53	1,988	280	0	2,394	10	28,226		
	2013	3,240	324	1,173	65	2,417	28,583	1	255	3	32	84	36,177	71	19	284	91	1,827	234	0	2,455	17	38,720		
	2014	2,542	229	458	43	369	26,101	0	250	3	5	80	30,080	257	7	579	131	2,024	305	0	3,046	1	33,384		
	2015	1,991	206	276	43	285	24,706	0	125	0	41	69	27,742	617	2	509	137	1,925	229	0	2,802	18	31,179		
	2016	1,964	158	191	29	249	20,330	0	125	0	27	59	23,132	511	7	1,070	158	1,748	186	0	3,169	33	26,845		
	2017	1,879	128	73	14	117	23,104	0	105	0	13	31	25,464	336	10	549	142	1,875	181	0	2,757	28	28,585		
	2018	1,802	123	34	13	73	22,270	0	65	0	13	43	24,436	235	22	599	308	1,627	191	0	2,747	13	27,431		
	2019	1,673	98	34	12	73	21,838	0	65	0	11	16	23,820	207	15	548	377	1,373	118	0	2,431	21	26,479		
	2020	1,158	83	33	14	64	248	0	55	0	6	4	1,665	166	49	497	326	1,404	110	0	2,386	8	4,225		
	2021	263	25	34	13	56	44	0	38	0	2	6	481	192	672	544	427	3,571	143	0	5,357	2	6,032		
	2022	183	20	34	12	57	32	0	18	0	4	15	375	142	613	2,978	398	3,676	117	0	7,782	3	8,302		
	2023	166	21	31	13	59	36	0	9	0	6	21	362	165	914	2,291	455	4,648	167	0	8,475	4	9,006		
	2024	178	21	34	13	57	39	0	12	0	6	16	376	131	1,009	4,945	397	5,595	139	0	12,085	5	12,597		
Yamagata	2011	68	44	291	0	28	10,976	4	13	-	5	5	11,434	10	20	3	26	10	4	0	63	0	11,507		
	2012	73	70	431	4	31	16,575	5	23	0	8	6	17,226	21	14	31	14	21	41	4	125	1	17,373		
	2013	84	67	248	4	12	18,711	4	21	0	4	8	19,163	3	33	345	6	23	24	4	435	1	19,602		
	2014	36	43	247	2	14	17,711	3	15	0	2	4	18,077	0	20	249	22	25	19	4	339	1	18,417		
	2015	27	37	134	2	9	16,822	2	12	0	3	2	17,050	0	32	175	25	22	18	4	276	0	17,326		
	2016	26	34	78	2	9	15,286	2	10	0	2	2	15,451	0	24	175	29	22	13	4	267	0	15,718		
	2017	14	36	35	0	8	15,838	2	8	0	1	0	15,942	0	28	145	19	9	11	4	216	1	16,159		
	2018	14	36	35	0	8	16,346	2	8	0	3	0	16,452	0	21	149	17	8	12	4	211	1	16,664		
	2019	14	35	35	0	8	14,894	1	4	0	1	0	14,992	0	14	114	20	8	8	4	168	0	15,160		
	2020	0	0	0	0	0	385	0	0	0	0	0	385	0	0	53	24	0	4	0	81	0	466		
	2021	0	1	0	0	0	0	0	0	0	0	0	1	1	48	44	20	0	0	0	112	1	115		
	2022	0	0	0	0	0	0	0	0	0	0	0	0	1	6	40	13	0	0	0	59	4	64		
	2023	0	1	0	0	0	0	0	0	0	0	0	1	2	10	37	18	0	0	0	65	0	68		
	2024	0	3	0	0	0	0	0	0	0	0	0	3	1	0	37	13	0	0	0	50	0	54		

Prefecture	Fiscal Year	Available for cultivation/feed management												Log-cultivated Fungi	Difficult for cultivation/feed management								Processed Food	Total	
		Vegetables, Tubes	Fruits, Seeds	Rice	Grains (Wheat, Barley, Rye and Adlay)	Pulses, Legumes and Minor Cereals	Meat	Eggs	Fresh Milk	Tea	Substrate-cultivated Fungi	Edible Wild Plants cultivated	Total		Edible Wild-growing Fungi	Edible Wild Plants wild	Game Meat	Fishery Products		Honey	Total				
																		marine	freshwater						
Fukushima	2011	1,849	581	613	6	450	4,838	156	320	-	146	54	9,013	138	81	66	265	2,097	295	6	2,810	888	12,849		
	2012	5,593	1,574	737	115	2,045	12,578	144	432	5	414	40	23,677	248	72	555	393	6,138	701	54	7,913	1,656	33,494		
	2013	4,225	1,502	629	129	4,345	16,611	133	406	0	433	35	28,448	287	91	771	310	7,766	753	44	9,735	1,573	40,043		
	2014	4,397	1,406	2	138	2,269	15,643	140	392	0	454	36	24,877	428	72	797	338	8,606	994	41	10,848	1,281	37,434		
	2015	3,271	1,310	9	125	2,409	18,671	144	413	1	440	175	26,968	302	51	753	56	8,214	680	36	9,790	1,266	38,326		
	2016	2,679	994	0	72	770	17,294	143	417	1	478	321	23,169	280	246	915	590	8,728	712	39	11,230	1,199	35,878		
	2017	2,055	693	5	62	382	16,653	97	397	1	502	315	21,162	278	307	838	262	8,288	772	36	10,503	878	32,821		
	2018	1,751	593	4	65	171	15,222	96	350	3	548	156	18,959	262	448	1,021	311	6,283	965	36	9,064	895	29,180		
	2019	1,515	468	6	76	139	14,014	98	301	0	602	209	17,428	254	167	625	215	4,840	1,171	44	7,062	865	25,609		
	2020	1,655	485	1,055	49	125	4,131	117	112	0	643	303	8,675	219	130	473	248	3,975	742	35	5,603	691	15,188		
	2021	1,638	501	1,055	56	130	3,435	140	85	0	369	193	7,602	201	139	583	193	3,880	476	39	5,310	551	13,664		
	2022	887	68	0	44	2	1,054	60	41	0	81	212	2,449	47	3	413	196	1,666	240	42	2,560	473	5,529		
	2023	2,246	750	1,486	76	229	2,209	236	144	0	510	188	8,074	325	214	394	311	5,781	494	46	7,240	350	15,989		
	2024	1,411	408	201	57	111	1,550	91	87	0	325	171	4,412	185	115	383	387	3,636	506	41	5,068	304	9,969		
Ibaraki	2011	356	30	386	0	72	7,208	47	72	-	0	0	8,171	207	10	9	27	1,088	103	0	1,237	50	9,665		
	2012	330	77	1,334	429	1,075	16,359	83	156	129	11	3	19,986	78	0	68	31	2,453	337	0	2,889	13	22,966		
	2013	246	44	74	100	142	21,400	42	84	90	5	6	22,233	46	0	20	41	2,513	406	0	2,980	9	25,268		
	2014	171	26	44	47	83	21,241	25	42	23	0	1	21,703	90	6	226	33	2,614	355	0	3,234	3	25,030		
	2015	150	34	44	21	72	23,239	21	33	7	0	17	23,638	107	22	98	38	2,061	265	0	2,484	3	26,232		
	2016	146	22	44	21	38	22,001	32	36	7	0	17	22,364	105	22	233	29	1,586	248	0	2,118	4	24,591		
	2017	50	8	44	21	5	21,172	26	28	7	0	0	21,361	90	10	271	32	1,114	184	0	1,611	12	23,074		
	2018	32	7	44	16	5	21,167	0	26	7	0	4	21,308	91	16	255	19	853	143	0	1,286	12	22,697		
	2019	31	7	44	16	3	21,760	0	12	7	0	0	21,880	0	0	9	27	720	100	0	856	0	22,736		
	2020	33	7	12	15	6	1,202	0	6	0	0	0	1,281	29	13	3	16	698	105	0	835	7	2,152		
	2021	28	7	13	22	4	0	0	2	0	2	0	78	173	14	317	36	1,246	82	0	1,695	12	1,958		
	2022	24	8	15	16	3	0	0	3	0	1	21	91	57	7	183	12	1,147	96	0	1,445	43	1,636		
	2023	12	2	8	12	3	0	0	0	0	1	1	39	341	5	321	13	1,240	94	0	1,673	16	2,069		
	2024	13	6	12	17	2	0	0	0	0	0	0	50	62	3	199	26	890	64	0	1,182	12	1,306		
Tochigi	2011	315	25	252	265	72	9,303	0	85	-	63	16	10,396	136	9	4	81	0	128	0	222	29	10,783		
	2012	1,116	373	2,670	404	1,185	21,615	16	183	14	461	127	28,164	196	27	259	265	Cultured(4)	894	2	1,451	17	29,828		
	2013	1,666	499	505	77	528	25,369	11	239	15	490	193	29,592	160	3	174	291	Cultured(2)	538	10	1,018	114	30,884		
	2014	1,570	299	138	30	257	25,799	10	248	13	485	178	29,027	476	5	164	281	Cultured(1)	295	8	754	63	30,320		
	2015	1,185	234	42	29	104	31,190	10	240	1	475	164	33,674	513	1	173	110	Cultured(1)	289	10	584	82	34,853		
	2016	1,065	236	27	29	114	32,027	10	246	7	208	158	34,127	866	6	247	237	Cultured(1)	338	10	839	52	35,884		
	2017	613	200	39	30	110	32,577	10	115	6	136	150	33,986	907	8	259	260	Cultured(1)	208	10	746	39	35,678		
	2018	312	89	27	27	73	32,915	10	45	2	87	123	33,710	684	10	193	326	Cultured(1)	171	10	711	12	35,117		
	2019	47	24	10	31	22	32,325	0	15	0	85	101	32,660	722	0	231	380	Cultured(1)	225	0	837	0	34,219		
	2020	29	1	10	2	18	3,192	0	0	0	82	89	3,423	538	0	153	291	0	146	0	590	2	4,553		
	2021	7	1	9	2	18	224	0	0	0	73	82	416	572	0	200	223	0	48	0	471	0	1,459		
	2022	7	1	9	3	18	163	0	0	0	3	38	242	481	0	189	0	0	82	0	271	1	995		
	2023	5	1	9	3	18	407	0	0	0	3	39	485	439	0	187	0	0	51	0	238	2	1,164		
	2024	2	1	9	3	15	320	0	0	0	3	21	374	285	0	142	0	0	23	0	165	0	824		

Prefecture	Fiscal Year	Available for cultivation/feed management												Log-cultivated Fungi	Difficult for cultivation/feed management								Processed Food	Total	
		Vegetables, Tubes	Fruits, Seeds	Rice	Grains (Wheat, Barley, Rye and Adlay)	Pulses, Legumes and Minor Cereals	Meat	Eggs	Fresh Milk	Tea	Substrate-cultivated Fungi	Edible Wild Plants cultivated	Total		Edible Wild-growing Fungi	Edible Wild Plants wild	Game Meat	Fishery Products		Honey	Total				
																		marine	freshwater						
Gunma	2011	467	72	101	26	34	10,026	1	96	-	20	37	10,880	77	7	8	111	0	124	0	250	41	11,248		
	2012	681	143	257	236	261	19,271	0	153	7	58	47	21,114	162	32	39	215	0	280	0	566	36	21,878		
	2013	476	74	141	60	76	23,096	0	138	7	76	37	24,181	164	1	98	214	0	399	0	712	33	25,090		
	2014	370	56	75	28	62	23,985	0	125	6	78	60	24,845	171	0	28	159	0	352	0	539	33	25,588		
	2015	244	43	38	29	57	27,459	0	117	2	69	76	28,134	146	6	32	125	0	280	0	443	28	28,751		
	2016	155	26	38	28	54	27,428	0	126	2	72	95	28,024	143	1	21	186	0	260	0	468	29	28,664		
	2017	71	24	24	21	22	26,065	0	2	0	36	18	26,283	134	0	30	143	0	249	0	422	9	26,848		
	2018	44	25	13	17	8	26,939	0	0	0	20	4	27,070	146	0	102	88	0	256	0	446	20	27,682		
	2019	37	20	10	11	6	25,359	0	0	0	19	6	25,468	117	5	62	73	0	180	0	320	18	25,923		
	2020	26	7	4	12	2	1,785	0	0	0	30	7	1,873	187	0	70	41	0	211	0	322	14	2,396		
	2021	36	11	6	11	1	0	0	0	0	15	1	81	201	18	52	99	0	210	0	379	12	673		
	2022	21	7	4	7	0	0	0	0	0	11	1	51	162	5	49	60	0	223	0	337	10	560		
	2023	13	6	6	5	0	0	0	0	0	8	2	40	104	2	50	218	0	221	0	491	13	648		
	2024	13	5	3	3	0	0	0	0	0	4	1	29	97	4	42	100	0	113	0	259	4	389		
Chiba	2011	501	61	323	3	87	482	5	56	-	14	0	1,532	147	1	14	10	68	19	0	112	31	1,822		
	2012	663	527	284	57	270	3,367	0	202	71	45	2	5,488	199	0	152	57	401	120	0	730	40	6,457		
	2013	677	291	51	40	101	4,536	0	60	57	24	2	5,839	369	0	351	160	797	188	0	1,496	42	7,746		
	2014	420	132	33	11	55	3,955	0	44	13	3	0	4,666	338	0	479	182	706	196	0	1,563	40	6,607		
	2015	297	51	18	7	18	4,321	0	24	7	0	0	4,743	280	0	284	244	472	182	0	1,182	37	6,242		
	2016	94	23	16	7	15	3,689	0	18	3	0	0	3,865	294	0	180	316	440	174	0	1,110	24	5,293		
	2017	65	13	13	7	4	4,397	0	18	1	0	0	4,518	330	0	127	256	478	161	0	1,022	20	5,890		
	2018	47	13	13	7	3	4,488	0	18	1	0	0	4,590	330	0	87	523	424	193	0	1,227	12	6,159		
	2019	36	7	12	7	2	4,834	0	14	1	0	0	4,913	283	0	122	353	271	161	0	907	0	6,103		
	2020	39	7	10	7	2	311	0	3	1	0	0	380	293	0	147	1,636	13	0	0	1,796	0	2,469		
	2021	43	6	10	7	2	0	0	0	0	0	0	68	222	0	98	652	12	0	0	762	1	1,053		
	2022	35	5	10	7	2	0	0	0	0	0	0	59	214	0	104	1,354	1,068	606	0	3,132	11	3,416		
	2023	36	5	10	6	2	0	0	0	0	0	0	59	214	0	81	21	171	295	0	568	1	842		
	2024	3	0	0	0	0	0	0	0	0	0	0	3	162	0	69	4,549	192	390	0	5,200	0	5,365		
Saitama	2011	603	55	114	22	53	231	1	84	-	12	0	1,175	25	9	6	9	0	4	2	30	1,785	3,015		
	2012	1,055	132	117	296	94	1,972	1	100	299	9	0	4,075	111	60	59	51	0	68	2	240	7	4,433		
	2013	784	111	76	53	79	3,755	1	26	98	7	5	4,995	78	14	61	34	0	63	0	172	5	5,250		
	2014	397	73	57	29	52	3,240	1	12	51	7	4	3,923	55	0	27	41	0	60	0	128	1	4,107		
	2015	216	54	37	16	28	7,794	1	9	17	1	1	8,174	35	0	17	38	0	40	0	95	0	8,304		
	2016	159	48	33	18	19	7,973	1	6	15	3	3	8,278	18	0	15	0	0	15	0	30	0	8,326		
	2017	50	28	5	18	2	7,666	1	6	9	0	1	7,786	38	7	12	0	0	14	0	33	0	7,857		
	2018	31	19	4	18	2	7,204	1	7	3	0	0	7,289	35	4	15	0	0	10	0	29	0	7,353		
	2019	16	17	3	14	1	6,948	0	4	3	0	0	7,006	16	0	14	0	0	8	0	22	0	7,044		
	2020	21	16	4	14	2	676	0	0	3	0	0	736	22	3	15	0	0	10	0	28	0	786		
	2021	24	17	5	17	2	0	0	0	3	0	0	68	26	2	14	0	0	12	0	28	0	122		
	2022	14	7	5	9	2	0	0	0	0	0	1	38	12	3	9	0	0	11	0	23	1	74		
	2023	10	5	4	7	2	0	0	0	3	0	0	31	25	2	13	0	0	12	0	27	0	83		
	2024	3	2	1	2	0	0	0	0	3	0	0	11	17	3	13	0	0	8	0	24	0	52		

Prefecture	Fiscal Year	Available for cultivation/feed management												Log-cultivated Fungi	Difficult for cultivation/feed management								Processed Food	Total	
		Vegetables, Tubes	Fruits, Seeds	Rice	Grains (Wheat, Barley, Rye and Adlay)	Pulses, Legumes and Minor Cereals	Meat	Eggs	Fresh Milk	Tea	Substrate-cultivated Fungi	Edible Wild Plants cultivated	Total		Edible Wild-growing Fungi	Edible Wild Plants wild	Game Meat	Fishery Products		Honey	Total				
																		marine	freshwater						
Tokyo	2011	208	19	12	2	3	0	0	6	-	1	3	254	15	0	0	0	20	12	0	32	56	357		
	2012	285	31	13	14	4	92	0	18	33	2	4	496	35	0	7	0	39	32	0	78	13	622		
	2013	214	26	2	4	0	235	0	15	25	5	3	529	18	0	6	0	31	377	0	414	6	967		
	2014	176	11	6	1	0	209	0	12	24	3	1	443	15	0	1	0	25	246	0	272	15	745		
	2015	129	1	2	0	0	384	0	9	5	3	2	535	11	0	0	0	25	90	0	115	5	666		
	2016	128	6	1	0	0	372	0	9	5	2	0	523	10	0	0	0	16	33	0	49	3	585		
	2017	91	0	2	0	0	408	0	6	0	1	0	508	10	0	0	0	15	30	0	45	12	575		
	2018	83	2	1	0	0	330	0	6	0	0	1	423	7	0	0	0	13	25	0	38	0	468		
	2019	45	0	1	0	0	361	0	3	0	0	0	410	8	0	0	0	24	27	0	51	0	469		
	2020	43	2	1	0	0	32	0	3	0	0	0	81	6	0	0	0	30	28	0	58	0	145		
	2021	45	0	1	0	0	0	0	3	0	0	0	49	6	0	0	0	33	25	0	58	0	113		
	2022	41	0	1	0	0	0	0	2	0	0	0	44	3	0	1	0	31	29	0	61	0	108		
	2023	43	0	1	0	0	0	0	3	0	0	1	48	5	0	1	0	28	30	0	59	0	112		
	2024	40	0	1	0	0	0	0	3	0	0	1	45	5	0	1	0	24	27	0	52	0	102		
Kanagawa	2011	122	22	3	0	4	38	1	57	-	5	0	252	18	0	4	6	166	10	0	186	101	557		
	2012	116	49	10	5	5	963	1	52	53	11	1	1,266	16	0	9	0	177	35	0	221	15	1,518		
	2013	114	41	9	5	7	1,368	0	56	30	5	0	1,635	15	2	7	0	149	8	0	166	2	1,818		
	2014	65	26	3	1	3	1,281	0	52	10	7	0	1,448	17	0	6	0	103	9	0	118	4	1,587		
	2015	57	21	3	0	1	1,217	0	49	5	3	0	1,356	14	0	6	0	96	3	0	105	5	1,480		
	2016	49	15	4	0	2	1,130	0	46	2	3	0	1,251	6	0	5	0	83	2	0	90	1	1,348		
	2017	35	12	3	0	1	1,141	0	32	1	0	0	1,225	6	0	4	0	74	2	0	80	0	1,311		
	2018	26	11	3	0	1	1,064	0	42	1	0	0	1,148	3	0	3	0	80	2	0	85	0	1,236		
	2019	22	9	3	0	0	1,141	0	25	1	0	0	1,201	3	0	1	0	67	2	0	70	0	1,274		
	2020	3	4	1	0	0	32	0	21	2	0	0	63	1	0	1	0	52	2	0	55	46	165		
	2021	15	6	1	0	0	0	0	18	1	0	0	41	3	0	1	0	84	2	0	87	0	131		
	2022	10	2	1	0	0	0	0	16	0	0	1	30	3	0	0	0	87	2	0	89	0	122		
	2023	4	2	1	0	0	0	0	12	0	1	1	21	1	0	0	0	78	2	0	80	0	102		
	2024	6	2	0	0	0	0	0	9	0	1	1	19	2	0	0	0	89	0	0	89	0	110		
Niigata	2011	0	0	0	0	0	380	0	72	-	0	0	452	0	24	0	0	0	12	0	36	2	490		
	2012	3	3	0	0	0	2,181	0	104	0	82	0	2,373	3	1	8	17	0	19	0	45	0	2,421		
	2013	32	61	74	2	18	3,197	0	104	3	172	0	3,663	12	28	126	49	0	21	0	224	0	3,899		
	2014	17	53	74	2	18	2,749	0	103	3	139	0	3,158	8	30	120	74	2	21	0	247	0	3,413		
	2015	15	55	73	2	18	2,132	0	102	3	122	0	2,522	8	28	134	17	0	8	0	187	0	2,717		
	2016	14	53	74	2	18	2,146	0	102	3	126	0	2,538	5	33	144	20	0	6	0	203	0	2,746		
	2017	0	0	74	0	0	2,276	0	8	0	34	0	2,392	4	29	119	10	0	0	0	158	0	2,554		
	2018	0	0	74	0	0	2,452	0	0	0	0	0	2,526	7	45	107	5	0	0	0	157	0	2,690		
	2019	0	0	71	0	0	2,875	0	0	0	0	0	2,946	7	37	110	13	0	0	0	160	0	3,113		
	2020	0	0	70	0	0	256	0	0	0	0	0	326	7	16	87	5	0	0	0	108	0	441		
	2021	0	0	58	0	0	0	0	0	0	0	0	58	9	21	78	4	0	0	0	103	0	170		
	2022	0	0	29	0	0	0	0	0	0	0	0	29	7	28	84	7	0	0	0	119	0	155		
	2023	0	0	26	0	0	0	0	0	0	0	0	26	7	11	85	16	0	0	0	112	0	145		
	2024	0	0	32	0	0	0	0	0	0	0	0	32	7	10	65	14	0	0	0	89	0	128		

Prefecture	Fiscal Year	Available for cultivation/feed management												Log-cultivated Fungi	Difficult for cultivation/feed management								Processed Food	Total	
		Vegetables, Tubes	Fruits, Seeds	Rice	Grains (Wheat, Barley, Rye and Adlay)	Pulses, Legumes and Minor Cereals	Meat	Eggs	Fresh Milk	Tea	Substrate-cultivated Fungi	Edible Wild Plants	Total		Edible Wild-growing Fungi	Edible Wild Plants	Game Meat	Fishery Products		Honey	Total				
												cultivated				wild		marine	freshwater						
Yamanashi	2011	6	15	51	2	4	17	0	0	-	0	0	95	7	20	1	8	0	9	0	38	7	147		
	2012	35	37	48	2	3	220	0	27	3	6	0	381	15	43	24	10	0	55	0	132	3	531		
	2013	40	37	48	2	3	185	0	25	3	11	0	354	15	126	28	15	0	53	0	222	0	591		
	2014	35	25	40	2	3	187	0	6	1	0	0	299	9	81	13	0	0	6	0	100	0	408		
	2015	21	25	19	2	3	598	0	6	1	0	0	675	2	62	12	18	0	2	0	94	0	771		
	2016	12	11	6	2	2	648	0	6	1	0	0	688	2	77	10	15	0	0	0	102	0	792		
	2017	0	4	1	0	0	712	0	0	0	0	0	717	4	66	14	15	0	0	0	95	0	816		
	2018	0	4	1	1	0	587	0	0	0	0	0	593	2	50	8	15	0	0	0	73	0	668		
	2019	0	4	1	1	0	598	0	0	0	0	0	604	1	39	11	15	0	0	0	65	0	670		
	2020	0	4	1	1	0	85	0	0	0	0	0	91	2	46	6	0	0	0	0	52	9	154		
	2021	0	4	1	1	0	0	0	0	0	0	0	6	4	33	6	12	0	0	0	51	4	65		
	2022	0	4	1	1	0	0	0	0	0	0	0	6	1	43	4	11	0	0	0	58	4	69		
	2023	0	4	1	1	0	0	0	0	0	0	0	6	3	57	5	0	0	0	0	62	0	71		
	2024	0	10	1	2	0	0	0	0	0	0	1	14	3	50	30	0	0	0	0	80	0	97		
Nagano	2011	108	63	68	2	20	4,930	4	21	-	0	5	5,221	517	64	1	19	0	11	2	97	4	5,839		
	2012	168	89	78	7	17	8,059	0	44	2	7	0	8,471	19	85	17	39	Cultured(3)	68	4	216	8	8,714		
	2013	58	32	29	7	9	8,830	0	28	0	0	4	8,997	8	76	30	51	0	3	0	160	6	9,171		
	2014	30	21	29	4	8	8,539	0	22	0	6	1	8,660	23	176	112	33	0	0	0	321	2	9,006		
	2015	31	20	29	4	8	8,754	0	24	0	1	0	8,871	8	175	65	36	0	0	0	276	1	9,156		
	2016	27	15	10	4	5	8,967	0	11	0	0	0	9,039	1	37	34	41	0	0	0	112	1	9,153		
	2017	0	0	0	0	0	7,767	0	0	0	0	0	7,767	0	12	17	443	0	0	0	472	0	8,239		
	2018	0	0	0	0	0	8,162	0	0	0	0	0	8,162	0	26	10	389	0	0	0	425	0	8,587		
	2019	0	0	0	0	0	7,858	0	0	0	0	0	7,858	2	8	7	511	0	0	0	526	0	8,386		
	2020	0	0	0	0	0	494	0	0	0	0	0	494	1	8	16	486	0	0	0	510	0	1,005		
	2021	0	0	0	0	0	0	0	0	0	0	0	0	0	16	16	555	0	0	0	587	0	587		
	2022	0	0	0	0	0	0	0	0	0	0	0	0	0	12	17	614	0	0	0	643	0	643		
	2023	0	0	0	0	0	0	0	0	0	0	0	0	1	11	19	506	0	0	0	536	0	537		
	2024	1	0	0	0	0	0	0	0	0	0	0	1	0	3	2	546	0	0	0	551	0	552		
Shizuoka	2011	31	11	5	2	4	1,000	4	9	-	0	0	1,066	8	0	2	3	13	1	0	19	103	1,196		
	2012	36	15	5	2	4	898	4	23	151	0	1	1,139	12	11	2	0	14	4	0	31	12	1,194		
	2013	25	15	4	2	4	1,486	4	12	61	0	1	1,614	13	19	14	3	13	0	0	49	27	1,703		
	2014	23	7	3	2	0	1,351	2	1	19	0	2	1,410	12	18	5	3	14	0	0	40	12	1,474		
	2015	19	7	3	2	0	1,596	2	1	19	0	2	1,651	12	15	5	3	9	0	0	32	12	1,707		
	2016	18	7	3	2	0	1,206	2	1	16	0	0	1,255	11	18	5	3	34	0	0	60	12	1,338		
	2017	0	0	0	0	0	1,433	0	0	19	0	0	1,452	5	16	5	1	6	0	0	28	15	1,500		
	2018	0	0	0	0	0	1,271	0	0	0	0	0	1,271	20	18	5	9	9	0	0	41	20	1,352		
	2019	0	0	0	0	0	1,145	0	0	0	0	0	1,145	12	8	5	9	0	0	0	22	17	1,196		
	2020	0	0	0	0	0	49	0	0	0	0	0	49	0	14	5	5	0	0	0	24	3	76		
	2021	0	0	0	0	0	0	0	0	0	0	0	0	0	15	5	0	0	0	0	20	0	20		
	2022	0	0	0	0	0	0	0	0	0	0	0	0	0	18	5	0	0	0	0	23	0	23		
	2023	0	0	0	0	0	0	0	0	0	0	0	0	0	12	5	0	0	0	0	17	0	17		
	2024	0	0	0	0	0	0	0	0	0	0	0	0	0	13	4	0	0	0	0	17	0	17		

2. TEST RESULTS

Available for cultivation/feed management (excluding fresh milk and tea, for which maximum levels differ from general foodstuffs.)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Total	2011	80,889	0.015	100	75,609	93%	0.015	82,000	8.9	29	50	-	-	-	78,252	97%	1,192	1.5%	630	0.8%	276	0.3%	539	0.7%								
	2012	185,294	0.011	69	177,425	96%	0.011	700	0.98	13	24	-	-	-	183,323	99%	920	0.5%	492	0.3%	402	0.2%	157	0.08%								
	2013	218,494	0.006	36	211,245	97%	0.006	340	0.77	12	23	-	-	-	216,511	99%	1,012	0.5%	445	0.2%	439	0.2%	87	0.04%								
	2014	203,097	0.015	26	201,317	99%	0.015	110	0.10	12	23	-	-	-	202,925	99.9%	153	0.08%	14	0.01%	3	0.001%	2	0.001%								
	2015	233,801	0.023	26	231,994	99%	1.0	220	0.082	12	24	-	-	-	233,675	99.9%	95	0.04%	20	0.01%	6	0.003%	5	0.002%								
	2016	221,588	0.020	164	220,599	99.6%	1.9	100	0.046	12	24	-	-	-	221,536	99.98%	42	0.02%	8	0.004%	2	0.001%	0	0%								
	2017	219,953	0.080	27	219,343	99.7%	0.78	110	0.030	12	24	-	-	-	219,916	99.98%	32	0.01%	3	0.001%	1	0.0005%	1	0.0005%								
	2018	217,223	0.028	39	216,729	99.8%	0.05	62	0.023	12	24	-	-	-	217,206	99.99%	14	0.01%	3	0.001%	0	0%	0	0%								
	2019	209,953	0.082	33	209,319	99.7%	2.5	160	0.039	12	24	-	-	-	209,909	99.98%	37	0.02%	4	0.002%	1	0.0005%	2	0.001%								
	2020	26,418	0.93	25	25,977	98%	1.2	59	0.17	10	20	-	-	-	26,405	99.95%	12	0.05%	1	0.004%	0	0%	0	0%								
	2021	13,842	1.0	25	13,381	97%	1.6	45	0.36	9	17	-	-	-	13,827	99.9%	15	0.1%	0	0%	0	0%	0	0%								
	2022	7,480	0.82	26	7,218	96%	0.82	61	0.41	9.5	19	-	-	-	7,465	99.8%	13	0.2%	2	0.03%	0	0%	0	0%								
	2023	13,872	1.1	28	13,515	97%	1.2	430	0.30	8.7	17	-	-	-	13,851	99.8%	19	0.1%	1	0.01%	0	0%	1	0%								
	2024	10,315	1.0	25	9,967	97%	1.0	120	0.37	9.2	18	-	-	-	10,301	99.9%	9	0.09%	3	0.03%	1	0.01%	1	0.01%								
Aomori	2011	669	0.60	50	668	99.9%	0.60	0.60	0.00090	23	45	-	-	-	669	100%	0	0%	0	0%	0	0%	0	0%								
	2012	3,431	10	50	3,428	99.9%	12	14	0.011	13	26	-	-	-	3,431	100%	0	0%	0	0%	0	0%	0	0%								
	2013	6,161	10	25	6,161	100%	-	-	0	12	25	-	-	-	6,161	100%	0	0%	0	0%	0	0%	0	0%								
	2014	5,721	10	25	5,721	100%	-	-	0	12	25	-	-	-	5,721	100%	0	0%	0	0%	0	0%	0	0%								
	2015	23,331	10	25	23,331	100%	-	-	0	12	25	-	-	-	23,331	100%	0	0%	0	0%	0	0%	0	0%								
	2016	23,605	10	164	23,605	100%	-	-	0	12	25	-	-	-	23,605	100%	0	0%	0	0%	0	0%	0	0%								
	2017	22,993	10	25	22,993	100%	-	-	0	12	25	-	-	-	22,993	100%	0	0%	0	0%	0	0%	0	0%								
	2018	24,468	10	25	24,468	100%	-	-	0	12	25	-	-	-	24,468	100%	0	0%	0	0%	0	0%	0	0%								
	2019	22,853	10	25	22,853	100%	-	-	0	12	25	-	-	-	22,853	100%	0	0%	0	0%	0	0%	0	0%								
	2020	2,006	1.5	25	2,006	100%	-	-	0	12	25	-	-	-	2,006	100%	0	0%	0	0%	0	0%	0	0%								
	2021	53	1.4	25	53	100%	-	-	0	5.0	10	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%								
	2022	55	1.2	25	55	100%	-	-	0	5.0	10	-	-	-	55	100%	0	0%	0	0%	0	0%	0	0%								
	2023	46	1.8	25	46	100%	-	-	0	5.1	10	-	-	-	46	100%	0	0%	0	0%	0	0%	0	0%								
	2024	45	1.2	10	45	100%	-	-	0	4.9	10	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%								
Iwate	2011	7,761	2.0	50	7,304	94%	4.1	738	4.6	28	51	-	-	-	7,313	94%	168	2.2%	122	1.6%	70	0.9%	88	1.1%								
	2012	20,878	1.4	50	20,208	97%	1.4	340	0.74	13	24	-	-	-	20,689	99%	134	0.6%	35	0.2%	9	0.04%	11	0.05%								
	2013	22,751	1.6	25	22,466	99%	3.7	48	0.18	12	24	-	-	-	22,734	99.9%	17	0.07%	0	0%	0	0%	0	0%								
	2014	21,706	3.8	25	21,563	99%	4.0	31	0.090	12	25	-	-	-	21,700	99.97%	6	0.03%	0	0%	0	0%	0	0%								
	2015	21,537	5.0	25	21,443	100%	5.0	190	0.073	12	25	-	-	-	21,526	99.9%	10	0.05%	0	0%	0	0%	1	0.005%								
	2016	21,222	5.2	25	21,146	99.6%	5.2	49	0.054	12	25	-	-	-	21,218	99.98%	4	0.02%	0	0%	0	0%	0	0%								
	2017	22,849	4.1	25	22,814	99.8%	4.1	27	0.022	12	25	-	-	-	22,848	99.996%	1	0.004%	0	0%	0	0%	0	0%								
	2018	21,084	3.3	25	20,942	99.3%	3.3	30	0.080	12	25	-	-	-	21,081	99.99%	3	0.01%	0	0%	0	0%	0	0%								
	2019	21,564	3.3	25	21,280	99%	10	48	0.19	12	25	-	-	-	21,546	99.9%	18	0.08%	0	0%	0	0%	0	0%								
	2020	4,809	1.3	25	4,699	98%	1.7	31	0.29	12	24	-	-	-	4,807	99.96%	2	0.04%	0	0%	0	0%	0	0%								
	2021	4,988	1.7	25	4,847	97%	3.1	36	0.38	12	24	-	-	-	4,984	99.9%	4	0.08%	0	0%	0	0%	0	0%								
	2022	4,090	1.5	25	3,976	97%	3.8	49	0.39	12	24	-	-	-	4,082	99.8%	8	0.2%	0	0%	0	0%	0	0%								
	2023	4,803	2.0	25	4,762	99%	10	20	0.11	12	25	-	-	-	4,803	100%	0	0%	0	0%	0	0%	0	0%								
	2024	5,011	2.6	25	4,903	98%	2.6	37	0.29	12	25	-	-	-	5,010	99.98%	1	0.02%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	1,737	0.85	50	1,650	95%	0.85	781	1.0	25	48	-	-	-	1,728	99.5%	6	0.3%	2	0.1%	0	0%	1	0.06%								
	2012	3,909	0.90	50	3,904	99.9%	1.0	14	0.0049	12	25	-	-	-	3,909	100%	0	0%	0	0%	0	0%	0	0%								
	2013	4,023	1.0	25	4,021	99.95%	1.2	1.8	0.0007	12	24	-	-	-	4,023	100%	0	0%	0	0%	0	0%	0	0%								
	2014	4,544	1.0	25	4,543	99.98%	0.99	1.0	0.0002	12	24	-	-	-	4,544	100%	0	0%	0	0%	0	0%	0	0%								
	2015	4,432	1.2	26	4,431	99.98%	1.2	1.2	0.0003	12	25	-	-	-	4,432	100%	0	0%	0	0%	0	0%	0	0%								
	2016	4,278	1.5	25	4,278	100%	-	-	0	12	25	-	-	-	4,278	100%	0	0%	0	0%	0	0%	0	0%								
	2017	4,317	25	27	4,317	100%	-	-	0	13	25	-	-	-	4,317	100%	0	0%	0	0%	0	0%	0	0%								
	2018	4,318	25	25	4,318	100%	-	-	0	13	25	-	-	-	4,318	100%	0	0%	0	0%	0	0%	0	0%								
	2019	3,660	25	25	3,660	100%	-	-	0	13	25	-	-	-	3,660	100%	0	0%	0	0%	0	0%	0	0%								
	2020	287	7.2	25	286	100%	7.2	7.2	0	12	25	-	-	-	287	100%	0	0%	0	0%	0	0%	0	0%								
	2021	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2022	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2024	4	25	25	4	100%	-	-	0	13	25	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
Miyagi	2011	11,672	2.0	50	11,045	95%	2.0	529	3.4	24	45	-	-	-	11,205	96%	145	1.2%	166	1.4%	64	0.5%	92	0.8%								
	2012	25,504	0.90	50	24,607	96%	1.6	260	0.76	16	31	-	-	-	25,300	99%	124	0.5%	29	0.1%	25	0.1%	26	0.1%								
	2013	35,919	3.0	25	33,924	94%	3.0	190	1.0	12	23	-	-	-	35,488	99%	412	1.1%	11	0.03%	4	0.01%	4	0.01%								
	2014	29,827	4.0	25	29,720	99.6%	4.0	76	0.06	12	23	-	-	-	29,795	99.9%	30	0.1%	1	0.003%	1	0.003%	0	0%								
	2015	27,617	3.4	25	27,554	99.8%	4.5	49	0.04	12	24	-	-	-	27,592	99.9%	25	0.09%	0	0%	0	0%	0	0%								
	2016	23,007	3.6	25	22,970	99.8%	4.0	54	0.02	12	24	-	-	-	23,003	99.98%	3	0.01%	1	0.004%	0	0%	0	0%								
	2017	25,359	2.6	25	25,337	99.9%	3.5	45	0.01	12	24	-	-	-	25,352	99.97%	7	0.03%	0	0%	0	0%	0	0%								
	2018	24,371	3.5	25	24,359	99.95%	4.1	25	0.0055	12	24	-	-	-	24,371	100%	0	0%	0	0%	0	0%	0	0%								
	2019	23,755	2.9	25	23,740	99.9%	2.9	28	0.0046	12	24	-	-	-	23,754	99.996%	1	0.004%	0	0%	0	0%	0	0%								
	2020	1,610	1.2	25	1,588	99%	1.2	10	0.049	5.8	11	-	-	-	1,610	100%	0	0%	0	0%	0	0%	0	0%								
	2021	443	1.7	25	437	99%	5.0	7.6	0.087	3.9	7.8	-	-	-	443	100%	0	0%	0	0%	0	0%	0	0%								
	2022	357	0.82	25	332	93%	0.82	15	0.24	3.3	6.4	-	-	-	357	100%	0	0%	0	0%	0	0%	0	0%								
	2023	353	1.7	25	334	95%	1.7	27	0.26	3.8	7.4	-	-	-	352	99.7%	1	0.3%	0	0%	0	0%	0	0%								
	2024	364	0.98	25	333	91%	0.98	10	0.24	3.5	6.7	-	-	-	364	100%	0	0%	0	0%	0	0%	0	0%								
Yamagata	2011	11,421	0.41	50	9,992	87%	0.41	193	2.2	21	39	-	3.0	-	11,141	98%	191	1.7%	53	0.5%	15	0.1%	21	0.2%								
	2012	17,203	0.88	50	17,200	99.98%	2.9	13	0.0013	12	25	-	-	-	17,203	100%	0	0%	0	0%	0	0%	0	0%								
	2013	19,142	6.4	35	19,141	99.99%	27	27	0.0014	12	25	-	-	-	19,141	99.99%	1	0.01%	0	0%	0	0%	0	0%								
	2014	18,062	5.5	25	18,061	99.99%	31	31	0.0017	12	25	-	-	-	18,061	99.99%	1	0.01%	0	0%	0	0%	0	0%								
	2015	17,038	5.4	25	17,038	100%	-	-	0	12	25	-	-	-	17,038	100%	0	0%	0	0%	0	0%	0	0%								
	2016	15,441	4.4	25	15,441	100%	-	-	0	12	25	-	-	-	15,441	100%	0	0%	0	0%	0	0%	0	0%								
	2017	15,934	5.0	25	15,934	100%	-	-	0	12	25	-	-	-	15,934	100%	0	0%	0	0%	0	0%	0	0%								
	2018	16,444	5.6	25	16,444	100%	-	-	0	12	25	-	-	-	16,444	100%	0	0%	0	0%	0	0%	0	0%								
	2019	14,988	4.7	25	14,988	100%	-	-	0	12	25	-	-	-	14,988	100%	0	0%	0	0%	0	0%	0	0%								
	2020	385	25	25	385	100%	-	-	0	13	25	-	-	-	385	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	1.5	1.6	3	100%	-	-	0	0.77	1.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Fukushima	2011	8,693	4.4	59	7,245	83%	4.4	82,000	62	73	84	-	21	-	7,923	91%	385	4.4%	122	1.4%	66	0.8%	197	2.3%								
	2012	23,240	1.2	69	20,490	88%	1.2	700	4.3	11	19	-	5.2	-	22,087	95%	318	1.4%	374	1.6%	355	1.5%	106	0.5%								
	2013	28,042	1.2	25	24,266	87%	1.2	340	4.2	12	20	-	6.5	-	26,570	95%	528	1.9%	427	1.5%	434	1.5%	83	0.3%								
	2014	24,485	1.3	25	23,490	96%	1.3	110	0.49	8.9	17	-	-	-	24,369	99.5%	100	0.4%	12	0.05%	2	0.01%	2	0.01%								
	2015	26,554	1.4	25	25,326	95%	1.4	220	0.47	9.5	19	-	-	-	26,472	99.7%	52	0.2%	20	0.08%	6	0.02%	4	0.02%								
	2016	22,751	1.9	25	22,098	97%	1.9	100	0.30	9.8	19	-	-	-	22,711	99.8%	31	0.1%	7	0.03%	2	0.01%	0	0%								
	2017	20,764	2.8	25	20,324	98%	2.9	110	0.23	10	20	-	-	-	20,737	99.9%	22	0.1%	3	0.01%	1	0.005%	1	0.005%								
	2018	18,606	2.4	25	18,350	99%	2.4	62	0.13	10	20	-	-	-	18,593	99.9%	10	0.05%	3	0.02%	0	0%	0	0%								
	2019	17,127	2.9	25	16,880	99%	2.9	160	0.18	10	21	-	-	-	17,104	99.9%	16	0.09%	4	0.02%	1	0.006%	2	0.01%								
	2020	8,563	1.5	25	8,307	97%	2.7	59	0.29	7.1	14	-	-	-	8,553	99.9%	9	0.1%	1	0.01%	0	0%	0	0%								
	2021	7,517	1.6	23	7,269	97%	2.6	45	0.32	6.9	13	-	-	-	7,507	99.9%	10	0.1%	0	0%	0	0%	0	0%								
	2022	2,408	1.5	20	2,314	96%	3.1	61	0.45	6.2	12	-	-	-	2,402	99.8%	4	0.2%	2	0.08%	0	0%	0	0%								
	2023	7,930	1.3	20	7,657	97%	2.2	430	0.41	6.7	13	-	-	-	7,911	99.8%	17	0.2%	1	0.01%	0	0%	1	0.01%								
	2024	4,325	1.6	20	4,139	96%	2.2	120	0.47	6.0	12	-	-	-	4,312	99.7%	8	0.2%	3	0.07%	1	0.02%	1	0.02%								
Ibaraki	2011	8,099	1.0	61	7,916	98%	1.0	1,931	2.8	26	48	-	-	-	8,004	98.8%	19	0.2%	20	0.25%	10	0.1%	46	0.6%								
	2012	19,701	1.3	50	19,295	98%	1.3	110	0.23	13	26	-	-	-	19,670	99.8%	28	0.1%	2	0.01%	0	0%	1	0.01%								
	2013	22,059	3.4	25	22,010	99.8%	3.4	64	0.03	12	25	-	-	-	22,054	99.98%	4	0.02%	1	0.005%	0	0%	0	0%								
	2014	21,638	4.0	26	21,632	99.97%	4.0	12	0.0021	12	25	-	-	-	21,638	100%	0	0%	0	0%	0	0%	0	0%								
	2015	23,598	4.1	25	23,592	99.97%	4.1	20	0.0023	12	25	-	-	-	23,598	100%	0	0%	0	0%	0	0%	0	0%								
	2016	22,321	4.7	26	22,318	99.99%	4.7	12	0.0012	12	25	-	-	-	22,321	100%	0	0%	0	0%	0	0%	0	0%								
	2017	21,326	3.4	25	21,325	99.995%	6.4	6.4	0.00030	12	25	-	-	-	21,326	100%	0	0%	0	0%	0	0%	0	0%								
	2018	21,275	2.3	39	21,274	99.995%	9.1	9.1	0.00043	12	25	-	-	-	21,275	100%	0	0%	0	0%	0	0%	0	0%								
	2019	21,861	2.5	25	21,859	99.99%	2.5	6.1	0.00039	12	25	-	-	-	21,861	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1,275	1.7	25	1,273	99.8%	4	7.5	0.0090	12	24	-	-	-	1,275	100%	0	0%	0	0%	0	0%	0	0%								
	2021	76	1.4	22	75	99%	27	27	0.36	6.3	12	-	-	-	75	99%	1	1.3%	0	0%	0	0%	0	0%								
	2022	88	1.7	24	81	92%	2.9	40	0.78	6.3	12	-	-	-	87	99%	1	1.1%	0	0%	0	0%	0	0%								
	2023	39	1.7	21	37	95%	5.2	12	0.44	5.4	10	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%								
	2024	50	1.4	20	49	98%	1.8	1.8	0.036	5.2	10	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%								
Tochigi	2011	10,311	1.3	50	10,028	97%	1.3	790	1.7	25	48	-	-	-	10,135	98%	67	0.6%	71	0.7%	14	0.1%	24	0.2%								
	2012	27,967	1.3	50	25,490	91%	1.3	260	1.1	12	22	-	-	-	27,689	99%	223	0.8%	38	0.1%	8	0.03%	9	0.03%								
	2013	29,338	1.7	36	28,373	97%	1.7	85	0.30	12	23	-	-	-	29,295	99.9%	38	0.1%	4	0.01%	1	0.003%	0	0%								
	2014	28,766	1.9	26	28,303	98%	1.9	51	0.14	12	23	-	-	-	28,753	99.95%	12	0.04%	1	0.003%	0	0%	0	0%								
	2015	33,433	2.4	26	33,039	99%	2.4	45	0.10	12	24	-	-	-	33,426	99.98%	7	0.02%	0	0%	0	0%	0	0%								
	2016	33,874	2.0	40	33,673	99%	2.1	35	0.048	12	24	-	-	-	33,870	99.99%	4	0.01%	0	0%	0	0%	0	0%								
	2017	33,865	2.3	26	33,766	99.7%	2.3	47	0.025	12	24	-	-	-	33,864	99.997%	1	0.003%	0	0%	0	0%	0	0%								
	2018	33,663	2.1	26	33,585	99.8%	2.1	26	0.019	12	25	-	-	-	33,662	99.997%	1	0.003%	0	0%	0	0%	0	0%								
	2019	32,645	3.4	25	32,564	99.8%	3.4	38	0.024	12	25	-	-	-	32,643	99.99%	2	0.006%	0	0%	0	0%	0	0%								
	2020	3,423	2.2	25	3,379	99%	2.2	30	0.11	12	24	-	-	-	3,422	99.97%	1	0.03%	0	0%	0	0%	0	0%								
	2021	416	1.8	25	353	85%	2.1	22	1.3	9.4	18	-	5.5	-	416	100%	0	0%	0	0%	0	0%	0	0%								
	2022	242	1.6	26	223	92%	3.5	18	0.88	10	19	-	-	-	242	100%	0	0%	0	0%	0	0%	0	0%								
	2023	485	2.5	25	465	96%	7.8	33	0.60	11	22	-	-	-	484	99.8%	1	0.2%	0	0%	0	0%	0	0%								
	2024	374	1.9	25	355	95%	3.9	22	0.70	12	22	-	-	-	374	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	10,784	0.61	100	10,611	98%	0.61	555	1.2	25	49	-	-	-	10,670	99%	37	0.3%	29	0.3%	14	0.1%	34	0.3%								
	2012	20,954	1.4	50	20,730	99%	1.4	190	0.14	12	24	-	-	-	20,926	99.9%	21	0.1%	2	0.01%	3	0.01%	2	0.01%								
	2013	24,036	2.4	25	23,992	99.8%	2.4	42	0.020	12	24	-	-	-	24,032	99.98%	4	0.02%	0	0%	0	0%	0	0%								
	2014	24,714	5.3	25	24,698	99.9%	5.4	36	0.0073	12	25	-	-	-	24,712	99.99%	2	0.01%	0	0%	0	0%	0	0%								
	2015	28,015	5.1	25	28,000	99.9%	5.1	28	0.0062	12	24	-	-	-	28,014	99.996%	1	0.004%	0	0%	0	0%	0	0%								
	2016	27,896	3.0	25	27,879	99.9%	4.0	25	0.0058	12	24	-	-	-	27,896	100%	0	0%	0	0%	0	0%	0	0%								
	2017	26,281	3.1	25	26,270	99.96%	3.1	28	0.0043	12	24	-	-	-	26,280	99.996%	1	0.004%	0	0%	0	0%	0	0%								
	2018	27,070	3.7	25	27,067	99.99%	4.0	22	0.0013	12	25	-	-	-	27,070	100%	0	0%	0	0%	0	0%	0	0%								
	2019	25,468	2.9	33	25,463	99.98%	3.0	16	0.0017	12	25	-	-	-	25,468	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1,873	1.3	25	1,870	99.8%	1.3	9	0.0098	12	24	-	-	-	1,873	100%	0	0%	0	0%	0	0%	0	0%								
	2021	81	1.8	18	80	99%	15	15	0.19	4.6	9.0	-	-	-	81	100%	0	0%	0	0%	0	0%	0	0%								
	2022	51	1.6	19	51	100%	-	-	0	4.6	9.2	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%								
	2023	40	1.4	18	40	100%	-	-	0	3.4	6.8	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%								
	2024	29	1.5	18	28	97%	11	11	0.38	2.9	5.4	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
Chiba	2011	1,476	1.9	50	1,410	96%	1.9	243	2.8	20	38	-	-	-	1,431	97%	18	1.2%	7	0.5%	4	0.3%	16	1.1%								
	2012	5,215	1.2	50	4,875	93%	1.2	110	1.1	11	20	-	-	-	5,141	99%	59	1.1%	12	0.2%	2	0.04%	1	0.02%								
	2013	5,722	1.0	25	5,621	98%	1.0	52	0.19	11	22	-	-	-	5,712	100%	8	0.1%	2	0.03%	0	0%	0	0%								
	2014	4,609	0.16	25	4,592	99.6%	1.6	39	0.031	11	22	-	-	-	4,608	99.98%	1	0.02%	0	0%	0	0%	0	0%								
	2015	4,712	2.5	25	4,711	99.98%	7.0	7.0	0.0015	12	24	-	-	-	4,712	100%	0	0%	0	0%	0	0%	0	0%								
	2016	3,844	4.4	25	3,844	100%	-	-	0	12	24	-	-	-	3,844	100%	0	0%	0	0%	0	0%	0	0%								
	2017	4,499	4.2	25	4,498	99.98%	5.9	5.9	0.0013	12	25	-	-	-	4,499	100%	0	0%	0	0%	0	0%	0	0%								
	2018	4,571	3.5	25	4,570	99.98%	5.4	5.4	0.0012	12	25	-	-	-	4,571	100%	0	0%	0	0%	0	0%	0	0%								
	2019	4,898	2.3	25	4,898	100%	-	-	0	12	25	-	-	-	4,898	100%	0	0%	0	0%	0	0%	0	0%								
	2020	376	1.3	25	375	100%	4.0	4.0	0.011	11	21	-	-	-	376	100%	0	0%	0	0%	0	0%	0	0%								
	2021	68	1.4	12	68	100%	-	-	0	3.1	6.2	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%								
	2022	59	3.7	12	58	98%	3.7	3.7	0.063	3.8	7.5	-	-	-	59	100%	0	0%	0	0%	0	0%	0	0%								
	2023	59	1.5	28	59	100%	-	-	0	3.2	6.4	-	-	-	59	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	1.5	1.9	3	100%	-	-	0	0.83	1.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
Saitama	2011	1,091	2.2	100	1,023	94%	4.4	173	2.2	19	37	-	-	-	1,052	96%	27	2.5%	6	0.5%	1	0.09%	5	0.5%								
	2012	3,676	1.1	50	3,646	99%	1.5	43	0.094	8.4	17	-	-	-	3,673	99.9%	3	0.08%	0	0%	0	0.0%	0	0%								
	2013	4,871	1.5	25	4,869	99.96%	2.4	4.3	0.0014	11	21	-	-	-	4,871	100%	0	0%	0	0%	0	0.0%	0	0%								
	2014	3,860	1.5	25	3,854	99.8%	4.7	19	0.016	11	22	-	-	-	3,860	100%	0	0%	0	0%	0	0%	0	0%								
	2015	8,148	1.3	25	8,148	100%	-	-	0	12	24	-	-	-	8,148	100%	0	0%	0	0%	0	0%	0	0%								
	2016	8,257	1.6	28	8,257	100%	-	-	0	12	24	-	-	-	8,257	100%	0	0%	0	0%	0	0%	0	0%								
	2017	7,771	1.3	25	7,771	100%	-	-	0	12	24	-	-	-	7,771	100%	0	0%	0	0%	0	0%	0	0%								
	2018	7,279	1.4	25	7,279	100%	-	-	0	12	25	-	-	-	7,279	100%	0	0%	0	0%	0	0%	0	0%								
	2019	6,999	2.9	25	6,999	100%	-	-	0	12	25	-	-	-	6,999	100%	0	0%	0	0%	0	0%	0	0%								
	2020	733	1.7	25	733	100%	-	-	0	12	23	-	-	-	733	100%	0	0%	0	0%	0	0%	0	0%								
	2021	65	2.2	17	65	100%	-	-	0	3.9	7.8	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%								
	2022	38	0.99	11	37	97%	0.99	0.99	0.026	3.7	7.4	-	-	-	38	100%	0	0%	0	0%	0	0%	0	0%								
	2023	28	1.3	12	28	100%	-	-	0	2.7	5.4	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2024	8	2.7	8.0	8	100%	-	-	0	2.2	4.3	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Tokyo	2011	248	6.0	100	229	92%	7.0	890	7.7	17	27	-	-	-	233	94%	8	3.2%	4	1.6%	0	0%	3	1.2%								
	2012	445	1.5	25	429	96%	5.2	120	0.80	7.2	14	-	-	-	440	99%	4	0.9%	0	0%	0	0%	1	0.2%								
	2013	489	6.0	25	486	99%	7.7	14	0.06	8.9	18	-	-	-	489	100%	0	0%	0	0%	0	0%	0	0%								
	2014	407	6.0	25	406	99.8%	9.6	9.6	0.02	9.0	18	-	-	-	407	100%	0	0%	0	0%	0	0%	0	0%								
	2015	521	7.3	25	519	99.6%	7.3	15	0.043	11	21	-	-	-	521	100%	0	0%	0	0%	0	0%	0	0%								
	2016	509	7.7	25	508	99.8%	8.7	8.7	0.017	11	21	-	-	-	509	100%	0	0%	0	0%	0	0%	0	0%								
	2017	502	6.9	25	502	100%	-	-	0	11	22	-	-	-	502	100%	0	0%	0	0%	0	0%	0	0%								
	2018	417	7.5	25	417	100%	-	-	0	11	22	-	-	-	417	100%	0	0%	0	0%	0	0%	0	0%								
	2019	407	7.5	25	407	100%	-	-	0	12	23	-	-	-	407	100%	0	0%	0	0%	0	0%	0	0%								
	2020	78	6.8	25	77	99%	6.8	6.8	0.087	7.8	15	-	-	-	78	100%	0	0%	0	0%	0	0%	0	0%								
	2021	46	7.3	9.8	46	100%	-	-	0	4.3	8.6	-	-	-	46	100%	0	0%	0	0%	0	0%	0	0%								
	2022	42	6.9	9.7	42	100%	-	-	0	4.2	8.5	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%								
	2023	45	7.2	9.9	45	100%	-	-	0	4.4	8.7	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%								
	2024	42	7.7	10	42	100%	-	-	0	4.5	8.9	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%								
Kanagawa	2011	195	0.14	100	166	85%	0.14	290	6.3	18	30	-	3.0	-	186	95%	3	1.5%	0	0%	0	0%	6	3.1%								
	2012	1,161	0.025	27	1,141	98%	0.53	36	0.11	11	21	-	-	-	1,159	99.8%	2	0.2%	0	0%	0	0%	0	0%								
	2013	1,549	0.023	25	1,542	99.5%	0.58	12	0.022	11	23	-	-	-	1,549	100%	0	0%	0	0%	0	0%	0	0%								
	2014	1,386	0.75	25	1,379	99.5%	0.75	10	0.019	12	23	-	-	-	1,386	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1,302	0.023	25	1,301	99.9%	1.0	1.0	0.00077	12	24	-	-	-	1,302	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1,203	0.020	25	1,203	100%	-	-	0	12	24	-	-	-	1,203	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1,192	0.080	25	1,191	99.9%	0.78	0.78	0.00065	12	24	-	-	-	1,192	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1,105	0.028	25	1,104	99.9%	0.045	0.045	0.000041	12	24	-	-	-	1,105	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1,175	0.082	25	1,175	100%	-	-	0	12	24	-	-	-	1,175	100%	0	0%	0	0%	0	0%	0	0%								
	2020	40	0.930	25	39	98%	1.4	1.4	0.035	10	20	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%								
	2021	22	1.0	9.1	21	95%	1.6	1.6	0.073	1.8	3.4	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%								
	2022	14	1.0	1.7	13	93%	1.1	1.1	0.079	0.73	1.4	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2023	9	1.1	1.5	7	78%	1.2	1.9	0.34	0.84	1.3	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2024	10	1.2	1.7	8	80%	1.6	15	1.7	2.2	2.8	-	2.9	-	10	100%	0	0%	0	0%	0	0%	0	0%								
Niigata	2011	380	50	50	380	100%	-	-	0	25	50	-	-	-	380	100%	0	0%	0	0%	0	0%	0	0%								
	2012	2,269	1.9	50	2,264	99.8%	4.6	14	0.024	13	27	-	-	-	2,269	100%	0	0%	0	0%	0	0%	0	0%								
	2013	3,556	2.1	25	3,552	99.9%	3.5	18	0.010	12	23	-	-	-	3,556	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3,052	4.5	25	3,049	99.9%	4.5	28	0.012	12	23	-	-	-	3,051	99.97%	1	0.03%	0	0%	0	0%	0	0%								
	2015	2,417	3.5	25	2,415	99.9%	4.5	6.6	0.0046	11	23	-	-	-	2,417	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2,433	3.2	27	2,432	99.96%	3.2	3.2	0.0013	11	23	-	-	-	2,433	100%	0	0%	0	0%	0	0%	0	0%								
	2017	2,384	4.8	25	2,384	100%	-	-	0	12	24	-	-	-	2,384	100%	0	0%	0	0%	0	0%	0	0%								
	2018	2,526	5.3	25	2,526	100%	-	-	0	12	24	-	-	-	2,526	100%	0	0%	0	0%	0	0%	0	0%								
	2019	2,946	5.2	25	2,946	100%	-	-	0	12	25	-	-	-	2,946	100%	0	0%	0	0%	0	0%	0	0%								
	2020	326	5.1	25	326	100%	-	-	0	11	21	-	-	-	326	100%	0	0%	0	0%	0	0%	0	0%								
	2021	58	5.0	8.2	58	100%	-	-	0	3.5	6.9	-	-	-	58	100%	0	0%	0	0%	0	0%	0	0%								
	2022	29	6.0	8.2	29	100%	-	-	0	3.5	6.9	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2023	26	5.9	8.6	26	100%	-	-	0	3.5	7.1	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2024	32	5.5	8.4	32	100%	-	-	0	3.4	6.7	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	95	2.0	20	95	100%	-	-	0	4.3	8.7	-	-	-	95	100%	0	0%	0	0%	0	0%	0	0%								
	2012	351	1.2	50	348	99%	4.0	31	0.11	8.2	16	-	-	-	350	99.7%	1	0.3%	0	0%	0	0%	0	0%								
	2013	326	1.2	25	317	97%	1.7	20	0.22	7.8	15	-	-	-	326	100%	0	0%	0	0%	0	0%	0	0%								
	2014	292	1.5	25	292	100%	-	-	0	8.5	17	-	-	-	292	100%	0	0%	0	0%	0	0%	0	0%								
	2015	668	0.94	25	668	100%	-	-	0	11	23	-	-	-	668	100%	0	0%	0	0%	0	0%	0	0%								
	2016	681	1.3	25	681	100%	-	-	0	12	24	-	-	-	681	100%	0	0%	0	0%	0	0%	0	0%								
	2017	717	1.6	25	717	100%	-	-	0	12	25	-	-	-	717	100%	0	0%	0	0%	0	0%	0	0%								
	2018	593	1.5	25	593	100%	-	-	0	12	25	-	-	-	593	100%	0	0%	0	0%	0	0%	0	0%								
	2019	604	1.1	25	604	100%	-	-	0	12	25	-	-	-	604	100%	0	0%	0	0%	0	0%	0	0%								
	2020	91	1.5	25	91	100%	-	-	0	12	23	-	-	-	91	100%	0	0%	0	0%	0	0%	0	0%								
	2021	6	1.3	1.9	6	100%	-	-	0	0.80	1.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2022	6	1.4	2.1	6	100%	-	-	0	0.88	1.8	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2023	6	1.4	2.2	6	100%	-	-	0	0.96	1.9	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2024	14	1.6	4.0	14	100%	-	-	0	1.0	2.0	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
Nagano	2011	5,200	4.0	50	5,198	99.96%	54	82	0.026	24	49	-	-	-	5,198	99.96%	0	0%	1	0.02%	1	0.02%	0	0%								
	2012	8,425	2.3	50	8,422	99.96%	13	39	0.0094	13	26	-	-	-	8,423	99.98%	2	0.02%	0	0%	0	0%	0	0%								
	2013	8,969	6.5	25	8,969	100%	-	-	0	12	25	-	-	-	8,969	100%	0	0%	0	0%	0	0%	0	0%								
	2014	8,638	5.6	25	8,627	99.9%	7.4	9.9	0.011	12	25	-	-	-	8,638	100%	0	0%	0	0%	0	0%	0	0%								
	2015	8,847	7.6	25	8,847	100%	-	-	0	12	25	-	-	-	8,847	100%	0	0%	0	0%	0	0%	0	0%								
	2016	9,028	5.0	25	9,028	100%	-	-	0	12	25	-	-	-	9,028	100%	0	0%	0	0%	0	0%	0	0%								
	2017	7,767	16	25	7,767	100%	-	-	0	12	25	-	-	-	7,767	100%	0	0%	0	0%	0	0%	0	0%								
	2018	8,162	20	25	8,162	100%	-	-	0	12	25	-	-	-	8,162	100%	0	0%	0	0%	0	0%	0	0%								
	2019	7,858	20	25	7,858	100%	-	-	0	12	25	-	-	-	7,858	100%	0	0%	0	0%	0	0%	0	0%								
	2020	494	20	25	494	100%	-	-	0	12	25	-	-	-	494	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	1	1.5	1.5	1	100%	-	-	0	0.8	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
Shizuoka	2011	1,057	0.015	50	649	61%	0.015	191	11	19	28	-	36	-	889	84%	118	11%	27	2.6%	17	1.6%	6	0.6%								
	2012	965	0.011	50	948	98%	0.011	33	0.053	11	21	-	-	-	964	99.9%	1	0.1%	0	0%	0	0%	0	0%								
	2013	1,541	0.0059	25	1,535	99.6%	0.0059	5.1	0.0037	12	24	-	-	-	1,541	100%	0	0%	0	0%	0	0.0%	0	0%								
	2014	1,390	0.015	25	1,387	99.8%	0.015	0.024	0.000043	12	24	-	-	-	1,390	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1,631	2.2	25	1,631	100%	-	-	0	12	24	-	-	-	1,631	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1,238	1.7	25	1,238	100%	-	-	0	12	24	-	-	-	1,238	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1,433	25	25	1,433	100%	-	-	0	13	25	-	-	-	1,433	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1,271	25	25	1,271	100%	-	-	0	13	25	-	-	-	1,271	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1,145	25	25	1,145	100%	-	-	0	13	25	-	-	-	1,145	100%	0	0%	0	0%	0	0%	0	0%								
	2020	49	25	25	49	100%	-	-	0	13	25	-	-	-	49	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management
(1) Vegetables, Tubes

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Total	2011	5,104	0.015	100	4,656	91%	0.015	82,000	96	108	119	-	-	-	4,840	94.83%	59	1.2%	25	0.5%	13	0.3%	167	3.3%								
	2012	12,159	0.011	27	11,905	98%	0.011	520	0.35	5.4	10	-	-	-	12,124	99.71%	20	0.2%	3	0.02%	6	0.05%	6	0.05%								
	2013	12,147	0.0059	36	11,944	98%	0.0059	56	0.16	5.8	11	-	-	-	12,131	99.87%	15	0.1%	1	0.01%	0	0%	0	0%								
	2014	10,465	0.015	26	10,363	99%	0.015	40	0.075	5.3	10	-	-	-	10,462	99.97%	3	0.03%	0	0%	0	0%	0	0%								
	2015	7,805	0.023	26	7,740	99%	1.0	62	0.082	5.4	11	-	-	-	7,801	99.95%	2	0.03%	2	0.03%	0	0%	0	0%								
	2016	6,648	0.020	26	6,584	99%	2.7	53	0.089	5.7	11	-	-	-	6,645	99.95%	2	0.03%	1	0.02%	0	0%	0	0%								
	2017	4,948	0.78	26	4,910	99%	0.78	51	0.079	5.9	12	-	-	-	4,946	99.96%	1	0.02%	1	0.02%	0	0%	0	0%								
	2018	4,149	0.028	25	4,102	99%	0.045	62	0.099	5.1	10	-	-	-	4,148	99.98%	0	0%	1	0.02%	0	0%	0	0%								
	2019	3,443	1.2	25	3,422	99%	3.9	28	0.054	4.9	9.8	-	-	-	3,442	99.97%	1	0.03%	0	0%	0	0%	0	0%								
	2020	3,020	1.2	22	2,995	99%	2.8	18	0.061	4.8	9.5	-	-	-	3,020	100%	0	0%	0	0%	0	0%	0	0%								
	2021	2,106	1.1	22	2,058	98%	3.5	44	0.23	4.4	8.6	-	-	-	2,105	99.95%	1	0.05%	0	0%	0	0%	0	0%								
	2022	1,232	1.2	24	1,221	99%	3.6	13	0.075	4.2	8.2	-	-	-	1,232	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2,544	1.2	28	2,455	97%	3.0	40	0.37	4.7	9.1	-	-	-	2,541	99.9%	3	0.1%	0	0%	0	0%	0	0%								
	2024	1,676	1.2	20	1,623	97%	1.8	34	0.28	4.3	8.4	-	-	-	1,675	99.9%	1	0.1%	0	0%	0	0%	0	0%								
Aomori	2011	200	45	45	200	100%	-	-	0	23	45	-	-	-	200	100%	0	0%	0	0%	0	0%	0	0%								
	2012	194	12	25	193	99.5%	12	12	0.062	12	25	-	-	-	194	100%	0	0%	0	0%	0	0%	0	0%								
	2013	166	25	25	166	100%	-	-	0	13	25	-	-	-	166	100%	0	0%	0	0%	0	0%	0	0%								
	2014	131	25	25	131	100%	-	-	0	13	25	-	-	-	131	100%	0	0%	0	0%	0	0%	0	0%								
	2015	100	25	25	100	100%	-	-	0	13	25	-	-	-	100	100%	0	0%	0	0%	0	0%	0	0%								
	2016	65	25	25	65	100%	-	-	0	13	25	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%								
	2017	6	25	25	6	100%	-	-	0	13	25	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2018	6	25	25	6	100%	-	-	0	13	25	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2019	6	10	10	6	100%	-	-	0	5.0	10	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2020	7	1.6	10	7	100%	-	-	0	4.4	8.8	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2021	6	10	10	6	100%	-	-	0	5.0	10	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2022	8	1.7	10	8	100%	-	-	0	4.0	7.9	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2023	7	1.8	10	7	100%	-	-	0	4.4	8.8	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2024	6	1.2	10	6	100%	-	-	0	4.1	8.3	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
Iwate	2011	45	3.7	21	45	100%	-	-	0	8.7	17	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%								
	2012	123	9.0	20	121	98%	120	210	2.7	11	19	-	-	-	121	98%	0	0%	0	0%	0	0%	2	1.6%								
	2013	74	7.7	20	73	99%	7.7	7.7	0.10	7.8	16	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2014	65	5.9	19	65	100%	-	-	0	8.1	16	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%								
	2015	41	8.1	20	41	100%	-	-	0	8.7	17	-	-	-	41	100%	0	0%	0	0%	0	0%	0	0%								
	2016	41	8.0	19	41	100%	-	-	0	8.1	16	-	-	-	41	100%	0	0%	0	0%	0	0%	0	0%								
	2017	19	8.0	19	19	100%	-	-	0	7.8	16	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1	15	15	1	100%	-	-	0	7.5	15	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1	5.2	5.2	1	100%	-	-	0	2.6	5.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2020	5	1.3	2.5	5	100%	-	-	0	0.94	1.9	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	5.6	5.6	1	100%	-	-	0	2.8	5.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	2	1.5	2.6	2	100%	-	-	0	1.0	2.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2	2	2.2	2	100%	-	-	0	1.1	2.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	8	1.6	20	8	100%	-	-	0	7.7	15	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2012	30	0.90	14	30	100%	-	-	0	1.5	2.9	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%								
	2013	26	1.0	15	26	100%	-	-	0	2.4	4.8	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2014	20	9.9	17	20	100%	-	-	0	6.3	13	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%								
	2015	11	8.7	14	11	100%	-	-	0	5.6	11	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2016	6	8.7	13	6	100%	-	-	0	5.3	11	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	1	-	-	0	0%	7.2	7.2	7.2	7.2	7.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Miyagi	2011	217	2.0	20	207	95%	2.0	120	0.87	5.0	9.2	-	-	-	216	99.5%	0	0%	0	0%	0	0%	1	0.5%								
	2012	1,658	0.90	25	1,651	99.6%	5.1	76	0.14	10	20	-	-	-	1,653	99.7%	4	0.2%	0	0%	1	0.1%	0	0%								
	2013	3,240	4.9	25	3,231	99.7%	4.9	32	0.042	8.2	16	-	-	-	3,237	99.9%	3	0.09%	0	0%	0	0%	0	0%								
	2014	2,542	5.6	25	2,539	99.9%	5.6	32	0.017	7.0	14	-	-	-	2,541	99.96%	1	0.04%	0	0%	0	0%	0	0%								
	2015	1,991	7.2	25	1,991	100%	-	-	0	7.5	15	-	-	-	1,991	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1,964	7.4	25	1,964	100%	-	-	0	7.4	15	-	-	-	1,964	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1,879	7.2	25	1,879	100%	-	-	0	7.5	15	-	-	-	1,879	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1,802	5.5	25	1,800	100%	5.5	6.3	0.0065	5.0	10	-	-	-	1,802	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1,673	6.6	25	1,672	99.9%	28	28	0.017	4.8	9.7	-	-	-	1,672	99.9%	1	0.06%	0	0%	0	0%	0	0%								
	2020	1,158	6.7	13	1,157	99.9%	6.7	6.7	0.006	4.7	9.5	-	-	-	1,158	100%	0	0%	0	0%	0	0%	0	0%								
	2021	263	1.9	11	263	100%	-	-	0	2.7	5.5	-	-	-	263	100%	0	0%	0	0%	0	0%	0	0%								
	2022	183	1.6	9.9	183	100%	-	-	0	2.4	4.7	-	-	-	183	100%	0	0%	0	0%	0	0%	0	0%								
	2023	166	2.4	13	165	99%	3	3	0.018	2.5	5.0	-	-	-	166	100%	0	0%	0	0%	0	0%	0	0%								
	2024	178	2.1	11	178	100%	-	-	0	2.6	5.3	-	-	-	178	100%	0	0%	0	0%	0	0%	0	0%								
Yamagata	2011	68	1.1	20	67	99%	1.3	1.3	0.019	6.4	13	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%								
	2012	73	0.88	18	73	100%	-	-	0	5.2	10	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2013	84	8.0	15	84	100%	-	-	0	5.7	11	-	-	-	84	100%	0	0%	0	0%	0	0%	0	0%								
	2014	36	8.8	14	36	100%	-	-	0	6.0	12	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%								
	2015	27	9.3	19	27	100%	-	-	0	5.9	12	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%								
	2016	26	9.9	16	26	100%	-	-	0	6.0	12	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2017	14	9.0	16	14	100%	-	-	0	6.2	12	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2018	14	11	17	14	100%	-	-	0	6.5	13	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2019	14	9.0	15	14	100%	-	-	0	6.3	13	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Fukushima	2011	1,849	4.4	59	1,729	94%	4.4	82,000	245	254	264	-	-	-	1,757	95%	18	1.0%	4	0.2%	4	0.2%	66	3.6%								
	2012	5,593	2.2	20	5,422	97%	2.2	520	0.53	4.8	9.1	-	-	-	5,572	99.6%	11	0.2%	3	0.05%	5	0.09%	2	0.04%								
	2013	4,225	2.5	19	4,127	98%	2.5	56	0.24	4.4	8.5	-	-	-	4,215	99.8%	9	0.2%	1	0.02%	0	0%	0	0%								
	2014	4,397	2.3	19	4,358	99%	3.7	40	0.087	4.4	8.6	-	-	-	4,395	99.95%	2	0.05%	0	0%	0	0%	0	0%								
	2015	3,271	3.5	20	3,227	99%	3.5	62	0.16	4.3	8.5	-	-	-	3,267	99.88%	2	0.06%	2	0.06%	0	0%	0	0%								
	2016	2,679	3.5	20	2,626	98%	3.5	53	0.20	4.4	8.6	-	-	-	2,676	99.89%	2	0.07%	1	0.04%	0	0%	0	0%								
	2017	2,055	3.1	20	2,027	99%	3.1	51	0.16	4.5	8.9	-	-	-	2,053	99.90%	1	0.05%	1	0.05%	0	0%	0	0%								
	2018	1,751	3.8	20	1,714	98%	3.8	62	0.21	4.8	9.4	-	-	-	1,750	99.94%	0	0%	1	0.06%	0	0%	0	0%								
	2019	1,515	3.9	20	1,495	99%	3.9	18	0.10	5.0	10	-	-	-	1,515	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1,655	1.5	20	1,633	99%	2.8	18	0.10	4.8	10	-	-	-	1,655	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1,638	1.6	20	1,590	97%	3.5	44	0.29	4.8	9.2	-	-	-	1,637	99.94%	1	0.06%	0	0%	0	0%	0	0%								
	2022	887	1.5	19	876	99%	3.6	13	0.10	4.5	8.8	-	-	-	887	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2,246	1.3	20	2,158	96%	3.3	40	0.42	4.9	9.5	-	-	-	2,243	99.9%	3	0.1%	0	0%	0	0%	0	0%								
	2024	1,411	1.7	20	1,359	96%	3.3	34	0.33	4.5	8.7	-	-	-	1,410	99.9%	1	0.1%	0	0%	0	0%	0	0%								
Ibaraki	2011	356	1.0	50	265	74%	1.0	1,931	51	61	70	-	89	-	312	88%	2	0.6%	5	1.4%	2	0.6%	35	9.8%								
	2012	330	16	25	330	100%	-	-	0	12	25	-	-	-	330	100%	0	0%	0	0%	0	0%	0	0%								
	2013	246	17	25	246	100%	-	-	0	12	25	-	-	-	246	100%	0	0%	0	0%	0	0%	0	0%								
	2014	171	25	25	171	100%	-	-	0	13	25	-	-	-	171	100%	0	0%	0	0%	0	0%	0	0%								
	2015	150	20	25	149	99%	20	20	0.13	13	25	-	-	-	150	100%	0	0%	0	0%	0	0%	0	0%								
	2016	146	6.0	25	146	100%	-	-	0	12	24	-	-	-	146	100%	0	0%	0	0%	0	0%	0	0%								
	2017	50	5.3	25	50	100%	-	-	0	12	23	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%								
	2018	32	19	21	32	100%	-	-	0	10	20	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								
	2019	31	19	21	31	100%	-	-	0	9.9	20	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%								
	2020	33	1.7	22	33	100%	-	-	0	9.5	19	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%								
	2021	28	1.4	22	28	100%	-	-	0	7.9	16	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2022	24	1.7	24	24	100%	-	-	0	9.5	19	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2023	12	1.7	21	12	100%	-	-	0	8.5	17	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2024	13	1.4	20	12	92%	1.8	1.8	0.14	8.6	17	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
Tochigi	2011	315	1.4	40	269	85%	1.4	790	25	31	37	-	12	-	290	92%	5	1.6%	2	0.6%	0	0%	18	5.7%								
	2012	1,116	2.7	26	1,097	98%	2.7	130	0.26	3.8	7.4	-	-	-	1,114	99.8%	1	0.1%	0	0%	0	0%	1	0.1%								
	2013	1,666	2.2	36	1,582	95%	2.2	37	0.41	4.7	9.0	-	-	-	1,663	99.8%	3	0.2%	0	0%	0	0%	0	0%								
	2014	1,570	1.9	26	1,526	97%	1.9	21	0.18	4.8	9.4	-	-	-	1,570	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1,185	2.4	26	1,169	99%	2.7	9	0.069	4.3	8.6	-	-	-	1,185	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1,065	2.0	26	1,054	99%	2.7	10	0.065	4.9	9.7	-	-	-	1,065	100%	0	0%	0	0%	0	0%	0	0%								
	2017	613	2.8	26	605	99%	3.1	15	0.091	5.6	11	-	-	-	613	100%	0	0%	0	0%	0	0%	0	0%								
	2018	312	2.1	25	305	98%	2.1	7.3	0.091	8.0	16	-	-	-	312	100%	0	0%	0	0%	0	0%	0	0%								
	2019	47	3.7	16	47	100%	-	-	0	4.9	9.7	-	-	-	47	100%	0	0%	0	0%	0	0%	0	0%								
	2020	29	3.7	15	29	100%	-	-	0	5.2	10.4	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2021	7	1.8	11	7	100%	-	-	0	2.3	4.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2022	7	1.6	17	7	100%	-	-	0	2.8	5.7	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2023	5	2.5	16	5	100%	-	-	0	3.1	6.1	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2024	2	1.9	17	2	100%	-	-	0	4.7	9.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	467	0.61	40	396	85%	0.61	555	15	28	41	-	14	-	427	91%	10	2.1%	4	0.9%	3	0.6%	23	4.9%								
	2012	681	2.0	20	657	96%	2.0	13	0.20	2.9	5.6	-	-	-	681	100%	0	0%	0	0%	0	0%	0	0%								
	2013	476	3.8	12	473	99%	5.1	7.0	0.039	4.9	9.7	-	-	-	476	100%	0	0%	0	0%	0	0%	0	0%								
	2014	370	5.5	12	369	99.7%	6.0	6.0	0.016	4.7	9.3	-	-	-	370	100%	0	0%	0	0%	0	0%	0	0%								
	2015	244	6.3	12	242	99%	6.3	7.6	0.057	5.0	9.9	-	-	-	244	100%	0	0%	0	0%	0	0%	0	0%								
	2016	155	3.0	15	155	100%	-	-	0	4.7	9.3	-	-	-	155	100%	0	0%	0	0%	0	0%	0	0%								
	2017	71	3.1	11	70	99%	3.1	3.1	0.044	4.1	8.1	-	-	-	71	100%	0	0%	0	0%	0	0%	0	0%								
	2018	44	4.1	8.5	44	100%	-	-	0	3.3	6.6	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2019	37	3.7	7.3	37	100%	-	-	0	2.8	5.6	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%								
	2020	26	1.8	5.4	26	100%	-	-	0	1.7	3.3	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2021	36	1.8	9.7	36	100%	-	-	0	3.5	7.1	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%								
	2022	21	1.6	9.6	21	100%	-	-	0	3.5	6.9	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2023	13	1.4	5.6	13	100%	-	-	0	1.8	3.7	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2023	13	1.5	5.7	13	100%	-	-	0	1.8	3.6	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
Chiba	2011	501	4.0	50	470	94%	5.0	204	4.7	21	38	-	-	-	480	96%	5	1.0%	1	0.2%	3	0.6%	12	2.4%								
	2012	663	2.1	17	660	99.5%	2.2	2.6	0.011	2.5	5.1	-	-	-	663	100%	0	0%	0	0%	0	0%	0	0%								
	2013	677	2.0	12	675	99.7%	2.2	6.9	0.013	3.9	7.7	-	-	-	677	100%	0	0%	0	0%	0	0%	0	0%								
	2014	420	0.16	15	418	99.5%	1.6	4.8	0.015	3.1	6.1	-	-	-	420	100%	0	0%	0	0%	0	0%	0	0%								
	2015	297	2.5	15	297	100%	-	-	0	4.0	8.0	-	-	-	297	100%	0	0%	0	0%	0	0%	0	0%								
	2016	94	6.9	16	94	100%	-	-	0	5.4	11	-	-	-	94	100%	0	0%	0	0%	0	0%	0	0%								
	2017	65	4.8	15	65	100%	-	-	0	4.3	8.5	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%								
	2018	47	3.5	10	47	100%	-	-	0	3.3	6.6	-	-	-	47	100%	0	0%	0	0%	0	0%	0	0%								
	2019	36	4.3	12	36	100%	-	-	0	3.2	6.4	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%								
	2020	39	1.3	11	39	100%	-	-	0	2.4	4.8	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%								
	2021	43	1.4	12	43	100%	-	-	0	3.2	6.3	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2022	35	3.8	12	35	100%	-	-	0	4.0	8.0	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%								
	2023	36	1.5	28	36	100%	-	-	0	3.5	7.0	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	1.5	1.9	3	100%	-	-	0	0.8	1.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
Saitama	2011	603	4.4	40	568	94%	4.4	173	2.4	19	35	-	-	-	581	96%	13	2.2%	5	0.8%	0	0%	4	0.7%								
	2012	1,055	1.1	20	1,053	99.8%	2.1	3.1	0.0049	3.0	6.0	-	-	-	1,055	100%	0	0%	0	0%	0	0%	0	0%								
	2013	784	1.5	19	783	99.9%	2.4	2.4	0.0031	5.0	9.98	-	-	-	784	100%	0	0%	0	0%	0	0%	0	0%								
	2014	397	1.5	18	397	100%	-	-	0	4.7	9.4	-	-	-	397	100%	0	0%	0	0%	0	0%	0	0%								
	2015	216	3.6	13	216	100%	-	-	0	4.9	9.9	-	-	-	216	100%	0	0%	0	0%	0	0%	0	0%								
	2016	159	1.6	14	159	100%	-	-	0	4.7	9.3	-	-	-	159	100%	0	0%	0	0%	0	0%	0	0%								
	2017	50	1.3	13	50	100%	-	-	0	4.4	8.8	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%								
	2018	31	1.4	12	31	100%	-	-	0	3.8	7.6	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%								
	2019	16	4.3	12	16	100%	-	-	0	3.9	7.8	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2020	21	2.3	16	21	100%	-	-	0	3.5	7.1	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2021	24	2.2	11	24	100%	-	-	0	3.9	7.8	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2022	14	5.9	11	14	100%	-	-	0	4.0	8.0	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2023	10	3.9	10	10	100%	-	-	0	3.3	6.6	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	2.7	8.0	3	100%	-	-	0	2.6	5.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Tokyo	2011	208	6.0	100	195	94%	11	890	8.1	18	28	-	-	-	198	95%	4	1.9%	3	1.4%	0	0%	3	1.4%								
	2012	285	6.1	25	273	96%	6.1	120	1.1	6.2	11	-	-	-	280	98%	4	1.4%	0	0%	0	0%	1	0.4%								
	2013	214	8.3	25	213	99.5%	8.3	8.3	0.039	5.5	11	-	-	-	214	100%	0	0%	0	0%	0	0%	0	0%								
	2014	176	8.0	13	175	99%	9.6	9.6	0.055	5.4	11	-	-	-	176	100%	0	0%	0	0%	0	0%	0	0%								
	2015	129	7.3	13	128	99%	7.3	7.3	0.057	5.5	11	-	-	-	129	100%	0	0%	0	0%	0	0%	0	0%								
	2016	128	7.7	20	128	100%	-	-	0	5.2	10	-	-	-	128	100%	0	0%	0	0%	0	0%	0	0%								
	2017	91	6.9	25	91	100%	-	-	0	4.7	9.5	-	-	-	91	100%	0	0%	0	0%	0	0%	0	0%								
	2018	83	7.5	25	83	100%	-	-	0	4.6	9.2	-	-	-	83	100%	0	0%	0	0%	0	0%	0	0%								
	2019	45	7.5	10	45	100%	-	-	0	4.5	9.0	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%								
	2020	43	6.8	10	42	98%	6.8	6.8	0.16	4.5	8.8	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2021	45	7.3	9.8	45	100%	-	-	0	4.3	8.5	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%								
	2022	41	6.9	9.5	41	100%	-	-	0	4.2	8.5	-	-	-	41	100%	0	0%	0	0%	0	0%	0	0%								
	2023	43	7.2	9.9	43	100%	-	-	0	4.4	8.7	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2024	40	7.7	10	40	100%	-	-	0	4.5	8.9	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%								
Kanagawa	2011	122	0.16	40	108	89%	0.18	185	6.6	16	26	-	0.56	-	115	94%	2	1.6%	0	0%	0	0%	5	4.1%								
	2012	116	0.025	27	115	99%	0.53	0.53	0.0046	1.9	3.9	-	-	-	116	100%	0	0%	0	0%	0	0%	0	0%								
	2013	114	0.023	12	113	99%	1.4	1.4	0.012	3.1	6.2	-	-	-	114	100%	0	0%	0	0%	0	0%	0	0%								
	2014	65	0.94	11	63	97%	0.94	1.1	0.031	2.0	4.0	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%								
	2015	57	0.023	11	56	98%	1.0	1.0	0.018	2.0	4.0	-	-	-	57	100%	0	0%	0	0%	0	0%	0	0%								
	2016	49	0.020	11	49	100%	-	-	0	1.7	3.4	-	-	-	49	100%	0	0%	0	0%	0	0%	0	0%								
	2017	35	0.78	10	34	97%	0.78	0.78	0.022	1.6	3.2	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%								
	2018	26	0.028	8.1	25	96%	0.045	0.045	0.0017	1.4	2.8	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2019	22	1.2	6.4	22	100%	-	-	0	1.4	2.7	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%								
	2020	3	1.2	1.3	3	100%	-	-	0	0.62	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2021	15	1.1	9.1	15	100%	-	-	0	1.8	3.6	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2022	10	1.2	1.7	10	100%	-	-	0	0.72	1.4	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2023	4	1.2	1.5	4	100%	-	-	0	0.66	1.3	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2024	6	1.3	1.7	6	100%	-	-	0	0.73	1.5	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	3	5.4	6.6	3	100%	-	-	0	3.1	6.1	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2013	32	4.2	9.8	32	100%	-	-	0	3.7	7.4	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								
	2014	17	5.1	8.8	17	100%	-	-	0	3.5	7.0	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2015	15	5.0	8.3	15	100%	-	-	0	3.5	6.9	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2016	14	4.7	8.6	14	100%	-	-	0	3.4	6.9	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	6	4.0	20	6	100%	-	-	0	8.7	17	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2012	35	1.6	5.5	35	100%	-	-	0	1.3	2.6	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%
	2013	40	1.6	3.8	40	100%	-	-	0	1.2	2.3	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2014	35	1.7	3.9	35	100%	-	-	0	1.1	2.3	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%
	2015	21	1.2	3.3	21	100%	-	-	0	1.0	2.1	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2016	12	1.4	3.0	12	100%	-	-	0	1.1	2.2	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nagano	2011	108	9.0	40	106	98%	54	82	1.3	14	27	-	-	-	106	98%	0	0%	1	0.9%	1	0.9%	0	0%
	2012	168	2.5	9.0	168	100%	-	-	0	2.3	4.7	-	-	-	168	100%	0	0%	0	0%	0	0%	0	0%
	2013	58	9.0	11	58	100%	-	-	0	5.1	10	-	-	-	58	100%	0	0%	0	0%	0	0%	0	0%
	2014	30	6.8	12	23	77%	7.4	9.9	2.0	5.4	8.9	-	8.7	-	30	100%	0	0%	0	0%	0	0%	0	0%
	2015	31	8.5	11	31	100%	-	-	0	5.0	9.9	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%
	2016	27	6.3	13	27	100%	-	-	0	4.8	9.7	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
Shizuoka	2011	31	0.015	20	17	55%	0.015	0.67	0.069	1.7	3.4	-	0.20	-	31	100%	0	0%	0	0%	0	0%	0	0%
	2012	36	0.011	4.3	24	67%	0.011	1.1	0.044	0.93	1.8	-	0.056	-	36	100%	0	0%	0	0%	0	0%	0	0%
	2013	25	0.0059	8.5	22	88%	0.0059	0.24	0.011	1.7	3.3	-	0.0035	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2014	23	0.015	5.3	20	87%	0.015	0.024	0.003	1.6	3.2	-	0.012	-	23	100%	0	0%	0	0%	0	0%	0	0%
	2015	19	2.9	5.3	19	100%	-	-	0	2.0	4.0	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2016	18	3.1	5.9	18	100%	-	-	0	2.0	4.1	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Available for cultivation/feed management
(2) Fruits, Seeds

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Total	2011	1,250	0.55	45	769	62%	0.55	1,120	26	35	44	-	61	-	962	77%	130	10%	61	4.9%	24	1.9%	73	5.8%								
	2012	3,606	0.33	33	2,499	69%	0.33	700	6.0	9.4	13	-	19	-	3,351	93%	180	5.0%	48	1.3%	12	0.3%	15	0.4%								
	2013	3,290	0.11	25	2,612	79%	0.11	89	3.1	7.3	12	-	10	-	3,177	97%	85	2.6%	26	0.8%	2	0.06%	0	0%								
	2014	2,504	0.75	26	2,176	87%	0.75	65	1.5	5.6	9.7	-	4.8	-	2,476	99%	26	1.0%	2	0.08%	0	0%	0	0%								
	2015	2,184	0.94	26	1,829	84%	2.4	80	2.0	6.1	10	-	6.1	-	2,143	98%	30	1.4%	10	0.5%	1	0.05%	0	0%								
	2016	1,726	1.0	25	1,520	88%	2.1	49	1.2	5.6	9.9	-	4.1	-	1,715	99%	11	0.6%	0	0%	0	0%	0	0%								
	2017	1,181	1.0	25	1,038	88%	3.1	110	1.2	5.5	9.8	-	4.4	-	1,176	99.6%	3	0.3%	0	0%	1	0.08%	1	0.08%								
	2018	945	1.2	25	833	88%	2.4	53	1.2	5.4	9.7	-	4.4	-	939	99%	5	0.5%	1	0.1%	0	0%	0	0%								
	2019	712	1.0	25	660	93%	2.9	52	0.79	4.8	8.8	-	-	-	707	99%	4	0.6%	1	0.1%	0	0%	0	0%								
	2020	641	0.93	25	582	91%	2.7	59	1.1	4.8	8.5	-	-	-	636	99%	4	0.6%	1	0.2%	0	0%	0	0%								
	2021	604	1.0	21	518	86%	2.6	45	1.6	4.8	8.0	-	5.2	-	595	99%	9	1.5%	0	0%	0	0%	0	0%								
	2022	146	1.0	21	142	97%	1.1	21	0.26	3.9	7.6	-	-	-	146	100%	0	0%	0	0%	0	0%	0	0%								
	2023	817	1.1	20	751	92%	2.2	58	0.83	4.2	7.5	-	-	-	811	99%	5	0.6%	1	0.1%	0	0%	0	0%								
	2024	478	1.2	20	437	91%	1.4	51	0.85	3.9	7.0	-	-	-	475	99%	2	0.4%	1	0.2%	0	0%	0	0%								
Aomori	2011	209	45	45	209	100%	-	-	0	23	45	-	-	-	209	100%	0	0%	0	0%	0	0%	0	0%								
	2012	134	20	25	134	100%	-	-	0	12	25	-	-	-	134	100%	0	0%	0	0%	0	0%	0	0%								
	2013	131	25	25	131	100%	-	-	0	13	25	-	-	-	131	100%	0	0%	0	0%	0	0%	0	0%								
	2014	57	25	25	57	100%	-	-	0	13	25	-	-	-	57	100%	0	0%	0	0%	0	0%	0	0%								
	2015	56	25	25	56	100%	-	-	0	13	25	-	-	-	56	100%	0	0%	0	0%	0	0%	0	0%								
	2016	54	25	25	54	100%	-	-	0	13	25	-	-	-	54	100%	0	0%	0	0%	0	0%	0	0%								
	2017	23	25	25	23	100%	-	-	0	13	25	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%								
	2018	23	20	25	23	100%	-	-	0	12	24	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%								
	2019	23	10	10	23	100%	-	-	0	5.0	10	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%								
	2020	25	1.5	10	25	100%	-	-	0	4.7	9.3	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2021	25	1.4	10	25	100%	-	-	0	4.7	9.3	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2022	24	1.2	10	24	100%	-	-	0	4.8	9.5	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2023	20	10	10	20	100%	-	-	0	5.0	10.0	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%								
	2024	20	10	10	20	100%	-	-	0	5.0	10	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%								
Iwate	2011	10	14	20	10	100%	-	-	0	9.2	18	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2012	57	2.2	18	55	96%	4.5	12	0.3	7.2	14	-	-	-	57	100%	0	0%	0	0%	0	0%	0	0%								
	2013	28	10	18	28	100%	-	-	0	7.8	16	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2014	33	13	19	33	100%	-	-	0	8.0	16	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%								
	2015	24	13	20	24	100%	-	-	0	8.3	17	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2016	19	13	18	19	100%	-	-	0	7.8	16	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%								
	2017	12	13	17	12	100%	-	-	0	7.6	15	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	3	1.7	20	3	100%	-	-	0	7.0	14	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2012	8	1.1	12	8	100%	-	-	0	2.0	4.0	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2013	7	1.3	12	7	100%	-	-	0	3.6	7.1	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2014	7	9.3	13	7	100%	-	-	0	5.6	11	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2015	6	9.4	13	6	100%	-	-	0	5.1	10	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2016	5	10	12	5	100%	-	-	0	5.4	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Miyagi	2011	30	2.0	20	20	67%	3.0	64	5.8	10	15	-	16	-	28	93%	1	3.3%	1	3.3%	0	0%	0	0%								
	2012	287	3.2	25	231	80%	4.7	190	5.0	12	19	-	19	-	262	91%	22	7.7%	2	0.7%	0	0%	1	0.3%								
	2013	324	4.9	25	299	92%	4.9	47	1.0	7.9	15	-	-	-	320	99%	4	1.2%	0	0%	0	0%	0	0%								
	2014	229	4.3	25	221	97%	4.3	31	0.42	6.8	13	-	-	-	228	99.6%	1	0.4%	0	0%	0	0%	0	0%								
	2015	206	6.7	25	204	99%	8.4	9.6	0.087	7.7	15	-	-	-	206	100%	0	0%	0	0%	0	0%	0	0%								
	2016	158	7.7	25	158	100%	-	-	0	7.4	15	-	-	-	158	100%	0	0%	0	0%	0	0%	0	0%								
	2017	128	7.7	25	128	100%	-	-	0	7.1	14	-	-	-	128	100%	0	0%	0	0%	0	0%	0	0%								
	2018	123	7.3	25	123	100%	-	-	0	4.9	10	-	-	-	123	100%	0	0%	0	0%	0	0%	0	0%								
	2019	98	7.5	25	98	100%	-	-	0	4.7	9.4	-	-	-	98	100%	0	0%	0	0%	0	0%	0	0%								
	2020	83	6.7	25	83	100%	-	-	0	4.6	9.3	-	-	-	83	100%	0	0%	0	0%	0	0%	0	0%								
	2021	25	1.7	10	25	100%	-	-	0	1.4	2.8	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2022	20	2.5	4.8	20	100%	-	-	0	1.9	3.7	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%								
	2023	21	1.9	4.5	21	100%	-	-	0	1.7	3.4	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2024	21	1.4	5.3	20	95%	1.4	1.4	0.067	1.8	3.6	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
Yamagata	2011	44	0.55	20	16	36%	0.55	11	2.6	6.0	9.5	1.3	7.2	8.0	44	100%	0	0%	0	0%	0	0%	0	0%								
	2012	70	7.9	15	70	100%	-	-	0	5.3	11	-	-	-	70	100%	0	0%	0	0%	0	0%	0	0%								
	2013	67	8.6	19	67	100%	-	-	0	6.4	13	-	-	-	67	100%	0	0%	0	0%	0	0%	0	0%								
	2014	43	8.7	18	43	100%	-	-	0	6.1	12	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2015	37	8.1	18	37	100%	-	-	0	6.1	12	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%								
	2016	34	8.7	18	34	100%	-	-	0	6.3	13	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%								
	2017	36	9.0	16	36	100%	-	-	0	5.6	11	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%								
	2018	36	8.6	14	36	100%	-	-	0	5.6	11	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%								
	2019	35	8.9	13	35	100%	-	-	0	5.4	11	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	1.5	1.6	3	100%	-	-	0	0.77	1.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Fukushima	2011	581	6.2	38	220	38%	6.2	1,120	50	54	58	17	122	108	331	57%	110	19%	52	9.0%	21	3.6%	67	12%								
	2012	1,574	2.2	20	1,018	65%	2.2	700	7.1	9.8	13	-	21	-	1,451	92%	81	5.1%	27	1.7%	8	0.5%	7	0.4%								
	2013	1,502	2.1	20	1,045	70%	2.1	89	5.2	8.0	11	-	19	-	1,411	94%	66	4.4%	23	1.5%	2	0.1%	0	0%								
	2014	1,406	2.1	20	1,141	81%	2.4	65	2.2	5.4	8.6	-	7.2	-	1,381	98%	23	1.6%	2	0.1%	0	0%	0	0%								
	2015	1,310	2.6	19	986	75%	2.6	80	3.1	6.1	9.0	-	9.3	-	1,271	97%	28	2.1%	10	0.8%	1	0.08%	0	0%								
	2016	994	2.1	20	811	82%	2.1	49	1.9	5.1	8.2	-	6.9	-	983	99%	11	1.1%	0	0%	0	0%	0	0%								
	2017	693	3.1	19	565	82%	3.1	110	1.9	5.0	8.2	-	7.1	-	688	99%	3	0.4%	0	0%	1	0.1%	1	0.1%								
	2018	593	2.4	19	486	82%	2.4	53	1.8	5.2	8.6	-	6.3	-	587	99%	5	0.8%	1	0.2%	0	0%	0	0%								
	2019	468	2.9	19	420	90%	2.9	52	1.1	4.9	8.7	-	3.1	-	463	99%	4	0.9%	1	0.2%	0	0%	0	0%								
	2020	485	2.7	20	427	88%	2.7	59	1.4	4.9	8.5	-	4.9	-	480	99%	4	0.8%	1	0.2%	0	0%	0	0%								
	2021	501	2.6	17	415	83%	2.6	45	1.9	5.1	8.2	-	6.2	-	492	98%	9	1.8%	0	0%	0	0%	0	0%								
	2022	68	4.2	9.3	65	96%	4.2	21	0.53	3.9	7.2	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%								
	2023	750	1.3	14	684	91%	2.2	58	0.90	4.3	7.7	-	-	-	744	99%	5	0.7%	1	0.1%	0	0%	0	0%								
	2024	408	1.6	16	368	90%	2.5	51	1.0	4.1	7.1	-	-	-	405	99%	2	0.5%	1	0.2%	0	0%	0	0%								
Ibaraki	2011	30	2.0	20	17	57%	2.0	65	8.2	14	20	-	33	-	26	87%	3	10%	1	3.3%	0	0%	0	0%								
	2012	77	21	25	76	99%	21	21	0.27	13	25	-	-	-	77	100%	0	0%	0	0%	0	0%	0	0%								
	2013	44	17	25	44	100%	-	-	0	12	24	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2014	26	25	25	26	100%	-	-	0	13	25	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2015	34	25	25	34	100%	-	-	0	13	25	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%								
	2016	22	19	25	22	100%	-	-	0	12	24	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%								
	2017	8	25	25	8	100%	-	-	0	13	25	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2018	7	19	21	7	100%	-	-	0	10	20	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2019	7	19	20	7	100%	-	-	0	9.6	19	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2020	7	20	21	7	100%	-	-	0	10	20	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2021	7	20	21	7	100%	-	-	0	10	20	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2022	8	19	21	8	100%	-	-	0	10	20	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2	20	20	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2024	6	20	20	6	100%	-	-	0	10	20	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
Tochigi	2011	25	4.0	40	13	52%	4.0	180	25	32	38	-	77	-	18	72%	2	8.0%	2	8.0%	1	4.0%	2	8.0%								
	2012	373	2.0	33	220	59%	2.0	260	9.8	12	13	-	26	-	334	90%	23	6.2%	8	2.1%	2	0.5%	6	1.6%								
	2013	499	1.8	25	384	77%	1.8	67	2.3	5.6	8.8	-	6.5	-	491	98%	7	1.4%	1	0.2%	0	0%	0	0%								
	2014	299	2.2	26	263	88%	2.2	34	1.0	5.2	9.5	-	2.9	-	298	99.7%	1	0.3%	0	0%	0	0%	0	0%								
	2015	234	2.4	26	206	88%	2.4	30	1.1	5.3	9.5	-	3.4	-	232	99%	2	0.9%	0	0%	0	0%	0	0%								
	2016	236	2.1	25	213	90%	2.1	19	0.74	5.5	10	-	-	-	236	100%	0	0%	0	0%	0	0%	0	0%								
	2017	200	2.8	25	186	93%	4.3	20	0.64	5.7	11	-	-	-	200	100%	0	0%	0	0%	0	0%	0	0%								
	2018	89	3.1	25	85	96%	3.2	12	0.43	7.5	15	-	-	-	89	100%	0	0%	0	0%	0	0%	0	0%								
	2019	24	3.6	20	21	88%	5.1	12	0.98	5.8	11	-	3.6	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1	3.6	3.6	1	100%	-	-	0	1.8	3.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	4.1	4.1	1	100%	-	-	0	2.1	4.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	1	3.5	3.5	1	100%	-	-	0	1.8	3.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2023	1	4.2	4.2	1	100%	-	-	0	2.1	4.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2024	1	4.2	4.2	1	100%	-	-	0	2.1	4.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	72	6.2	40	54	75%	6.2	99	5.8	17	27	-	21	-	67	93%	4	5.6%	0	0%	1	1.4%	0	0%								
	2012	143	1.4	12	108	76%	1.4	38	2.2	4.2	6.3	-	6.7	-	141	99%	2	1.4%	0	0%	0	0%	0	0%								
	2013	74	4.8	12	71	96%	4.8	5.9	0.21	5.1	10	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2014	56	5.9	12	56	100%	-	-	0	4.4	8.9	-	-	-	56	100%	0	0%	0	0%	0	0%	0	0%								
	2015	43	8.0	12	43	100%	-	-	0	4.9	9.7	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2016	26	5.8	12	26	100%	-	-	0	4.4	8.9	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2017	24	5.5	9.9	24	100%	-	-	0	3.8	7.6	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2018	25	3.7	8.8	25	100%	-	-	0	3.1	6.1	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2019	20	2.9	7.1	19	95%	3.0	3.0	0.15	2.5	4.9	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%								
	2020	7	1.4	3.5	7	100%	-	-	0	1.3	2.5	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2021	11	5.2	9.3	11	100%	-	-	0	3.7	7.5	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2022	7	4.9	8.8	7	100%	-	-	0	3.9	7.8	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2023	6	3.9	5.8	6	100%	-	-	0	2.2	4.5	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2024	5	3.2	4.5	5	100%	-	-	0	2.0	4.0	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
Chiba	2011	61	20	40	45	74%	21	243	21	33	45	-	61	-	48	79%	4	6.6%	4	6.6%	1	1.6%	4	6.6%								
	2012	527	1.2	15	251	48%	1.2	110	9.7	11	12	2.7	29	14	461	87%	52	9.9%	11	2.1%	2	0.4%	1	0.2%								
	2013	291	1.0	18	218	75%	1.0	52	3.1	7.3	11	-	11	-	281	97%	8	2.7%	2	0.7%	0	0%	0	0%								
	2014	132	1.7	15	118	89%	2.3	39	1.0	5.1	9.2	-	2.1	-	131	99%	1	0.8%	0	0%	0	0%	0	0%								
	2015	51	2.6	15	50	98%	7.0	7.0	0.14	4.1	8.2	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%								
	2016	23	7.5	14	23	100%	-	-	0	5.6	11	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%								
	2017	13	5.5	9.6	12	92%	5.9	5.9	0.45	3.8	7.1	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2018	13	5.2	7.9	12	92%	5.4	5.4	0.42	3.3	6.2	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2019	7	3.7	6.1	7	100%	-	-	0	2.4	4.8	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2020	7	1.9	7.0	6	86%	4.0	4.0	0.57	1.9	3.2	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2021	6	5.5	7.4	6	100%	-	-	0	3.3	6.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2022	5	6.4	8.7	5	100%	-	-	0	3.8	7.6	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2023	5	4.0	7.5	5	100%	-	-	0	2.9	5.8	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Saitama	2011	55	5.3	40	49	89%	5.3	52	2.5	15	27	-	3.2	-	53	96%	1	1.8%	1	1.8%	0	0%	0	0%								
	2012	132	1.5	18	120	91%	1.5	21	0.76	3.8	6.9	-	-	-	132	100%	0	0%	0	0%	0	0%	0	0%								
	2013	111	1.5	18	111	100%	-	-	0	5.1	10	-	-	-	111	100%	0	0%	0	0%	0	0%	0	0%								
	2014	73	1.8	17	73	100%	-	-	0	5.1	10	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2015	54	1.3	13	54	100%	-	-	0	4.5	9.0	-	-	-	54	100%	0	0%	0	0%	0	0%	0	0%								
	2016	48	3.6	14	48	100%	-	-	0	4.8	9.5	-	-	-	48	100%	0	0%	0	0%	0	0%	0	0%								
	2017	28	3.5	12	28	100%	-	-	0	4.6	9.2	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2018	19	4.4	13	19	100%	-	-	0	4.5	9.0	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%								
	2019	17	3.8	12	17	100%	-	-	0	4.1	8.3	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2020	16	2.1	13	16	100%	-	-	0	4.2	8.3	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2021	17	3.1	17	17	100%	-	-	0	4.1	8.3	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2022	7	3.8	9.7	7	100%	-	-	0	3.6	7.2	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2023	5	1.3	12	5	100%	-	-	0	2.9	5.7	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2024	2	3.4	3.8	2	100%	-	-	0	1.8	3.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Tokyo	2011	19	7.0	20	14	74%	7.0	49	7.8	14	20	-	31	-	15	79%	4	21%	0	0%	0	0%	0	0%								
	2012	31	5.2	12	27	87%	5.2	18	1.3	5.7	10	-	5.2	-	31	100%	0	0%	0	0%	0	0%	0	0%								
	2013	26	8.0	25	26	100%	-	-	0	6.4	13	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2014	11	7.1	12	11	100%	-	-	0	4.7	9.4	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2016	6	8.8	11	6	100%	-	-	0	4.9	9.7	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	2	8.8	9.8	2	100%	-	-	0	4.7	9.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	2	8.5	9.7	2	100%	-	-	0	4.6	9.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Kanagawa	2011	22	2.7	40	12	55%	2.7	50	5.4	15	24	-	15	-	21	95%	1	4.5%	0	0%	0	0%	0	0%								
	2012	49	0.95	5.9	39	80%	0.95	5.3	0.52	1.7	2.9	-	2.1	-	49	100%	0	0%	0	0%	0	0%	0	0%								
	2013	41	0.58	12	38	93%	0.58	6.3	0.19	3.4	6.5	-	-	-	41	100%	0	0%	0	0%	0	0%	0	0%								
	2014	26	0.75	10	24	92%	0.75	1.4	0.083	1.8	3.5	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2015	21	1.1	11	21	100%	-	-	0	1.9	3.8	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2016	15	1.0	11	15	100%	-	-	0	1.9	3.8	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2017	12	1.0	11	12	100%	-	-	0	2.0	3.9	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2018	11	1.2	5.9	11	100%	-	-	0	1.3	2.7	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2019	9	1.0	5.8	9	100%	-	-	0	1.5	3.0	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2020	4	0.93	2.7	4	100%	-	-	0	0.74	1.5	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2021	6	1.0	8.2	6	100%	-	-	0	1.7	3.3	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2022	2	1.0	1.0	1	50%	1.1	1.1	0.55	0.80	1.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2	1.1	1.2	2	100%	-	-	0	0.58	1.2	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2024	2	1.2	1.3	2	100%	-	-	0	0.63	1.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	3	4.1	8.7	3	100%	-	-	0	2.9	5.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2013	61	4.2	9.5	61	100%	-	-	0	3.4	6.7	-	-	-	61	100%	0	0%	0	0%	0	0%	0	0%								
	2014	53	4.5	8.9	52	98%	5.0	5.0	0.094	3.1	6.1	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%								
	2015	55	3.5	9.1	55	100%	-	-	0	3.1	6.3	-	-	-	55	100%	0	0%	0	0%	0	0%	0	0%								
	2016	53	4.9	9.5	53	100%	-	-	0	3.4	6.9	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	15	3.0	20	15	100%	-	-	0	8.9	18	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2012	37	1.2	2.9	37	100%	-	-	0	0.92	1.8	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%								
	2013	37	1.2	2.3	37	100%	-	-	0	0.84	1.7	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%								
	2014	25	1.5	2.9	25	100%	-	-	0	1.0	2.0	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2015	25	0.94	2.7	25	100%	-	-	0	0.91	1.8	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2016	11	1.3	3.0	11	100%	-	-	0	0.98	2.0	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2017	4	1.6	2.0	4	100%	-	-	0	0.91	1.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2018	4	1.5	2.3	4	100%	-	-	0	0.95	1.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2019	4	1.1	1.5	4	100%	-	-	0	0.69	1.4	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2020	4	1.5	1.6	4	100%	-	-	0	0.78	1.6	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2021	4	1.3	1.8	4	100%	-	-	0	0.76	1.5	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2022	4	1.4	2.0	4	100%	-	-	0	0.81	1.6	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2023	4	1.4	2.2	4	100%	-	-	0	0.90	1.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2024	10	1.6	2.1	10	100%	-	-	0	0.94	1.9	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
Nagano	2011	63	20	40	63	100%	-	-	0	14	28	-	-	-	63	100%	0	0%	0	0%	0	0%	0	0%								
	2012	89	2.3	11	89	100%	-	-	0	2.2	4.4	-	-	-	89	100%	0	0%	0	0%	0	0%	0	0%								
	2013	32	8.1	11	32	100%	-	-	0	5.0	9.9	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								
	2014	21	6.1	10	19	90%	7.8	8.5	0.78	4.4	8.1	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2015	20	8.6	11	20	100%	-	-	0	5.1	10	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%								
	2016	15	5.0	12	15	100%	-	-	0	4.6	9.2	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Shizuoka	2011	11	1.9	20	9	82%	1.9	2.1	0.36	4.9	9.5	-	1.9	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2012	15	0.33	3.5	13	87%	0.33	0.51	0.056	1.4	2.6	-	0.20	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2013	15	0.11	3.5	13	87%	0.11	0.19	0.020	1.2	2.3	-	0.066	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2014	7	2.0	3.2	7	100%	-	-	0	1.3	2.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2015	7	2.2	3.0	7	100%	-	-	0	1.3	2.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2016	7	1.7	2.8	7	100%	-	-	0	1.2	2.4	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management

(3) Rice (excluding the results by voluntary monitoring of all the volume of rice in every single rice bag in Fukushima prefecture)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	2,740	0.077	40	2,561	93%	0.077	630	2.4	13	23	-	-	-	2,664	97%	50	1.8%	11	0.4%	6	0.2%	9	0.3%
	2012	8,805	0.051	25	6,486	74%	1.9	360	8.9	12	14	-	21	-	7,981	91%	108	1.2%	303	3.4%	329	3.7%	84	1.0%
	2013	3,331	0.039	11	2,485	75%	3.1	180	15	18	21	-	76	-	2,701	81%	10	0.3%	270	8.1%	322	9.7%	28	0.8%
	2014	1,357	1.8	11	1,314	97%	4.0	91	0.40	3.9	7.4	-	-	-	1,354	99.8%	1	0.07%	1	0.07%	1	0.07%	0	0%
	2015	825	0.094	11	811	98%	3.9	220	0.95	5.1	9.3	-	-	-	817	99%	2	0.2%	4	0.5%	0	0%	2	0.2%
	2016	623	0.082	25	622	99.8%	7.4	7.4	0.012	4.4	8.8	-	-	-	623	100%	0	0%	0	0%	0	0%	0	0%
	2017	371	0.080	10	367	98.9%	3.9	47	0.21	3.9	7.5	-	-	-	370	99.7%	1	0.3%	0	0%	0	0%	0	0%
	2018	308	0.082	11	306	99.4%	35	39	0.24	3.8	7.5	-	-	-	306	99%	2	0.6%	0	0%	0	0%	0	0%
	2019	259	0.082	11	252	97%	6.1	77	0.81	4.2	7.6	-	-	-	256	99%	2	0.8%	0	0%	1	0.4%	0	0%
	2020	1,232	1.2	20	1,227	99.6%	1.2	2.9	0.0067	8.8	17	-	-	-	1,232	100%	0	0%	0	0%	0	0%	0	0%
	2021	1,226	1.6	20	1,225	99.9%	1.6	1.6	0.0013	8.8	18	-	-	-	1,226	100%	0	0%	0	0%	0	0%	0	0%
	2022	134	0.93	10	133	99.3%	0.93	0.93	0.0069	3.0	6.0	-	-	-	134	100%	0	0%	0	0%	0	0%	0	0%
	2023	1,613	1.4	20	1,610	99.8%	1.7	3.2	0.0048	8.7	17	-	-	-	1,613	100%	0	0%	0	0%	0	0%	0	0%
	2024	324	1.0	20	321	99.1%	2.7	5.6	0.038	5.0	10	-	-	-	324	100%	0	0%	0	0%	0	0%	0	0%
Aomori	2011	32	20	20	32	100%	-	-	0	10	20	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%
	2012	40	10	10	40	100%	-	-	0	5.0	10	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2013	40	10	10	40	100%	-	-	0	5.0	10	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2014	40	10	10	40	100%	-	-	0	5.0	10	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2015	40	10	10	40	100%	-	-	0	5.0	10	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2016	40	10	10	40	100%	-	-	0	5.0	10	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2017	21	10	10	21	100%	-	-	0	5.0	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2018	21	10	10	21	100%	-	-	0	5.0	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2019	21	10	10	21	100%	-	-	0	5.0	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2020	21	10	10	21	100%	-	-	0	5.0	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2021	21	10	10	21	100%	-	-	0	5.0	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2022	21	10	10	21	100%	-	-	0	5.0	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2023	18	10	10	18	100%	-	-	0	5.0	10	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2024	19	10	10	19	100%	-	-	0	5.0	10	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
Iwate	2011	102	20	20	101	99%	27	27	0.26	10	20	-	-	-	101	99%	1	0.98%	0	0%	0	0%	0	0%
	2012	223	2.7	8.2	207	93%	2.7	11	0.33	3.1	5.8	-	-	-	223	100%	0	0%	0	0%	0	0%	0	0%
	2013	155	5.2	9.9	151	97%	5.2	17	0.22	4.2	8.2	-	-	-	155	100%	0	0%	0	0%	0	0%	0	0%
	2014	39	5.3	8.2	38	97%	8.0	8.0	0.21	3.6	7.0	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%
	2015	33	8.2	10	33	100%	-	-	0	4.7	9.4	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2016	33	6.3	14	33	100%	-	-	0	4.7	9.4	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2017	32	4.4	10	32	100%	-	-	0	3.6	7.3	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%
	2018	34	4.3	7.9	34	100%	-	-	0	2.9	5.8	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%
	2019	8	3.3	5.7	8	100%	-	-	0	2.2	4.3	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2020	10	1.9	5.1	10	100%	-	-	0	1.7	3.4	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2021	12	5.8	9.2	12	100%	-	-	0	3.7	7.3	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2022	4	5.9	6.4	4	100%	-	-	0	3.1	6.2	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2023	12	3.4	5.3	12	100%	-	-	0	2.2	4.3	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2024	11	2.6	4.7	11	100%	-	-	0	1.8	3.6	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	6	1.5	20	6	100%	-	-	0	7.1	14	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2012	69	2.3	5.4	69	100%	-	-	0	1.6	3.1	-	-	-	69	100%	0	0%	0	0%	0	0%	0	0%								
	2013	73	2.4	5.1	73	100%	-	-	0	1.8	3.5	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2014	69	2.4	4.7	69	100%	-	-	0	1.7	3.4	-	-	-	69	100%	0	0%	0	0%	0	0%	0	0%								
	2015	25	2.6	4.9	25	100%	-	-	0	1.8	3.6	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2016	25	2.5	4.9	25	100%	-	-	0	1.9	3.8	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Miyagi	2011	381	20	20	372	98%	20.3	102	0.79	11	20	-	-	-	379	99%	1	0.3%	0	0%	0	0%	1	0.3%								
	2012	2,489	2.0	25	2,369	95%	2.2	260	1.8	5.3	8.8	-	-	-	2,458	99%	2	0.08%	2	0.08%	14	0.6%	13	0.5%								
	2013	1,173	3.4	9.9	1,159	99%	3.4	49	0.10	3.9	7.7	-	-	-	1,172	99.9%	1	0.09%	0	0%	0	0%	0	0%								
	2014	458	4.6	9.5	455	99%	4.6	11	0.044	3.6	7.2	-	-	-	458	100%	0	0%	0	0%	0	0%	0	0%								
	2015	276	7.8	11	276	100%	-	-	0	4.8	9.5	-	-	-	276	100%	0	0%	0	0%	0	0%	0	0%								
	2016	191	6.1	14	190	99%	7.4	7.4	0.039	5.0	10	-	-	-	191	100%	0	0%	0	0%	0	0%	0	0%								
	2017	73	4.6	9.3	73	100%	-	-	0	3.6	7.2	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2018	34	3.6	8.1	34	100%	-	-	0	2.9	5.8	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%								
	2019	34	3.1	5.9	34	100%	-	-	0	2.2	4.4	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%								
	2020	33	1.2	3.3	31	94%	1.2	1.4	0.079	1.2	2.3	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%								
	2021	34	5.6	8.4	34	100%	-	-	0	3.4	6.8	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%								
	2022	34	0.93	2.0	33	97%	0.93	0.93	0.027	0.74	1.4	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%								
	2023	31	1.7	3.6	30	97%	1.7	1.7	0.055	1.4	2.7	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%								
	2024	34	1.0	1.9	34	100%	-	-	0	0.69	1.4	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%								
Yamagata	2011	291	20	20	291	100%	-	-	0	10	20	-	-	-	291	100%	0	0%	0	0%	0	0%	0	0%								
	2012	431	6.9	10	431	100%	-	-	0	4.5	9.0	-	-	-	431	100%	0	0%	0	0%	0	0%	0	0%								
	2013	248	6.4	10	248	100%	-	-	0	4.4	8.9	-	-	-	248	100%	0	0%	0	0%	0	0%	0	0%								
	2014	247	6.2	9.8	247	100%	-	-	0	4.1	8.3	-	-	-	247	100%	0	0%	0	0%	0	0%	0	0%								
	2015	134	6.3	10	134	100%	-	-	0	4.0	8.0	-	-	-	134	100%	0	0%	0	0%	0	0%	0	0%								
	2016	78	5.3	9.8	78	100%	-	-	0	3.8	7.7	-	-	-	78	100%	0	0%	0	0%	0	0%	0	0%								
	2017	35	5.0	8.8	35	100%	-	-	0	3.5	7.0	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%								
	2018	35	5.6	11	35	100%	-	-	0	4.0	7.9	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%								
	2019	35	4.7	11	35	100%	-	-	0	3.8	7.6	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Fukushima	2011	613	6.3	22	458	75%	6.3	630	10	17	24	-	27	-	548	89%	47	7.7%	5	0.8%	5	0.8%	8	1.3%								
	2012	737	4.2	7.6	4	0.54%	4.2	360	81	81	81	77	100	35	20	3%	37	5.0%	294	40%	315	43%	71	9.6%								
	2013	629	6.9	6.9	1	0.16%	12	180	78	78	78	77	96	16	4	0.6%	6	1.0%	269	43%	322	51%	28	4.5%								
	2014	2	-	-	0	0%	61	91	76	76	76	76	-	21	0	0%	0	0%	1	50%	1	50%	0	0%								
	2015	9	-	-	0	0%	22	220	83	83	83	67	-	68	1	11%	2	22%	4	44%	0	0%	2	22%								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	5	3.9	7.8	1	20%	3.9	47	15	16	17	6.2	-	18	4	80%	1	20%	0	0%	0	0%	0	0%								
	2018	4	7.0	8.2	2	50%	35	39	19	20	22	-	-	-	2	50%	2	50%	0	0%	0	0%	0	0%								
	2019	6	-	-	0	0%	11	77	34	34	34	24.5	-	25	3	50%	2	33%	0	0%	1	17%	0	0%								
	2020	1,055	2.9	20	1,054	99.9%	2.9	2.9	0.0027	10	19	-	-	-	1,055	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1,055	4.8	20	1,055	100%	-	-	0	10	19	-	-	-	1,055	100%	0	0%	0	0%	0	0%	0	0%								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	1,486	2.8	20	1,484	99.9%	2.8	3.2	0.0040	9.2	18	-	-	-	1,486	100%	0	0%	0	0%	0	0%	0	0%								
	2024	201	2.7	20	198	98.5%	2.7	5.6	0.062	6.4	13	-	-	-	201	100%	0	0%	0	0%	0	0%	0	0%								
Ibaraki	2011	386	20	20	382	99%	24	85	0.57	10	20	-	-	-	383	99%	0	0%	2	0.5%	1	0.3%	0	0%								
	2012	1,334	3.4	11	1,220	91%	3.4	44	0.79	4.8	8.8	-	-	-	1,331	99.8%	3	0.2%	0	0%	0	0%	0	0%								
	2013	74	7.0	10	74	100%	-	-	0	4.5	9.0	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2014	44	7.2	10	44	100%	-	-	0	4.5	9.0	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2015	44	7.0	11	44	100%	-	-	0	4.4	8.9	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2016	44	7.1	25	44	100%	-	-	0	5.7	11	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2017	44	6.8	10	44	100%	-	-	0	4.4	8.8	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2018	44	7.1	10	44	100%	-	-	0	4.5	9.0	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2019	44	6.1	10	43	98%	6.1	6.1	0.14	4.7	9.2	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2020	12	8.0	10	12	100%	-	-	0	4.5	8.9	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2021	13	7.9	10	13	100%	-	-	0	4.6	9.2	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2022	15	8.0	10	15	100%	-	-	0	4.4	8.8	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2023	8	8.2	9.7	8	100%	-	-	0	4.5	9.0	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2024	12	6.5	10	12	100%	-	-	0	4.2	8.4	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
Tochigi	2011	252	21	40	249	99%	21	55	0.50	20	40	-	-	-	250	99%	0	0%	2	0.8%	0	0%	0	0%								
	2012	2,670	1.9	12	1,395	52%	1.9	65	4.6	6.4	8.1	-	14	-	2,601	97%	62	2.3%	7	0.3%	0	0%	0	0%								
	2013	505	3.1	11	314	62%	3.1	53	3.3	5.8	8.4	-	9.6	-	501	99%	3	0.6%	1	0.2%	0	0%	0	0%								
	2014	138	4.0	11	101	73%	4.0	35	2.6	5.6	8.6	-	10	-	137	99%	1	0.7%	0	0%	0	0%	0	0%								
	2015	42	3.9	9.6	38	90%	3.9	13	0.72	4.4	8.1	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%								
	2016	27	3.2	8.9	27	100%	-	-	0	3.6	7.3	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%								
	2017	39	6.4	9.5	39	100%	-	-	0	3.8	7.7	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%								
	2018	27	7.1	11	27	100%	-	-	0	4.3	8.7	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%								
	2019	10	6.6	8.4	10	100%	-	-	0	3.8	7.6	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2020	10	2.9	8.7	10	100%	-	-	0	3.4	6.9	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2021	9	6.3	9.2	9	100%	-	-	0	4.1	8.1	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2022	9	6.5	8.3	9	100%	-	-	0	3.5	7.1	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2023	9	6.8	9.4	9	100%	-	-	0	4.0	7.9	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2024	9	7.1	8.8	9	100%	-	-	0	4.1	8.2	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	101	20	40	99	98%	53	61	1.1	13	25	-	-	-	99	98%	0	0%	2	2.0%	0	0%	0	0%								
	2012	257	2.6	8.4	208	81%	2.6	47	1.7	4.1	6.6	-	5.0	-	255	99%	2	0.8%	0	0%	0	0%	0	0%								
	2013	141	3.4	9.9	132	94%	3.4	8.2	0.35	3.9	7.5	-	-	-	141	100%	0	0%	0	0%	0	0%	0	0%								
	2014	75	5.7	9.2	75	100%	-	-	0	3.6	7.3	-	-	-	75	100%	0	0%	0	0%	0	0%	0	0%								
	2015	38	5.1	11	37	97%	5.1	5.1	0.13	4.6	9.1	-	-	-	38	100%	0	0%	0	0%	0	0%	0	0%								
	2016	38	7.5	13	38	100%	-	-	0	4.9	9.8	-	-	-	38	100%	0	0%	0	0%	0	0%	0	0%								
	2017	24	3.2	8.1	24	100%	-	-	0	3.4	6.8	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2018	13	4.6	8.5	13	100%	-	-	0	3.3	6.7	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2019	10	4.5	5.9	10	100%	-	-	0	2.6	5.1	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2020	4	1.3	3.0	3	75%	1.3	1.3	0.33	1.3	2.2	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2021	6	5.0	8.5	6	100%	-	-	0	3.2	6.4	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2022	4	5.7	7.5	4	100%	-	-	0	3.2	6.3	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2023	6	3.3	4.6	6	100%	-	-	0	2.0	4.0	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	3.2	3.4	3	100%	-	-	0	1.6	3.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
Chiba	2011	323	10	20	321	99%	22	46	0.21	10	20	-	-	-	322	99.7%	1	0.3%	0	0%	0	0%	0	0%								
	2012	284	3.1	10	272	96%	7.0	33	0.79	4.9	8.9	-	-	-	282	99%	2	0.7%	0	0%	0	0%	0	0%								
	2013	51	7.1	11	51	100%	-	-	0	4.4	8.7	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%								
	2014	33	2.0	7.6	33	100%	-	-	0	2.6	5.3	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%								
	2015	18	5.7	8.8	18	100%	-	-	0	3.4	6.8	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2016	16	4.4	8.0	16	100%	-	-	0	3.3	6.7	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2017	13	4.2	5.9	13	100%	-	-	0	2.6	5.2	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2018	13	4.5	6.1	13	100%	-	-	0	2.6	5.2	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2019	12	3.9	6.3	12	100%	-	-	0	2.5	5.0	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2020	10	4.0	6.0	10	100%	-	-	0	2.4	4.9	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2021	10	4.3	5.5	10	100%	-	-	0	2.3	4.7	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2022	10	5.1	6.0	10	100%	-	-	0	2.8	5.6	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2023	10	4.0	6.5	10	100%	-	-	0	2.7	5.5	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Saitama	2011	114	2.4	40	114	100%	-	-	0	11	22	-	-	-	114	100%	0	0%	0	0%	0	0%	0	0%								
	2012	117	3.8	7.9	117	100%	-	-	0	2.7	5.5	-	-	-	117	100%	0	0%	0	0%	0	0%	0	0%								
	2013	76	6.7	11	76	100%	-	-	0	4.2	8.4	-	-	-	76	100%	0	0%	0	0%	0	0%	0	0%								
	2014	57	6.1	9.3	57	100%	-	-	0	3.6	7.2	-	-	-	57	100%	0	0%	0	0%	0	0%	0	0%								
	2015	37	8.1	11	37	100%	-	-	0	4.6	9.2	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%								
	2016	33	6.6	12	33	100%	-	-	0	4.7	9.5	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%								
	2017	5	6.6	7.8	5	100%	-	-	0	3.6	7.2	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2018	4	3.9	8.6	4	100%	-	-	0	3.4	6.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2019	3	4.3	4.6	3	100%	-	-	0	2.2	4.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2020	4	2.3	3.1	4	100%	-	-	0	1.3	2.7	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2021	5	4.1	8.2	5	100%	-	-	0	3.3	6.7	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2022	5	5.9	7.5	5	100%	-	-	0	3.3	6.6	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2023	4	3.8	4.2	4	100%	-	-	0	2.0	4.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2024	1	3.6	3.6	1	100%	-	-	0	1.8	3.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Tokyo	2011	12	16	22	12	100%	-	-	0	9.2	18	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2012	13	5.0	12	13	100%	-	-	0	3.5	7.0	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2013	2	7.0	8.0	2	100%	-	-	0	3.8	7.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2014	6	6.0	8.9	6	100%	-	-	0	3.8	7.7	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	8.3	10	2	100%	-	-	0	4.6	9.2	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1	8.9	8.9	1	100%	-	-	0	4.5	8.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2017	2	8.5	9.7	2	100%	-	-	0	4.6	9.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1	11	11	1	100%	-	-	0	5.5	11.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1	9.1	9.1	1	100%	-	-	0	4.6	9.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1	8.4	8.4	1	100%	-	-	0	4.2	8.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	9.2	9.2	1	100%	-	-	0	4.6	9.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	1	9.7	9.7	1	100%	-	-	0	4.9	9.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2023	1	8.6	8.6	1	100%	-	-	0	4.3	8.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2024	1	9.1	9.1	1	100%	-	-	0	4.6	9.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
Kanagawa	2011	3	0.14	20	2	67%	0.14	0.14	0.047	6.7	13	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2012	10	0.081	7.0	10	100%	-	-	0	2.4	4.9	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2013	9	0.088	9.4	9	100%	-	-	0	3.7	7.4	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3	1.8	8.0	3	100%	-	-	0	2.9	5.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2015	3	0.094	8.5	3	100%	-	-	0	2.8	5.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2016	4	0.082	10	4	100%	-	-	0	2.6	5.2	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2017	3	0.080	7.2	3	100%	-	-	0	1.4	2.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2018	3	0.082	4.9	3	100%	-	-	0	1.1	2.1	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2019	3	0.082	5.0	3	100%	-	-	0	1.0	2.1	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1	-	-	0	0%	1.4	1.4	1.4	1.4	1.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	-	-	0	0%	1.6	1.6	1.6	1.6	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	1	1.4	1.4	1	100%	-	-	0	0.70	1.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2023	1	1.4	1.4	1	100%	-	-	0	0.70	1.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	74	5.7	8.6	74	100%	-	-	0	3.5	7.0	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2014	74	5.4	7.9	74	100%	-	-	0	3.3	6.6	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2015	73	4.8	7.9	73	100%	-	-	0	3.4	6.8	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2016	74	5.2	8.1	74	100%	-	-	0	3.4	6.8	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2017	74	5.1	8.5	74	100%	-	-	0	3.4	6.7	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2018	74	5.3	8.4	74	100%	-	-	0	3.4	6.7	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%								
	2019	71	5.2	8.2	71	100%	-	-	0	3.4	6.9	-	-	-	71	100%	0	0%	0	0%	0	0%	0	0%								
	2020	70	5.1	8.6	70	100%	-	-	0	3.5	6.9	-	-	-	70	100%	0	0%	0	0%	0	0%	0	0%								
	2021	58	5.0	8.2	58	100%	-	-	0	3.5	6.9	-	-	-	58	100%	0	0%	0	0%	0	0%	0	0%								
	2022	29	6.0	8.2	29	100%	-	-	0	3.5	6.9	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2023	26	5.9	8.6	26	100%	-	-	0	3.5	7.1	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2024	32	5.5	8.4	32	100%	-	-	0	3.4	6.7	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	51	2.0	20	51	100%	-	-	0	3.6	7.2	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%								
	2012	48	1.9	2.8	48	100%	-	-	0	1.1	2.3	-	-	-	48	100%	0	0%	0	0%	0	0%	0	0%								
	2013	48	2.4	3.6	48	100%	-	-	0	1.5	3.0	-	-	-	48	100%	0	0%	0	0%	0	0%	0	0%								
	2014	40	2.5	3.7	40	100%	-	-	0	1.6	3.2	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%								
	2015	19	1.8	3.6	19	100%	-	-	0	1.4	2.8	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%								
	2016	6	1.4	1.9	6	100%	-	-	0	0.84	1.7	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1	1.9	1.9	1	100%	-	-	0	1.0	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1	1.7	1.7	1	100%	-	-	0	0.9	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1	1.7	1.7	1	100%	-	-	0	0.85	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	1	2.0	2.0	1	100%	-	-	0	1.0	2.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2023	1	2.2	2.2	1	100%	-	-	0	1.1	2.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2024	1	1.7	1.7	1	100%	-	-	0	0.85	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
Nagano	2011	68	20	40	68	100%	-	-	0	11	23	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%								
	2012	78	4.2	8.1	78	100%	-	-	0	3.0	5.9	-	-	-	78	100%	0	0%	0	0%	0	0%	0	0%								
	2013	29	6.5	10	29	100%	-	-	0	4.1	8.2	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2014	29	5.6	8.5	29	100%	-	-	0	3.5	7.0	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2015	29	7.6	11	29	100%	-	-	0	4.7	9.4	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2016	10	7.6	13	10	100%	-	-	0	5.3	11	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Shizuoka	2011	5	0.077	20	3	60%	0.077	0.137	0.043	6.0	12	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2012	5	0.051	3.5	5	100%	-	-	0	0.84	1.7	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2013	4	0.039	3.0	4	100%	-	-	0	1.1	2.1	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3	2.3	3.0	3	100%	-	-	0	1.4	2.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2015	3	2.7	3.0	3	100%	-	-	0	1.4	2.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2016	3	2.8	3.3	3	100%	-	-	0	1.5	3.0	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management
(4) Grains (Wheat, Barley, Rye and Adlay)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Total	2011	352	3.0	45	184	52%	4.0	320	22	27	33	-	60	-	220	63%	61	17%	59	17%	10	2.8%	2	0.6%								
	2012	1,823	1.2	14	1,753	96%	1.2	17	0.14	2.2	4.2	-	-	-	1,823	100%	0	0%	0	0%	0	0%	0	0%								
	2013	600	1.2	25	565	94%	1.2	46	0.48	4.4	8.4	-	-	-	598	99.7%	2	0.3%	0	0%	0	0%	0	0%								
	2014	394	1.3	25	374	95%	1.3	26	0.21	3.2	6.2	-	-	-	393	99.7%	1	0.3%	0	0%	0	0%	0	0%								
	2015	332	1.4	25	316	95%	1.4	24	0.17	3.6	7.0	-	-	-	332	100%	0	0%	0	0%	0	0%	0	0%								
	2016	247	1.7	23	242	98%	1.9	5.3	0.058	3.8	7.6	-	-	-	247	100%	0	0%	0	0%	0	0%	0	0%								
	2017	198	3.4	21	198	100%	-	-	0	3.7	7.5	-	-	-	198	100%	0	0%	0	0%	0	0%	0	0%								
	2018	188	1.9	14	188	100%	-	-	0	3.2	6.4	-	-	-	188	100%	0	0%	0	0%	0	0%	0	0%								
	2019	176	1.7	16	174	99%	3.9	4.4	0.047	2.9	5.8	-	-	-	176	100%	0	0%	0	0%	0	0%	0	0%								
	2020	115	1.6	10	114	99%	7.0	7.0	0.061	2.4	4.7	-	-	-	115	100%	0	0%	0	0%	0	0%	0	0%								
	2021	136	1.7	10	135	99%	3.6	3.6	0.026	3.5	6.9	-	-	-	136	100%	0	0%	0	0%	0	0%	0	0%								
	2022	106	1.2	9.4	99	93%	3.5	5.7	0.28	3.3	6.3	-	-	-	106	100%	0	0%	0	0%	0	0%	0	0%								
	2023	129	2.1	10	125	97%	3.3	7.2	0.18	3.0	5.9	-	-	-	129	100%	0	0%	0	0%	0	0%	0	0%								
	2024	103	1.1	8.8	100	97%	3.6	5.6	0.14	2.6	5.1	-	-	-	103	100%	0	0%	0	0%	0	0%	0	0%								
Aomori	2011	2	45	45	2	100%	-	-	0	23	45	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2012	9	10	10	9	100%	-	-	0	5.0	10	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2013	10	10	25	10	100%	-	-	0	5.8	12	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2014	10	10	25	10	100%	-	-	0	5.8	12	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2015	10	10	25	10	100%	-	-	0	5.8	12	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2016	6	10	10	6	100%	-	-	0	5.0	10	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Iwate	2011	9	10	20	5	56%	10	76	17.4	23	29	-	-	-	7	78%	0	0%	1	11%	1	11%	0	0%								
	2012	73	1.4	4.8	68	93%	1.4	11	0.31	2.0	3.8	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2013	37	2.2	12	37	100%	-	-	0	5.1	10	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%								
	2014	40	4.7	9.9	40	100%	-	-	0	3.9	7.9	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%								
	2015	37	8.0	14	37	100%	-	-	0	4.9	9.8	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%								
	2016	24	7.1	12	24	100%	-	-	0	4.9	9.9	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2017	25	5.3	13	25	100%	-	-	0	3.8	7.6	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2018	24	3.5	9.9	24	100%	-	-	0	3.1	6.2	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2019	8	4.2	5.4	8	100%	-	-	0	2.5	4.9	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1	4.1	4.1	1	100%	-	-	0	2.1	4.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2021	7	1.7	8.8	7	100%	-	-	0	1.6	3.1	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2022	7	5.7	9.4	7	100%	-	-	0	3.5	6.9	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2023	6	3.8	5.3	6	100%	-	-	0	2.3	4.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2024	6	3.2	5.3	6	100%	-	-	0	1.9	3.8	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2012	3	11	14	3	100%	-	-	0	6.3	13	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2013	3	12	13	3	100%	-	-	0	6.3	13	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2014	4	11	19	4	100%	-	-	0	7.3	15	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2015	3	11	13	3	100%	-	-	0	5.8	12	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1	14	14	1	100%	-	-	0	7.0	14	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Miyagi	2011	10	4.0	20	9	90%	4.0	4.0	0.40	9.4	18	-	0	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2012	167	1.6	5.6	156	93%	1.6	4.8	0.15	1.9	3.7	-	-	-	167	100%	0	0%	0	0%	0	0%	0	0%								
	2013	65	9.1	12	65	100%	-	-	0	5.2	10	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%								
	2014	43	6.2	9.4	43	100%	-	-	0	3.9	7.8	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2015	43	7.2	11	43	100%	-	-	0	4.9	9.7	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2016	29	5.4	13	29	100%	-	-	0	4.9	9.8	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2017	14	6.5	9.5	14	100%	-	-	0	4.1	8.3	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2018	13	4.9	8.0	13	100%	-	-	0	3.1	6.2	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2019	12	3.6	5.5	12	100%	-	-	0	2.3	4.5	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2020	14	1.6	3.9	14	100%	-	-	0	1.4	2.7	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2021	13	5.7	9.2	13	100%	-	-	0	3.5	6.9	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2022	12	1.2	2.1	12	100%	-	-	0	0.86	1.7	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2023	13	2.3	3.8	13	100%	-	-	0	1.5	3.0	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2024	13	1.1	2.0	13	100%	-	-	0	0.8	1.7	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%								
Yamagata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	4	3.9	6.5	4	100%	-	-	0	2.8	5.5	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2013	4	6.4	9.9	4	100%	-	-	0	4.0	8.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2014	2	8.4	11	2	100%	-	-	0	4.9	9.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	10	10	2	100%	-	-	0	5.0	10	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	11	11	2	100%	-	-	0	5.5	11	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Fukushima	2011	6	20	31	4	67%	46	320	61	70	78	-	-	-	4	67%	1	17%	0	0%	0	0%	1	17%								
	2012	115	1.2	4.4	79	69%	1.2	17	1.5	2.6	3.7	-	5.4	-	115	100%	0	0%	0	0%	0	0%	0	0%								
	2013	129	1.2	4.2	94	73%	1.2	46	2.2	3.3	4.4	-	6.9	-	127	98%	2	1.6%	0	0%	0	0%	0	0%								
	2014	138	1.3	13	120	87%	1.3	26	0.48	2.0	3.5	-	1.7	-	137	99%	1	0.7%	0	0%	0	0%	0	0%								
	2015	125	1.4	14	109	87%	1.4	24	0.44	1.9	3.4	-	1.5	-	125	100%	0	0%	0	0%	0	0%	0	0%								
	2016	72	1.9	13	67	93%	1.9	5.3	0.20	2.0	3.8	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%								
	2017	62	5.5	19	62	100%	-	-	0	3.9	7.8	-	-	-	62	100%	0	0%	0	0%	0	0%	0	0%								
	2018	65	5.4	14	65	100%	-	-	0	3.8	7.7	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%								
	2019	76	3.9	16	74	97%	3.9	4.4	0.11	3.9	7.6	-	-	-	76	100%	0	0%	0	0%	0	0%	0	0%								
	2020	49	5.3	10	48	98%	7.0	7.0	0.14	3.8	7.5	-	-	-	49	100%	0	0%	0	0%	0	0%	0	0%								
	2021	56	3.6	10	55	98%	3.6	3.6	0.064	3.6	7.1	-	-	-	56	100%	0	0%	0	0%	0	0%	0	0%								
	2022	44	3.5	9.4	38	86%	3.5	5.7	0.60	3.4	6.2	-	3.6	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2023	76	3.3	10	73	96%	3.3	7.2	0.23	3.6	7.0	-	-	-	76	100%	0	0%	0	0%	0	0%	0	0%								
	2024	57	3.6	8.8	54	95%	3.6	5.6	0.25	3.4	6.6	-	-	-	57	100%	0	0%	0	0%	0	0%	0	0%								
Ibaraki	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	429	1.3	5.6	423	99%	1.3	4.0	0.03	2.0	3.9	-	-	-	429	100%	0	0%	0	0%	0	0%	0	0%								
	2013	100	4.8	12	100	100%	-	-	0	5.1	10	-	-	-	100	100%	0	0%	0	0%	0	0%	0	0%								
	2014	47	5.5	10	47	100%	-	-	0	4.1	8.1	-	-	-	47	100%	0	0%	0	0%	0	0%	0	0%								
	2015	21	8.0	11	21	100%	-	-	0	4.8	9.5	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2016	21	8.6	12	21	100%	-	-	0	5.3	11	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2017	21	6.4	9.2	21	100%	-	-	0	4.0	8.0	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2018	16	3.8	8.0	16	100%	-	-	0	2.8	5.6	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2019	16	3.4	6.3	16	100%	-	-	0	2.1	4.2	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2020	15	1.9	3.5	15	100%	-	-	0	1.2	2.4	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2021	22	4.7	9.8	22	100%	-	-	0	3.6	7.3	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%								
	2022	16	6.7	9.4	16	100%	-	-	0	4.0	8.1	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2023	12	4.6	6.9	11	92%	5.2	5.2	0.43	2.9	5.3	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2024	17	3.0	4.8	17	100%	-	-	0	2.0	3.9	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
Tochigi	2011	265	6.0	20	140	53%	12	101	23	28	34	-	62	-	161	61%	41	15%	54	20%	8	3.0%	1	0.4%								
	2012	404	2.8	11	401	99%	2.8	3.4	0.024	2.7	5.5	-	-	-	404	100%	0	0%	0	0%	0	0%	0	0%								
	2013	77	4.0	11	77	100%	-	-	0	2.8	5.6	-	-	-	77	100%	0	0%	0	0%	0	0%	0	0%								
	2014	30	3.8	11	30	100%	-	-	0	2.8	5.5	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%								
	2015	29	3.7	12	29	100%	-	-	0	2.8	5.5	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2016	29	3.1	23	29	100%	-	-	0	2.8	5.6	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2017	30	3.4	21	30	100%	-	-	0	2.8	5.5	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%								
	2018	27	3.9	6.3	27	100%	-	-	0	2.7	5.3	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%								
	2019	31	3.9	6.1	31	100%	-	-	0	2.5	5.0	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%								
	2020	2	4.0	4.4	2	100%	-	-	0	2.1	4.2	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2021	2	4.5	5.9	2	100%	-	-	0	2.6	5.2	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2022	3	5.2	7.7	3	100%	-	-	0	3.2	6.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2023	3	4.3	4.8	3	100%	-	-	0	2.3	4.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	4.7	6.3	3	100%	-	-	0	2.8	5.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	26	4.7	20	15	58%	4.7	60	16	22	28	-	51	-	17	65%	6	23%	3	12%	0	0%	0	0%								
	2012	236	1.8	5.8	233	99%	1.8	2.9	0.028	1.9	3.8	-	-	-	236	100%	0	0%	0	0%	0	0%	0	0%								
	2013	60	9.2	12	60	100%	-	-	0	5.3	11	-	-	-	60	100%	0	0%	0	0%	0	0%	0	0%								
	2014	28	5.3	10	28	100%	-	-	0	3.9	7.8	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2015	29	8.4	12	29	100%	-	-	0	5.0	10	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2016	28	8.0	13	28	100%	-	-	0	5.2	10	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2017	21	6.8	10	21	100%	-	-	0	4.1	8.1	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2018	17	4.6	8.8	17	100%	-	-	0	2.8	5.6	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2019	11	3.6	5.9	11	100%	-	-	0	2.3	4.6	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2020	12	1.7	3.5	12	100%	-	-	0	1.3	2.6	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2021	11	6.1	9.7	11	100%	-	-	0	4.0	8.0	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2022	7	5.0	8.7	7	100%	-	-	0	3.5	7.0	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2023	5	4.0	5.1	5	100%	-	-	0	2.2	4.5	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2024	3	3.6	4.2	3	100%	-	-	0	2.0	3.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
Chiba	2011	3	-	-	0	0%	20	46	32	32	32	30	-	13	1	33%	2	67%	0	0%	0	0%	0	0%								
	2012	57	1.8	8.3	54	95%	1.8	2.5	0.11	2.1	4.0	-	-	-	57	100%	0	0%	0	0%	0	0%	0	0%								
	2013	40	9.1	12	40	100%	-	-	0	5.3	11	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%								
	2014	11	6.5	7.5	11	100%	-	-	0	3.4	6.9	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2015	7	8.3	11	7	100%	-	-	0	5.2	10	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2016	7	7.5	11	7	100%	-	-	0	4.4	8.8	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2017	7	6.3	9.0	7	100%	-	-	0	3.8	7.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2018	7	5.2	6.4	7	100%	-	-	0	2.8	5.7	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2019	7	2.3	4.6	7	100%	-	-	0	1.7	3.4	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2020	7	1.8	2.9	7	100%	-	-	0	1.2	2.4	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2021	7	4.9	8.2	7	100%	-	-	0	3.3	6.5	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2022	7	3.7	9.4	6	86%	3.7	3.7	0.53	3.9	7.3	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2023	6	3.9	5.9	6	100%	-	-	0	2.4	4.8	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Saitama	2011	22	8.6	20	3	14%	8.6	90	25	27	28	26	34	16	10	45%	11	50%	0	0%	1	4.5%	0	0%								
	2012	296	1.8	5.2	294	99%	1.8	5.6	0.025	1.9	3.8	-	-	-	296	100%	0	0%	0	0%	0	0%	0	0%								
	2013	53	2.8	12	53	100%	-	-	0	5.0	10	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%								
	2014	29	6.1	10	29	100%	-	-	0	3.8	7.6	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2015	16	8.6	11	16	100%	-	-	0	4.9	9.9	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2016	18	7.3	13	18	100%	-	-	0	5.0	10	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2017	18	4.9	9.9	18	100%	-	-	0	3.8	7.6	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2018	18	4.2	7.1	18	100%	-	-	0	2.8	5.6	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2019	14	2.9	6.5	14	100%	-	-	0	2.1	4.1	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2020	14	1.7	3.4	14	100%	-	-	0	1.3	2.6	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2021	17	5.7	9.2	17	100%	-	-	0	3.7	7.4	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2022	9	5.2	9.0	9	100%	-	-	0	3.9	7.7	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2023	7	4.7	5.0	7	100%	-	-	0	2.4	4.9	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2024	2	3.5	4.6	2	100%	-	-	0	2.0	4.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Tokyo	2011	2	20	20	1	50%	73	73	37	42	47	-	-	-	1	50%	0	0%	1	50%	0	0%	0	0%								
	2012	14	1.5	2.0	14	100%	-	-	0	0.85	1.7	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2013	4	6.0	9.0	4	100%	-	-	0	3.4	6.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2014	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Kanagawa	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	5	1.6	4.9	4	80%	2.2	2.2	0.44	1.8	3.2	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2013	5	1.3	11	5	100%	-	-	0	4.4	8.9	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2014	1	1.4	1.4	1	100%	-	-	0	0.70	1.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	2	7.2	8.3	2	100%	-	-	0	3.9	7.8	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2014	2	6.9	7.5	2	100%	-	-	0	3.6	7.2	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	6.2	7.2	2	100%	-	-	0	3.4	6.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	5.8	6.8	2	100%	-	-	0	3.2	6.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	2	3.0	3.0	2	100%	-	-	0	1.5	3.0	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2012	2	2.3	2.4	2	100%	-	-	0	1.2	2.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2013	2	1.7	2.4	2	100%	-	-	0	1.0	2.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2014	2	1.8	2.2	2	100%	-	-	0	1.0	2.0	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	1.9	2.3	2	100%	-	-	0	1.1	2.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	1.7	1.9	2	100%	-	-	0	0.90	1.8	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	1	1.9	1.9	1	100%	-	-	0	1.0	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1	1.7	1.7	1	100%	-	-	0	0.85	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1	1.7	1.7	1	100%	-	-	0	0.85	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	1.9	1.9	1	100%	-	-	0	0.95	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	1	2.1	2.1	1	100%	-	-	0	1.1	2.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2023	1	2.1	2.1	1	100%	-	-	0	1.1	2.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2024	2	1.8	1.8	2	100%	-	-	0	0.90	1.8	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
Nagano	2011	2	20	20	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2012	7	3.4	4.2	7	100%	-	-	0	1.9	3.9	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2013	7	9.5	11	7	100%	-	-	0	5.3	11	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2014	4	7.4	8.1	2	50%	7.4	7.7	3.8	5.8	7.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2015	4	9.2	9.9	4	100%	-	-	0	4.8	9.5	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2016	4	9.1	12	4	100%	-	-	0	5.2	10	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Shizuoka	2011	2	-	-	0	0%	7.0	11	9.0	9.0	9.0	9.0	-	2.8	2	100%	0	0%	0	0%	0	0%	0	0%								
	2012	2	2.8	3.0	2	100%	-	-	0	1.5	2.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2013	2	3.0	3.6	2	100%	-	-	0	1.7	3.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2014	2	3.7	3.8	2	100%	-	-	0	1.9	3.8	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	3.1	3.3	2	100%	-	-	0	1.6	3.2	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	2.7	3.4	2	100%	-	-	0	1.5	3.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management
(5) Pulses, Legumes and Minor Cereals

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Total	2011	965	1.9	45	781	81%	2.1	490	10	22	33	-	32	-	857	89%	50	5.2%	24	2.5%	16	1.7%	18	1.9%								
	2012	7,333	1.0	69	4,490	61%	1.0	530	7.3	10	13	-	22	-	6,738	92%	414	5.6%	103	1.4%	39	0.5%	39	0.5%								
	2013	8,148	1.2	27	3,557	44%	1.2	340	12	13	15	4.9	32	19	7,018	86%	819	10%	140	1.7%	112	1.4%	59	0.7%								
	2014	3,449	0.99	25	2,785	81%	0.99	110	2.3	5.8	9.2	-	6.6	-	3,371	98%	65	1.9%	9	0.3%	2	0.06%	2	0.06%								
	2015	3,140	1.2	25	2,362	75%	1.2	190	2.2	5.6	8.9	-	6.6	-	3,107	99%	21	0.7%	4	0.1%	5	0.2%	3	0.1%								
	2016	1,392	1.5	26	1,094	79%	2.6	53	2.3	5.8	9.3	-	8.2	-	1,373	99%	14	1.0%	5	0.4%	0	0%	0	0%								
	2017	715	2.5	25	568	79%	2.5	33	1.9	5.3	8.6	-	7.9	-	712	99.6%	3	0.4%	0	0%	0	0%	0	0%								
	2018	413	2.8	19	326	79%	3.1	30	1.4	4.5	7.6	-	6.2	-	412	99.8%	1	0.2%	0	0%	0	0%	0	0%								
	2019	283	2.5	17	256	90%	2.5	14	0.59	4.0	7.5	-	-	-	283	100%	0	0%	0	0%	0	0%	0	0%								
	2020	262	1.5	12	208	79%	1.5	26	1.6	4.1	6.6	-	5.5	-	261	99.6%	1	0.4%	0	0%	0	0%	0	0%								
	2021	237	3.0	13	202	85%	3.0	20	1.3	4.8	8.4	-	5.6	-	237	100%	0	0%	0	0%	0	0%	0	0%								
	2022	107	0.82	12	82	77%	0.82	9.1	0.75	2.8	4.8	-	2.2	-	107	100%	0	0%	0	0%	0	0%	0	0%								
	2023	328	1.8	17	277	84%	1.8	430	2.6	5.8	9.0	-	5.2	-	324	99%	3	1%	0	0%	0	0%	1	0%								
	2024	210	1.0	12	161	77%	1.0	26	1.2	3.7	6.2	-	4.0	-	209	99.5%	1	0.5%	0	0%	0	0%	0	0%								
Aomori	2011	11	40	45	11	100%	-	-	0	21	41	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2012	26	10	10	26	100%	-	-	0	5.0	10	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2013	28	10	10	28	100%	-	-	0	5.0	10	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2014	28	10	10	28	100%	-	-	0	5.0	10	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2015	24	10	10	24	100%	-	-	0	5.0	10	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2016	21	10	10	21	100%	-	-	0	5.0	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Iwate	2011	17	25	40	13	76%	25	96	13.5	29	44	-	52	-	14	82%	1	5.9%	1	5.9%	1	5.9%	0	0%								
	2012	1,016	2.0	14	589	58%	2.8	250	9.7	12	15	-	30	-	872	86%	103	10%	30	3.0%	6	0.6%	5	0.5%								
	2013	362	1.6	12	294	81%	3.7	45	2.5	6.2	9.9	-	9.0	-	356	98%	6	1.7%	0	0%	0	0%	0	0%								
	2014	214	3.8	12	203	95%	4.0	28	0.44	4.4	8.3	-	-	-	213	99.5%	1	0.5%	0	0%	0	0%	0	0%								
	2015	90	5.0	13	84	93%	5.0	190	2.5	7.2	12	-	-	-	89	98.9%	0	0%	0	0%	0	0%	1	1.1%								
	2016	66	5.2	12	65	98%	5.2	5.2	0.079	4.8	9.6	-	-	-	66	100%	0	0%	0	0%	0	0%	0	0%								
	2017	64	4.1	13	63	98%	4.1	4.1	0.064	3.9	7.8	-	-	-	64	100%	0	0%	0	0%	0	0%	0	0%								
	2018	69	3.3	9.2	39	57%	3.3	6.5	2.4	4.3	6.2	-	6	-	69	100%	0	0%	0	0%	0	0%	0	0%								
	2019	29	3.4	6.6	29	100%	-	-	0	2.5	4.9	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%								
	2020	43	1.7	7.0	40	93%	1.7	3.4	0.17	1.9	3.7	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%								
	2021	24	3.1	9.8	23	96%	3.1	3.1	0.13	4.0	7.9	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2022	23	4.6	9.8	23	100%	-	-	0	3.9	7.8	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%								
	2023	15	3.3	5.6	15	100%	-	-	0	2.2	4.4	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2024	25	2.6	5.5	24	96%	2.6	2.6	0.10	2.3	4.4	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	2	2.5	2.8	2	100%	-	-	0	1.3	2.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2012	13	1.0	2.1	10	77%	1.0	1.9	0.31	1.0	1.7	-	1.1	-	13	100%	0	0%	0	0%	0	0%	0	0%								
	2013	17	1.2	3.0	15	88%	1.2	1.8	0.18	1.1	2.0	-	0.48	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2014	14	1.0	12	13	93%	0.99	0.99	0.071	1.3	2.5	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2015	14	1.2	2.4	13	93%	1.2	1.2	0.086	1.0	1.9	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2016	10	1.5	2.8	10	100%	-	-	0	1.0	2.0	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Miyagi	2011	104	6.0	40	92	88%	6.0	240	11	28	46	-	17	-	94	90%	0	0%	4	3.8%	3	2.9%	3	2.9%								
	2012	1,284	2.9	25	629	49%	2.9	210	9.0	11	14	4.1	23	16	1,173	91%	73	5.7%	19	1.5%	8	0.6%	11	0.9%								
	2013	2,417	3.0	25	511	21%	3.0	190	14	15	16	12	32	13	2,027	84%	374	15%	9	0.4%	3	0.1%	4	0.2%								
	2014	369	4.0	25	309	84%	4.0	76	1.5	4.9	8.4	-	6.0	-	367	99%	1	0.3%	0	0%	1	0.3%	0	0%								
	2015	285	4.5	25	251	88%	4.5	27	1.2	5.6	10	-	5.6	-	284	99.6%	1	0.4%	0	0%	0	0%	0	0%								
	2016	249	4.0	25	220	88%	4.0	21	1.1	5.1	9.2	-	4.9	-	249	100%	0	0%	0	0%	0	0%	0	0%								
	2017	117	5.0	25	105	90%	5.0	19	0.96	5.0	9.0	-	2.0	-	117	100%	0	0%	0	0%	0	0%	0	0%								
	2018	73	3.7	11	67	92%	4.1	18	0.70	3.5	6.4	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2019	73	2.9	10	63	86%	2.9	13	0.73	3.3	5.9	-	3.4	-	73	100%	0	0%	0	0%	0	0%	0	0%								
	2020	64	1.5	12	45	70%	1.5	10	1.1	2.3	3.5	-	4.0	-	64	100%	0	0%	0	0%	0	0%	0	0%								
	2021	56	6.0	9.6	52	93%	6.0	6.9	0.46	4.2	8.0	-	-	-	56	100%	0	0%	0	0%	0	0%	0	0%								
	2022	57	0.82	2.7	34	60%	0.82	9.1	1.2	1.8	2.5	-	2.7	-	57	100%	0	0%	0	0%	0	0%	0	0%								
	2023	59	1.8	4.9	43	73%	1.8	9.0	1.0	2.4	3.7	-	3.4	-	59	100%	0	0%	0	0%	0	0%	0	0%								
	2024	57	0.98	3.0	28	49%	0.98	7.8	1.3	1.8	2.2	0.98	2.8	1.4	57	100%	0	0%	0	0%	0	0%	0	0%								
Yamagata	2011	28	1.9	40	28	100%	-	-	0	15	31	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2012	31	8.1	14	31	100%	-	-	0	5.4	11	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%								
	2013	12	7.3	14	12	100%	-	-	0	5.3	11	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2014	14	5.5	13	14	100%	-	-	0	4.9	9.9	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%								
	2015	9	5.4	10	9	100%	-	-	0	3.9	7.8	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2016	9	6.2	9.4	9	100%	-	-	0	3.9	7.8	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2017	8	7.2	9.2	8	100%	-	-	0	4.1	8.1	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2018	8	6.8	12	8	100%	-	-	0	4.4	8.9	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2019	8	8.0	17	8	100%	-	-	0	5.4	11	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	450	9.2	32	336	75%	9.2	490	14	22	30	-	46	-	378	84%	34	7.6%	15	3.3%	9	2.0%	14	3.1%
	2012	2,045	2.5	69	1,192	58%	2.5	530	10	13	16	-	29	-	1,808	88%	147	7.2%	44	2.2%	23	1.1%	23	1.1%
	2013	4,345	2.6	18	1,944	45%	2.6	340	13	15	17	4.5	39	24	3,618	83%	432	9.9%	131	3.0%	109	2.5%	55	1.3%
	2014	2,269	3.1	13	1,729	76%	3.1	110	3.1	6.3	10	-	8.0	-	2,195	97%	62	2.7%	9	0.4%	1	0.04%	2	0.09%
	2015	2,409	3.4	18	1,698	70%	3.4	120	2.6	5.7	8.7	-	6.9	-	2,379	99%	19	0.8%	4	0.2%	5	0.2%	2	0.08%
	2016	770	2.6	18	533	69%	2.6	53	3.5	6.6	9.6	-	11	-	751	98%	14	1.8%	5	0.6%	0	0%	0	0%
	2017	382	3.8	15	266	70%	3.8	33	3.0	6.1	9.2	-	11	-	379	99%	3	0.8%	0	0%	0	0%	0	0%
	2018	171	3.2	19	137	80%	3.2	30	1.5	5.1	8.7	-	6.5	-	170	99%	1	0.6%	0	0%	0	0%	0	0%
	2019	139	4.5	17	129	93%	4.5	14	0.53	4.7	8.9	-	-	-	139	100%	0	0%	0	0%	0	0%	0	0%
	2020	125	3.6	11	97	78%	3.6	26	2.4	5.9	9.3	-	10	-	124	99%	1	0.8%	0	0%	0	0%	0	0%
	2021	130	3.0	13	102	78%	3.0	20	2.0	5.4	8.7	-	7.8	-	130	100%	0	0%	0	0%	0	0%	0	0%
	2022	2	7.5	7.7	2	100%	-	-	0	3.8	7.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2023	229	4.1	17	196	86%	4.1	430	3.4	7.2	11	-	5.9	-	225	98%	3	1.3%	0	0%	0	0%	1	0.4%
2024	111	3.3	12	93	84%	3.3	26	1.5	5.1	8.6	-	7.3	-	110	99%	1	1%	0	0%	0	0%	0	0%	
Ibaraki	2011	72	9.0	40	63	88%	15	99	6.0	23	40	-	20	-	65	90%	4	5.6%	1	1.4%	2	2.8%	0	0%
	2012	1,075	2.8	25	820	76%	2.8	42	2.4	5.5	8.7	-	8.2	-	1,060	99%	15	1.4%	0	0%	0	0%	0	0%
	2013	142	3.4	25	108	76%	3.4	22	1.9	5.3	8.6	-	7.2	-	142	100%	0	0%	0	0%	0	0%	0	0%
	2014	83	4.0	10	77	93%	4.0	12	0.55	4.3	8.0	-	-	-	83	100%	0	0%	0	0%	0	0%	0	0%
	2015	72	4.1	11	67	93%	4.1	9.3	0.49	5.0	9.6	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2016	38	4.7	11	35	92%	4.7	12	0.68	5.0	9.3	-	-	-	38	100%	0	0%	0	0%	0	0%	0	0%
	2017	5	6.4	10	4	80%	6.4	6.4	1.3	4.6	7.8	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2018	5	5.9	7.0	4	80%	9.1	9.1	1.8	4.4	7.0	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2019	3	2.5	5.5	2	67%	2.5	2.5	0.83	2.7	4.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2020	6	2.0	4.8	4	67%	4.0	7.5	1.9	3.0	4.1	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2021	4	7.0	9.3	4	100%	-	-	0	4.3	8.7	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2022	3	4.4	8.7	3	100%	-	-	0	3.5	6.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2023	3	3.6	4.4	3	100%	-	-	0	2.0	4.0	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
2024	2	4.3	4.8	2	100%	-	-	0	2.3	4.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	
Tochigi	2011	72	2.1	40	33	46%	2.1	77	11	13	15	2.8	38	16	59	82%	11	15%	1	1.4%	1	1.4%	0	0%
	2012	1,185	2.7	16	607	51%	2.7	78	6.8	8.7	11	-	20	-	1,099	93%	75	6.3%	9	0.8%	2	0.2%	0	0%
	2013	528	2.6	27	364	69%	2.6	49	2.6	5.5	8.4	-	7.3	-	522	99%	6	1.1%	0	0%	0	0%	0	0%
	2014	257	2.7	25	216	84%	2.7	16	1.0	4.4	7.9	-	4.4	-	257	100%	0	0%	0	0%	0	0%	0	0%
	2015	104	2.4	24	85	82%	2.4	17	1.2	4.3	7.4	-	4.8	-	104	100%	0	0%	0	0%	0	0%	0	0%
	2016	114	2.6	26	88	77%	2.6	23	1.5	4.5	7.5	-	5.2	-	114	100%	0	0%	0	0%	0	0%	0	0%
	2017	110	2.5	24	95	86%	2.5	11	0.76	3.9	7.1	-	3.5	-	110	100%	0	0%	0	0%	0	0%	0	0%
	2018	73	3.1	10	58	79%	3.1	9.3	1.4	4.4	7.3	-	7.0	-	73	100%	0	0%	0	0%	0	0%	0	0%
	2019	22	3.4	10	17	77%	3.4	12	1.6	4.4	7.2	-	4.7	-	22	100%	0	0%	0	0%	0	0%	0	0%
	2020	18	3.9	11	16	89%	3.9	13	0.94	4.3	7.8	-	1.2	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2021	18	3.4	12	16	89%	3.4	12	0.86	4.3	7.8	-	1.0	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2022	18	3.5	12	16	89%	3.5	8	0.61	3.9	7.1	-	1.1	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2023	18	5.2	11	16	89%	7.8	14	1.2	4.5	7.9	-	2.3	-	18	100%	0	0%	0	0%	0	0%	0	0%
2024	15	4.3	8.7	14	93%	6.5	6.5	0.43	3.3	6.1	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	34	20	40	31	91%	21	111	5.6	24	42	-	-	-	32	94%	0	0%	1	2.9%	0	0%	1	2.9%								
	2012	261	2.1	11	202	77%	2.1	29	1.8	5.0	8.1	-	6.5	-	260	99.6%	1	0.4%	0	0%	0	0%	0	0%								
	2013	76	4.8	12	66	87%	4.8	32	2.0	5.7	9.4	-	6.3	-	75	98.7%	1	1.3%	0	0%	0	0%	0	0%								
	2014	62	5.4	12	57	92%	5.4	36	0.97	4.8	8.7	-	-	-	61	98.4%	1	1.6%	0	0%	0	0%	0	0%								
	2015	57	7.9	11	55	96%	10	28	0.67	5.5	10	-	-	-	56	98.2%	1	1.8%	0	0%	0	0%	0	0%								
	2016	54	5.6	13	52	96%	5.6	13	0.34	4.8	9.3	-	-	-	54	100%	0	0%	0	0%	0	0%	0	0%								
	2017	22	5.9	9.9	20	91%	5.9	7.2	0.60	4.3	8.1	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%								
	2018	8	4.0	17	7	88%	4	4.0	0.50	3.8	7.2	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2019	6	3.4	14	5	83%	3.4	3.4	0.57	3.4	6.3	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2020	2	2.6	4.1	2	100%	-	-	0	1.7	3.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2021	1	9.7	9.7	1	100%	-	-	0	4.9	9.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Chiba	2011	87	8.7	40	86	99%	73	73	0.84	19	38	-	-	-	86	99%	0	0%	1	1.1%	0	0%	0	0%								
	2012	270	3.3	20	259	96%	3.9	55	0.63	8.2	16	-	-	-	269	99.6%	0	0%	1	0.4%	0	0%	0	0%								
	2013	101	3.0	20	97	96%	7.1	16	0.45	7.4	14	-	-	-	101	100%	0	0%	0	0%	0	0%	0	0%								
	2014	55	5.8	17	55	100%	-	-	0	7.0	14	-	-	-	55	100%	0	0%	0	0%	0	0%	0	0%								
	2015	18	14	18	18	100%	-	-	0	8.0	16	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2016	15	13	17	15	100%	-	-	0	7.7	15	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%								
	2017	4	7.0	9.0	4	100%	-	-	0	4.1	8.2	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2018	3	5.8	7.8	3	100%	-	-	0	3.4	6.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2019	2	5.1	7.1	2	100%	-	-	0	3.1	6.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2020	2	2.8	6.7	2	100%	-	-	0	2.4	4.8	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2021	2	7.3	9.1	2	100%	-	-	0	4.1	8.2	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2022	2	6.5	8.0	2	100%	-	-	0	3.6	7.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2	5.3	7.8	2	100%	-	-	0	3.3	6.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Saitama	2011	53	40	40	53	100%	-	-	0	20	40	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%								
	2012	94	2.1	15	94	100%	-	-	0	4.0	8.0	-	-	-	94	100%	0	0%	0	0%	0	0%	0	0%								
	2013	79	3.2	11	79	100%	-	-	0	4.3	8.5	-	-	-	79	100%	0	0%	0	0%	0	0%	0	0%								
	2014	52	6.9	10	52	100%	-	-	0	4.2	8.3	-	-	-	52	100%	0	0%	0	0%	0	0%	0	0%								
	2015	28	7.2	11	28	100%	-	-	0	4.9	9.8	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2016	19	6.5	11	19	100%	-	-	0	4.5	9.0	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%								
	2017	2	7.0	7.5	2	100%	-	-	0	3.6	7.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2018	2	6.0	7.1	2	100%	-	-	0	3.3	6.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1	6.1	6.1	1	100%	-	-	0	3.1	6.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2020	2	2.6	4.1	2	100%	-	-	0	1.7	3.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2021	2	9.3	9.8	2	100%	-	-	0	4.8	9.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2022	2	7.2	7.9	2	100%	-	-	0	3.8	7.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2023	2	3.6	4.2	2	100%	-	-	0	2.0	3.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Tokyo	2011	3	11	22	3	100%	-	-	0	9.0	18	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2012	4	12	14	4	100%	-	-	0	6.5	13	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Kanagawa	2011	4	20	40	4	100%	-	-	0	18	35	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2012	5	1.5	8.1	5	100%	-	-	0	2.6	5.2	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2013	7	3.2	11	6	86%	6.4	6.4	0.91	4.3	7.7	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3	2.7	9.8	3	100%	-	-	0	3.3	6.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1	2.7	2.7	1	100%	-	-	0	1.4	2.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	2.4	2.4	2	100%	-	-	0	1.2	2.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1	2.5	2.5	1	100%	-	-	0	1.3	2.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1	2.8	2.8	1	100%	-	-	0	1.4	2.8	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	18	6.5	9.6	18	100%	-	-	0	3.9	7.8	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2014	18	6.2	9.6	18	100%	-	-	0	3.9	7.7	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2015	18	5.0	8.8	18	100%	-	-	0	3.4	6.7	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2016	18	5.3	9.2	18	100%	-	-	0	3.5	7.0	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	4	3.0	4.0	4	100%	-	-	0	1.9	3.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2012	3	2.2	2.8	3	100%	-	-	0	1.3	2.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2013	3	2.1	3.2	3	100%	-	-	0	1.3	2.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3	2.5	2.8	3	100%	-	-	0	1.3	2.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2015	3	2.0	2.6	3	100%	-	-	0	1.2	2.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	2.1	2.4	2	100%	-	-	0	1.1	2.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Nagano	2011	20	20	40	20	100%	-	-	0	20	39	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%								
	2012	17	5.5	8.9	17	100%	-	-	0	3.8	7.6	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2013	9	7.3	10	9	100%	-	-	0	4.4	8.8	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%								
	2014	8	7.8	9.8	8	100%	-	-	0	4.2	8.4	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2015	8	8.8	11	8	100%	-	-	0	5.0	10	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2016	5	8.5	11	5	100%	-	-	0	5.1	10	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Shizuoka	2011	4	4.0	5.0	2	50%	5.0	14	4.8	5.9	7.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2012	4	2.9	4.2	2	50%	2.9	13	4.0	5.0	6.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2013	4	3.6	5.2	3	75%	5.1	5.1	1.3	3.0	4.7	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management
(6) Meat

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	69,836	0.41	100	66,142	95%	0.41	3,200	2.4	24	46	-	-	-	68,120	98%	812	1.2%	441	0.6%	202	0.3%	261	0.4%
	2012	149,716	1.4	50	149,210	99.7%	3.0	190	0.077	14	27	-	-	-	149,573	99.9%	112	0.07%	15	0.01%	9	0.006%	7	0.005%
	2013	189,004	1.6	35	188,651	99.8%	6.4	85	0.032	12	25	-	-	-	188,938	99.97%	60	0.03%	4	0.002%	2	0.001%	0	0%
	2014	183,093	2.3	26	182,874	99.9%	4.7	47	0.019	12	25	-	-	-	183,054	99.98%	39	0.02%	0	0%	0	0%	0	0%
	2015	217,598	2.6	26	217,454	99.9%	4.4	38	0.010	12	25	-	-	-	217,570	99.99%	28	0.01%	0	0%	0	0%	0	0%
	2016	209,118	2.2	164	209,004	99.9%	5.9	54	0.0082	12	25	-	-	-	209,108	99.995%	8	0.004%	2	0.001%	0	0%	0	0%
	2017	211,133	2.6	27	211,069	99.97%	5.1	45	0.0046	12	25	-	-	-	211,124	99.996%	9	0.004%	0	0%	0	0%	0	0%
	2018	210,082	2.3	26	209,947	99.9%	5.9	30	0.0087	12	25	-	-	-	210,078	99.998%	4	0.002%	0	0%	0	0%	0	0%
	2019	203,905	2.9	33	203,592	99.8%	5.9	48	0.022	12	25	-	-	-	203,885	99.99%	20	0.01%	0	0%	0	0%	0	0%
	2020	19,843	5.6	25	19,709	99%	5.6	31	0.084	12	23	-	-	-	19,841	99.99%	2	0.01%	0	0%	0	0%	0	0%
	2021	8,626	6.0	25	8,464	98%	6.0	36	0.25	11	21	-	-	-	8,622	99.95%	4	0.05%	0	0%	0	0%	0	0%
	2022	5,290	6.4	26	5,155	97%	6.4	49	0.35	12	23	-	-	-	5,282	99.8%	8	0.2%	0	0%	0	0%	0	0%
	2023	7,421	5.8	25	7,354	99%	5.8	21	0.12	11	22	-	-	-	7,421	100%	0	0%	0	0%	0	0%	0	0%
	2024	6,877	6.6	25	6,747	98%	6.6	120	0.28	12	23	-	-	-	6,874	99.96%	1	0.01%	1	0.01%	0	0%	1	0.01%
Aomori	2011	209	0.60	50	208	99.5%	0.60	0.60	0.0029	25	50	-	-	-	209	100%	0	0%	0	0%	0	0%	0	0%
	2012	3,007	13	50	3,005	99.9%	13	14	0.0090	13	26	-	-	-	3,007	100%	0	0%	0	0%	0	0%	0	0%
	2013	5,765	25	25	5,765	100%	-	-	0	13	25	-	-	-	5,765	100%	0	0%	0	0%	0	0%	0	0%
	2014	5,442	25	25	5,442	100%	-	-	0	13	25	-	-	-	5,442	100%	0	0%	0	0%	0	0%	0	0%
	2015	23,095	19	25	23,095	100%	-	-	0	12	25	-	-	-	23,095	100%	0	0%	0	0%	0	0%	0	0%
	2016	23,414	19	164	23,414	100%	-	-	0	13	25	-	-	-	23,414	100%	0	0%	0	0%	0	0%	0	0%
	2017	22,943	24	25	22,943	100%	-	-	0	12	25	-	-	-	22,943	100%	0	0%	0	0%	0	0%	0	0%
	2018	24,418	25	25	24,418	100%	-	-	0	13	25	-	-	-	24,418	100%	0	0%	0	0%	0	0%	0	0%
	2019	22,803	25	25	22,803	100%	-	-	0	13	25	-	-	-	22,803	100%	0	0%	0	0%	0	0%	0	0%
	2020	1,953	25	25	1,953	100%	-	-	0	13	25	-	-	-	1,953	100%	0	0%	0	0%	0	0%	0	0%
	2021	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2022	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2023	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	2011	7,564	2.0	50	7,116	94%	4.1	738	4.6	28	51	-	-	-	7,122	94%	166	2.2%	120	1.6%	68	0.9%	88	1.2%
	2012	19,265	10	50	19,060	99%	10	57	0.19	13	25	-	-	-	19,232	99.8%	31	0.2%	2	0.01%	0	0%	0	0%
	2013	21,993	10	25	21,789	99%	10	48	0.14	13	25	-	-	-	21,982	99.9%	11	0.05%	0	0%	0	0%	0	0%
	2014	21,240	10	25	21,113	99%	10	31	0.085	13	25	-	-	-	21,235	99.98%	5	0.02%	0	0%	0	0%	0	0%
	2015	21,256	10	25	21,170	99.6%	10	37	0.062	13	25	-	-	-	21,246	99.95%	10	0.05%	0	0%	0	0%	0	0%
	2016	20,978	10	25	20,903	99.6%	10	49	0.054	13	25	-	-	-	20,974	99.98%	4	0.02%	0	0%	0	0%	0	0%
	2017	22,664	10	25	22,630	99.8%	10	27	0.022	13	25	-	-	-	22,663	99.996%	1	0.004%	0	0%	0	0%	0	0%
	2018	20,929	10	25	20,817	99.5%	10	30	0.073	13	25	-	-	-	20,926	99.99%	3	0.01%	0	0%	0	0%	0	0%
	2019	21,492	10	25	21,208	99%	10	48	0.19	13	25	-	-	-	21,474	99.9%	18	0.08%	0	0%	0	0%	0	0%
	2020	4,726	10	25	4,620	98%	10	31	0.30	13	25	-	-	-	4,724	99.96%	2	0.04%	0	0%	0	0%	0	0%
	2021	4,920	10	25	4,781	97%	10	36	0.38	13	25	-	-	-	4,916	99.9%	4	0.08%	0	0%	0	0%	0	0%
	2022	4,038	10	25	3,925	97%	10	49	0.39	13	25	-	-	-	4,030	99.8%	8	0.2%	0	0%	0	0%	0	0%
	2023	4,766	10	25	4,725	99%	10	20	0.11	13	25	-	-	-	4,766	100%	0	0%	0	0%	0	0%	0	0%
	2024	4,964	10	25	4,857	98%	10	37	0.29	13	25	-	-	-	4,963	99.98%	1	0.02%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	1,717	0.85	50	1,630	95%	0.85	781	1.1	25	48	-	-	-	1,708	99%	6	0.3%	2	0.1%	0	0%	1	0.06%
	2012	3,772	1.8	50	3,771	99.97%	14	14	0.0037	13	25	-	-	-	3,772	100%	0	0%	0	0%	0	0%	0	0%
	2013	3,884	25	25	3,884	100%	-	-	0	13	25	-	-	-	3,884	100%	0	0%	0	0%	0	0%	0	0%
	2014	4,420	25	25	4,420	100%	-	-	0	13	25	-	-	-	4,420	100%	0	0%	0	0%	0	0%	0	0%
	2015	4,364	20	26	4,364	100%	-	-	0	12	25	-	-	-	4,364	100%	0	0%	0	0%	0	0%	0	0%
	2016	4,229	25	25	4,229	100%	-	-	0	13	25	-	-	-	4,229	100%	0	0%	0	0%	0	0%	0	0%
	2017	4,317	25	27	4,317	100%	-	-	0	13	25	-	-	-	4,317	100%	0	0%	0	0%	0	0%	0	0%
	2018	4,318	25	25	4,318	100%	-	-	0	13	25	-	-	-	4,318	100%	0	0%	0	0%	0	0%	0	0%
	2019	3,660	25	25	3,660	100%	-	-	0	13	25	-	-	-	3,660	100%	0	0%	0	0%	0	0%	0	0%
	2020	286	25	25	286	100%	-	-	0	13	25	-	-	-	286	100%	0	0%	0	0%	0	0%	0	0%
	2021	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2022	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
2024	4	25	25	4	100%	-	-	0	13	25	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	
Miyagi	2011	10,917	10	50	10,339	95%	10	529	3.5	25	46	-	-	-	10,467	96%	143	1.3%	161	1.5%	60	0.5%	86	0.8%
	2012	19,522	14	50	19,500	99.9%	25	150	0.053	18	36	-	-	-	19,502	99.9%	14	0.07%	3	0.02%	2	0.01%	1	0.005%
	2013	28,583	25	25	28,553	99.9%	25	67	0.032	13	25	-	-	-	28,556	99.9%	26	0.09%	1	0.003%	0	0%	0	0%
	2014	26,101	25	25	26,076	99.9%	25	47	0.031	13	25	-	-	-	26,079	99.9%	22	0.08%	0	0%	0	0%	0	0%
	2015	24,706	20	25	24,686	99.9%	25	38	0.023	13	25	-	-	-	24,689	99.9%	17	0.07%	0	0%	0	0%	0	0%
	2016	20,330	3.6	25	20,326	99.98%	27	54	0.0072	12	25	-	-	-	20,326	99.98%	3	0.01%	1	0.005%	0	0%	0	0%
	2017	23,104	2.6	25	23,096	99.97%	25	45	0.011	13	25	-	-	-	23,097	99.97%	7	0.03%	0	0%	0	0%	0	0%
	2018	22,270	3.5	25	22,268	99.99%	25	25	0.0022	12	25	-	-	-	22,270	100%	0	0%	0	0%	0	0%	0	0%
	2019	21,838	25	25	21,838	100%	-	-	0	13	25	-	-	-	21,838	100%	0	0%	0	0%	0	0%	0	0%
	2020	248	25	25	248	100%	-	-	0	13	25	-	-	-	248	100%	0	0%	0	0%	0	0%	0	0%
	2021	44	25	25	44	100%	-	-	0	13	25	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%
	2022	32	25	25	32	100%	-	-	0	13	25	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%
	2023	36	25	25	36	100%	-	-	0	13	25	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%
2024	39	25	25	39	100%	-	-	0	13	25	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%	
Yamagata	2011	10,976	0.41	50	9,577	87%	0.41	193	2.2	21	40	-	3.6	-	10,696	97%	191	1.7%	53	0.5%	15	0.1%	21	0.2%
	2012	16,575	1.4	50	16,574	99.99%	13	13	0.00078	13	25	-	-	-	16,575	100%	0	0%	0	0%	0	0%	0	0%
	2013	18,711	8.4	35	18,710	99.99%	27	27	0.0014	12	25	-	-	-	18,710	99.99%	1	0.005%	0	0%	0	0%	0	0%
	2014	17,711	8.0	25	17,711	100%	-	-	0	12	25	-	-	-	17,711	100%	0	0%	0	0%	0	0%	0	0%
	2015	16,822	8.9	25	16,822	100%	-	-	0	12	25	-	-	-	16,822	100%	0	0%	0	0%	0	0%	0	0%
	2016	15,286	4.4	25	15,286	100%	-	-	0	12	25	-	-	-	15,286	100%	0	0%	0	0%	0	0%	0	0%
	2017	15,838	9.6	25	15,838	100%	-	-	0	12	25	-	-	-	15,838	100%	0	0%	0	0%	0	0%	0	0%
	2018	16,346	9.3	25	16,346	100%	-	-	0	12	25	-	-	-	16,346	100%	0	0%	0	0%	0	0%	0	0%
	2019	14,894	10	25	14,894	100%	-	-	0	12	25	-	-	-	14,894	100%	0	0%	0	0%	0	0%	0	0%
	2020	385	25	25	385	100%	-	-	0	13	25	-	-	-	385	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	4,838	6.1	50	4,197	87%	6.1	3,200	9.4	22	34	-	10	-	4,583	95%	156	3.2%	41	0.8%	24	0.5%	34	0.7%
	2012	12,578	3.0	50	12,412	99%	3.0	150	0.27	10	21	-	-	-	12,542	100%	25	0.2%	4	0.03%	4	0.03%	3	0.02%
	2013	16,611	4.9	25	16,517	99%	6.4	83	0.084	11	22	-	-	-	16,598	99.9%	10	0.06%	2	0.01%	1	0.01%	0	0%
	2014	15,643	4.4	25	15,584	99.6%	5.7	46	0.049	11	22	-	-	-	15,635	99.9%	8	0.05%	0	0%	0	0%	0	0%
	2015	18,671	4.6	25	18,654	99.9%	7.1	33	0.010	11	23	-	-	-	18,670	99.99%	1	0.01%	0	0%	0	0%	0	0%
	2016	17,294	4.1	25	17,271	99.9%	6.0	51	0.015	11	23	-	-	-	17,293	99.99%	0	0%	1	0.01%	0	0%	0	0%
	2017	16,653	2.8	25	16,640	99.9%	5.1	12	0.0067	11	23	-	-	-	16,653	100%	0	0%	0	0%	0	0%	0	0%
	2018	15,222	4.7	25	15,211	99.9%	5.9	13	0.0056	11	23	-	-	-	15,222	100%	0	0%	0	0%	0	0%	0	0%
	2019	14,014	2.9	25	14,003	99.9%	5.9	21	0.0075	11	23	-	-	-	14,014	100%	0	0%	0	0%	0	0%	0	0%
	2020	4,131	5.6	25	4,107	99%	5.6	18	0.050	8.0	16	-	-	-	4,131	100%	0	0%	0	0%	0	0%	0	0%
	2021	3,435	6.6	23	3,426	99.7%	6.6	14	0.025	7.7	15	-	-	-	3,435	100%	0	0%	0	0%	0	0%	0	0%
	2022	1,054	6.4	20	1,044	99%	6.4	21	0.096	7.9	16	-	-	-	1,054	100%	0	0%	0	0%	0	0%	0	0%
	2023	2,209	5.8	20	2,198	99.5%	5.8	15	0.054	8.2	16	-	-	-	2,209	100%	0	0%	0	0%	0	0%	0	0%
	2024	1,550	6.6	20	1,543	99.5%	6.6	120	0.15	8.2	16	-	-	-	1,548	99.9%	0	0%	1	0.1%	0	0%	1	0.1%
Ibaraki	2011	7,208	4.0	61	7,142	99%	4.0	203	0.45	25	49	-	-	-	7,171	99%	10	0.1%	11	0.2%	5	0.07%	11	0.2%
	2012	16,359	12	50	16,340	99.9%	12	61	0.031	15	30	-	-	-	16,351	99.95%	6	0.04%	2	0.01%	0	0%	0	0%
	2013	21,400	12	25	21,391	99.96%	12	64	0.012	13	25	-	-	-	21,396	99.98%	3	0.01%	1	0.005%	0	0%	0	0%
	2014	21,241	25	26	21,241	100%	-	-	0	13	25	-	-	-	21,241	100%	0	0%	0	0%	0	0%	0	0%
	2015	23,239	13	25	23,239	100%	-	-	0	12	25	-	-	-	23,239	100%	0	0%	0	0%	0	0%	0	0%
	2016	22,001	13	26	22,001	100%	-	-	0	12	25	-	-	-	22,001	100%	0	0%	0	0%	0	0%	0	0%
	2017	21,172	3.4	25	21,172	100%	-	-	0	12	25	-	-	-	21,172	100%	0	0%	0	0%	0	0%	0	0%
	2018	21,167	2.3	25	21,167	100%	-	-	0	12	25	-	-	-	21,167	100%	0	0%	0	0%	0	0%	0	0%
	2019	21,760	20	25	21,760	100%	-	-	0	12	25	-	-	-	21,760	100%	0	0%	0	0%	0	0%	0	0%
	2020	1,202	25	25	1,202	100%	-	-	0	13	25	-	-	-	1,202	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	2011	9,303	25	50	9,288	99.8%	28	181	0.12	25	50	-	-	-	9,288	99.8%	3	0.03%	7	0.08%	3	0.03%	2	0.02%
	2012	21,615	4.0	50	21,575	99.8%	12	130	0.053	13	26	-	-	-	21,597	99.9%	14	0.06%	3	0.01%	0	0%	1	0.005%
	2013	25,369	13	25	25,356	99.9%	13	85	0.015	13	25	-	-	-	25,361	99.97%	7	0.03%	0	0%	1	0.004%	0	0%
	2014	25,799	12	25	25,794	99.98%	12	27	0.0035	13	25	-	-	-	25,797	99.99%	2	0.008%	0	0%	0	0%	0	0%
	2015	31,190	4.4	25	31,169	99.9%	4.4	15	0.0057	12	25	-	-	-	31,190	100%	0	0%	0	0%	0	0%	0	0%
	2016	32,027	4.5	40	32,016	99.97%	5.9	26	0.0043	12	25	-	-	-	32,026	99.997%	1	0.003%	0	0%	0	0%	0	0%
	2017	32,577	6.7	25	32,569	99.98%	6.7	16	0.0028	12	25	-	-	-	32,577	100%	0	0%	0	0%	0	0%	0	0%
	2018	32,915	3.7	26	32,905	99.97%	8.9	26	0.0051	12	25	-	-	-	32,914	99.997%	1	0.003%	0	0%	0	0%	0	0%
	2019	32,325	3.9	25	32,307	99.9%	7.6	38	0.0081	12	25	-	-	-	32,323	99.99%	2	0.006%	0	0%	0	0%	0	0%
	2020	3,192	7.1	25	3,188	99.9%	7.1	20	0.019	12	25	-	-	-	3,192	100%	0	0%	0	0%	0	0%	0	0%
	2021	224	6.0	25	210	94%	6.0	22	0.83	13	24	-	-	-	224	100%	0	0%	0	0%	0	0%	0	0%
	2022	163	7.2	26	151	93%	7.2	18	0.93	13	24	-	-	-	163	100%	0	0%	0	0%	0	0%	0	0%
	2023	407	8.3	25	392	96%	8.3	21	0.53	13	25	-	-	-	407	100%	0	0%	0	0%	0	0%	0	0%
	2024	320	10	25	304	95%	10	22	0.73	13	24	-	-	-	320	100%	0	0%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	10,026	13	100	9,966	99%	13	390	0.41	25	50	-	-	-	9,973	99%	14	0.1%	19	0.2%	10	0.1%	10	0.1%								
	2012	19,271	12	50	19,239	99.8%	12	190	0.064	13	26	-	-	-	19,252	99.9%	13	0.07%	1	0.005%	3	0.02%	2	0.01%								
	2013	23,096	16	25	23,094	99.99%	26	42	0.0029	12	25	-	-	-	23,094	100%	2	0.009%	0	0%	0	0%	0	0%								
	2014	23,985	13	25	23,984	99.996%	36	36	0.0015	12	25	-	-	-	23,984	100%	1	0.004%	0	0%	0	0%	0	0%								
	2015	27,459	10	25	27,459	100%	-	-	0	12	25	-	-	-	27,459	100%	0	0%	0	0%	0	0%	0	0%								
	2016	27,428	15	25	27,427	99.996%	25	25	0.00091	12	25	-	-	-	27,428	100%	0	0%	0	0%	0	0%	0	0%								
	2017	26,065	14	25	26,064	99.996%	28	28	0.0011	12	25	-	-	-	26,064	99.996%	1	0.004%	0	0%	0	0%	0	0%								
	2018	26,939	20	25	26,939	100%	-	-	0	12	25	-	-	-	26,939	100%	0	0%	0	0%	0	0%	0	0%								
	2019	25,359	20	33	25,359	100%	-	-	0	12	25	-	-	-	25,359	100%	0	0%	0	0%	0	0%	0	0%								
	2020	1,785	20	25	1,785	100%	-	-	0	12	24	-	-	-	1,785	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Chiba	2011	482	20	50	475	99%	20	42	0.42	25	49	-	-	-	477	99%	5	1.0%	0	0%	0	0%	0	0%								
	2012	3,367	25	50	3,366	99.97%	26	26	0.0077	13	26	-	-	-	3,366	99.97%	1	0.03%	0	0%	0	0%	0	0%								
	2013	4,536	25	25	4,536	100%	-	-	0	13	25	-	-	-	4,536	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3,955	25	25	3,955	100%	-	-	0	13	25	-	-	-	3,955	100%	0	0%	0	0%	0	0%	0	0%								
	2015	4,321	23	25	4,321	100%	-	-	0	12	25	-	-	-	4,321	100%	0	0%	0	0%	0	0%	0	0%								
	2016	3,689	21	25	3,689	100%	-	-	0	12	25	-	-	-	3,689	100%	0	0%	0	0%	0	0%	0	0%								
	2017	4,397	14	25	4,397	100%	-	-	0	12	25	-	-	-	4,397	100%	0	0%	0	0%	0	0%	0	0%								
	2018	4,488	20	25	4,488	100%	-	-	0	12	25	-	-	-	4,488	100%	0	0%	0	0%	0	0%	0	0%								
	2019	4,834	25	25	4,834	100%	-	-	0	13	25	-	-	-	4,834	100%	0	0%	0	0%	0	0%	0	0%								
	2020	311	25	25	311	100%	-	-	0	13	25	-	-	-	311	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Saitama	2011	231	4.7	50	227	98%	4.7	138	0.81	24	48	-	-	-	230	99.6%	0	0%	0	0%	0	0%	1	0.4%								
	2012	1,972	4.5	50	1,964	99.6%	4.5	43	0.088	13	26	-	-	-	1,969	99.8%	3	0.2%	0	0%	0	0%	0	0%								
	2013	3,755	8.0	25	3,755	100%	-	-	0	12	25	-	-	-	3,755	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3,240	4.7	25	3,239	99.97%	4.7	4.7	0.0015	12	25	-	-	-	3,240	100%	0	0%	0	0%	0	0%	0	0%								
	2015	7,794	8.3	25	7,794	100%	-	-	0	12	25	-	-	-	7,794	100%	0	0%	0	0%	0	0%	0	0%								
	2016	7,973	9.1	28	7,973	100%	-	-	0	12	25	-	-	-	7,973	100%	0	0%	0	0%	0	0%	0	0%								
	2017	7,666	8.7	25	7,666	100%	-	-	0	12	25	-	-	-	7,666	100%	0	0%	0	0%	0	0%	0	0%								
	2018	7,204	8.7	25	7,204	100%	-	-	0	12	25	-	-	-	7,204	100%	0	0%	0	0%	0	0%	0	0%								
	2019	6,948	20	25	6,948	100%	-	-	0	12	25	-	-	-	6,948	100%	0	0%	0	0%	0	0%	0	0%								
	2020	676	20	25	676	100%	-	-	0	12	25	-	-	-	676	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Tokyo	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	92	11	25	92	100%	-	-	0	12	25	-	-	-	92	100%	0	0%	0	0%	0	0%	0	0%								
	2013	235	25	25	235	100%	-	-	0	13	25	-	-	-	235	100%	0	0%	0	0%	0	0%	0	0%								
	2014	209	25	25	209	100%	-	-	0	13	25	-	-	-	209	100%	0	0%	0	0%	0	0%	0	0%								
	2015	384	20	25	384	100%	-	-	0	12	25	-	-	-	384	100%	0	0%	0	0%	0	0%	0	0%								
	2016	372	20	25	372	100%	-	-	0	12	25	-	-	-	372	100%	0	0%	0	0%	0	0%	0	0%								
	2017	408	20	25	408	100%	-	-	0	12	25	-	-	-	408	100%	0	0%	0	0%	0	0%	0	0%								
	2018	330	20	25	330	100%	-	-	0	12	25	-	-	-	330	100%	0	0%	0	0%	0	0%	0	0%								
	2019	361	20	25	361	100%	-	-	0	12	25	-	-	-	361	100%	0	0%	0	0%	0	0%	0	0%								
	2020	32	25	25	32	100%	-	-	0	13	25	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Kanagawa	2011	38	1.1	100	36	95%	12	290	7.9	29	49	-	-	-	37	97%	0	0%	0	0%	0	0%	1	2.6%								
	2012	963	25	25	961	99.8%	30	36	0.069	13	25	-	-	-	961	99.8%	2	0.2%	0	0%	0	0%	0	0%								
	2013	1,368	25	25	1,368	100%	-	-	0	13	25	-	-	-	1,368	100%	0	0%	0	0%	0	0%	0	0%								
	2014	1,281	25	25	1,281	100%	-	-	0	13	25	-	-	-	1,281	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1,217	20	25	1,217	100%	-	-	0	12	25	-	-	-	1,217	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1,130	20	25	1,130	100%	-	-	0	12	25	-	-	-	1,130	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1,141	20	25	1,141	100%	-	-	0	12	25	-	-	-	1,141	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1,064	20	25	1,064	100%	-	-	0	12	25	-	-	-	1,064	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1,141	25	25	1,141	100%	-	-	0	13	25	-	-	-	1,141	100%	0	0%	0	0%	0	0%	0	0%								
	2020	32	25	25	32	100%	-	-	0	13	25	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Niigata	2011	380	50	50	380	100%	-	-	0	25	50	-	-	-	380	100%	0	0%	0	0%	0	0%	0	0%								
	2012	2,181	1.9	50	2,178	99.9%	13	14	0.018	14	28	-	-	-	2,181	100%	0	0%	0	0%	0	0%	0	0%								
	2013	3,197	4.4	25	3,197	100%	-	-	0	12	25	-	-	-	3,197	100%	0	0%	0	0%	0	0%	0	0%								
	2014	2,749	4.7	25	2,748	99.96%	28	28	0.010	12	25	-	-	-	2,748	99.96%	1	0.04%	0	0%	0	0%	0	0%								
	2015	2,132	5.1	25	2,132	100%	-	-	0	12	25	-	-	-	2,132	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2,146	5.8	27	2,146	100%	-	-	0	12	25	-	-	-	2,146	100%	0	0%	0	0%	0	0%	0	0%								
	2017	2,276	18	25	2,276	100%	-	-	0	12	25	-	-	-	2,276	100%	0	0%	0	0%	0	0%	0	0%								
	2018	2,452	25	25	2,452	100%	-	-	0	13	25	-	-	-	2,452	100%	0	0%	0	0%	0	0%	0	0%								
	2019	2,875	25	25	2,875	100%	-	-	0	13	25	-	-	-	2,875	100%	0	0%	0	0%	0	0%	0	0%								
	2020	256	25	25	256	100%	-	-	0	13	25	-	-	-	256	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	17	4.0	4.0	17	100%	-	-	0	2.0	4.0	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%								
	2012	220	1.4	50	220	100%	-	-	0	12	24	-	-	-	220	100%	0	0%	0	0%	0	0%	0	0%								
	2013	185	1.6	25	185	100%	-	-	0	12	25	-	-	-	185	100%	0	0%	0	0%	0	0%	0	0%								
	2014	187	25	25	187	100%	-	-	0	13	25	-	-	-	187	100%	0	0%	0	0%	0	0%	0	0%								
	2015	598	20	25	598	100%	-	-	0	12	25	-	-	-	598	100%	0	0%	0	0%	0	0%	0	0%								
	2016	648	25	25	648	100%	-	-	0	13	25	-	-	-	648	100%	0	0%	0	0%	0	0%	0	0%								
	2017	712	20	25	712	100%	-	-	0	12	25	-	-	-	712	100%	0	0%	0	0%	0	0%	0	0%								
	2018	587	25	25	587	100%	-	-	0	13	25	-	-	-	587	100%	0	0%	0	0%	0	0%	0	0%								
	2019	598	25	25	598	100%	-	-	0	13	25	-	-	-	598	100%	0	0%	0	0%	0	0%	0	0%								
	2020	85	20	25	85	100%	-	-	0	12	25	-	-	-	85	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Nagano	2011	4,930	4.0	50	4,930	100%	-	-	0	25	50	-	-	-	4,930	100%	0	0%	0	0%	0	0%	0	0%								
	2012	8,059	4.6	50	8,056	99.96%	13	39	0.010	13	27	-	-	-	8,057	99.98%	2	0.02%	0	0%	0	0%	0	0%								
	2013	8,830	25	25	8,830	100%	-	-	0	13	25	-	-	-	8,830	100%	0	0%	0	0%	0	0%	0	0%								
	2014	8,539	25	25	8,539	100%	-	-	0	13	25	-	-	-	8,539	100%	0	0%	0	0%	0	0%	0	0%								
	2015	8,754	16	25	8,754	100%	-	-	0	12	25	-	-	-	8,754	100%	0	0%	0	0%	0	0%	0	0%								
	2016	8,967	13	25	8,967	100%	-	-	0	12	25	-	-	-	8,967	100%	0	0%	0	0%	0	0%	0	0%								
	2017	7,767	16	25	7,767	100%	-	-	0	12	25	-	-	-	7,767	100%	0	0%	0	0%	0	0%	0	0%								
	2018	8,162	20	25	8,162	100%	-	-	0	12	25	-	-	-	8,162	100%	0	0%	0	0%	0	0%	0	0%								
	2019	7,858	20	25	7,858	100%	-	-	0	12	25	-	-	-	7,858	100%	0	0%	0	0%	0	0%	0	0%								
	2020	494	20	25	494	100%	-	-	0	12	25	-	-	-	494	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Shizuoka	2011	1,000	2.0	50	614	61%	2.0	191	12	20	29	-	37	-	832	83%	118	12%	27	2.7%	17	1.7%	6	0.6%								
	2012	898	1.9	50	897	99.9%	33	33	0.037	11	23	-	-	-	897	99.9%	1	0.1%	0	0%	0	0%	0	0%								
	2013	1,486	2.2	25	1,486	100%	-	-	0	12	25	-	-	-	1,486	100%	0	0%	0	0%	0	0%	0	0%								
	2014	1,351	2.3	25	1,351	100%	-	-	0	12	25	-	-	-	1,351	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1,596	2.6	25	1,596	100%	-	-	0	12	25	-	-	-	1,596	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1,206	2.2	25	1,206	100%	-	-	0	12	25	-	-	-	1,206	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1,433	25	25	1,433	100%	-	-	0	13	25	-	-	-	1,433	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1,271	25	25	1,271	100%	-	-	0	13	25	-	-	-	1,271	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1,145	25	25	1,145	100%	-	-	0	13	25	-	-	-	1,145	100%	0	0%	0	0%	0	0%	0	0%								
	2020	49	25	25	49	100%	-	-	0	13	25	-	-	-	49	100%	0	0%	0	0%	0	0%	0	0%								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management
(7) Eggs

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Total	2011	234	0.94	47	233	99.6%	11	11	0.049	12	25	-	-	-	234	100%	0	0%	0	0%	0	0%	0	0%								
	2012	276	1.1	25	276	100%	-	-	0	7.9	16	-	-	-	276	100%	0	0%	0	0%	0	0%	0	0%								
	2013	218	2.1	25	218	100%	-	-	0	8.5	17	-	-	-	218	100%	0	0%	0	0%	0	0%	0	0%								
	2014	201	2.3	26	201	100%	-	-	0	8.4	17	-	-	-	201	100%	0	0%	0	0%	0	0%	0	0%								
	2015	186	2.4	25	186	100%	-	-	0	8.2	16	-	-	-	186	100%	0	0%	0	0%	0	0%	0	0%								
	2016	196	2.0	25	196	100%	-	-	0	8.4	17	-	-	-	196	100%	0	0%	0	0%	0	0%	0	0%								
	2017	140	8.8	25	140	100%	-	-	0	8.5	17	-	-	-	140	100%	0	0%	0	0%	0	0%	0	0%								
	2018	109	9.4	20	109	100%	-	-	0	7.6	15	-	-	-	109	100%	0	0%	0	0%	0	0%	0	0%								
	2019	99	10	20	99	100%	-	-	0	7.9	16	-	-	-	99	100%	0	0%	0	0%	0	0%	0	0%								
	2020	117	13	19	117	100%	-	-	0	7.7	15	-	-	-	117	100%	0	0%	0	0%	0	0%	0	0%								
	2021	140	4.7	19	140	100%	-	-	0	7.7	15	-	-	-	140	100%	0	0%	0	0%	0	0%	0	0%								
	2022	60	13	20	60	100%	-	-	0	7.9	16	-	-	-	60	100%	0	0%	0	0%	0	0%	0	0%								
	2023	236	12	20	236	100%	-	-	0	8.3	17	-	-	-	236	100%	0	0%	0	0%	0	0%	0	0%								
Aomori	2011	6	45	45	6	100%	-	-	0	23	45	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2012	11	25	25	11	100%	-	-	0	13	25	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2013	12	25	25	12	100%	-	-	0	13	25	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2014	8	25	25	8	100%	-	-	0	13	25	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Iwate	2011	5	13	20	5	100%	-	-	0	7.8	16	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2012	11	12	19	11	100%	-	-	0	8.0	16	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2013	10	15	19	10	100%	-	-	0	8.3	17	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2014	12	14	18	12	100%	-	-	0	7.8	16	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2015	4	16	18	4	100%	-	-	0	8.4	17	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2016	4	14	17	4	100%	-	-	0	7.6	15	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2017	4	12	17	4	100%	-	-	0	7.1	14	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Miyagi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Yamagata	2011	4	0.94	20	4	100%	-	-	0	5.2	10	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2012	5	1.1	12	5	100%	-	-	0	4.3	8.6	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2013	4	10	11	4	100%	-	-	0	5.3	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3	9.5	12	3	100%	-	-	0	5.4	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	9.9	10	2	100%	-	-	0	5.0	10	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	11	12	2	100%	-	-	0	5.8	12	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	2	13	16	2	100%	-	-	0	7.3	15	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2018	2	11	14	2	100%	-	-	0	6.3	13	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2019	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Fukushima	2011	156	11	34	155	99%	11	11	0.073	11	23	-	-	-	156	100%	0	0%	0	0%	0	0%	0	0%								
	2012	144	7.0	20	144	100%	-	-	0	6.1	12	-	-	-	144	100%	0	0%	0	0%	0	0%	0	0%								
	2013	133	11	20	133	100%	-	-	0	7.8	16	-	-	-	133	100%	0	0%	0	0%	0	0%	0	0%								
	2014	140	12	20	140	100%	-	-	0	7.9	16	-	-	-	140	100%	0	0%	0	0%	0	0%	0	0%								
	2015	144	12	20	144	100%	-	-	0	7.9	16	-	-	-	144	100%	0	0%	0	0%	0	0%	0	0%								
	2016	143	12	20	143	100%	-	-	0	7.8	16	-	-	-	143	100%	0	0%	0	0%	0	0%	0	0%								
	2017	97	13	20	97	100%	-	-	0	8.1	16	-	-	-	97	100%	0	0%	0	0%	0	0%	0	0%								
	2018	96	11	20	96	100%	-	-	0	7.9	16	-	-	-	96	100%	0	0%	0	0%	0	0%	0	0%								
	2019	98	12	20	98	100%	-	-	0	8.0	16	-	-	-	98	100%	0	0%	0	0%	0	0%	0	0%								
	2020	117	13	19	117	100%	-	-	0	7.7	15	-	-	-	117	100%	0	0%	0	0%	0	0%	0	0%								
	2021	140	4.7	19	140	100%	-	-	0	7.7	15	-	-	-	140	100%	0	0%	0	0%	0	0%	0	0%								
	2022	60	13	20	60	100%	-	-	0	7.9	16	-	-	-	60	100%	0	0%	0	0%	0	0%	0	0%								
	2023	236	12	20	236	100%	-	-	0	8.3	17	-	-	-	236	100%	0	0%	0	0%	0	0%	0	0%								
	2024	91	14	20	91	100%	-	-	0	8.3	17	-	-	-	91	100%	0	0%	0	0%	0	0%	0	0%								
Ibaraki	2011	47	4.0	47	47	100%	-	-	0	18	35	-	-	-	47	100%	0	0%	0	0%	0	0%	0	0%								
	2012	83	17	25	83	100%	-	-	0	12	24	-	-	-	83	100%	0	0%	0	0%	0	0%	0	0%								
	2013	42	14	25	42	100%	-	-	0	11	23	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%								
	2014	25	25	26	25	100%	-	-	0	13	25	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2015	21	25	25	21	100%	-	-	0	13	25	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2016	32	25	25	32	100%	-	-	0	13	25	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%								
	2017	26	16	25	26	100%	-	-	0	11	23	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Tochigi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	16	4.0	12	16	100%	-	-	0	4.2	8.4	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%								
	2013	11	3.8	12	11	100%	-	-	0	5.1	10	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2014	10	9.5	11	10	100%	-	-	0	5.2	10	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2015	10	9.1	12	10	100%	-	-	0	5.2	10	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2016	10	9.9	12	10	100%	-	-	0	5.4	11	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2017	10	8.8	13	10	100%	-	-	0	5.4	11	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2018	10	9.4	11	10	100%	-	-	0	5.1	10	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Gunma	2011	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Chiba	2011	5	20	20	5	100%	-	-	0	10	20	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Saitama	2011	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2012	1	8.1	8.1	1	100%	-	-	0	4.1	8.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2013	1	9.7	9.7	1	100%	-	-	0	4.9	9.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2014	1	9.0	9.0	1	100%	-	-	0	4.5	9.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2017	1	9.5	9.5	1	100%	-	-	0	4.8	9.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2018	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2011	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2012	1	1.3	1.3	1	100%	-	-	0	0.65	1.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Nagano	2011	4	5.0	5.0	4	100%	-	-	0	2.5	5.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Shizuoka	2011	4	3.0	20	4	100%	-	-	0	5.9	12	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2012	4	2.5	3.4	4	100%	-	-	0	1.5	3.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2013	4	2.1	2.8	4	100%	-	-	0	1.2	2.4	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%								
	2014	2	2.3	2.4	2	100%	-	-	0	1.2	2.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2015	2	2.4	2.8	2	100%	-	-	0	1.3	2.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2016	2	2.0	2.7	2	100%	-	-	0	1.2	2.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management
(8) Fresh Milk

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤12		>12 and ≤25		>25 and ≤37		>37 and ≤50		>50	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	1,293	0.11	50	1,111	86%	0.11	59	0.85	6.8	13	-	1.4	-	1,264	98%	25	1.9%	1	0.08%	0	0%	3	0.2%
	2012	2,457	0.020	16	2,304	94%	0.020	6.0	0.10	1.6	3.0	-	-	-	2,457	100%	0	0%	0	0%	0	0%	0	0%
	2013	2,158	0.015	25	2,131	99%	0.015	1.9	0.012	1.6	3.3	-	-	-	2,158	100%	0	0%	0	0%	0	0%	0	0%
	2014	1,942	0.098	10	1,940	99.9%	2.0	2.1	0.0021	1.7	3.4	-	-	-	1,942	100%	0	0%	0	0%	0	0%	0	0%
	2015	1,520	0.094	10	1,520	100%	-	-	0	1.8	3.6	-	-	-	1,520	100%	0	0%	0	0%	0	0%	0	0%
	2016	1,458	0.089	10	1,458	100%	-	-	0	1.9	3.7	-	-	-	1,458	100%	0	0%	0	0%	0	0%	0	0%
	2017	858	0.093	10	857	99.9%	1.2	1.2	0.0014	2.0	3.9	-	-	-	858	100%	0	0%	0	0%	0	0%	0	0%
	2018	652	0.090	7.8	652	100%	-	-	0	2.1	4.2	-	-	-	652	100%	0	0%	0	0%	0	0%	0	0%
	2019	526	0.088	7.7	524	99.6%	0.63	0.63	0.0024	2.1	4.3	-	-	-	526	100%	0	0%	0	0%	0	0%	0	0%
	2020	273	0.092	8.2	273	100%	-	-	0	1.9	3.8	-	-	-	273	100%	0	0%	0	0%	0	0%	0	0%
	2021	218	0.12	7.9	218	100%	-	-	0	1.8	3.6	-	-	-	218	100%	0	0%	0	0%	0	0%	0	0%
	2022	104	0.11	8.1	104	100%	-	-	0	1.7	3.4	-	-	-	104	100%	0	0%	0	0%	0	0%	0	0%
	2023	180	0.10	8.1	180	100%	-	-	0	2.5	5.1	-	-	-	180	100%	0	0%	0	0%	0	0%	0	0%
	2024	119	0.091	7.2	119	100%	-	-	0	2.2	4.5	-	-	-	119	100%	0	0%	0	0%	0	0%	0	0%
Aomori	2011	28	12	17	28	100%	-	-	0	7.3	15	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%
	2012	58	3.9	10	58	100%	-	-	0	3.6	7.2	-	-	-	58	100%	0	0%	0	0%	0	0%	0	0%
	2013	56	10	10	56	100%	-	-	0	5.0	10	-	-	-	56	100%	0	0%	0	0%	0	0%	0	0%
	2014	16	10	10	16	100%	-	-	0	5.0	10	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2015	20	10	10	20	100%	-	-	0	5.0	10	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%
	2016	16	10	10	16	100%	-	-	0	5.0	10	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2017	2	10	10	2	100%	-	-	0	5.0	10	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	2011	276	3.6	20	251	91%	3.6	35	1.3	8.6	16	-	-	-	263	95%	12	4.3%	1	0.4%	0	0%	0	0%
	2012	612	0.41	16	490	80%	0.41	6.0	0.38	1.5	2.6	-	1.5	-	612	100%	0	0%	0	0%	0	0%	0	0%
	2013	612	0.89	3.3	594	97%	0.89	1.9	0.040	1.3	2.5	-	-	-	612	100%	0	0%	0	0%	0	0%	0	0%
	2014	576	1.8	3.2	576	100%	-	-	0	1.3	2.5	-	-	-	576	100%	0	0%	0	0%	0	0%	0	0%
	2015	312	2.0	3.3	312	100%	-	-	0	1.3	2.5	-	-	-	312	100%	0	0%	0	0%	0	0%	0	0%
	2016	261	1.9	3.3	261	100%	-	-	0	1.3	2.5	-	-	-	261	100%	0	0%	0	0%	0	0%	0	0%
	2017	108	2.1	3.1	108	100%	-	-	0	1.3	2.6	-	-	-	108	100%	0	0%	0	0%	0	0%	0	0%
	2018	72	1.7	4.6	72	100%	-	-	0	1.3	2.6	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2019	72	1.9	3.7	72	100%	-	-	0	1.3	2.5	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2020	72	1.7	3.9	72	100%	-	-	0	1.3	2.5	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2021	72	1.7	4.7	72	100%	-	-	0	1.2	2.5	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2022	24	1.9	4.1	24	100%	-	-	0	1.4	2.8	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2023	12	1.9	3.2	12	100%	-	-	0	1.3	2.6	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2024	8	2.2	3.2	8	100%	-	-	0	1.4	2.8	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤12		>12 and ≤25		>25 and ≤37		>37 and ≤50		>50	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	16	1.43	50	16	100%	-	-	0	8.0	16	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2012	44	0.90	1.6	44	100%	-	-	0	0.56	1.1	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%
	2013	21	0.79	25	21	100%	-	-	0	1.1	2.3	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2014	26	0.92	1.2	26	100%	-	-	0	0.54	1.1	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%
	2015	24	0.90	1.3	24	100%	-	-	0	0.54	1.1	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2016	22	0.90	1.7	22	100%	-	-	0	0.58	1.2	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%
	2017	23	0.95	1.4	23	100%	-	-	0	0.56	1.1	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%
	2018	13	0.92	1.5	13	100%	-	-	0	0.58	1.2	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2019	11	0.80	1.2	11	100%	-	-	0	0.52	1.0	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2020	1	1.2	1.2	1	100%	-	-	0	0.60	1.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Miyagi	2011	82	0.56	20	24	29%	0.56	22	3.5	4.6	5.7	2.2	7.0	6.3	77	94%	5	6.1%	0	0%	0	0%	0	0%
	2012	226	0.11	9.8	214	95%	0.11	1.1	0.035	0.96	1.9	-	-	-	226	100%	0	0%	0	0%	0	0%	0	0%
	2013	255	1.4	2.8	255	100%	-	-	0	1.0	2.0	-	-	-	255	100%	0	0%	0	0%	0	0%	0	0%
	2014	250	1.3	3.7	250	100%	-	-	0	1.0	2.0	-	-	-	250	100%	0	0%	0	0%	0	0%	0	0%
	2015	125	1.6	2.6	125	100%	-	-	0	1.0	2.1	-	-	-	125	100%	0	0%	0	0%	0	0%	0	0%
	2016	125	1.3	2.6	125	100%	-	-	0	0.98	2.0	-	-	-	125	100%	0	0%	0	0%	0	0%	0	0%
	2017	105	1.1	2.4	104	99%	1.2	1.2	0.011	0.84	1.7	-	-	-	105	100%	0	0%	0	0%	0	0%	0	0%
	2018	65	1.2	2.2	65	100%	-	-	0	0.82	1.6	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%
	2019	65	1.2	2.1	65	100%	-	-	0	0.82	1.6	-	-	-	65	100%	0	0%	0	0%	0	0%	0	0%
	2020	55	1.4	2.4	55	100%	-	-	0	0.87	1.7	-	-	-	55	100%	0	0%	0	0%	0	0%	0	0%
	2021	38	1.3	2.4	38	100%	-	-	0	0.88	1.8	-	-	-	38	100%	0	0%	0	0%	0	0%	0	0%
	2022	18	1.3	2.1	18	100%	-	-	0	0.83	1.7	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2023	9	1.3	2.1	9	100%	-	-	0	0.82	1.6	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
2024	12	1.4	2.2	12	100%	-	-	0	0.85	1.7	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%	
Yamagata	2011	13	0.55	20	10	77%	0.55	0.58	0.13	3.5	6.9	-	0.57	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2012	23	1.0	1.4	23	100%	-	-	0	0.59	1.2	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%
	2013	21	1.0	1.5	21	100%	-	-	0	0.58	1.2	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2014	15	1.1	1.5	15	100%	-	-	0	0.64	1.3	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2015	12	1.1	1.5	12	100%	-	-	0	0.66	1.3	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2016	10	1.2	1.5	10	100%	-	-	0	0.67	1.3	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2017	8	1.2	1.8	8	100%	-	-	0	0.73	1.5	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2018	8	1.1	1.6	8	100%	-	-	0	0.65	1.3	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2019	4	1.3	1.5	4	100%	-	-	0	0.69	1.4	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤12		>12 and ≤25		>25 and ≤37		>37 and ≤50		>50	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	320	5.7	31	304	95%	5.7	59	1.1	9.2	17	-	-	-	309	97%	8	2.5%	0	0%	0	0%	3	0.9%
	2012	432	2.1	7.9	432	100%	-	-	0	2.8	5.6	-	-	-	432	100%	0	0%	0	0%	0	0%	0	0%
	2013	406	3.7	9.9	406	100%	-	-	0	2.9	5.8	-	-	-	406	100%	0	0%	0	0%	0	0%	0	0%
	2014	392	2.2	7.9	392	100%	-	-	0	2.9	5.9	-	-	-	392	100%	0	0%	0	0%	0	0%	0	0%
	2015	413	4.2	7.4	413	100%	-	-	0	2.9	5.8	-	-	-	413	100%	0	0%	0	0%	0	0%	0	0%
	2016	417	4.1	7.6	417	100%	-	-	0	3.0	5.9	-	-	-	417	100%	0	0%	0	0%	0	0%	0	0%
	2017	397	4.3	7.5	397	100%	-	-	0	3.0	6.0	-	-	-	397	100%	0	0%	0	0%	0	0%	0	0%
	2018	350	4.0	7.8	350	100%	-	-	0	3.1	6.2	-	-	-	350	100%	0	0%	0	0%	0	0%	0	0%
	2019	301	4.3	7.7	301	100%	-	-	0	3.1	6.1	-	-	-	301	100%	0	0%	0	0%	0	0%	0	0%
	2020	112	4.4	8.2	112	100%	-	-	0	3.3	6.5	-	-	-	112	100%	0	0%	0	0%	0	0%	0	0%
	2021	85	0.90	7.9	85	100%	-	-	0	3.0	6.1	-	-	-	85	100%	0	0%	0	0%	0	0%	0	0%
	2022	41	1.0	8.1	41	100%	-	-	0	2.9	5.8	-	-	-	41	100%	0	0%	0	0%	0	0%	0	0%
	2023	144	3.8	8.1	144	100%	-	-	0	3.0	6.0	-	-	-	144	100%	0	0%	0	0%	0	0%	0	0%
2024	87	4.0	7.2	87	100%	-	-	0	2.8	5.5	-	-	-	87	100%	0	0%	0	0%	0	0%	0	0%	
Ibaraki	2011	72	0.70	20	66	92%	0.7	2.0	0.11	3.0	5.8	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2012	156	0.69	2.3	155	99%	1.1	1.1	0.0071	0.61	1.2	-	-	-	156	100%	0	0%	0	0%	0	0%	0	0%
	2013	84	0.76	1.7	84	100%	-	-	0	0.59	1.2	-	-	-	84	100%	0	0%	0	0%	0	0%	0	0%
	2014	42	0.79	1.8	42	100%	-	-	0	0.59	1.2	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	2015	33	0.62	1.7	33	100%	-	-	0	0.58	1.2	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2016	36	0.83	1.6	36	100%	-	-	0	0.62	1.2	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%
	2017	28	0.79	1.4	28	100%	-	-	0	0.58	1.2	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%
	2018	26	0.75	1.4	26	100%	-	-	0	0.55	1.1	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%
	2019	12	0.63	1.5	10	83%	0.63	0.63	0.11	0.61	1.1	-	0.57	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2020	6	0.97	1.3	6	100%	-	-	0	0.56	1.1	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2021	2	0.79	1.1	2	100%	-	-	0	0.47	0.95	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2022	3	2.4	3.4	3	100%	-	-	0	1.4	2.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tochigi	2011	85	3.1	23	85	100%	-	-	0	9.4	19	-	-	-	85	100%	0	0%	0	0%	0	0%	0	0%
	2012	183	1.6	5.3	182	99%	1.6	1.6	0.0087	1.5	3.0	-	-	-	183	100%	0	0%	0	0%	0	0%	0	0%
	2013	239	1.8	4.5	239	100%	-	-	0	1.4	2.9	-	-	-	239	100%	0	0%	0	0%	0	0%	0	0%
	2014	248	2.1	3.9	248	100%	-	-	0	1.5	3.0	-	-	-	248	100%	0	0%	0	0%	0	0%	0	0%
	2015	240	2.0	4.2	240	100%	-	-	0	1.5	2.9	-	-	-	240	100%	0	0%	0	0%	0	0%	0	0%
	2016	246	2.0	3.9	246	100%	-	-	0	1.5	2.9	-	-	-	246	100%	0	0%	0	0%	0	0%	0	0%
	2017	115	1.4	4.1	115	100%	-	-	0	1.5	3.0	-	-	-	115	100%	0	0%	0	0%	0	0%	0	0%
	2018	45	1.6	3.7	45	100%	-	-	0	1.5	3.0	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%
	2019	15	2.2	3.4	15	100%	-	-	0	1.5	3.0	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤12		>12 and ≤25		>25 and ≤37		>37 and ≤50		>50	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	96	0.20	20	71	74%	0.20	3.7	0.38	3.4	6.5	-	1.6	-	96	100%	0	0%	0	0%	0	0%	0	0%
	2012	153	0.90	2.7	148	97%	0.90	2.0	0.041	0.91	1.8	-	-	-	153	100%	0	0%	0	0%	0	0%	0	0%
	2013	138	1.3	2.4	137	99%	1.3	1.3	0.0094	0.91	1.8	-	-	-	138	100%	0	0%	0	0%	0	0%	0	0%
	2014	125	1.4	5.1	125	100%	-	-	0	1.8	3.5	-	-	-	125	100%	0	0%	0	0%	0	0%	0	0%
	2015	117	3.2	5.0	117	100%	-	-	0	2.0	4.0	-	-	-	117	100%	0	0%	0	0%	0	0%	0	0%
	2016	126	3.0	5.0	126	100%	-	-	0	2.0	4.0	-	-	-	126	100%	0	0%	0	0%	0	0%	0	0%
	2017	2	3.7	4.2	2	100%	-	-	0	2.0	4.0	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	2011	56	0.87	20	52	93%	0.87	1.8	0.093	4.5	8.9	-	-	-	56	100%	0	0%	0	0%	0	0%	0	0%
	2012	202	1.0	2.5	202	100%	-	-	0	0.84	1.7	-	-	-	202	100%	0	0%	0	0%	0	0%	0	0%
	2013	60	1.3	1.8	60	100%	-	-	0	0.78	1.6	-	-	-	60	100%	0	0%	0	0%	0	0%	0	0%
	2014	44	1.2	1.8	44	100%	-	-	0	0.75	1.5	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%
	2015	24	1.4	1.8	24	100%	-	-	0	0.80	1.6	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2016	18	1.4	2.0	18	100%	-	-	0	0.82	1.6	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2017	18	1.3	1.9	18	100%	-	-	0	0.79	1.6	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2018	18	1.3	1.8	18	100%	-	-	0	0.79	1.6	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2019	14	1.2	1.9	14	100%	-	-	0	0.78	1.6	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2020	3	1.6	1.8	3	100%	-	-	0	0.87	1.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	2011	84	0.30	20	47	56%	0.40	4.1	0.71	2.7	4.8	-	2.1	-	84	100%	0	0%	0	0%	0	0%	0	0%
	2012	100	0.15	1.1	97	97%	0.60	1.2	0.029	0.31	0.59	-	-	-	100	100%	0	0%	0	0%	0	0%	0	0%
	2013	26	0.34	0.84	26	100%	-	-	0	0.27	0.53	-	-	-	26	100%	0	0%	0	0%	0	0%	0	0%
	2014	12	2.0	2.0	12	100%	-	-	0	1.0	2.0	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2015	9	2.0	2.0	9	100%	-	-	0	1.0	2.0	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2016	6	2.0	2.0	6	100%	-	-	0	1.0	2.0	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2017	6	0.90	2.0	6	100%	-	-	0	0.73	1.5	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2018	7	0.80	1.3	7	100%	-	-	0	0.47	0.95	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2019	4	0.90	1.1	4	100%	-	-	0	0.49	0.98	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤12		>12 and ≤25		>25 and ≤37		>37 and ≤50		>50	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	6	16	20	6	100%	-	-	0	9.5	19	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2012	18	1.1	1.5	18	100%	-	-	0	0.64	1.3	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2013	15	0.20	1.5	15	100%	-	-	0	0.62	1.2	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2014	12	1.2	1.5	12	100%	-	-	0	0.68	1.4	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2015	9	1.3	1.7	9	100%	-	-	0	0.76	1.5	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2016	9	1.3	1.7	9	100%	-	-	0	0.75	1.5	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2017	6	1.1	1.4	6	100%	-	-	0	0.61	1.2	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2018	6	1.2	1.3	6	100%	-	-	0	0.63	1.3	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2019	3	0.80	1.2	3	100%	-	-	0	0.53	1.1	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2020	3	1.2	1.3	3	100%	-	-	0	0.62	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2021	3	1.1	1.3	3	100%	-	-	0	0.60	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2022	2	1.2	1.3	2	100%	-	-	0	0.63	1.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2023	3	1.1	1.3	3	100%	-	-	0	0.60	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
2024	3	1.1	1.2	3	100%	-	-	0	0.58	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	
Kanagawa	2011	57	0.13	20	54	95%	0.13	3.7	0.070	4.1	8.2	-	-	-	57	100%	0	0%	0	0%	0	0%	0	0%
	2012	52	0.056	2.0	51	98%	0.056	0.056	0.0011	0.28	0.56	-	-	-	52	100%	0	0%	0	0%	0	0%	0	0%
	2013	56	0.053	1.4	54	96%	0.053	0.061	0.0020	0.25	0.50	-	-	-	56	100%	0	0%	0	0%	0	0%	0	0%
	2014	52	0.098	1.5	52	100%	-	-	0	0.23	0.45	-	-	-	52	100%	0	0%	0	0%	0	0%	0	0%
	2015	49	0.094	1.3	49	100%	-	-	0	0.21	0.42	-	-	-	49	100%	0	0%	0	0%	0	0%	0	0%
	2016	46	0.089	1.3	46	100%	-	-	0	0.21	0.41	-	-	-	46	100%	0	0%	0	0%	0	0%	0	0%
	2017	32	0.093	1.2	32	100%	-	-	0	0.22	0.44	-	-	-	32	100%	0	0%	0	0%	0	0%	0	0%
	2018	42	0.090	1.4	42	100%	-	-	0	0.21	0.42	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	2019	25	0.088	1.2	25	100%	-	-	0	0.20	0.41	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2020	21	0.092	1.4	21	100%	-	-	0	0.24	0.47	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2021	18	0.12	1.2	18	100%	-	-	0	0.25	0.51	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2022	16	0.11	1.3	16	100%	-	-	0	0.28	0.56	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2023	12	0.10	1.3	12	100%	-	-	0	0.34	0.69	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
2024	9	0.091	1.3	9	100%	-	-	0	0.37	0.74	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%	
Niigata	2011	72	10	20	72	100%	-	-	0	6.5	13	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2012	104	4.4	13	104	100%	-	-	0	4.3	8.7	-	-	-	104	100%	0	0%	0	0%	0	0%	0	0%
	2013	104	4.7	13	104	100%	-	-	0	3.2	6.4	-	-	-	104	100%	0	0%	0	0%	0	0%	0	0%
	2014	103	4.3	7.9	103	100%	-	-	0	3.0	6.0	-	-	-	103	100%	0	0%	0	0%	0	0%	0	0%
	2015	102	3.8	5.5	102	100%	-	-	0	2.3	4.7	-	-	-	102	100%	0	0%	0	0%	0	0%	0	0%
	2016	102	3.5	5.7	102	100%	-	-	0	2.3	4.6	-	-	-	102	100%	0	0%	0	0%	0	0%	0	0%
	2017	8	3.9	5.5	8	100%	-	-	0	2.3	4.5	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤12		>12 and ≤25		>25 and ≤37		>37 and ≤50		>50									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Yamanashi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	27	1.4	2.5	27	100%	-	-	0	0.89	1.8	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%								
	2013	25	1.3	1.9	25	100%	-	-	0	0.84	1.7	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%								
	2014	6	1.5	2.0	6	100%	-	-	0	0.88	1.8	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2015	6	1.5	1.9	6	100%	-	-	0	0.81	1.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2016	6	1.5	1.8	6	100%	-	-	0	0.84	1.7	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Nagano	2011	21	3.0	20	21	100%	-	-	0	4.0	8.0	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%								
	2012	44	1.1	2.9	44	100%	-	-	0	1.1	2.2	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%								
	2013	28	1.8	2.7	28	100%	-	-	0	1.1	2.3	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%								
	2014	22	1.3	2.8	20	91%	2.0	2.1	0.19	1.2	2.2	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%								
	2015	24	1.8	2.7	24	100%	-	-	0	1.1	2.2	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%								
	2016	11	1.9	2.7	11	100%	-	-	0	1.1	2.3	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Shizuoka	2011	9	0.107	20	4	44%	0.11	0.56	0.19	2.8	5.4	0.11	-	8.1	9	100%	0	0%	0	0%	0	0%	0	0%								
	2012	23	0.020	3.5	15	65%	0.020	0.15	0.025	1.0	1.9	-	0.069	-	23	100%	0	0%	0	0%	0	0%	0	0%								
	2013	12	0.015	5.5	6	50%	0.015	0.047	0.015	0.43	0.85	-	0.037	-	12	100%	0	0%	0	0%	0	0%	0	0%								
	2014	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2015	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2016	1	1.3	1.3		100%	-	-	0	0.65	1.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Available for cultivation/feed management
(9) Tea (ready for consumption; maximum level for drinking water, 10 Bq/kg, is applied.)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤2.5		>2.5 and ≤5.0		>5.0 and ≤7.5		>7.5 and ≤10		>10	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	771	0.40	4.3	314	41%	0.40	24	2.0	2.3	2.6	1.2	4.7	2.2	520	67%	188	24%	33	4.3%	17	2.2%	13	1.7%
	2013	395	0.32	3.3	302	76%	0.32	6.6	0.34	0.89	1.4	-	1.2	-	395	100%	0	0%	0	0%	0	0%	0	0%
	2014	169	0.55	2.6	155	92%	0.62	3.0	0.10	0.77	1.5	-	-	-	169	100%	0	0%	0	0%	0	0%	0	0%
	2015	68	0.69	3.0	67	99%	1.0	1.0	0.015	0.74	1.5	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%
	2016	62	0.60	2.1	62	100%	-	-	0	0.73	1.5	-	-	-	62	100%	0	0%	0	0%	0	0%	0	0%
	2017	44	0.35	2.0	42	95%	0.35	1.1	0.033	0.65	1.3	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%
	2018	17	0.71	6.6	17	100%	-	-	0	0.91	1.8	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%
	2019	12	0.70	1.8	12	100%	-	-	0	0.54	1.1	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2020	6	0.29	1.8	6	100%	-	-	0	0.63	1.3	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2021	4	1.4	1.8	4	100%	-	-	0	0.80	1.6	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	3	1.6	1.9	3	100%	-	-	0	0.88	1.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
2024	3	1.5	1.9	3	100%	-	-	0	0.82	1.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	
Aomori	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iwate	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	1	-	-	0	0%	11	11	11	11	11	-	-	-	0	0%	0	0%	0	0%	0	0%	1	100%
	2013	3	-	-	0	0%	1.2	5.1	2.5	2.5	2.5	1.3	-	2.2	3	100%	0	0%	0	0%	0	0%	0	0%
	2014	3	-	-	0	0%	0.73	1.1	0.86	0.86	0.86	0.76	-	0.21	3	100%	0	0%	0	0%	0	0%	0	0%
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]																	
			Min	Max	Number of Samples	Ratio									≤2.5		>2.5 and ≤5.0		>5.0 and ≤7.5		>7.5 and ≤10		>10									
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio								
Akita	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Miyagi	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	3	-	-	0	0%	2.3	5.7	3.7	3.7	3.7	3.1	-	1.8	1	33%	1	33%	1	33%	0	0%	0	0%								
	2013	3	-	-	0	0%	0.32	0.80	0.50	0.50	0.50	0.37	-	0.26	3	100%	0	0%	0	0%	0	0%	0	0%								
	2014	3	0.68	0.79	2	67%	0.68	0.68	0.23	0.48	0.73	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Yamagata	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤2.5		>2.5 and ≤5.0		>5.0 and ≤7.5		>7.5 and ≤10		>10	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	5	-	-	0	0%	1.1	4.7	2.6	2.6	2.6	3.0	-	1.5	2	40%	3	60%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2015	1	1.8	1.8	1	100%	-	-	0	0.90	1.8	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	1	1.9	1.9	1	100%	-	-	0	0.95	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	3	1.4	6.6	3	100%	-	-	0	2.3	4.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	129	0.40	4.3	43	33%	0.40	19	3.0	3.1	3.3	1.5	8.0	3.5	79	61%	21	16%	11	8.5%	11	8.5%	7	5.4%
	2013	90	0.41	2.5	57	63%	0.41	3.0	0.44	0.75	1.1	-	1.4	-	90	100%	0	0%	0	0%	0	0%	0	0%
	2014	23	0.55	1.2	23	100%	-	-	0	0.48	1.0	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%
	2015	7	0.69	1.2	7	100%	-	-	0	0.49	1.0	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2016	7	0.60	1.0	7	100%	-	-	0	0.44	0.89	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2017	7	0.35	1.1	6	86%	0.35	0.35	0.050	0.42	0.80	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2018	7	0.71	1.1	7	100%	-	-	0	0.45	0.91	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2019	7	0.70	0.95	7	100%	-	-	0	0.40	0.79	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	14	0.80	1.8	1	7.1%	0.80	24	5.2	5.3	5.3	3.8	11	6.2	6	43%	5	36%	0	0%	1	7.1%	2	14%
	2013	15	0.66	1.9	4	27%	0.66	6.6	1.8	2.0	2.3	1.7	3.4	1.4	15	100%	0	0%	0	0%	0	0%	0	0%
	2014	13	1.5	2.6	10	77%	2.3	3.0	0.60	1.3	2.0	-	2.5	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	3.0	3.0	1	100%	-	-	0	1.5	3.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	7	1.0	2.0	7	100%	-	-	0	0.84	1.7	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2017	6	1.1	1.6	5	83%	1.1	1.1	0.18	0.82	1.5	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2018	2	1.7	1.8	2	100%	-	-	0	0.88	1.8	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤2.5		>2.5 and ≤5.0		>5.0 and ≤7.5		>7.5 and ≤10		>10	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	7	-	-	0	0%	3.0	12	6.3	6.3	6.3	5.9	-	2.9	0	0%	2	29%	4	57%	0	0%	1	14%
	2013	7	-	-	0	0%	1.0	3.2	2.0	2.0	2.0	1.5	-	0.9	7	100%	0	0%	0	0%	0	0%	0	0%
	2014	6	1.1	2.0	5	83%	1.1	1.1	0.18	0.95	1.7	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2015	2	1.0	1.9	1	50%	1.0	1.0	0.50	0.98	1.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	1.8	1.9	2	100%	-	-	0	0.93	1.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chiba	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	71	0.52	2.3	11	15%	0.52	14	3.7	3.8	3.9	3.6	7.1	2.6	26	37%	27	38%	12	17%	4	5.6%	2	2.8%
	2013	57	0.68	1.9	35	61%	0.68	2.8	0.45	0.92	1.4	-	1.2	-	57	100%	0	0%	0	0%	0	0%	0	0%
	2014	13	0.62	1.6	9	69%	0.62	0.82	0.22	0.63	1.0	-	0.74	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2015	7	1.3	2.0	7	100%	-	-	0	0.90	1.8	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2016	3	1.7	2.1	3	100%	-	-	0	0.98	2.0	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	1.2	1.2	1	100%	-	-	0	0.60	1.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	1	1.1	1.1	1	100%	-	-	0	0.55	1.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2019	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2020	1	1.7	1.7	1	100%	-	-	0	0.85	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Saitama	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	299	1.0	2.0	79	26%	1.0	8.2	1.9	2.2	2.4	1.6	3.9	1.1	192	64%	102	34%	4	1.3%	1	0.3%	0	0%
	2013	98	1.2	2.0	94	96%	1.2	1.7	0.06	1.0	2.0	-	-	-	98	100%	0	0%	0	0%	0	0%	0	0%
	2014	51	2.0	2.0	51	100%	-	-	0	1.0	2.0	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%
	2015	17	2.0	2.0	17	100%	-	-	0	1.0	2.0	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%
	2016	15	2.0	2.0	15	100%	-	-	0	1.0	2.0	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2017	9	2.0	2.0	9	100%	-	-	0	1.0	2.0	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2018	3	1.4	1.4	3	100%	-	-	0	0.70	1.4	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2019	3	1.3	1.8	3	100%	-	-	0	0.75	1.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2020	3	1.6	1.8	3	100%	-	-	0	0.87	1.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2021	3	1.4	1.6	3	100%	-	-	0	0.77	1.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	3	1.6	1.9	3	100%	-	-	0	0.88	1.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
2024	3	1.5	1.9	3	100%	-	-	0	0.82	1.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤2.5		>2.5 and ≤5.0		>5.0 and ≤7.5		>7.5 and ≤10		>10	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	33	0.70	1.7	4	12%	0.70	5.4	2.3	2.4	2.5	2.5	3.7	1.2	17	52%	15	45%	1	3.0%	0	0%	0	0%
	2013	25	0.89	1.7	24	96%	0.89	0.89	0.036	0.70	1.4	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2014	24	1.2	1.5	24	100%	-	-	0	0.65	1.3	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2015	5	1.4	1.6	5	100%	-	-	0	0.76	1.5	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2016	5	1.3	1.6	5	100%	-	-	0	0.73	1.5	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	53	0.79	1.9	21	40%	0.79	4.7	1.3	1.7	2.0	1.0	3.3	0.91	41	77%	12	23%	0	0%	0	0%	0	0%
	2013	30	0.72	1.9	21	70%	0.72	2.3	0.37	0.93	1.5	-	1.2	-	30	100%	0	0%	0	0%	0	0%	0	0%
	2014	10	0.78	1.5	8	80%	0.78	0.99	0.18	0.67	1.2	-	0.80	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2015	5	1.2	1.9	5	100%	-	-	0	0.78	1.6	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	1.7	1.7	2	100%	-	-	0	0.85	1.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	1.9	1.9	1	100%	-	-	0	0.95	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	1	1.8	1.8	1	100%	-	-	0	0.90	1.8	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2019	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2020	2	0.29	0.33	2	100%	-	-	0	0.16	0.31	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2021	1	1.8	1.8	1	100%	-	-	0	0.90	1.8	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	3	1.1	1.6	3	100%	-	-	0	0.67	1.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2014	3	1.2	1.3	3	100%	-	-	0	0.62	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	1.1	1.4	3	100%	-	-	0	0.60	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	3	1.3	1.4	3	100%	-	-	0	0.67	1.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤2.5		>2.5 and ≤5.0		>5.0 and ≤7.5		>7.5 and ≤10		>10	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	3	1.3	1.5	3	100%	-	-	0	0.68	1.4	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2013	3	1.2	1.4	3	100%	-	-	0	0.67	1.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2014	1	1.7	1.7	1	100%	-	-	0	0.85	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	1.9	1.9	1	100%	-	-	0	0.95	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	2	1.3	1.6	2	100%	-	-	0	0.73	1.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	151	0.45	2.0	150	99%	0.45	0.45	0.0030	0.77	1.5	-	-	-	151	100%	0	0%	0	0%	0	0%	0	0%
	2013	61	0.74	3.3	61	100%	-	-	0	0.48	0.95	-	-	-	61	100%	0	0%	0	0%	0	0%	0	0%
	2014	19	0.80	1.1	19	100%	-	-	0	0.47	0.95	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2015	19	0.81	1.1	19	100%	-	-	0	0.46	0.91	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2016	16	0.81	1.1	16	100%	-	-	0	0.46	0.91	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2017	19	0.84	1.4	19	100%	-	-	0	0.50	1.0	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Available for cultivation/feed management
(10) Substrate-cultivated Fungi

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	288	1.2	100	204	71%	1.2	850	15	22	29	-	33	-	254	88%	17	5.9%	6	2.1%	4	1.4%	7	2.4%
	2012	1,301	1.1	25	583	45%	1.1	96	7.5	10	12	3.9	21	10	1,207	93%	81	6.2%	11	0.8%	2	0.2%	0	0%
	2013	1,357	1.7	25	886	65%	1.7	36	2.9	5.9	8.9	-	10	-	1,347	99%	10	0.7%	0	0%	0	0%	0	0%
	2014	1,254	2.1	25	905	72%	2.1	37	2.3	5.7	9.1	-	8.2	-	1,249	99.6%	5	0.4%	0	0%	0	0%	0	0%
	2015	1,207	2.8	25	821	68%	2.8	43	2.7	5.9	9.0	-	8.7	-	1,203	99.7%	4	0.3%	0	0%	0	0%	0	0%
	2016	970	2.4	25	764	79%	2.4	32	1.5	5.1	8.7	-	6.8	-	969	99.9%	1	0.1%	0	0%	0	0%	0	0%
	2017	742	2.9	25	643	87%	2.9	47	0.91	4.7	8.5	-	4.3	-	741	99.9%	1	0.1%	0	0%	0	0%	0	0%
	2018	689	3.0	25	612	89%	3.0	23	0.74	5.6	10.5	-	3.9	-	689	100%	0	0%	0	0%	0	0%	0	0%
	2019	739	3.1	25	626	85%	3.1	21	1.1	5.3	9.5	-	4.8	-	739	100%	0	0%	0	0%	0	0%	0	0%
	2020	779	2.2	25	694	89%	2.2	16	0.65	4.5	8.4	-	3.4	-	779	100%	0	0%	0	0%	0	0%	0	0%
	2021	480	3.0	18	392	82%	3.0	27	1.4	4.8	8.2	-	6.0	-	479	99.8%	1	0.2%	0	0%	0	0%	0	0%
	2022	115	3.1	19	108	94%	3.1	40	0.58	4.9	9.3	-	-	-	114	99.1%	1	0.9%	0	0%	0	0%	0	0%
	2023	529	1.2	18	498	94%	1.2	28	0.35	4.3	8.3	-	-	-	528	99.8%	1	0.2%	0	0%	0	0%	0	0%
2024	339	1.6	19	314	93%	1.6	32	0.57	4.1	7.6	-	-	-	337	99.4%	2	0.6%	0	0%	0	0%	0	0%	
Aomori	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	10	25	25	10	100%	-	-	0	13	25	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2013	6	25	25	6	100%	-	-	0	13	25	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2014	5	25	25	5	100%	-	-	0	13	25	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2015	4	25	25	4	100%	-	-	0	13	25	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iwate	2011	9	15	24	9	100%	-	-	0	9.4	19	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2012	94	5.8	20	91	97%	5.8	18	0.37	8.2	16	-	-	-	94	100%	0	0%	0	0%	0	0%	0	0%
	2013	76	5.9	25	68	89%	5.9	18	1.3	8.8	16	-	3.0	-	76	100%	0	0%	0	0%	0	0%	0	0%
	2014	52	7.7	19	48	92%	7.7	15	0.90	8.4	16	-	-	-	52	100%	0	0%	0	0%	0	0%	0	0%
	2015	37	11	19	35	95%	11	11	0.59	8.4	16	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%
	2016	47	13	19	47	100%	-	-	0	7.9	16	-	-	-	47	100%	0	0%	0	0%	0	0%	0	0%
	2017	19	14	18	19	100%	-	-	0	7.9	16	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2018	18	7.6	13	18	100%	-	-	0	5.2	10	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2019	21	7.6	14	21	100%	-	-	0	5.2	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2020	18	4.8	12	17	94%	4.8	4.8	0.27	4.9	9.5	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2021	19	4.4	12	18	95%	4.4	4.4	0.23	4.7	9.1	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2022	15	3.8	11	14	93%	3.8	3.8	0.25	4.7	9.2	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	11	1.1	3.0	10	91%	1.1	1.1	0.10	1.0	1.9	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2013	11	9.7	14	11	100%	-	-	0	5.5	11	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2014	8	11	15	8	100%	-	-	0	6.3	13	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2015	8	9.5	13	8	100%	-	-	0	5.7	11	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	12	13	2	100%	-	-	0	6.3	13	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Miyagi	2011	13	2.0	20	6	46%	2.0	255	32	34	36	2.0	84	71	11	85%	0	0%	0	0%	1	7.7%	1	7.7%
	2012	72	3.3	25	53	74%	3.3	47	5.4	10	15	-	26	-	64	89%	8	11%	0	0%	0	0%	0	0%
	2013	32	5.4	25	28	88%	5.4	12	1.2	10	20	-	4.9	-	32	100%	0	0%	0	0%	0	0%	0	0%
	2014	5	25	25	5	100%	-	-	0	13	25	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2015	41	3.5	25	41	100%	-	-	0	7.2	14	-	-	-	41	100%	0	0%	0	0%	0	0%	0	0%
	2016	27	8.1	25	26	96%	8.1	8.1	0	10	19	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%
	2017	13	3.5	25	12	92%	3.5	3.5	0.27	4.8	9.3	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2018	13	14	25	13	100%	-	-	0	9.8	20	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2019	11	5.2	25	11	100%	-	-	0	8.2	16	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2020	6	25	25	6	100%	-	-	0	13	25	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2021	2	6.5	8.9	2	100%	-	-	0	3.9	7.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2022	4	16	19	4	100%	-	-	0	8.8	18	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2023	6	10	18	6	100%	-	-	0	7.8	16	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
2024	6	5.6	19	6	100%	-	-	0	5.4	11	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	
Yamagata	2011	5	1.2	1.8	4	80%	1.2	1.2	0.24	0.87	1.5	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2012	8	2.9	14	6	75%	2.9	7.1	1.3	5.8	10	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2013	4	10	11	4	100%	-	-	0	5.3	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2014	2	11	12	2	100%	-	-	0	5.8	12	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	11	11	3	100%	-	-	0	5.5	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	11	14	2	100%	-	-	0	6.3	13	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	13	13	1	100%	-	-	0	6.5	13	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	3	12	13	3	100%	-	-	0	6.3	13	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2019	1	12	12	1	100%	-	-	0	6.0	12	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	146	8.5	24	119	82%	8.5	850	19	27	35	-	45	-	127	87%	8	5.5%	4	2.7%	2	1.4%	5	3.4%
	2012	414	2.4	19	186	45%	2.4	53	5.8	7.7	9.6	3.8	15	7.0	397	96%	16	3.9%	1	0.2%	0	0%	0	0%
	2013	433	2.3	20	375	87%	2.3	31	1.0	4.3	7.6	-	3.9	-	431	99.5%	2	0.5%	0	0%	0	0%	0	0%
	2014	454	2.4	19	386	85%	2.9	37	1.2	4.3	7.4	-	5.0	-	451	99%	3	0.7%	0	0%	0	0%	0	0%
	2015	440	2.8	18	353	80%	2.8	25	1.3	4.2	7.0	-	5.5	-	440	100%	0	0%	0	0%	0	0%	0	0%
	2016	478	2.4	13	393	82%	2.4	18	1.1	4.1	7.1	-	4.6	-	478	100%	0	0%	0	0%	0	0%	0	0%
	2017	502	2.9	20	449	89%	2.9	8.0	0.52	3.8	7.1	-	3.2	-	502	100%	0	0%	0	0%	0	0%	0	0%
	2018	548	3.0	20	502	92%	3.0	14	0.50	4.7	8.9	-	-	-	548	100%	0	0%	0	0%	0	0%	0	0%
	2019	602	3.1	18	528	88%	3.1	21	0.83	4.6	8.3	-	4.1	-	602	100%	0	0%	0	0%	0	0%	0	0%
	2020	643	3.1	19	587	91%	3.1	16	0.53	4.3	8.0	-	-	-	643	100%	0	0%	0	0%	0	0%	0	0%
	2021	369	3.0	16	322	87%	3.0	23	0.97	4.5	8.0	-	4.8	-	369	100%	0	0%	0	0%	0	0%	0	0%
	2022	81	3.1	19	76	94%	3.1	5.5	0.28	3.9	7.5	-	-	-	81	100%	0	0%	0	0%	0	0%	0	0%
	2023	510	2.4	18	481	94%	2.4	28	0.33	4.2	8.1	-	-	-	509	99.8%	1	0.2%	0	0%	0	0%	0	0%
2024	325	2.2	14	303	93%	2.2	32	0.54	4.0	7.5	-	-	-	323	99.4%	2	0.6%	0	0%	0	0%	0	0%	
Ibaraki	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	11	5.5	11	2	18%	5.5	33	17	18	19	18	31	10	7	64%	4	36%	0	0%	0	0%	0	0%
	2013	5	5.9	5.9	1	20%	8.7	18	9.7	10	11	8.8	-	4.7	5	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	2	5.7	5.7	1	50%	27	27	14	15	16	-	-	-	1	50%	1	50%	0	0%	0	0%	0	0%
	2022	1	-	-	0	0%	40	40	40	40	40	-	-	-	0	0%	1	100%	0	0%	0	0%	0	0%
	2023	1	-	-	0	0%	12	12	12	12	12	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tochigi	2011	63	1.3	20	29	46%	1.3	182	12	14	15	1.8	30	26	56	89%	4	6.3%	1	1.6%	1	1.6%	1	1.6%
	2012	461	1.3	20	73	16%	1.3	96	13	13	14	9.5	27	12	405	88%	45	9.8%	9	2.0%	2	0.4%	0	0%
	2013	490	1.7	16	144	29%	1.7	36	5.9	6.6	7.4	4.6	14	5.2	483	99%	7	1.4%	0	0%	0	0%	0	0%
	2014	485	2.1	19	225	46%	2.1	26	4.3	6.5	8.7	3.1	11	4.7	483	99.6%	2	0.4%	0	0%	0	0%	0	0%
	2015	475	3.5	18	190	40%	3.5	43	5.3	7.2	9.1	4.9	13	4.4	471	99%	4	0.8%	0	0%	0	0%	0	0%
	2016	208	3.7	16	98	47%	3.7	32	4.1	6.2	8.4	4.2	10	3.1	207	99.5%	1	0.5%	0	0%	0	0%	0	0%
	2017	136	4.0	19	98	72%	4.0	47	2.5	6.8	11	-	7.7	-	135	99%	1	0.7%	0	0%	0	0%	0	0%
	2018	87	3.9	25	58	67%	3.9	23	2.3	9.9	18	-	6.8	-	87	100%	0	0%	0	0%	0	0%	0	0%
	2019	85	3.6	25	48	56%	3.6	15	2.9	9.2	15	-	8.3	-	85	100%	0	0%	0	0%	0	0%	0	0%
	2020	82	2.2	9.9	56	68%	2.2	11	1.8	4.4	7.0	-	5.7	-	82	100%	0	0%	0	0%	0	0%	0	0%
	2021	73	3.6	8.7	35	48%	3.6	18	3.6	5.4	7.1	3.8	9.0	2.5	73	100%	0	0%	0	0%	0	0%	0	0%
	2022	3	5.7	7.2	3	100%	-	-	0	3.2	6.4	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2023	3	5.6	7.0	3	100%	-	-	0	3.3	6.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
2024	3	3.9	6.0	2	67%	3.9	3.9	1.3	3.1	4.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	20	20	40	17	85%	21	48	5.5	21	36	-	23	-	18	90%	2	10%	0	0%	0	0%	0	0%
	2012	58	10	20	41	71%	10	56	5.9	13	20	-	18	-	54	93%	3	5.2%	1	1.7%	0	0%	0	0%
	2013	76	7.0	19	64	84%	7.0	33	2.0	9.1	16	-	8.7	-	75	99%	1	1.3%	0	0%	0	0%	0	0%
	2014	78	5.4	19	71	91%	5.4	17	0.83	8.6	16	-	-	-	78	100%	0	0%	0	0%	0	0%	0	0%
	2015	69	6.4	19	60	87%	6.4	21	1.6	9.0	16	-	8.3	-	69	100%	0	0%	0	0%	0	0%	0	0%
	2016	72	7.0	19	64	89%	7.0	19	1.1	8.6	16	-	6.3	-	72	100%	0	0%	0	0%	0	0%	0	0%
	2017	36	6.9	19	29	81%	6.9	15	1.9	8.7	16	-	7.8	-	36	100%	0	0%	0	0%	0	0%	0	0%
	2018	20	9.1	19	18	90%	9.1	22	1.6	9.2	17	-	0.91	-	20	100%	0	0%	0	0%	0	0%	0	0%
	2019	19	13	18	17	89%	13	16	1.5	9.2	17	-	2.6	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2020	30	7.6	19	28	93%	7.6	9.4	0.57	8.6	17	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%
	2021	15	14	18	14	93%	15	15	1.0	8.7	16	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2022	11	15	19	11	100%	-	-	0	8.5	17	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2023	8	15	18	8	100%	-	-	0	8.4	17	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2024	4	11	18	3	75%	11	11	2.8	9.3	16	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
Chiba	2011	14	1.9	20	8	57%	1.9	53	8.5	11	14	-	25	-	12	86%	1	7.1%	1	7.1%	0	0%	0	0%
	2012	45	1.3	9.6	11	24%	1.3	34	8.5	8.8	9.2	6.3	21	8.5	41	91%	4	8.9%	0	0%	0	0%	0	0%
	2013	24	1.9	2.6	3	13%	1.9	14	6.0	6.1	6.2	5.6	11	3.4	24	100%	0	0%	0	0%	0	0%	0	0%
	2014	3	2.5	3.5	2	67%	2.7	2.7	0.90	1.9	2.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	2011	12	2.2	100	8	67%	13	50	11	33	54	-	43	-	10	83%	2	17%	0	0%	0	0%	0	0%
	2012	9	3.3	6.5	3	33%	3.3	16	6.7	7.5	8.3	6.9	-	4.7	9	100%	0	0%	0	0%	0	0%	0	0%
	2013	7	4.3	13	6	86%	4.3	4.3	0.61	4.6	8.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2014	7	6.6	8.9	2	29%	6.6	19	7.9	9.2	10	7.0	-	4.2	7	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	5.4	5.4	1	100%	-	-	0	2.7	5.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	3	6.6	12	3	100%	-	-	0	4.2	8.4	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	1	16	16	1	100%	-	-	0	8.0	16	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2012	2	9.0	10	2	100%	-	-	0	4.8	9.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2013	5	7.7	13	3	60%	7.7	14	4.3	7.8	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2014	3	11	12	3	100%	-	-	0	5.7	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	10	11	2	67%	15	15	5.0	8.5	12	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	8.7	10	1	50%	8.7	8.7	4.4	6.9	9.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	9.0	9.0	1	100%	-	-	0	4.5	9.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kanagawa	2011	5	3.0	20	3	60%	3.0	9.0	2.4	8.4	14	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2012	11	3.8	5.2	5	45%	3.8	9.0	3.2	4.3	5.3	3.8	8.2	1.7	11	100%	0	0%	0	0%	0	0%	0	0%
	2013	5	6.3	19	3	60%	6.3	12	3.7	9.2	15	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2014	7	3.9	9.4	4	57%	3.9	10	3.1	5.7	8.2	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	5.5	7.9	3	100%	-	-	0	3.4	6.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	3	8.0	9.4	3	100%	-	-	0	4.4	8.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	1	-	-	0	0%	1.2	1.2	1.2	1.2	1.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
2024	1	-	-	0	0%	1.6	1.6	1.6	1.6	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	82	4.6	9.2	80	98%	4.6	9.4	0.17	3.5	6.9	-	-	-	82	100%	0	0%	0	0%	0	0%	0	0%
	2013	172	2.1	9.2	168	98%	3.5	18	0.21	3.7	7.1	-	-	-	172	100%	0	0%	0	0%	0	0%	0	0%
	2014	139	4.5	9.3	138	99%	4.5	4.5	0.032	3.7	7.3	-	-	-	139	100%	0	0%	0	0%	0	0%	0	0%
	2015	122	4.5	9.5	120	98%	4.5	6.6	0.091	3.6	7.2	-	-	-	122	100%	0	0%	0	0%	0	0%	0	0%
	2016	126	3.2	9.0	125	99%	3.2	3.2	0.025	3.1	6.2	-	-	-	126	100%	0	0%	0	0%	0	0%	0	0%
	2017	34	4.8	8.5	34	100%	-	-	0	3.1	6.2	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	6	2.7	3.0	3	50%	4.0	31	6.7	7.4	8.1	-	-	-	5	83%	1	17%	0	0%	0	0%	0	0%
	2013	11	1.7	2.6	2	18%	1.7	20	6.5	6.7	6.9	5.7	13	5.5	11	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	7	2.7	5.1	7	100%	-	-	0	1.7	3.5	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	6	25	25	6	100%	-	-	0	13	25	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Available for cultivation/feed management
(11) Edible Wild Plants(cultivated)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	120	2.0	40	79	66%	3.3	131	11	19	27	-	34	-	101	84%	13	11%	3	2.5%	1	0.8%	2	1.7%
	2012	275	1.6	33	223	81%	3.1	340	9.7	15	19	-	21	-	250	91%	5	1.8%	9	3.3%	5	1.8%	6	2.2%
	2013	399	1.9	26	327	82%	2.4	76	3.2	10	16	-	10	-	383	96%	11	2.8%	4	1.0%	1	0.3%	0	0%
	2014	380	2.3	25	325	86%	2.3	63	2.7	9.1	15	-	9.0	-	365	96%	13	3.4%	2	0.5%	0	0%	0	0%
	2015	524	2.7	25	475	91%	2.7	49	1.3	7.3	13	-	-	-	516	98%	8	1.5%	0	0%	0	0%	0	0%
	2016	668	3.0	26	573	86%	3.0	100	1.7	6.7	12	-	6.4	-	660	99%	6	0.9%	0	0%	2	0.3%	0	0%
	2017	525	2.3	25	410	78%	2.3	60	3.2	7.4	12	-	11	-	509	97%	14	2.7%	2	0.4%	0	0%	0	0%
	2018	340	2.5	39	306	90%	2.5	51	1.1	7.1	13	-	0.25	-	337	99%	2	0.6%	1	0.3%	0	0%	0	0%
	2019	337	3.8	25	238	71%	3.8	160	5.3	9.5	14	-	14	-	322	96%	10	3.0%	3	0.9%	0	0%	2	0.6%
	2020	409	3.3	25	331	81%	4.1	43	2.3	7.0	12	-	8.9	-	404	99%	5	1.2%	0	0%	0	0%	0	0%
	2021	287	2.1	18	247	86%	2.1	22	1.4	6.2	11	-	7.1	-	287	100%	0	0%	0	0%	0	0%	0	0%
	2022	290	0.99	19	218	75%	1.0	61	3.1	7.0	11	-	11	-	284	98%	4	1.4%	2	0.7%	0	0%	0	0%
	2023	255	1.9	19	209	82%	1.9	47	2.5	7.3	12	-	10	-	248	97%	7	2.7%	0	0%	0	0%	0	0%
	2024	217	4.0	19	173	80%	4.3	95	2.8	7.0	11	-	8.9	-	213	98%	2	0.9%	1	0.5%	1	0.5%	0	0%
Aomori	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	3	25	25	3	100%	-	-	0	13	25	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	3	25	25	3	100%	-	-	0	13	25	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	16	12	19	6	38%	59	340	88	91	94	68	235	99	6	38%	0	0%	3	19%	3	19%	4	25%
	2013	16	12	20	16	100%	-	-	0	8.5	17	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2014	11	13	20	11	100%	-	-	0	8.2	16	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2015	15	15	19	15	100%	-	-	0	8.7	17	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2016	10	14	18	10	100%	-	-	0	8.0	16	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2017	10	13	17	10	100%	-	-	0	7.7	15	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2018	9	9.6	14	9	100%	-	-	0	5.8	12	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2019	5	9.2	12	5	100%	-	-	0	5.4	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2020	6	11	13	6	100%	-	-	0	5.9	12	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2021	5	10	13	5	100%	-	-	0	5.7	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2022	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	2	8.9	13	2	100%	-	-	0	5.5	11	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2024	5	9.1	14	5	100%	-	-	0	5.2	10	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	3	1.6	13	3	100%	-	-	0	4.6	9.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2013	2	1.9	11	2	100%	-	-	0	3.2	6.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2014	2	12	13	2	100%	-	-	0	6.3	13	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	12	12	1	100%	-	-	0	6.0	12	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Miyagi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	25	3.5	25	18	72%	3.5	75	9.9	17	24	-	46	-	21	84%	1	4.0%	3	12%	0	0%	0	0%
	2013	84	9.4	25	77	92%	12	76	3.7	15	26	-	-	-	78	93%	4	4.8%	1	1.2%	1	1.2%	0	0%
	2014	80	12	25	72	90%	12	63	3.4	14	25	-	1.2	-	74	93%	5	6.3%	1	1.3%	0	0%	0	0%
	2015	69	3.4	25	62	90%	27	49	4.0	14	25	-	5.4	-	62	90%	7	10%	0	0%	0	0%	0	0%
	2016	59	4.1	25	57	97%	10	11	0.36	11	21	-	-	-	59	100%	0	0%	0	0%	0	0%	0	0%
	2017	31	5.7	25	30	97%	7.1	7.1	0.23	9.8	19	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%
	2018	43	9.2	25	41	95%	9.2	13	0.52	9.8	19	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%
	2019	16	4.6	25	12	75%	4.6	9.4	1.7	6.4	11	-	6.6	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2020	4	16	25	4	100%	-	-	0	9.4	19	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2021	6	5.0	9.8	4	67%	5.0	7.6	2.1	4.8	7.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2022	15	15	19	14	93%	15	15	1.0	9.3	18	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2023	21	13	19	20	95%	27	27	1.3	9.4	18	-	-	-	20	95%	1	5%	0	0%	0	0%	0	0%
2024	16	6.5	19	15	94%	10	10	0.63	6.3	12	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%	
Yamagata	2011	5	2.0	20	5	100%	-	-	0	5.5	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2012	6	1.6	15	6	100%	-	-	0	5.2	10	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2013	8	12	16	8	100%	-	-	0	7.2	14	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2014	4	11	13	3	75%	31	31	7.8	12	17	-	-	-	3	75%	1	25%	0	0%	0	0%	0	0%
	2015	2	11	17	2	100%	-	-	0	7.0	14	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	13	13	2	100%	-	-	0	6.5	13	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	54	11	34	27	50%	11	131	18	23	29	-	48	-	39	72%	11	20%	1	1.9%	1	1.9%	2	3.7%
	2012	40	5.1	20	33	83%	5.1	52	3.7	9.2	15	-	9.8	-	38	95%	1	2.5%	1	2.5%	0	0%	0	0%
	2013	35	6.0	16	30	86%	7.8	60	3.7	8.7	14	-	12	-	33	94%	1	2.9%	1	2.9%	0	0%	0	0%
	2014	36	6.7	17	32	89%	7.3	42	2.3	6.9	12	-	3.7	-	35	97%	1	2.8%	0	0%	0	0%	0	0%
	2015	175	3.4	18	155	89%	3.4	19	0.89	4.8	8.6	-	3.8	-	175	100%	0	0%	0	0%	0	0%	0	0%
	2016	321	3.0	15	254	79%	3.0	100	2.6	6.0	9.3	-	7.8	-	315	98%	4	1.2%	0	0%	2	0.6%	0	0%
	2017	315	3.7	19	217	69%	3.7	60	4.8	7.7	11	-	17	-	299	95%	14	4.4%	2	0.6%	0	0%	0	0%
	2018	156	3.8	20	137	88%	3.8	51	1.6	5.9	10	-	4.3	-	153	98%	2	1.3%	1	0.6%	0	0%	0	0%
	2019	209	4.2	18	133	64%	4.2	160	7.5	11	15	-	20	-	194	93%	10	4.8%	3	1.4%	0	0%	2	1.0%
	2020	303	4.1	20	237	78%	4.1	43	2.5	6.9	11	-	9.5	-	299	99%	4	1.3%	0	0%	0	0%	0	0%
	2021	193	5.1	17	164	85%	5.1	22	1.6	6.0	10	-	7.4	-	193	100%	0	0%	0	0%	0	0%	0	0%
	2022	212	3.8	17	153	72%	3.8	61	3.8	7.2	11	-	11	-	206	97%	4	1.9%	2	0.9%	0	0%	0	0%
	2023	188	3.9	19	147	78%	3.9	47	3.0	7.2	11	-	11	-	183	97%	5	2.7%	0	0%	0	0%	0	0%
2024	171	4.3	18	130	76%	4.3	95	3.3	7.1	11	-	9.2	-	167	98%	2	1.2%	1	0.6%	1	0.6%	0	0%	
Ibaraki	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	3	8.0	8.0	1	33%	9.0	110	40	41	42	9.0	-	59	2	67%	0	0%	0	0%	0	0%	1	33%
	2013	6	9.1	18	4	67%	9.1	39	8.0	13	18	-	-	-	5	83%	1	17%	0	0%	0	0%	0	0%
	2014	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2015	17	7.3	25	17	100%	-	-	0	12	24	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%
	2016	17	19	25	17	100%	-	-	0	11	22	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	4	20	39	4	100%	-	-	0	13	26	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	21	2.9	7.0	15	71%	2.9	9.4	1.4	3.2	5.0	-	4.3	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2023	1	3.6	3.6	1	100%	-	-	0	1.8	3.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tochigi	2011	16	3.0	26	7	44%	4.0	74	14	16	19	4.1	43	20	13	81%	1	6.3%	2	13%	0	0%	0	0%
	2012	127	3.1	33	106	83%	3.1	110	5.3	10	15	-	15	-	119	94%	3	2.4%	2	1.6%	2	1.6%	1	0.8%
	2013	193	2.6	26	141	73%	2.6	67	3.9	9.2	14	-	14	-	186	96%	5	2.6%	2	1.0%	0	0%	0	0%
	2014	178	2.3	25	138	78%	2.3	51	3.5	8.8	14	-	13	-	171	96%	6	3.4%	1	0.6%	0	0%	0	0%
	2015	164	2.7	25	143	87%	2.7	45	1.6	7.6	14	-	5.9	-	163	99%	1	0.6%	0	0%	0	0%	0	0%
	2016	158	3.4	26	138	87%	3.9	35	1.5	7.3	13	-	6.6	-	156	99%	2	1.3%	0	0%	0	0%	0	0%
	2017	150	2.3	25	134	89%	2.3	17	1.0	6.8	12	-	2.4	-	150	100%	0	0%	0	0%	0	0%	0	0%
	2018	123	2.5	25	110	89%	2.5	12	0.76	7.7	15	-	2.0	-	123	100%	0	0%	0	0%	0	0%	0	0%
	2019	101	3.8	20	83	82%	3.8	25	2.0	7.1	12	-	8.0	-	101	100%	0	0%	0	0%	0	0%	0	0%
	2020	89	4.3	25	77	87%	4.9	30	1.8	7.6	13	-	6.9	-	88	99%	1	1.1%	0	0%	0	0%	0	0%
	2021	82	2.1	18	73	89%	2.1	20	1.1	7.1	13	-	1.9	-	82	100%	0	0%	0	0%	0	0%	0	0%
	2022	38	7.8	17	33	87%	7.8	12	1.3	7.4	13	-	8.1	-	38	100%	0	0%	0	0%	0	0%	0	0%
	2023	39	4.7	18	36	92%	9.0	33	1.4	7.4	14	-	-	-	38	97%	1	3%	0	0%	0	0%	0	0%
2024	21	10	17	20	95%	17	17	0.81	7.3	14	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	37	3.3	40	32	86%	3.3	44	2.3	18	34	-	5.5	-	36	97%	1	2.7%	0	0%	0	0%	0	0%
	2012	47	3.6	20	42	89%	8.3	23	1.3	5.2	9.1	-	3.3	-	47	100%	0	0%	0	0%	0	0%	0	0%
	2013	37	2.4	12	32	86%	2.4	14	0.83	4.9	9.1	-	2.5	-	37	100%	0	0%	0	0%	0	0%	0	0%
	2014	60	5.5	12	58	97%	5.5	8.5	0.23	4.9	10	-	-	-	60	100%	0	0%	0	0%	0	0%	0	0%
	2015	76	6.6	11	75	99%	6.6	6.6	0.087	5.0	10	-	-	-	76	100%	0	0%	0	0%	0	0%	0	0%
	2016	95	4.0	14	89	94%	4.0	9.1	0.45	5.0	10	-	-	-	95	100%	0	0%	0	0%	0	0%	0	0%
	2017	18	6.6	11	18	100%	-	-	0	4.1	8.2	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2018	4	5.4	8.1	4	100%	-	-	0	3.4	6.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2019	6	4.6	7.7	5	83%	6.7	6.7	1.1	3.8	6.4	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2020	7	3.3	7.6	7	100%	-	-	0	2.6	5.2	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2021	1	5.7	5.7	1	100%	-	-	0	2.9	5.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2022	1	7.2	7.2	1	100%	-	-	0	3.6	7.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	2	7.3	9.7	2	100%	-	-	0	4.3	8.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2024	1	5.4	5.4	1	100%	-	-	0	2.7	5.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
Chiba	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	2	3.9	8.2	2	100%	-	-	0	3.0	6.1	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2013	2	5.8	5.9	1	50%	5.8	5.8	2.9	4.4	5.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	5	11	19	5	100%	-	-	0	7.3	15	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2014	4	11	16	4	100%	-	-	0	6.8	14	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	3	7.0	12	3	100%	-	-	0	4.4	8.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	1	-	-	0	0%	0.99	1	1.0	1	1	-	-	-	1	100%	0	0.0%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	3	9.0	18	3	100%	-	-	0	7.0	14	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2012	4	10	11	4	100%	-	-	0	5.3	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2013	3	10	11	3	100%	-	-	0	5.2	10	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2014	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2015	2	11	12	2	100%	-	-	0	5.8	12	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	1	8.7	8.7	1	100%	-	-	0	4.4	8.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	1	8.4	8.4	1	100%	-	-	0	4.2	8.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2024	1	9.5	9.5	1	100%	-	-	0	4.8	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
Kanagawa	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	1	-	-	0	0%	1.9	1.9	1.9	1.9	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2024	1	-	-	0	0%	15	15	15	15	15	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(12) Log-cultivated Fungi

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	1,494	0.66	100	796	53%	0.66	6,300	78	87	97	-	220	-	977	65%	101	6.8%	66	4.4%	64	4.3%	286	19%
	2012	1,854	1.5	25	487	26%	1.5	2,300	59	61	63	18	140	139	1,073	58%	317	17%	134	7.2%	95	5.1%	235	13%
	2013	1,678	1.4	25	471	28%	1.4	94	16	18	20	13	40	14	1,274	76%	328	20%	67	4.0%	9	0.5%	0	0%
	2014	2,276	1.1	25	962	42%	1.1	220	9.8	12	15	4.9	27	13	2,016	89%	229	10%	22	1.0%	6	0.3%	3	0.1%
	2015	2,352	0.94	25	1,059	45%	0.94	97	9.2	12	14	4.5	26	10	2,106	90%	226	9.6%	14	0.6%	6	0.3%	0	0%
	2016	2,554	1.3	25	976	38%	1.3	84	11	12	14	7.1	27	10	2,243	88%	290	11%	19	0.7%	2	0.08%	0	0%
	2017	2,384	0.99	25	1,045	44%	0.99	150	8.3	10	12	4.7	24	10	2,193	92%	177	7.4%	12	0.5%	1	0.04%	1	0.04%
	2018	2,085	0.91	25	917	44%	0.91	93	8.9	11	13	3.7	25	11	1,878	90%	180	8.6%	23	1.1%	4	0.2%	0	0%
	2019	1,841	1.0	35	849	46%	1.0	80	7.1	9.3	11	2.6	21	8.8	1,726	94%	104	5.6%	10	0.5%	1	0.05%	0	0%
	2020	1,657	0.84	25	732	44%	0.84	96	7.9	10	12	3.3	22	9.6	1,540	93%	104	6.3%	11	0.7%	2	0.1%	0	0%
	2021	1,782	0.98	25	780	44%	0.98	83	8.0	10	12	3.2	23	9.5	1,638	92%	131	7.4%	12	0.7%	1	0.06%	0	0%
	2022	1,250	1.0	25	571	46%	1.0	91	7.4	10	12	2.3	21	9.5	1,168	93%	70	5.6%	10	0.8%	2	0.2%	0	0%
	2023	1,665	0.67	25	690	41%	0.67	90	7.7	9.3	11	3.8	20	9.3	1,559	94%	94	5.6%	9	0.5%	3	0.2%	0	0%
	2024	1,003	0.78	25	462	46%	0.78	64	6.2	8.2	10	2.3	18	7.5	967	96%	33	3.3%	3	0.3%	0	0%	0	0%
Aomori	2011	7	45	45	7	100%	-	-	0	23	45	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2012	11	13	25	10	91%	13	13	1.2	13	24	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2013	8	10	25	8	100%	-	-	0	11	21	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2014	6	13	25	4	67%	13	18	5.2	14	22	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2015	7	25	25	7	100%	-	-	0	13	25	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2016	4	17	25	3	75%	17	17	4.4	14	23	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2017	4	10	25	1	25%	10	13	8.8	12	15	11	-	6.8	4	100%	0	0%	0	0%	0	0%	0	0%
	2018	4	13	25	2	50%	13	17	7.5	13	19	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2019	4	8.9	10	2	50%	8.9	11	5.0	7.5	10	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2020	4	10	10	2	50%	11	18	7.3	9.8	12	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2021	3	7.6	10	1	33%	7.6	12	6.5	8.2	9.9	7.6	-	2.2	3	100%	0	0%	0	0%	0	0%	0	0%
	2022	3	8.3	10	1	33%	8.3	15	7.8	9.4	11	8.3	-	3.5	3	100%	0	0%	0	0%	0	0%	0	0%
	2023	3	10	10	1	33%	18	18	12	14	15	18	-	4.6	3	100%	0	0%	0	0%	0	0%	0	0%
	2024	3	8.1	10	1	33%	8.1	13	7.0	8.7	10	8.1	-	2.5	3	100%	0	0%	0	0%	0	0%	0	0%
Iwate	2011	127	7.5	30	82	65%	7.5	512	28	34	41	-	71	-	100	79%	11	8.7%	3	2.4%	4	3.1%	9	7.1%
	2012	634	3.0	25	200	32%	3.0	2,300	91	94	98	20	240	198	341	54%	78	12%	39	6.2%	48	7.6%	128	20%
	2013	405	5.0	25	128	32%	5.0	70	15	18	21	13	35	11	331	82%	58	14%	16	4.0%	0	0%	0	0%
	2014	366	3.1	25	82	22%	3.1	63	17	19	21	15	37	11	276	75%	83	23%	7	1.9%	0	0%	0	0%
	2015	287	4.3	25	62	22%	4.3	50	16	18	20	15	35	10	221	77%	66	23%	0	0%	0	0%	0	0%
	2016	296	3.6	25	58	20%	3.6	84	18	19	21	16	36	11	224	76%	68	23%	2	0.7%	2	0.7%	0	0%
	2017	237	4.9	25	58	24%	4.9	65	17	19	21	15	37	11	182	77%	50	21%	5	2.1%	0	0%	0	0%
	2018	259	4.9	25	48	19%	4.9	85	20	21	23	17	42	14	182	70%	68	26%	6	2.3%	3	1.2%	0	0%
	2019	204	4.3	25	54	26%	4.3	80	15	17	19	13	37	12	164	80%	35	17%	4	2.0%	1	0.5%	0	0%
	2020	181	4.8	25	50	28%	4.8	96	17	19	21	14	39	15	141	78%	32	18%	6	3.3%	2	1.1%	0	0%
	2021	169	4.8	25	54	32%	4.8	83	15	18	21	12	34	12	137	81%	27	16%	4	2.4%	1	0.6%	0	0%
	2022	117	5.3	25	35	30%	5.3	91	15	17	20	11	36	16	101	86%	8	6.8%	6	5.1%	2	1.7%	0	0%
	2023	30	4.9	12	16	53%	4.9	23	4.8	7.7	11	-	15	-	30	100%	0	0%	0	0%	0	0%	0	0%
	2024	42	5.1	25	14	33%	5.1	43	13	15	18	13	26	8.7	36	86%	6	14%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	3	2.5	20	1	33%	2.5	5.2	2.6	5.9	9.2	2.5	-	9.4	3	100%	0	0%	0	0%	0	0%	0	0%
	2012	5	1.8	10	1	20%	1.8	5.5	3.1	4.1	5.1	3.8	-	3.1	5	100%	0	0%	0	0%	0	0%	0	0%
	2013	6	8.9	13	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2014	5	6.8	12	4	80%	6.8	6.8	1.4	6.1	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	10	12	3	100%	-	-	0	5.3	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	11	11	1	50%	13	13	6.5	9.3	12	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	8.2	8.2	1	100%	-	-	0	4.1	8.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	1	8.6	8.6	1	100%	-	-	0	4.3	8.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2020	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2024	1	-	-	0	0%	6.5	6.5	6.5	6.5	6.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
Miyagi	2011	52	2.0	20	11	21%	16	1,600	261	262	263	122	590	355	13	25%	2	3.8%	5	9.6%	4	7.7%	28	54%
	2012	89	6.7	25	29	33%	6.7	680	75	79	83	35	190	96	34	38%	14	16%	6	6.7%	11	12%	24	27%
	2013	71	5.1	25	44	62%	5.1	90	17	23	30	-	47	-	45	63%	21	30%	3	4.2%	2	2.8%	0	0%
	2014	257	6.9	25	124	48%	6.9	220	13	18	22	9.1	28	22	217	84%	35	14%	0	0%	2	0.8%	3	1.2%
	2015	617	2.9	25	294	48%	5.6	97	11	15	19	8.7	29	10	530	86%	73	12%	9	1.5%	5	0.8%	0	0%
	2016	511	7.3	25	135	26%	7.3	53	13	15	17	13	24	6.0	473	93%	36	7.0%	2	0.4%	0	0%	0	0%
	2017	336	2.9	25	78	23%	2.9	60	10	11	12	7.6	22	8.0	316	94%	18	5.4%	2	0.6%	0	0%	0	0%
	2018	235	3.4	25	85	36%	5.6	60	11	14	17	10.0	26	7.6	211	90%	23	9.8%	1	0.4%	0	0%	0	0%
	2019	207	3.0	35	46	22%	3.0	40	11	12	14	9.1	23	8.0	190	92%	17	8.2%	0	0%	0	0%	0	0%
	2020	166	3.6	25	45	27%	3.6	46	12	14	17	11	25	7.1	151	91%	15	9.0%	0	0%	0	0%	0	0%
	2021	192	1.9	25	49	26%	1.9	34	9.5	11	12	9.3	20	5.8	187	97%	5	2.6%	0	0%	0	0%	0	0%
	2022	142	4.5	19	48	34%	4.5	35	12	15	17	11	27	6.6	121	85%	21	15%	0	0%	0	0%	0	0%
	2023	165	2.8	20	46	28%	2.8	43	11	13	15	12	21	6.5	156	95%	9	5%	0	0%	0	0%	0	0%
2024	131	2.9	19	35	27%	2.9	36	10	12	13	9.1	22	6.4	125	95%	6	5%	0	0%	0	0%	0	0%	
Yamagata	2011	10	0.66	20	4	40%	0.66	15	2.5	5.6	8.6	0.75	4.9	8.9	10	100%	0	0%	0	0%	0	0%	0	0%
	2012	21	6.8	15	14	67%	6.8	28	4.5	8.3	12	-	11	-	20	95%	1	4.8%	0	0%	0	0%	0	0%
	2013	3	5.4	10	1	33%	5.4	11	5.5	7.1	8.8	5.4	-	3.0	3	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2021	1	17	17	1	100%	-	-	0	8.5	17	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2022	1	-	-	0	0%	13	13	13	13	13	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	2	8.6	12	1	50%	8.6	8.6	4.3	7.3	10	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
2024	1	-	-	0	0%	9.3	9.3	9.3	9.3	9.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	138	4.8	22	64	46%	4.8	6,300	128	132	137	7.8	232	569	90	65%	15	11%	6	4.3%	5	3.6%	22	16%
	2012	248	2.4	16	72	29%	2.4	96	11	12	14	6.9	30	11	210	85%	37	15%	0	0%	1	0.4%	0	0%
	2013	287	2.7	18	92	32%	2.7	61	11	12	14	6.1	31	12	244	85%	39	14%	4	1.4%	0	0%	0	0%
	2014	428	2.7	16	186	43%	2.7	72	6.3	7.9	9.5	3.8	17	7.7	404	94%	22	5.1%	2	0.5%	0	0%	0	0%
	2015	302	2.7	19	113	37%	2.7	51	8.5	9.9	11	5.0	23	8.7	279	92%	22	7.3%	1	0.3%	0	0%	0	0%
	2016	280	2.5	10	86	31%	2.5	58	9.8	11	12	6.5	25	10	254	91%	22	7.9%	4	1.4%	0	0%	0	0%
	2017	278	3.0	14	76	27%	3.0	63	9.2	10	11	6.7	22	8.2	264	95%	12	4.3%	2	0.7%	0	0%	0	0%
	2018	262	3.5	13	107	41%	3.5	93	8.7	11	12	6.7	21	9.2	244	93%	16	6.1%	1	0.4%	1	0.4%	0	0%
	2019	254	3.1	19	104	41%	3.1	55	8.8	11	13	5.8	22	9.3	235	93%	14	5.5%	5	2.0%	0	0%	0	0%
	2020	219	3.0	15	72	33%	3.0	57	9.6	11	12	6.9	23	8.4	203	93%	15	6.8%	1	0.5%	0	0%	0	0%
	2021	201	3.4	14	78	39%	3.4	60	8.4	9.9	11	5.2	21	8.3	187	93%	13	6.5%	1	0.5%	0	0%	0	0%
	2022	47	4.2	12	8	17%	4.2	47	16	17	17	15	35	11	39	83%	8	17%	0	0%	0	0%	0	0%
	2023	325	2.9	15	110	34%	2.9	45	8.2	10	11	6.3	20	7.3	304	94%	21	6%	0	0%	0	0%	0	0%
	2024	185	2.9	19	87	47%	2.9	51	6.6	8.4	10	4.7	19	6.5	180	97%	4	2%	1	1%	0	0%	0	0%
Ibaraki	2011	207	3.0	20	23	11%	3.0	1,130	142	142	143	64	362	189	72	35%	26	13%	11	5.3%	14	6.8%	84	41%
	2012	78	2.7	9.0	12	15%	2.7	960	56	56	57	19	80	150	50	64%	16	21%	4	5.1%	2	2.6%	6	7.7%
	2013	46	2.3	8.5	6	13%	2.3	62	18	19	19	12	43	16	31	67%	13	28%	2	4.3%	0	0%	0	0%
	2014	90	2.5	11	17	19%	2.5	54	11	12	12	6.7	30	11	80	89%	9	10%	1	1.1%	0	0%	0	0%
	2015	107	2.5	12	33	31%	2.5	46	8.3	9.2	10	4.3	23	9.3	98	92%	9	8.4%	0	0%	0	0%	0	0%
	2016	105	2.1	9.7	34	32%	2.1	48	11	12	13	7.2	30	11	89	85%	16	15%	0	0%	0	0%	0	0%
	2017	90	2.4	7.8	16	18%	2.4	46	14	15	15	11	32	12	72	80%	18	20%	0	0%	0	0%	0	0%
	2018	91	2.1	6.7	19	21%	2.1	68	14	15	15	7.8	40	15	72	79%	15	16%	4	4.4%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	29	2.0	5.8	11	38%	2.0	27	5.8	6.7	7.6	3.8	14	5.7	28	97%	1	3.4%	0	0%	0	0%	0	0%
	2021	173	1.9	8.4	34	20%	1.9	68	12	13	13	7.3	31	12	143	83%	27	16%	3	1.7%	0	0%	0	0%
	2022	57	2.5	5.3	11	19%	2.5	43	11	12	12	6.5	30	11	49	86%	8	14%	0	0%	0	0%	0	0%
	2023	341	1.6	7.6	70	21%	1.6	90	12	12	13	9.1	29	11	300	88%	37	11%	3	0.9%	1	0.3%	0	0%
	2024	62	1.7	6.5	17	27%	1.7	47	7.3	8.0	8.7	3.6	19	8.4	59	95%	3	5%	0	0%	0	0%	0	0%
Tochigi	2011	136	-	-	0	0%	1.3	1,908	218	218	218	133	494	293	23	17%	8	5.9%	9	6.6%	14	10%	82	60%
	2012	196	1.5	18	14	7.1%	1.5	1,000	109	110	110	52	285	160	72	37%	26	13%	24	12%	16	8.2%	58	30%
	2013	160	2.2	6.4	45	28%	2.2	61	18	18	19	17	41	15	111	69%	42	26%	7	4.4%	0	0%	0	0%
	2014	476	2.4	13	306	64%	2.4	77	3.8	6.1	8.4	-	12	-	461	97%	14	2.9%	0	0%	1	0.2%	0	0%
	2015	513	2.6	15	346	67%	2.6	76	4.5	7.1	9.6	-	15	-	492	96%	16	3.1%	4	0.8%	1	0.2%	0	0%
	2016	866	2.8	18	514	59%	2.8	68	7.5	10	12	-	27	-	761	88%	96	11%	9	1.0%	0	0%	0	0%
	2017	907	2.6	16	625	69%	2.6	52	4.4	7.0	9.7	-	16	-	866	95%	40	4.4%	1	0.1%	0	0%	0	0%
	2018	684	2.8	25	509	74%	2.8	60	3.9	6.8	9.6	-	13	-	653	95%	23	3.4%	8	1.2%	0	0%	0	0%
	2019	722	2.9	15	516	71%	2.9	56	3.9	6.6	9.3	-	15	-	691	96%	30	4.2%	1	0.1%	0	0%	0	0%
	2020	538	3.1	15	395	73%	3.1	62	4.0	6.7	9.5	-	15	-	520	97%	15	2.8%	3	0.6%	0	0%	0	0%
	2021	572	2.1	13	403	70%	2.1	70	5.2	7.8	10	-	21	-	531	93%	37	6.5%	4	0.7%	0	0%	0	0%
	2022	481	3.0	13	323	67%	3.0	72	4.6	7.0	9.5	-	13	-	459	95%	18	3.7%	4	0.8%	0	0%	0	0%
	2023	439	2.1	14	292	67%	2.1	79	5.8	7.9	9.9	-	19	-	407	93%	24	5.5%	6	1.4%	2	0.5%	0	0%
	2024	285	2.8	12	180	63%	2.8	64	5.1	7.0	8.9	-	16	-	270	95%	13	4.6%	2	0.7%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	77	9.4	40	52	68%	9.4	254	32	44	55	-	125	-	56	73%	5	6.5%	4	5.2%	3	3.9%	9	12%
	2012	162	10	20	81	50%	10	140	18	23	28	-	52	-	109	67%	36	22%	11	6.8%	3	1.9%	3	1.9%
	2013	164	7.2	19	94	57%	7.2	73	12	17	22	-	41	-	124	76%	32	20%	8	4.9%	0	0%	0	0%
	2014	171	6.0	19	105	61%	6.0	51	8.4	14	19	-	28	-	150	88%	20	12%	1	0.6%	0	0%	0	0%
	2015	146	6.4	19	89	61%	6.4	40	6.6	12	17	-	24	-	138	95%	8	5.5%	0	0%	0	0%	0	0%
	2016	143	6.5	19	77	54%	6.5	53	8.5	13	18	-	25	-	130	91%	12	8.4%	1	0.7%	0	0%	0	0%
	2017	134	6.4	19	63	47%	6.4	40	9.1	13	17	7.9	24	5.8	124	93%	10	7.5%	0	0%	0	0%	0	0%
	2018	146	7.0	19	69	47%	7.0	43	8.8	13	17	7.7	22	5.5	137	94%	9	6.2%	0	0%	0	0%	0	0%
	2019	117	5.3	19	61	52%	5.3	38	7.2	12	17	-	20	-	114	97%	3	2.6%	0	0%	0	0%	0	0%
	2020	187	6.6	19	86	46%	6.6	43	10	14	19	8.2	26	6.3	166	89%	21	11%	0	0%	0	0%	0	0%
	2021	201	7.1	19	88	44%	7.1	43	9.9	14	18	9.2	24	5.5	183	91%	18	9.0%	0	0%	0	0%	0	0%
	2022	162	8.0	19	82	51%	8.0	37	7.6	12	16	-	19	-	155	96%	7	4.3%	0	0%	0	0%	0	0%
	2023	104	7.1	20	62	60%	7.1	30	5.4	11	16	-	16	-	103	99%	1	1%	0	0%	0	0%	0	0%
2024	97	5.3	19	61	63%	5.3	23	4.2	9.8	15	-	12	-	97	100%	0	0%	0	0%	0	0%	0	0%	
Chiba	2011	147	2.4	20	10	6.8%	2.4	1,955	120	120	121	55	254	214	40	27%	29	20%	14	9.5%	16	11%	48	33%
	2012	199	-	-	0	0%	1.5	740	47	47	47	32	80	63	72	36%	65	33%	39	20%	8	4.0%	15	7.5%
	2013	369	1.4	3.3	8	2.2%	1.4	94	23	23	23	20	44	16	243	66%	101	27%	18	4.9%	7	1.9%	0	0%
	2014	338	1.1	17	69	20%	1.1	83	14	14	15	9.7	30	14	285	84%	40	12%	10	3.0%	3	0.9%	0	0%
	2015	280	0.94	9.5	73	26%	0.94	45	9.1	10	11	6.9	24	8.9	254	91%	26	9.3%	0	0%	0	0%	0	0%
	2016	294	1.3	9.7	42	14%	1.3	62	11	12	12	7.2	27	10	255	87%	38	13%	1	0.3%	0	0%	0	0%
	2017	330	0.99	9.8	102	31%	0.99	150	9.2	10	11	5.3	24	13	300	91%	26	7.9%	2	0.6%	1	0.3%	1	0.3%
	2018	330	0.91	5.3	46	14%	0.91	57	8.4	8.6	8.8	4.4	21	10	302	92%	25	7.6%	3	0.9%	0	0%	0	0%
	2019	283	1.0	5.6	46	16%	1.0	30	5.4	5.7	5.9	3.2	14	5.6	279	99%	4	1.4%	0	0%	0	0%	0	0%
	2020	293	0.84	5.7	46	16%	0.84	36	4.9	5.1	5.3	3.7	11	4.9	289	99%	4	1.4%	0	0%	0	0%	0	0%
	2021	222	0.98	4.7	46	21%	0.98	32	3.8	4.1	4.4	2.5	7.7	4.4	219	99%	3	1.4%	0	0%	0	0%	0	0%
	2022	214	0.97	9.4	46	21%	0.97	21	4.1	4.5	4.8	2.6	11	4.2	214	100%	0	0%	0	0%	0	0%	0	0%
	2023	214	0.67	4.8	65	30%	0.67	34	3.7	4.2	4.6	2.3	11	4.5	212	99%	2	1%	0	0%	0	0%	0	0%
2024	162	0.78	5.1	42	26%	0.78	33	4.5	4.8	5.1	2.6	12	5.2	161	99%	1	1%	0	0%	0	0%	0	0%	
Saitama	2011	25	2.6	100	12	48%	2.6	99	29	39	49	2.6	80	26	15	60%	1	4.0%	6	24%	3	12%	0	0%
	2012	111	2.0	20	20	18%	2.0	90	21	22	24	16	45	18	75	68%	27	24%	6	5.4%	3	2.7%	0	0%
	2013	78	4.3	12	12	15%	5.7	73	18	19	20	14	41	15	58	74%	15	19%	5	6.4%	0	0%	0	0%
	2014	55	4.9	17	20	36%	5.6	64	9.8	12	13	7.3	21	10	51	93%	3	5.5%	1	1.8%	0	0%	0	0%
	2015	35	4.1	12	11	31%	4.4	28	6.6	8.2	9.8	6.2	13	5.3	34	97%	1	2.9%	0	0%	0	0%	0	0%
	2016	18	4.0	13	10	56%	5.7	27	5.7	8.5	11	-	15	-	17	94%	1	5.6%	0	0%	0	0%	0	0%
	2017	38	2.8	14	12	32%	2.8	49	9.9	12	13	7.4	23	9.0	35	92%	3	7.9%	0	0%	0	0%	0	0%
	2018	35	4.4	13	19	54%	4.4	38	6.2	9.1	12	-	16	-	34	97%	1	2.9%	0	0%	0	0%	0	0%
	2019	16	4.6	13	5	31%	4.6	22	8.4	10	12	9.5	16	3.8	16	100%	0	0%	0	0%	0	0%	0	0%
	2020	22	3.1	14	14	64%	3.1	59	6.4	9.2	12	-	22	-	20	91%	1	4.5%	1	4.5%	0	0%	0	0%
	2021	26	3.3	13	15	58%	3.7	31	5.8	8.2	11	-	17	-	25	96%	1	3.8%	0	0%	0	0%	0	0%
	2022	12	3.6	16	9	75%	4.4	12	1.9	5.1	8.4	-	6.2	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2023	25	2.4	18	17	68%	2.4	22	3.5	7.7	12	-	13	-	25	100%	0	0%	0	0%	0	0%	0	0%
2024	17	1.9	19	13	76%	1.9	18	2.6	7.6	13	-	11	-	17	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			≤25		>25 and ≤50										>50 and ≤75		>75 and ≤100		>100					
			Number of samples	Ratio	Number of samples	Ratio									Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio				
Tokyo	2011	15	14	20	7	47%	14	115	27	31	35	14	70	30	10	67%	1	6.7%	3	20%	0	0%	1	6.7%
	2012	35	5.5	14	14	40%	5.5	63	18	20	22	9.0	45	16	22	63%	10	29%	3	8.6%	0	0%	0	0%
	2013	18	6.0	12	9	50%	6.0	42	8.3	11	14	-	21	-	16	89%	2	11%	0	0%	0	0%	0	0%
	2014	15	7.7	12	8	53%	7.7	40	7.3	10	13	-	18	-	14	93%	1	6.7%	0	0%	0	0%	0	0%
	2015	11	7.4	12	7	64%	7.4	19	5.5	9.0	13	-	18	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2016	10	6.1	11	5	50%	6.1	17	5.8	8.5	11	-	16	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2017	10	7.2	11	4	40%	7.2	12	5.6	7.6	9.5	7.3	11	1.7	10	100%	0	0%	0	0%	0	0%	0	0%
	2018	7	5.7	9.1	3	43%	5.7	22	8.1	10	12	5.7	-	5.7	7	100%	0	0%	0	0%	0	0%	0	0%
	2019	8	6.0	9.8	4	50%	6.0	17	5.1	7.4	10	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2020	6	5.8	9.8	4	67%	5.8	7.2	2.2	5.2	8.2	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2021	6	5.4	9.7	2	33%	5.4	13	6.6	8.2	10	6.9	-	2.9	6	100%	0	0%	0	0%	0	0%	0	0%
	2022	3	5.5	9.8	1	33%	5.5	7.8	4.4	6.1	7.7	5.5	-	2.2	3	100%	0	0%	0	0%	0	0%	0	0%
	2023	5	7.2	10	2	40%	7.2	16	6.4	8.3	10	7.2	-	3.4	5	100%	0	0%	0	0%	0	0%	0	0%
2024	5	7.1	9.6	3	60%	7.1	8.4	3.1	5.7	8.2	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	
Kanagawa	2011	18	3.3	20	6	33%	3.3	153	30	33	37	18	72	35	11	61%	2	11%	4	22%	0	0%	1	5.6%
	2012	16	3.5	20	1	6.3%	3.5	140	38	39	39	27	86	37	8	50%	4	25%	1	6.3%	2	13%	1	6.3%
	2013	15	4.3	19	2	13%	4.3	72	28	29	30	18	54	21	8	53%	3	20%	4	27%	0	0%	0	0%
	2014	17	2.2	17	3	18%	2.2	39	11	13	14	8.9	20	8.9	16	94%	1	5.9%	0	0%	0	0%	0	0%
	2015	14	6.3	6.5	3	21%	6.3	27	12	13	13	11	27	8.0	11	79%	3	21%	0	0%	0	0%	0	0%
	2016	6	2.2	7.6	2	33%	2.2	31	8.4	9.5	11	3.7	-	10	5	83%	1	17%	0	0%	0	0%	0	0%
	2017	6	4.3	9.8	2	33%	4.3	12	6.1	7.6	9.0	6.2	-	2.9	6	100%	0	0%	0	0%	0	0%	0	0%
	2018	3	4.8	8.5	1	33%	4.8	18	7.6	9.0	10	4.8	-	6.8	3	100%	0	0%	0	0%	0	0%	0	0%
	2019	3	-	-	0	0%	3.3	6.2	4.3	4.3	4.3	3.5	-	1.6	3	100%	0	0%	0	0%	0	0%	0	0%
	2020	1	8.6	8.6	1	100%	-	-	0	4.3	8.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2021	3	-	-	0	0%	1.9	9.6	5.9	5.9	5.9	6.2	-	3.9	3	100%	0	0%	0	0%	0	0%	0	0%
	2022	3	2.2	7.9	1	33%	2.2	20	7.4	8.7	10	2.2	-	9.1	3	100%	0	0%	0	0%	0	0%	0	0%
	2023	1	8.5	8.5	1	100%	-	-	0	4.3	8.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
2024	2	8.7	8.7	1	50%	15	15	7.5	9.7	12	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	3	5.0	6.6	1	33%	5.0	5.7	3.6	4.7	5.8	5.0	-	0.8	3	100%	0	0%	0	0%	0	0%	0	0%
	2013	12	5.1	9.2	11	92%	5.1	5.1	0.43	3.7	6.9	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2014	8	3.4	8.2	7	88%	11	11	1.4	4.1	6.9	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2015	8	4.4	7.3	6	75%	5.0	5.1	1.3	3.7	6.1	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2016	5	4.6	8.2	4	80%	4.6	4.6	0.92	3.6	6.2	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2017	4	5.5	8.5	4	100%	-	-	0	3.2	6.4	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2018	7	3.6	6.9	4	57%	3.6	10	3.2	4.9	6.7	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2019	7	4.2	7.5	6	86%	4.2	4.2	0.60	3.3	6.1	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2020	7	4.2	7.3	4	57%	4.2	9.2	3.1	4.9	6.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2021	9	5.4	8.2	7	78%	5.7	9.6	1.7	4.5	7.2	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2022	7	4.2	7.8	5	71%	7.4	13	2.9	5.2	7.5	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2023	7	5.3	8.5	5	71%	6.6	6.8	1.9	4.2	6.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
2024	7	5.1	8.2	5	71%	5.6	22	3.9	6.4	8.8	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	7	4.0	4.0	6	86%	8.0	8.0	1.1	2.9	4.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2012	15	1.8	13	7	47%	1.9	36	8.8	10	12	1.9	21	10	14	93%	1	6.7%	0	0%	0	0%	0	0%
	2013	15	1.8	3.2	2	13%	1.8	19	5.6	5.8	6.0	3.6	12	5.0	15	100%	0	0%	0	0%	0	0%	0	0%
	2014	9	2.3	2.9	2	22%	2.3	16	6.3	6.6	6.9	5.0	-	5.3	9	100%	0	0%	0	0%	0	0%	0	0%
	2015	2	3.9	3.9	1	50%	40	40	20	21	22	-	-	-	1	50%	1	50%	0	0%	0	0%	0	0%
	2016	2	-	-	0	0%	2.7	3.2	3.0	3.0	3.0	3.0	-	0.35	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	4	4.9	8.9	1	25%	4.9	11	5.5	6.6	7.7	5.4	-	2.8	4	100%	0	0%	0	0%	0	0%	0	0%
	2018	2	-	-	0	0%	2.3	4.9	3.6	3.6	3.6	3.6	-	1.8	2	100%	0	0%	0	0%	0	0%	0	0%
	2019	1	-	-	0	0%	5.8	5.8	5.8	5.8	5.8	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2020	2	-	-	0	0%	2.6	5.8	4.2	4.2	4.2	4.2	-	2.3	2	100%	0	0%	0	0%	0	0%	0	0%
	2021	4	5.5	11	2	50%	5.5	6.7	3.1	5.4	7.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2022	1	6.9	6.9	1	100%	-	-	0	3.5	6.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	3	3.3	9.4	1	33%	3.3	6.0	3.1	4.7	6.2	3.3	-	3.1	3	100%	0	0%	0	0%	0	0%	0	0%
	2024	3	3.1	5.5	3	100%	-	-	0	2.0	4.0	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
Nagano	2011	517	6.0	68	511	99%	8.9	180	0.52	22	44	-	-	-	515	99.6%	1	0.2%	0	0%	0	0%	1	0.2%
	2012	19	2.4	9.7	11	58%	2.7	13	2.8	4.4	6.0	-	7.8	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2013	8	3.9	7.2	4	50%	7.0	18	6.8	8.2	9.7	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2014	23	25	25	23	100%	-	-	0	13	25	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%
	2015	8	25	25	7	88%	47	47	5.9	17	28	-	-	-	7	88%	1	13%	0	0%	0	0%	0	0%
	2016	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2020	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	2011	8	-	-	0	0%	4.0	318	65	65	65	21	-	105	5	63%	0	0%	1	13%	1	13%	1	13%
	2012	12	-	-	0	0%	2.8	77	24	24	24	13	51	22	8	67%	2	17%	1	8.3%	1	8.3%	0	0%
	2013	13	2.1	9.8	1	7.7%	2.1	30	11	11	11	6.6	27	10	11	85%	2	15%	0	0%	0	0%	0	0%
	2014	12	2.0	3.3	2	17%	2.0	33	9.0	9.3	9.5	5.3	19	9.3	11	92%	1	8.3%	0	0%	0	0%	0	0%
	2015	12	2.0	3.1	4	33%	2.0	23	6.7	7.2	7.6	4.0	13	6.4	12	100%	0	0%	0	0%	0	0%	0	0%
	2016	11	1.8	3.0	4	36%	1.8	13	4.3	4.8	5.3	3.7	9.6	3.7	11	100%	0	0%	0	0%	0	0%	0	0%
	2017	5	1.8	2.6	2	40%	1.8	4.4	2.1	2.6	3.1	1.8	-	1.2	5	100%	0	0%	0	0%	0	0%	0	0%
	2018	20	1.9	4.5	5	25%	1.9	22	8.5	8.9	9.4	9.1	15	5.5	20	100%	0	0%	0	0%	0	0%	0	0%
	2019	12	2.7	3.2	2	17%	11	34	12	12	12	11	18	8.4	11	92%	1	8.3%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Difficult for cultivation/feed management

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	6,491	0.068	100	2,048	32%	0.068	18,700	101	103	105	17	220	419	3,567	55%	781	12%	473	7.3%	327	5.0%	1,343	21%
	2012	20,530	0.047	29	9,122	44%	0.047	61,000	74	77	80	5.1	92	897	14,835	72%	2,241	11%	988	4.8%	638	3.1%	1,828	8.9%
	2013	23,707	0.033	28	14,551	61%	0.033	20,000	24	28	32	-	39	-	20,455	86%	1,336	5.6%	619	2.6%	395	1.7%	902	3.8%
	2014	24,794	0.045	28	17,632	71%	0.045	30,000	16	21	25	-	23	-	22,506	91%	1,068	4.3%	425	1.7%	253	1.0%	542	2.2%
	2015	21,596	0.0061	26	17,376	80%	0.0061	9,800	7.8	13	18	-	12	-	20,412	95%	573	2.7%	228	1.1%	124	0.6%	259	1.2%
	2016	22,812	0.20	40	18,186	80%	0.28	30,000	15	20	25	-	17	-	21,092	92%	845	3.7%	275	1.2%	150	0.7%	450	2.0%
	2017	20,833	0.20	42	17,420	84%	0.20	14,000	6.8	12	18	-	10	-	19,855	95%	534	2.6%	167	0.8%	92	0.4%	185	0.9%
	2018	19,040	0.13	35	15,414	81%	0.13	10,000	9.7	15	20	-	16	-	17,696	93%	700	3.7%	230	1.2%	120	0.6%	294	1.5%
	2019	16,080	0.098	25	13,202	82%	0.098	5,200	6.8	12	18	-	13	-	15,207	95%	541	3.4%	115	0.7%	60	0.4%	157	1.0%
	2020	15,115	0.33	26	12,307	81%	0.33	2,400	5.5	11	16	-	16	-	14,234	94%	627	4.1%	93	0.6%	58	0.4%	103	0.7%
	2021	17,806	0.24	25	15,607	88%	0.24	990	3.7	9.1	14	-	6.0	-	17,180	96%	367	2.1%	101	0.6%	52	0.3%	106	0.6%
	2022	19,856	0.26	25	17,063	86%	0.26	1,500	4.4	10	16	-	8.7	-	18,875	95%	616	3.1%	166	0.8%	79	0.4%	120	0.6%
	2023	22,134	0.28	71	20,072	91%	0.28	950	3.3	12	20	-	-	-	21,448	97%	328	1.5%	148	0.7%	69	0.3%	141	0.6%
	2024	29,672	0.28	71	26,355	89%	0.28	14,000	4.7	14	24	-	5.9	-	28,671	97%	592	2.0%	146	0.5%	86	0.3%	177	0.6%
Aomori	2011	311	0.53	50	228	73%	0.53	117	3.6	13	23	-	8.5	-	301	97%	4	1.3%	3	1.0%	2	0.6%	1	0.3%
	2012	1,279	0.37	25	950	74%	0.37	120	4.1	9.0	14	-	15	-	1,222	96%	42	3.3%	7	0.5%	4	0.3%	4	0.3%
	2013	1,270	0.36	25	991	78%	0.36	40	1.3	5.6	9.9	-	5.6	-	1,268	99.8%	2	0.2%	0	0%	0	0%	0	0%
	2014	1,131	0.36	25	947	84%	0.36	31	0.80	5.0	9.2	-	1.1	-	1,128	99.7%	3	0.3%	0	0%	0	0%	0	0%
	2015	976	0.31	25	867	89%	0.31	31	0.71	4.6	8.6	-	0.48	-	973	99.7%	3	0.3%	0	0%	0	0%	0	0%
	2016	1,091	0.28	25	954	87%	0.28	48	0.94	4.3	7.8	-	0.70	-	1,090	99.9%	1	0.09%	0	0%	0	0%	0	0%
	2017	842	0.30	25	729	87%	0.30	34	1.3	5.2	9.0	-	6.1	-	838	99.5%	4	0.5%	0	0%	0	0%	0	0%
	2018	710	0.35	25	612	86%	0.35	44	1.5	5.3	9.2	-	6.0	-	707	99.6%	3	0.4%	0	0%	0	0%	0	0%
	2019	626	0.28	25	537	86%	0.28	46	1.6	5.0	8.3	-	6.3	-	620	99%	6	1.0%	0	0%	0	0%	0	0%
	2020	637	0.36	13	564	89%	0.36	26	0.97	4.1	7.3	-	4.8	-	636	99.8%	1	0.2%	0	0%	0	0%	0	0%
	2021	606	0.33	15	539	89%	0.33	81	0.96	4.3	7.7	-	4.2	-	605	99.8%	0	0%	0	0%	1	0.2%	0	0%
	2022	725	0.51	14	654	90%	0.51	23	0.88	4.4	8.0	-	-	-	725	100%	0	0%	0	0%	0	0%	0	0%
	2023	631	0.31	15	565	90%	0.31	26	0.88	4.4	7.9	-	0.34	-	630	99.8%	1	0.2%	0	0%	0	0%	0	0%
	2024	867	0.44	16	805	93%	5.1	39	0.72	4.8	8.8	-	-	-	863	99.5%	4	0.5%	0	0%	0	0%	0	0%
Iwate	2011	453	0.37	20	257	57%	0.37	600	20	22	23	-	63	-	383	85%	17	3.8%	14	3.1%	11	2.4%	28	6.2%
	2012	2,166	0.36	29	1,400	65%	0.36	3,000	15	18	21	-	28	-	1,926	89%	125	5.8%	36	1.7%	30	1.4%	49	2.3%
	2013	2,144	0.35	20	1,619	76%	0.35	380	4.4	8.0	12	-	8.9	-	2,055	96%	37	1.7%	23	1.1%	13	0.6%	16	0.7%
	2014	2,066	0.42	20	1,825	88%	0.42	380	3.1	7.1	11	-	1.2	-	2,008	97%	27	1.3%	13	0.6%	6	0.3%	12	0.6%
	2015	2,125	0.40	19	1,884	89%	0.40	360	2.5	6.1	9.8	-	3.2	-	2,075	98%	23	1.1%	12	0.6%	9	0.4%	6	0.3%
	2016	1,860	0.35	25	1,702	92%	0.35	430	3.3	6.9	11	-	-	-	1,797	97%	28	1.5%	12	0.6%	8	0.4%	15	0.8%
	2017	1,792	0.33	25	1,661	93%	0.33	130	1.6	5.0	8.4	-	-	-	1,751	98%	26	1.5%	6	0.3%	7	0.4%	2	0.1%
	2018	1,787	0.21	25	1,630	91%	0.21	590	3.3	6.4	9.4	-	-	-	1,728	97%	30	1.7%	6	0.3%	8	0.4%	15	0.8%
	2019	1,938	0.41	16	1,792	92%	0.41	260	1.7	5.0	8.3	-	-	-	1,903	98%	17	0.9%	10	0.5%	2	0.1%	6	0.3%
	2020	2,011	0.35	25	1,639	82%	0.35	240	3.3	6.3	9.2	-	11	-	1,958	97%	37	1.8%	5	0.2%	5	0.2%	6	0.3%
	2021	2,174	0.30	16	2,069	95%	0.30	85	0.77	4.5	8.1	-	-	-	2,154	99%	14	0.6%	4	0.2%	2	0.09%	0	0%
	2022	2,517	0.37	25	1,970	78%	0.37	160	3.7	6.9	10	-	13	-	2,445	97%	51	2.0%	10	0.4%	8	0.3%	3	0.1%
	2023	1,855	0.38	18	1,796	97%	0.38	120	0.65	4.6	8.5	-	-	-	1,841	99%	9	0.5%	4	0.2%	0	0%	1	0.1%
	2024	3,884	0.28	55	2,726	70%	0.28	110	4.3	7.4	11	-	14	-	3,754	97%	96	2.5%	24	0.6%	9	0.2%	1	0.03%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
															≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
			Min	Max	Number of Samples	Ratio									Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio		
Akita	2011	10	1.5	20	5	50%	1.6	7.7	2.1	3.5	4.9	-	6.6	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2012	54	0.79	14	44	81%	0.79	12	1.1	3.2	5.2	-	4.3	-	54	100%	0	0%	0	0%	0	0%	0	0%
	2013	55	1.2	16	45	82%	4.9	110	5.1	9.4	14	-	11	-	51	93%	3	5.5%	0	0%	0	0%	1	1.8%
	2014	48	0.86	14	41	85%	0.86	120	8.1	12	16	-	12	-	44	92%	0	0%	2	4.2%	0	0%	2	4.2%
	2015	30	1.3	15	22	73%	8.3	79	8.9	13	17	-	29	-	26	87%	1	3.3%	2	6.7%	1	3.3%	0	0%
	2016	14	1.0	11	5	36%	8.0	88	21	22	24	11	63	26	11	79%	1	7.1%	1	7.1%	1	7.1%	0	0%
	2017	11	7.3	13	3	27%	7.3	85	23	24	26	7.8	79	29	8	73%	1	9.1%	0	0%	2	18%	0	0%
	2018	3	5.0	8.0	1	33%	5.0	12	5.7	7.0	8.3	5.0	-	3.5	3	100%	0	0%	0	0%	0	0%	0	0%
	2019	19	5.9	13	8	42%	5.9	80	18	20	23	7.5	47	21	12	63%	5	26%	1	5.3%	1	5.3%	0	0%
	2020	19	7.8	20	11	58%	7.8	21	6.4	10	14	-	20	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2021	6	7.0	7.0	1	17%	9.2	46	22	23	23	22	-	16	3	50%	3	50%	0	0%	0	0%	0	0%
	2022	12	6.4	9.7	1	8.3%	6.4	32	19	19	20	21	25	7.9	11	92%	1	8.3%	0	0%	0	0%	0	0%
	2023	5	10	10	1	20%	22	42	26	27	28	27	-	13	2	40%	3	60%	0	0%	0	0%	0	0%
2024	10	8.6	11	3	30%	8.6	56	23	25	26	16	51	20	6	60%	3	30%	1	10%	0	0%	0	0%	
Miyagi	2011	585	0.42	58	212	36%	0.42	460	14	15	15	2.5	40	36	500	85%	42	7.2%	17	2.9%	7	1.2%	19	3.2%
	2012	2,394	0.11	20	686	29%	0.34	3,300	27	28	29	7.0	62	90	1,801	75%	287	12%	117	4.9%	78	3.3%	111	4.6%
	2013	2,455	0.31	25	1,113	45%	0.31	1,700	17	20	22	1.1	38	58	2,085	85%	194	7.9%	60	2.4%	40	1.6%	76	3.1%
	2014	3,046	0.37	25	2,144	70%	0.37	1,300	11	16	21	-	25	-	2,749	90%	141	4.6%	60	2.0%	39	1.3%	57	1.9%
	2015	2,802	0.34	25	2,140	76%	0.34	3,800	14	19	24	-	27	-	2,512	90%	105	3.7%	57	2.0%	32	1.1%	96	3.4%
	2016	3,169	0.33	25	2,358	74%	0.33	720	9.6	15	20	-	26	-	2,851	90%	175	5.5%	56	1.8%	30	0.9%	57	1.8%
	2017	2,757	0.32	25	2,130	77%	0.32	640	8.3	13	18	-	17	-	2,556	93%	105	3.8%	33	1.2%	14	0.5%	49	1.8%
	2018	2,747	0.39	25	2,153	78%	0.39	670	9.2	15	20	-	20	-	2,516	92%	114	4.1%	41	1.5%	22	0.8%	54	2.0%
	2019	2,431	0.34	25	1,870	77%	0.34	630	8.8	14	19	-	19	-	2,240	92%	105	4.3%	26	1.1%	17	0.7%	43	1.8%
	2020	2,386	0.33	25	1,879	79%	0.33	980	8.5	14	19	-	21	-	2,190	92%	103	4.3%	30	1.3%	26	1.1%	37	1.6%
	2021	5,357	0.24	25	4,734	88%	0.24	650	3.5	8.3	13	-	4.8	-	5,166	96%	111	2.1%	33	0.6%	18	0.3%	29	0.5%
	2022	7,782	0.26	25	6,959	89%	0.26	770	4.4	11	18	-	0.55	-	7,245	93%	356	4.6%	102	1.3%	34	0.4%	45	0.6%
	2023	8,475	0.32	71	8,069	95%	0.32	670	1.8	14	26	-	-	-	8,329	98%	44	0.5%	49	0.6%	18	0.2%	35	0.4%
2024	12,085	0.29	71	11,541	95%	0.29	480	1.9	17	31	-	-	-	11,816	98%	117	1.0%	56	0.5%	37	0.3%	59	0.5%	
Yamagata	2011	63	1.2	20	36	57%	1.8	560	41	45	50	-	139	-	47	75%	4	6.3%	1	1.6%	1	1.6%	10	16%
	2012	125	1.2	17	101	81%	4.4	110	5.8	10	15	-	17	-	116	93%	4	3.2%	3	2.4%	0	0%	2	1.6%
	2013	435	4.0	25	392	90%	6.0	240	3.0	10	18	-	-	-	421	97%	7	1.6%	5	1.1%	0	0%	2	0.5%
	2014	339	6.1	20	291	86%	6.1	200	4.7	11	18	-	17	-	321	95%	8	2.4%	7	2.1%	2	0.6%	1	0.3%
	2015	276	7.1	20	241	87%	7.1	129	3.5	10	17	-	10	-	264	96%	9	3.3%	0	0%	1	0.4%	2	0.7%
	2016	267	6.0	20	224	84%	6.0	160	4.7	11	18	-	18	-	250	94%	13	4.9%	2	0.7%	1	0.4%	1	0.4%
	2017	216	7.0	20	159	74%	7.0	110	7.6	14	20	-	27	-	192	89%	16	7.4%	6	2.8%	1	0.5%	1	0.5%
	2018	211	6.2	20	151	72%	6.2	130	8.9	15	20	-	31	-	184	87%	16	7.6%	7	3.3%	3	1.4%	1	0.5%
	2019	168	6.0	19	119	71%	10	160	9.4	15	20	-	29	-	145	86%	17	10%	2	1.2%	1	0.6%	3	1.8%
	2020	81	5.7	18	34	42%	5.7	130	17.5	20	24	11	51	20	62	77%	10	12%	7	8.6%	1	1.2%	1	1.2%
	2021	112	6.7	19	57	51%	6.7	140	14.4	18	22	-	49	-	91	81%	10	8.9%	9	8.0%	1	0.9%	1	0.9%
	2022	59	5.9	18	22	37%	5.9	84	19	22	24	12	49	18	42	71%	11	19%	4	6.8%	2	3.4%	0	0%
	2023	65	6.0	20	28	43%	6.0	85	13	16	19	7.9	34	15	55	85%	7	11%	1	1.5%	2	3.1%	0	0%
2024	50	5.1	19	22	44%	5.1	54	10	13	16	7.5	22	9.6	47	94%	2	4.0%	1	2.0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	2,810	6.6	57	725	26%	6.6	18,700	180	182	185	55	420	615	985	35%	369	13%	282	10%	211	7.5%	963	34%
	2012	7,913	3.3	20	3,490	44%	3.3	61,000	145	149	152	9.8	170	1,370	4,907	62%	961	12%	482	6.1%	337	4.3%	1,226	15%
	2013	9,735	3.2	20	6,593	68%	3.2	20,000	40	45	50	-	53	-	8,162	84%	562	5.8%	286	2.9%	189	1.9%	536	5.5%
	2014	10,848	3.6	20	8,362	77%	3.6	30,000	24	30	36	-	22	-	9,872	91%	416	3.8%	173	1.6%	108	1.0%	279	2.6%
	2015	9,790	3.7	20	8,491	87%	3.7	9,800	6.6	13	20	-	9.2	-	9,493	97%	161	1.6%	56	0.6%	31	0.3%	49	0.5%
	2016	11,230	3.1	20	9,565	85%	3.1	30,000	22	28	35	-	11	-	10,556	94%	246	2.2%	90	0.8%	48	0.4%	290	2.6%
	2017	10,503	2.6	42	9,452	90%	2.6	14,000	7.2	14	21	-	2.1	-	10,180	97%	167	1.6%	50	0.5%	35	0.3%	71	0.7%
	2018	9,064	3.1	25	7,746	85%	3.1	10,000	11	18	24	-	12	-	8,529	94%	270	3.0%	95	1.0%	54	0.6%	116	1.3%
	2019	7,062	3.3	20	6,112	87%	3.3	5,200	6.1	13	20	-	11	-	6,776	96%	216	3.1%	28	0.4%	9	0.1%	33	0.5%
	2020	5,603	3.6	20	4,825	86%	3.6	2,400	4.4	11	17	-	12	-	5,344	95%	210	3.7%	19	0.3%	6	0.1%	24	0.4%
	2021	5,310	3.0	20	4,812	91%	3.0	950	3.7	11	17	-	-	-	5,142	97%	104	2.0%	21	0.4%	11	0.2%	32	0.6%
	2022	2,560	3.1	20	2,251	88%	3.1	1,500	8.4	15	22	-	10	-	2,441	95%	43	1.7%	14	0.5%	16	0.6%	46	1.8%
	2023	7,240	2.7	20	6,550	90%	2.7	890	3.7	11	18	-	-	-	6,982	96%	155	2.1%	45	0.6%	17	0.2%	41	0.6%
	2024	5,068	2.7	22	4,343	86%	2.7	14,000	15	21	28	-	13	-	4,764	94%	159	3.1%	39	0.8%	23	0.5%	83	1.6%
Ibaraki	2011	1,237	0.40	20	146	12%	0.40	850	40	40	40	21	91	67	725	59%	253	20%	100	8.1%	45	3.6%	114	9.2%
	2012	2,889	0.32	25	819	28%	0.32	1,300	21	22	24	9.7	48	40	2,172	75%	444	15%	118	4.1%	71	2.5%	84	2.9%
	2013	2,980	0.36	25	1,477	50%	0.36	1,000	8.1	11	13	0.60	20	26	2,747	92%	155	5.2%	44	1.5%	15	0.5%	19	0.6%
	2014	3,234	0.35	25	1,839	57%	0.35	330	5.6	8.3	11	-	18	-	3,039	94%	159	4.9%	24	0.7%	6	0.2%	6	0.2%
	2015	2,484	0.42	25	1,829	74%	0.42	180	3.3	6.5	9.7	-	8.5	-	2,383	96%	78	3.1%	13	0.5%	7	0.3%	3	0.1%
	2016	2,118	0.40	25	1,646	78%	0.40	110	3.4	6.8	10	-	10	-	2,020	95%	75	3.5%	19	0.9%	3	0.1%	1	0.05%
	2017	1,611	0.39	15	1,231	76%	0.39	160	3.1	6.2	9.3	-	11	-	1,562	97%	41	2.5%	7	0.4%	0	0%	1	0.06%
	2018	1,286	0.31	35	971	76%	0.31	77	3.5	6.6	9.7	-	11	-	1,223	95%	55	4.3%	7	0.5%	1	0.08%	0	0%
	2019	856	0.39	14	740	86%	0.39	630	4.7	8.3	12	-	0.76	-	826	96%	21	2.5%	0	0%	1	0.1%	8	0.9%
	2020	835	0.33	15	732	88%	0.33	1,100	4.9	8.5	12	-	0.76	-	811	97%	15	1.8%	2	0.2%	0	0%	7	0.8%
	2021	1,695	0.26	16	1,448	85%	0.26	300	1.9	5.2	8.4	-	4.3	-	1,663	98%	21	1.2%	7	0.4%	2	0.1%	2	0.1%
	2022	1,445	0.31	16	1,298	90%	0.31	51	1.0	4.5	7.9	-	0.42	-	1,432	99%	12	0.8%	1	0.07%	0	0%	0	0%
	2023	1,673	0.28	20	1,484	89%	0.28	140	1.1	4.4	7.8	-	2.2	-	1,661	99%	8	0.5%	3	0.2%	0	0%	1	0.06%
	2024	1,182	0.45	22	1,079	91%	0.71	210	1.6	5.4	9.3	-	-	-	1,165	99%	11	0.9%	3	0.3%	1	0.1%	2	0.2%
Tochigi	2011	222	5.7	26	61	27%	5.7	2,490	147	150	152	57	284	320	76	34%	26	12%	23	10%	14	6.3%	83	37%
	2012	1,451	0.99	28	484	33%	1.0	31,000	98	100	103	16	130	1,030	854	59%	230	16%	118	8.1%	62	4.3%	187	13%
	2013	1,018	1.4	23	507	50%	1.4	1,000	29	32	35	2.4	89	61	736	72%	96	9.4%	63	6.2%	41	4.0%	82	8.1%
	2014	754	1.9	19	361	48%	1.9	450	31	34	36	3.8	110	58	522	69%	92	12%	35	4.6%	28	3.7%	77	10%
	2015	584	2.5	18	399	68%	2.5	500	16	19	23	-	44	-	501	86%	35	6.0%	11	1.9%	11	1.9%	26	4.5%
	2016	839	0.20	18	430	51%	2.6	250	19	21	24	-	49	-	606	72%	158	19%	32	3.8%	18	2.1%	25	3.0%
	2017	746	3.0	19	411	55%	3.0	170	12	15	18	-	40	-	621	83%	80	11%	28	3.8%	9	1.2%	8	1.1%
	2018	711	1.0	25	338	48%	1.0	600	22	24	27	5.8	61	44	531	75%	90	13%	46	6.5%	14	2.0%	30	4.2%
	2019	837	3.1	25	435	52%	3.1	600	15	18	21	-	41	-	699	84%	79	9.4%	25	3.0%	12	1.4%	22	2.6%
	2020	590	3.7	25	242	41%	3.7	330	14	16	18	7.5	38	20	476	81%	99	17%	11	1.9%	2	0.3%	2	0.3%
	2021	471	3.9	17	289	61%	3.9	71	5.3	8.6	12	-	15	-	452	96%	17	3.6%	2	0.4%	0	0%	0	0%
	2022	271	3.7	22	217	80%	3.7	68	3.9	7.7	11	-	16	-	251	93%	18	6.6%	2	0.7%	0	0%	0	0%
	2023	238	2.3	18	193	81%	2.3	78	2.0	5.6	9.1	-	6.0	-	236	99%	1	0.4%	0	0%	1	0.4%	0	0%
	2024	165	2.3	18	116	70%	2.3	40	5.1	8.5	12	-	25	-	149	90%	16	10%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
															≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
			Min	Max	Number of Samples	Ratio									Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio		
Gunma	2011	250	2.0	100	70	28%	2.0	768	130	133	136	68	336	163	85	34%	29	12%	17	6.8%	21	8.4%	98	39%
	2012	566	2.8	23	260	46%	2.8	2,500	64	67	70	11	180	147	330	58%	47	8.3%	48	8.5%	32	5.7%	109	19%
	2013	712	3.4	20	249	35%	3.4	500	46	49	51	15	130	66	393	55%	91	13%	59	8.3%	61	8.6%	108	15%
	2014	539	4.1	20	198	37%	4.1	650	46	48	50	11	110	81	325	60%	46	8.5%	61	11%	47	8.7%	60	11%
	2015	443	3.8	20	163	37%	3.8	1,100	38	40	42	10	110	75	277	63%	53	12%	49	11%	18	4.1%	46	10%
	2016	468	2.9	20	160	34%	2.9	440	34	36	38	11	90	59	308	66%	69	15%	30	6.4%	25	5.3%	36	7.7%
	2017	422	4.5	20	201	48%	4.5	880	32	34	37	5.6	77	79	312	74%	43	10%	23	5.5%	12	2.8%	32	7.6%
	2018	446	3.8	20	215	48%	3.8	780	34	37	40	5.0	110	77	327	73%	50	11%	13	2.9%	7	1.6%	49	11%
	2019	320	4.2	19	169	53%	4.2	830	20	23	26	-	50	-	266	83%	22	6.9%	12	3.8%	8	2.5%	12	3.8%
	2020	322	3.6	19	192	60%	3.6	740	13	17	20	-	32	-	280	87%	27	8.4%	6	1.9%	3	0.9%	6	1.9%
	2021	379	3.2	19	201	53%	3.2	990	29	32	35	-	63	-	298	79%	34	9.0%	13	3.4%	6	1.6%	28	7.4%
	2022	337	3.6	19	192	57%	3.6	420	16	20	23	-	41	-	284	84%	26	7.7%	10	3.0%	6	1.8%	11	3.3%
	2023	491	4.5	19	212	43%	4.5	950	39	42	45	8.4	100	89	331	67%	57	12%	34	6.9%	24	4.9%	45	9.2%
2024	259	3.6	19	113	44%	3.6	330	26	29	32	6.8	79	47	192	74%	32	12%	8	3.1%	6	2.3%	21	8.1%	
Chiba	2011	112	1.3	20	32	29%	1.3	400	34	37	39	11	91	57	75	67%	11	9.8%	8	7.1%	9	8.0%	9	8.0%
	2012	730	0.31	21	235	32%	0.31	260	15	15	16	1.9	44	30	605	83%	65	8.9%	33	4.5%	8	1.1%	19	2.6%
	2013	1,496	0.36	28	641	43%	0.36	220	12	13	14	0.97	35	23	1,283	86%	128	8.6%	48	3.2%	18	1.2%	19	1.3%
	2014	1,563	0.34	28	772	49%	0.34	210	8.2	9.8	11	0.43	25	16	1,412	90%	111	7.1%	26	1.7%	7	0.4%	7	0.4%
	2015	1,182	0.29	26	682	58%	0.29	140	6.0	8.1	10	-	18	-	1,107	94%	54	4.6%	12	1.0%	4	0.3%	5	0.4%
	2016	1,110	0.29	38	693	62%	0.29	140	4.6	7.5	10	-	11	-	1,053	95%	38	3.4%	11	1.0%	6	0.5%	2	0.2%
	2017	1,022	0.28	20	677	66%	0.28	96	3.3	5.9	8.6	-	8.7	-	986	96%	27	2.6%	7	0.7%	2	0.2%	0	0%
	2018	1,227	0.31	20	905	74%	0.31	93	3.3	7.3	11	-	10	-	1,181	96%	39	3.2%	5	0.4%	2	0.2%	0	0%
	2019	907	0.29	20	620	68%	0.29	92	4.0	7.8	12	-	16	-	864	95%	35	3.9%	6	0.7%	2	0.2%	0	0%
	2020	1,796	0.89	20	1,463	81%	0.89	81	3.6	11	19	-	21	-	1,693	94%	100	5.6%	2	0.1%	1	0.06%	0	0%
	2021	762	0.83	20	626	82%	0.83	49	2.7	10	18	-	7.9	-	730	96%	32	4.2%	0	0%	0	0%	0	0%
	2022	3,132	0.28	20	2,608	83%	0.28	66	2.0	6.8	12	-	5.0	-	3,053	97%	75	2.4%	4	0.1%	0	0%	0	0%
	2023	568	0.41	17	388	68%	0.41	34	2.8	5.3	7.7	-	9.9	-	557	98%	11	1.9%	0	0%	0	0%	0	0%
2024	5,200	0.29	20	4,788	92%	0.29	58	1.6	10	18	-	-	-	5,069	97%	130	2.5%	1	0.02%	0	0%	0	0%	
Saitama	2011	30	5.5	40	15	50%	10	290	37	45	53	-	111	-	17	57%	7	23%	1	3.3%	0	0%	5	17%
	2012	240	2.4	20	127	53%	2.4	820	24	27	31	-	56	-	199	83%	14	5.8%	9	3.8%	6	2.5%	12	5.0%
	2013	172	1.9	20	117	68%	1.9	540	14	18	22	-	32	-	152	88%	11	6.4%	2	1.2%	1	0.6%	6	3.5%
	2014	128	2.4	20	87	68%	2.4	530	10	15	19	-	24	-	116	91%	11	8.6%	0	0%	0	0%	1	0.8%
	2015	95	3.1	20	60	63%	3.1	50	7.3	12	17	-	27	-	84	88%	11	12%	0	0%	0	0%	0	0%
	2016	30	2.6	20	25	83%	5.2	40	2.4	5.9	9.3	-	5.7	-	29	97%	1	3.3%	0	0%	0	0%	0	0%
	2017	33	2.2	15	27	82%	7.1	130	8.1	12	17	-	14	-	31	94%	0	0%	0	0%	1	3.0%	1	3.0%
	2018	29	4.1	13	26	90%	4.2	8.6	0.67	5.4	10	-	0.84	-	29	100%	0	0%	0	0%	0	0%	0	0%
	2019	22	8.4	12	21	95%	12	12	0.55	5.7	11	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%
	2020	28	2.6	17	21	75%	2.6	67	4.36	7.6	11	-	8.7	-	27	96%	0	0%	1	3.6%	0	0%	0	0%
	2021	28	3.9	11	23	82%	4.4	8.1	0.98	4.1	7.2	-	4.9	-	28	100%	0	0%	0	0%	0	0%	0	0%
	2022	23	3.9	15	20	87%	4.4	26	2.2	6.1	9.9	-	3.5	-	22	96%	1	4.3%	0	0%	0	0%	0	0%
	2023	27	3.2	17	26	96%	11	11	0.41	4.5	8.5	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%
2024	24	3.1	16	21	88%	3.1	37	2.9	6.0	9.0	-	2.2	-	22	92%	2	8.3%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	32	0.94	20	23	72%	0.94	81	6.9	9.4	12	-	27	-	28	88%	3	9.4%	0	0%	1	3.1%	0	0%
	2012	78	0.45	25	55	71%	0.45	36	2.6	6.2	9.7	-	9.8	-	76	97%	2	2.6%	0	0%	0	0%	0	0%
	2013	414	0.70	20	282	68%	2.6	30	2.5	6.1	9.8	-	8.0	-	413	99.8%	1	0.2%	0	0%	0	0%	0	0%
	2014	272	1.2	15	210	77%	3.2	27	1.7	5.4	9.1	-	6.2	-	271	99.6%	1	0.4%	0	0%	0	0%	0	0%
	2015	115	0.90	16	109	95%	0.90	6.3	0.23	4.2	8.1	-	-	-	115	100%	0	0%	0	0%	0	0%	0	0%
	2016	49	1.3	9.7	47	96%	1.3	5.3	0.13	3.9	7.6	-	-	-	49	100%	0	0%	0	0%	0	0%	0	0%
	2017	45	0.60	13	44	98%	4.3	4.3	0.10	4.0	7.9	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%
	2018	38	0.80	11	38	100%	-	-	0	4.1	8.3	-	-	-	38	100%	0	0%	0	0%	0	0%	0	0%
	2019	51	0.90	14	51	100%	-	-	0	4.1	8.2	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%
	2020	58	6.5	13	58	100%	-	-	0	4.1	8.2	-	-	-	58	100%	0	0%	0	0%	0	0%	0	0%
	2021	58	0.60	12	58	100%	-	-	0	4.2	8.5	-	-	-	58	100%	0	0%	0	0%	0	0%	0	0%
	2022	61	0.90	16	61	100%	-	-	0	4.2	8.4	-	-	-	61	100%	0	0%	0	0%	0	0%	0	0%
	2023	59	1.0	18	59	100%	-	-	0	4.5	9.0	-	-	-	59	100%	0	0%	0	0%	0	0%	0	0%
	2024	52	0.60	12	52	100%	-	-	0	4.0	8.1	-	-	-	52	100%	0	0%	0	0%	0	0%	0	0%
Kanagawa	2011	186	0.47	20	99	53%	0.47	71	6.0	7.9	9.8	-	17	-	172	92%	9	4.8%	5	2.7%	0	0%	0	0%
	2012	221	0.95	17	192	87%	2.2	110	4.1	7.5	11	-	6.5	-	213	96%	2	0.9%	0	0%	5	2.3%	1	0.5%
	2013	166	0.44	16	156	94%	0.44	57	0.72	3.9	7.1	-	-	-	165	99%	0	0%	1	0.6%	0	0%	0	0%
	2014	118	1.0	14	112	95%	4.6	34	0.70	3.7	6.7	-	-	-	117	99%	1	0.8%	0	0%	0	0%	0	0%
	2015	105	0.29	13	101	96%	0.29	32	0.38	3.1	5.7	-	-	-	104	99%	1	1.0%	0	0%	0	0%	0	0%
	2016	90	0.61	25	87	97%	2.6	7.7	0.19	2.8	5.3	-	-	-	90	100%	0	0%	0	0%	0	0%	0	0%
	2017	80	0.20	10	77	96%	0.20	13	0.17	2.4	4.6	-	-	-	80	100%	0	0%	0	0%	0	0%	0	0%
	2018	85	0.13	13	82	96%	0.13	3.8	0.072	2.6	5.1	-	-	-	85	100%	0	0%	0	0%	0	0%	0	0%
	2019	70	0.098	9.5	68	97%	0.098	2.1	0.031	2.2	4.3	-	-	-	70	100%	0	0%	0	0%	0	0%	0	0%
	2020	55	0.65	11	54	98%	20	20	0.36	3.0	5.6	-	-	-	55	100%	0	0%	0	0%	0	0%	0	0%
	2021	87	1.2	12	86	99%	2.5	2.5	0.029	2.7	5.5	-	-	-	87	100%	0	0%	0	0%	0	0%	0	0%
	2022	89	0.61	10	89	100%	-	-	0	2.5	5.1	-	-	-	89	100%	0	0%	0	0%	0	0%	0	0%
	2023	80	0.97	11	80	100%	-	-	0	2.6	5.2	-	-	-	80	100%	0	0%	0	0%	0	0%	0	0%
	2024	89	0.65	12	89	100%	-	-	0	2.7	5.4	-	-	-	89	100%	0	0%	0	0%	0	0%	0	0%
Niigata	2011	36	4.9	20	24	67%	4.9	106	7.9	12	16	-	16	-	33	92%	1	2.8%	1	2.8%	0	0%	1	2.8%
	2012	45	2.4	14	31	69%	4.2	760	31	34	37	-	22	-	41	91%	1	2.2%	1	2.2%	0	0%	2	4.4%
	2013	224	3.4	14	153	68%	3.4	230	8.1	11	13	-	29	-	200	89%	17	7.6%	4	1.8%	2	0.9%	1	0.4%
	2014	247	2.8	12	159	64%	2.8	280	11	13	15	-	34	-	214	87%	18	7.3%	7	2.8%	3	1.2%	5	2.0%
	2015	187	2.1	16	140	75%	2.1	210	5.6	8.3	11	-	13	-	176	94%	8	4.3%	1	0.5%	0	0%	2	1.1%
	2016	203	2.1	9.3	139	68%	2.1	220	7.5	9.8	12	-	22	-	184	91%	12	5.9%	2	1.0%	4	2.0%	1	0.5%
	2017	158	2.3	9.7	117	74%	2.3	150	7.1	9.6	12	-	19	-	148	94%	3	1.9%	1	0.6%	4	2.5%	2	1.3%
	2018	157	2.5	9.3	116	74%	2.5	170	9.1	12	14	-	22	-	142	90%	7	4.5%	1	0.6%	2	1.3%	5	3.2%
	2019	160	2.9	9.0	105	66%	3.7	170	13	15	17	-	34	-	141	88%	7	4.4%	1	0.6%	5	3.1%	6	3.8%
	2020	108	3.4	10	79	73%	3.4	240	14	17	19	-	60	-	92	85%	3	2.8%	5	4.6%	4	3.7%	4	3.7%
	2021	103	3.1	9.0	70	68%	3.1	180	12	14	17	-	48	-	91	88%	1	1.0%	5	4.9%	3	2.9%	3	2.9%
	2022	119	2.4	9.2	83	70%	2.4	120	11	13	16	-	52	-	104	87%	2	1.7%	7	5.9%	3	2.5%	3	2.5%
	2023	112	2.2	8.6	83	74%	2.2	120	8.5	11	13	-	34	-	99	88%	7	6.3%	2	1.8%	2	1.8%	2	1.8%
	2024	89	2.3	8.3	67	75%	2.3	190	9.8	12	15	-	33	-	79	89%	2	2.2%	4	4.5%	3	3.4%	1	1.1%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	38	2.0	38	29	76%	36	454	38	45	51	-	100	-	29	76%	2	5.3%	1	2.6%	2	5.3%	4	11%
	2012	132	1.8	26	93	70%	1.8	360	17	21	25	-	45	-	114	86%	6	4.5%	5	3.8%	0	0%	7	5.3%
	2013	222	2.6	19	118	53%	2.9	700	32	35	38	-	87	-	163	73%	18	8.1%	16	7.2%	12	5.4%	13	5.9%
	2014	100	3.0	17	28	28%	3.0	970	66	68	69	21	200	142	53	53%	20	20%	8	8.0%	5	5.0%	14	14%
	2015	94	1.6	18	34	36%	3.6	590	54	56	58	16	95	120	57	61%	17	18%	7	7.4%	5	5.3%	8	8.5%
	2016	102	3.6	15	34	33%	4.1	970	58	60	61	17	127	141	56	55%	19	19%	14	14%	2	2.0%	11	11%
	2017	95	6.4	18	46	48%	6.4	470	33	36	39	7.3	87	76	70	74%	12	13%	2	2.1%	4	4.2%	7	7.4%
	2018	73	2.9	16	16	22%	8.0	630	66	67	68	24	148	108	37	51%	11	15%	6	8.2%	3	4.1%	16	22%
	2019	65	5.8	19	33	51%	5.8	670	140	143	146	-	466	-	36	55%	7	11%	0	0%	1	1.5%	21	32%
	2020	52	3.5	11	11	21%	3.5	380	65	65	66	37	149	79	21	40%	11	21%	1	1.9%	9	17%	10	19%
	2021	51	4.4	19	17	33%	4.4	350	47	49	51	31	120	59	23	45%	12	24%	3	5.9%	6	12%	7	14%
	2022	58	3.2	18	13	22%	3.2	210	44	46	47	26	130	50	29	50%	9	16%	7	12%	5	8.6%	8	14%
	2023	62	4.9	18	18	29%	4.9	220	38	39	41	28	86	44	30	48%	14	23%	9	15%	3	4.8%	6	9.7%
2024	80	3.9	18	36	45%	5.2	230	35	37	38	13	92	46	47	59%	12	15%	7	8.8%	7	8.8%	7	8.8%	
Nagano	2011	97	5.0	83	82	85%	16	1320	29	46	64	-	45	-	84	87%	4	4.1%	0	0%	3	3.1%	6	6.2%
	2012	216	1.7	15	143	66%	1.7	2100	30	33	36	-	56	-	180	83%	11	5.1%	10	4.6%	4	1.9%	11	5.1%
	2013	160	3.2	14	84	53%	3.2	2900	62	64	66	-	111	-	125	78%	11	6.9%	5	3.1%	2	1.3%	17	11%
	2014	321	3.3	25	241	75%	3.3	1500	25	30	35	-	37	-	284	88%	11	3.4%	8	2.5%	2	0.6%	16	5.0%
	2015	276	2.4	25	199	72%	4.3	910	25	29	32	-	36	-	239	87%	14	5.1%	6	2.2%	4	1.4%	13	4.7%
	2016	112	3.3	40	78	70%	3.3	420	20	24	28	-	57	-	93	83%	6	5.4%	5	4.5%	3	2.7%	5	4.5%
	2017	472	3.1	25	442	94%	3.1	410	4.6	16	27	-	-	-	452	96%	9	1.9%	3	0.6%	0	0%	8	1.7%
	2018	425	4.1	26	391	92%	4.1	200	3.6	15	26	-	-	-	403	95%	13	3.1%	3	0.7%	2	0.5%	4	0.9%
	2019	526	5.5	25	511	97%	5.5	250	1.7	14	26	-	-	-	518	98%	3	0.6%	2	0.4%	1	0.2%	2	0.4%
	2020	510	4.4	26	494	97%	4.4	290	2.3	14	26	-	-	-	496	97%	7	1.4%	3	0.6%	0	0%	4	0.8%
	2021	587	4.5	25	562	96%	5.6	180	2.3	14	26	-	-	-	570	97%	8	1.4%	3	0.5%	2	0.3%	4	0.7%
	2022	643	2.2	25	616	96%	2.2	210	2.1	14	26	-	-	-	626	97%	10	1.6%	1	0.2%	3	0.5%	3	0.5%
	2023	536	4.8	25	513	96%	4.8	340	2.6	14	26	-	-	-	521	97%	9	1.7%	1	0.2%	0	0%	5	0.9%
2024	551	13	25	543	99%	13	250	1.0	13	26	-	-	-	544	99%	4	0.7%	2	0.4%	0	0%	1	0.2%	
Shizuoka	2011	19	0.068	20	4	21%	0.068	145	17	18	18	1.1	39	40	17	89%	0	0%	0	0%	0	0%	2	11%
	2012	31	0.047	10	12	39%	0.047	350	41	42	43	0.066	200	98	25	81%	0	0%	1	3.2%	1	3.2%	4	13%
	2013	49	0.033	11	14	29%	0.033	220	29	29	30	2.7	120	50	36	73%	3	6.1%	3	6.1%	1	2.0%	6	12%
	2014	40	0.045	9.5	15	38%	0.045	360	35	36	37	0.11	111	84	31	78%	3	7.5%	1	2.5%	0	0%	5	13%
	2015	32	0.0061	9.7	15	47%	0.0061	410	33	35	37	0.50	86	80	26	81%	0	0%	2	6.3%	1	3.1%	3	9.4%
	2016	60	0.45	11	39	65%	0.45	350	26	27	29	-	80	-	49	82%	3	5.0%	1	1.7%	1	1.7%	6	10%
	2017	28	0.64	11	13	46%	0.64	210	26	28	30	2.5	104	50	23	82%	0	0%	1	3.6%	1	3.6%	3	11%
	2018	41	2.0	12	23	56%	4.4	220	28	30	32	-	98	-	33	80%	2	4.9%	0	0%	2	4.9%	4	9.8%
	2019	22	2.5	9.3	11	50%	3.9	150	16	18	20	-	56	-	18	82%	1	4.5%	2	9.1%	0	0%	1	4.5%
	2020	24	6.4	13	9	38%	6.4	170	27	29	31	7.1	75	42	16	67%	4	17%	1	4.2%	1	4.2%	2	8.3%
	2021	20	6.3	17	15	75%	6.3	51	5.2	10	16	-	16	-	19	95%	0	0%	1	5.0%	0	0%	0	0%
	2022	23	2.5	9.1	9	39%	2.5	110	28	29	31	6.6	76	34	15	65%	1	4.3%	4	17%	2	8.7%	1	4.3%
	2023	17	12	18	7	41%	20	230	66	69	72	31	164	71	8	47%	2	12%	0	0%	2	12%	5	29%
2024	17	9.0	20	11	65%	9.0	440	38	43	48	-	69	-	13	76%	2	12%	0	0%	0	0%	2	12%	

Difficult for cultivation/feed management
(13) Edible Wild-growing Fungi

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	286	1.0	83	161	56%	1.6	2,800	56	64	73	-	112	-	207	72%	26	9.1%	10	3.5%	7	2.4%	36	13%
	2012	449	1.8	20	160	36%	1.8	31,000	246	248	250	14	222	1,869	268	60%	41	9.1%	37	8.2%	21	4.7%	82	18%
	2013	541	3.2	25	204	38%	3.2	2,900	49	51	53	8.9	97	181	381	70%	54	10%	35	6.5%	25	4.6%	46	8.5%
	2014	638	3.0	25	377	59%	3.0	1,500	28	32	36	-	47	-	527	83%	54	8.5%	15	2.4%	8	1.3%	34	5.3%
	2015	666	2.1	25	417	63%	2.1	910	18	21	24	-	31	-	580	87%	49	7.4%	11	1.7%	10	1.5%	16	2.4%
	2016	890	2.1	40	477	54%	2.1	970	16	19	22	-	35	-	760	85%	74	8.3%	25	2.8%	11	1.2%	20	2.2%
	2017	929	2.3	20	511	55%	2.3	470	11	14	16	-	26	-	834	90%	61	6.6%	11	1.2%	8	0.9%	15	1.6%
	2018	1,063	2.5	25	543	51%	2.5	630	15	18	21	-	37	-	896	84%	106	10%	22	2.1%	14	1.3%	25	2.4%
	2019	615	3.3	25	338	55%	3.3	670	22	25	28	-	33	-	528	86%	55	8.9%	5	0.8%	1	0.2%	26	4.2%
	2020	667	3.5	25	398	60%	3.5	1,100	17	20	22	-	31	-	590	88%	37	5.5%	7	1.0%	11	1.6%	22	3.3%
	2021	1,336	3.0	25	1,018	76%	3.0	510	8.3	15	23	-	22	-	1,212	91%	76	5.7%	18	1.3%	9	0.7%	21	1.6%
	2022	1,115	2.2	25	917	82%	2.2	290	5.7	14	22	-	12	-	1,048	94%	28	2.5%	16	1.4%	10	0.9%	13	1.2%
	2023	1,519	2.2	71	1,208	80%	2.2	340	5.9	21	37	-	13	-	1,431	94%	47	3.1%	15	1.0%	8	0.5%	18	1.2%
	2024	1,514	2.7	71	1,293	85%	2.7	440	4.7	22	40	-	8.1	-	1,438	95%	36	2.4%	16	1.1%	13	0.9%	11	0.7%
Aomori	2011	20	8.1	23	12	60%	8.1	60	7.2	13	19	-	15	-	19	95%	0	0%	1	5.0%	0	0%	0	0%
	2012	45	10	20	35	78%	12	120	15	23	31	-	77	-	37	82%	2	4.4%	0	0%	3	6.7%	3	6.7%
	2013	84	6.0	10	51	61%	6.0	40	4.8	7.8	11	-	13	-	82	98%	2	2.4%	0	0%	0	0%	0	0%
	2014	194	5.2	20	149	77%	5.2	31	3.3	8.1	13	-	14	-	191	98%	3	1.5%	0	0%	0	0%	0	0%
	2015	245	5.2	20	194	79%	5.2	31	2.7	6.7	11	-	12	-	242	99%	3	1.2%	0	0%	0	0%	0	0%
	2016	392	4.7	10	290	74%	4.7	48	2.6	6.0	9.5	-	10	-	391	99.7%	1	0.3%	0	0%	0	0%	0	0%
	2017	423	5.1	10	321	76%	5.1	34	2.6	6.4	10	-	9.0	-	419	99%	4	0.9%	0	0%	0	0%	0	0%
	2018	390	5.0	10	301	77%	5.0	44	2.6	6.5	10	-	12.0	-	387	99%	3	0.8%	0	0%	0	0%	0	0%
	2019	298	4.3	10	214	72%	4.3	46	3.3	6.9	10	-	12	-	292	98%	6	2.0%	0	0%	0	0%	0	0%
	2020	359	4.2	10	288	80%	4.2	26	1.7	5.2	8.8	-	6.8	-	358	99.7%	1	0.3%	0	0%	0	0%	0	0%
	2021	342	3.8	10	276	81%	3.8	81	1.7	5.2	8.6	-	7.1	-	341	99.7%	0	0%	0	0%	1	0.3%	0	0%
	2022	350	3.6	10	280	80%	3.6	23	1.8	5.4	8.9	-	7.4	-	350	100%	0	0%	0	0%	0	0%	0	0%
	2023	263	4.5	10	201	76%	4.5	26	2.1	5.4	8.8	-	8.1	-	262	99.6%	1	0.4%	0	0%	0	0%	0	0%
	2024	304	3.9	10	242	80%	5.1	39	2.1	5.6	9.1	-	7.9	-	300	98.7%	4	1.3%	0	0%	0	0%	0	0%
Iwate	2011	5	8.0	20	2	40%	8.0	33	14	18	22	8.0	-	10	3	60%	2	40%	0	0%	0	0%	0	0%
	2012	52	4.9	19	8	15%	4.9	3,000	182	183	184	28	427	521	25	48%	9	17%	6	12%	3	5.8%	9	17%
	2013	39	7.7	17	16	41%	8.1	120	18	21	23	8.8	55	25	30	77%	4	10%	3	7.7%	1	2.6%	1	2.6%
	2014	26	8.4	18	12	46%	8.6	67	13	16	19	8.8	39	14	21	81%	4	15%	1	3.8%	0	0%	0	0%
	2015	24	6.6	18	8	33%	6.6	40	11	13	15	8.7	27	8.8	21	88%	3	13%	0	0%	0	0%	0	0%
	2016	26	8.0	19	12	46%	13	94	25	28	31	14	84	28	17	65%	4	15%	1	3.8%	4	15%	0	0%
	2017	12	8.6	15	2	17%	8.6	78	22	23	24	15	39	20	8	67%	3	25%	0	0%	1	8.3%	0	0%
	2018	13	10	10	1	7.7%	16	86	36	36	36	28	79	26	5	38%	5	38%	1	7.7%	2	15%	0	0%
	2019	24	9.2	14	11	46%	9.2	54	11	14	16	9.3	29	10	20	83%	3	13%	1	4.2%	0	0%	0	0%
	2020	26	6.0	13	7	27%	6.0	130	19	20	22	13	38	25	21	81%	3	12%	1	3.8%	0	0%	1	3.8%
	2021	16	5.2	11	3	19%	5.2	34	12	13	14	8.5	31	9.4	13	81%	3	19%	0	0%	0	0%	0	0%
	2022	27	5.1	11	10	37%	5.1	80	13	15	16	5.6	32	18	23	85%	2	7.4%	1	3.7%	1	3.7%	0	0%
	2023	18	9.7	13	7	39%	10	42	10	12	14	12	17	7.2	17	94%	1	5.6%	0	0%	0	0%	0	0%
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	7	1.6	3.1	2	29%	1.6	7.7	3.0	3.4	3.8	1.9	-	2.4	7	100%	0	0%	0	0%	0	0%	0	0%
	2012	3	9.8	12	2	67%	9.8	10	3.3	7.3	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2013	6	7.8	13	4	67%	7.8	9.3	2.9	6.9	11	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2014	3	11	13	3	100%	-	-	0	5.8	12	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	9.5	11	3	100%	-	-	0	5.3	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	-	-	0	0%	7.7	7.7	7.7	7.7	7.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	3	11	20	3	100%	-	-	0	8.5	17	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Miyagi	2011	9	1.0	1.0	1	11%	13	460	94	94	94	30	-	147	4	44%	2	22%	0	0%	1	11%	2	22%
	2012	4	20	20	1	25%	25	620	189	191	194	68	-	287	2	50%	0	0%	0	0%	0	0%	2	50%
	2013	19	11	25	6	32%	11	1,700	153	157	160	36	209	400	9	47%	3	16%	3	16%	2	11%	2	11%
	2014	7	-	-	0	0%	3.5	530	136	136	136	50	-	189	2	29%	2	29%	0	0%	0	0%	3	43%
	2015	2	15	25	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2016	7	15	25	5	71%	200	210	59	66	73	-	-	-	5	71%	0	0%	0	0%	0	0%	2	29%
	2017	10	2.8	9.6	2	20%	2.8	110	22	23	24	9.8	54	33	8	80%	1	10%	0	0%	0	0%	1	10%
	2018	22	5.4	25	4	18%	5.4	390	87	88	90	39.5	342	122	7	32%	5	23%	4	18%	3	14%	3	14%
	2019	15	8.2	25	9	60%	8.2	36	7.6	12	17	-	26	-	13	87%	2	13%	0	0%	0	0%	0	0%
	2020	49	4.1	25	9	18%	4.1	980	43	44	46	8.9	37	152	40	82%	6	12%	0	0%	1	2.0%	2	4.1%
	2021	672	4.8	25	608	90%	4.8	290	4.0	15	27	-	-	-	622	93%	41	6.1%	5	0.7%	0	0%	4	0.6%
	2022	613	5.1	25	587	96%	5.1	290	2.3	14	26	-	-	-	595	97%	13	2.1%	0	0%	1	0.2%	4	0.7%
	2023	914	5.8	71	885	97%	6.1	230	2.1	26	50	-	-	-	898	98%	5	0.5%	2	0.2%	3	0.3%	6	0.7%
2024	1,009	5.5	71	977	97%	5.5	210	1.5	27	52	-	-	-	992	98%	4	0.4%	7	0.7%	5	0.5%	1	0.1%	
Yamagata	2011	20	1.8	20	17	85%	1.8	13	1.3	10	18	-	2.8	-	20	100%	0	0%	0	0%	0	0%	0	0%
	2012	14	8.4	15	12	86%	8.4	15	1.7	6.7	12	-	5.9	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2013	33	6.5	19	30	91%	6.5	10	0.78	8.1	15	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2014	20	8.9	19	13	65%	8.9	24	6.4	12	17	-	23	-	20	100%	0	0%	0	0%	0	0%	0	0%
	2015	32	7.1	19	25	78%	7.1	38	3.6	10	17	-	12	-	31	97%	1	3.1%	0	0%	0	0%	0	0%
	2016	24	10	19	16	67%	10	25	5.5	11	17	-	21	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2017	28	9.0	20	20	71%	9.0	110	12	17	23	-	36	-	23	82%	3	11%	1	3.6%	0	0%	1	3.6%
	2018	21	9.6	18	18	86%	9.6	15	1.8	8.8	16	-	10	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2019	14	11	19	11	79%	11	30	3.6	10	17	-	11	-	13	93%	1	7.1%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	48	7.6	19	33	69%	7.6	140	9.4	15	20	-	23	-	44	92%	1	2.1%	2	4.2%	0	0%	1	2.1%
	2022	6	15	17	6	100%	-	-	0	8.0	16	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2023	10	12	19	10	100%	-	-	0	7.5	15	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]										
			≤25		>25 and ≤50										>50 and ≤75		>75 and ≤100		>100						
			Number of samples	Ratio	Number of samples	Ratio									Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio					
Fukushima	2011	81	9.8	20	31	38%	9.8	2,800	113	117	121	19	155	370	43	53%	12	15%	7	8.6%	3	3.7%	16	20%	
	2012	72	4.3	18	22	31%	4.3	5,600	190	192	193	13	169	814	45	63%	9	13%	4	5.6%	5	6.9%	9	13%	
	2013	91	3.2	18	22	24%	3.2	790	32	33	34	11	57	89	67	74%	13	14%	4	4.4%	3	3.3%	4	4.4%	
	2014	72	3.6	20	24	33%	3.6	430	21	23	24	7.8	40	55	60	83%	8	11%	1	1.4%	0	0%	3	4.2%	
	2015	51	3.8	18	20	39%	3.8	47	11	13	15	5.5	33	11	42	82%	9	18%	0	0%	0	0%	0	0%	
	2016	246	3.5	20	83	34%	3.5	120	14	17	19	9.4	37	15	197	80%	41	17%	6	2.4%	1	0.4%	1	0.4%	
	2017	307	2.6	20	117	38%	2.6	110	11	12	14	6.6	31	13	270	88%	30	10%	5	1.6%	1	0.3%	1	0.3%	
	2018	448	3.1	20	157	35%	3.1	210	14	17	19	9.4	38	18	363	81%	69	15%	11	2.5%	3	0.7%	2	0.4%	
	2019	167	3.3	19	63	38%	3.3	140	15	17	19	7.3	38	19	128	77%	34	20%	2	1.2%	0	0%	3	1.8%	
	2020	130	3.6	19	63	48%	3.6	52	7.8	10	12	3.9	24	8.9	117	90%	12	9.2%	1	0.8%	0	0%	0	0%	
	2021	139	3.0	19	63	45%	3.0	77	9.3	12	14	5.1	27	11	122	88%	14	10%	2	1.4%	1	0.7%	0	0%	
	2022	3	11	17	2	67%	18	18	6.0	11	15	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	
	2023	214	2.9	18	72	34%	2.9	65	11	12	14	8.0	27	10	188	88%	22	10%	4	1.9%	0	0%	0	0%	
2024	115	2.7	16	44	38%	2.7	79	10	12	14	5.1	32	13	102	89%	10	8.7%	2	1.7%	1	0.9%	0	0%		
Ibaraki	2011	10	7.0	20	3	30%	7.0	32	17	18	20	22	32	10	7	70%	3	30%	0	0%	0	0%	0	0%	
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2014	6	4.6	6.0	2	33%	4.6	40	15	16	17	11	-	15	4	67%	2	33%	0	0%	0	0%	0	0%	
	2015	22	2.7	5.6	3	14%	2.7	78	18	18	19	14	37	18	15	68%	6	27%	0	0%	1	4.5%	0	0%	
	2016	22	2.8	5.8	7	32%	3.3	98	15	16	17	3.9	43	23	17	77%	3	14%	1	4.5%	1	4.5%	0	0%	
	2017	10	3.6	4.7	2	20%	5.4	49	14	15	15	11	25	14	9	90%	1	10%	0	0%	0	0%	0	0%	
	2018	16	2.7	6.4	4	25%	2.7	41	14	14	15	6.0	34	13	12	75%	4	25%	0	0%	0	0%	0	0%	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	13	3.5	3.9	2	15%	12	1,100	224	224	224	110	658	334	5	38%	0	0%	1	7.7%	0	0%	7	54%	
	2021	14	3.0	7.7	2	14%	3.0	300	56	56	56	37	103	77	5	36%	4	29%	3	21%	0	0%	2	14%	
	2022	7	3.7	7.8	3	43%	4.4	30	8.1	9.3	10	4.4	-	10	6	86%	1	14%	0	0%	0	0%	0	0%	
	2023	5	3.2	5.1	1	20%	3.2	6.0	4.1	4.6	5.1	5.2	-	1.1	5	100%	0	0%	0	0%	0	0%	0	0%	
2024	3	2.7	4.6	1	33%	2.7	10	4.2	5.0	5.8	2.7	-	3.8	3	100%	0	0%	0	0%	0	0%	0	0%		
Tochigi	2011	9	-	-	0	0%	5.7	134	64	64	64	43	-	48	2	22%	3	33%	0	0%	1	11%	3	33%	
	2012	27	2.2	17	3	11%	3.1	31,000	2,391	2,392	2,392	110	3,000	7,224	8	30%	2	7.4%	2	7.4%	1	3.7%	14	52%	
	2013	3	13	13	1	33%	49	98	49	51	53	49	-	43	1	33%	1	33%	0	0%	1	33%	0	0%	
	2014	5	8.5	12	1	20%	8.5	130	47	48	49	28	-	51	2	40%	1	20%	1	20%	0	0%	1	20%	
	2015	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2016	6	5.8	14	6	100%	-	-	0	5.4	11	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	
	2017	8	12	15	6	75%	35	35	8.8	14	19	-	-	-	6	75%	2	25%	0	0%	0	0%	0	0%	
	2018	10	4.3	25	7	70%	4.3	9.7	2.3	7.8	13	-	9.3	-	10	100%	0	0%	0	0%	0	0%	0	0%	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	7	16	20	3	43%	16	283	83	87	91	16	-	124	5	71%	0	0%	0	0%	0	0%	2	29%
	2012	32	14	20	6	19%	14	2,500	253	254	256	62	560	462	10	31%	2	6.3%	7	22%	0	0%	13	41%
	2013	1	17	17	1	100%	-	-	0	8.5	17	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	6	10	19	3	50%	10	46	14	18	23	-	-	-	4	67%	2	33%	0	0%	0	0%	0	0%
	2016	1	16	16	1	100%	-	-	0	8.0	16	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	5	-	-	0	0%	12	26	19	19	19	19	-	5.4	4	80%	1	20%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	18	17	19	7	39%	17	510	114	117	121	18	365	158	10	56%	0	0%	1	5.6%	1	5.6%	6	33%
	2022	5	9.3	19	3	60%	9.3	76	17	23	28	-	-	-	4	80%	0	0%	0	0%	1	20%	0	0%
	2023	2	17	19	2	100%	-	-	0	9.0	18	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2024	4	17	19	3	75%	180	180	45	52	59	-	-	-	3	75%	0	0%	0	0%	0	0%	1	25%
Chiba	2011	1	-	-	0	0%	5.4	5.4	5.4	5.4	5.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	2011	9	5.5	40	5	56%	27	290	60	67	74	-	-	-	5	56%	1	11%	0	0%	0	0%	3	33%
	2012	60	8.4	19	19	32%	8.6	500	59	62	64	23	210	86	32	53%	6	10%	6	10%	6	10%	10	17%
	2013	14	8.4	9.9	5	36%	35	540	107	108	110	53	232	146	5	36%	2	14%	1	7.1%	1	7.1%	5	36%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	7	12	13	5	71%	92	130	32	36	41	-	-	-	5	71%	0	0%	0	0%	1	14%	1	14%
	2018	4	10	12	4	100%	-	-	0	5.5	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	3	15	15	1	33%	24	67	30	32.8	35	24	-	28	2	67%	0	0%	1	33%	0	0%	0	0%
	2021	2	8.1	11	1	50%	8.1	8.1	4.1	6.8	10	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2022	3	13	15	2	67%	20	20	6.7	11	16	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2023	2	11	17	1	50%	11	11	5.5	9.8	14	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2024	3	13	13	1	33%	30	37	22	25	27	30	-	12	1	33%	2	67%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	2	8.7	10	2	100%	-	-	0	4.7	9.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	2011	24	4.9	20	15	63%	4.9	106	10	14	19	-	24	-	21	88%	1	4.2%	1	4.2%	0	0%	1	4.2%
	2012	1	-	-	0	0%	450	450	450	450	450	-	-	-	0	0%	0	0%	0	0%	0	0%	1	100%
	2013	28	3.8	8.7	13	46%	3.8	230	26	28	30	4.9	76	47	21	75%	2	7.1%	2	7.1%	2	7.1%	1	3.6%
	2014	30	3.8	8.5	13	43%	3.8	280	25	26	28	4.4	48	55	23	77%	4	13%	0	0%	1	3.3%	2	6.7%
	2015	28	2.1	8.7	12	43%	2.1	210	14	15	17	4.5	20	38	26	93%	1	3.6%	0	0%	0	0%	1	3.6%
	2016	33	2.1	8.4	11	33%	2.1	83	10	12	13	5.8	23	15	30	91%	2	6.1%	0	0%	1	3.0%	0	0%
	2017	29	2.3	8.4	11	38%	2.3	61	8.3	9.4	10	3.6	20	11	27	93%	1	3.4%	1	3.4%	0	0%	0	0%
	2018	45	2.5	9.3	25	56%	2.5	91	7.5	9.4	11	-	18	-	42	93%	2	4.4%	0	0%	1	2.2%	0	0%
	2019	37	3.7	8.2	15	41%	3.7	120	11	12	14	7.7	22	19	36	97%	0	0%	0	0%	0	0%	1	2.7%
	2020	16	4.8	8.3	11	69%	7.5	70	7.2	9.3	11	-	14	-	15	94%	0	0%	1	6.3%	0	0%	0	0%
	2021	21	3.1	7.1	5	24%	3.1	57	11	11	12	8.7	20	12	20	95%	0	0%	1	4.8%	0	0%	0	0%
	2022	28	2.4	8.0	11	39%	2.4	73	14	16	17	4.0	56	23	23	82%	1	3.6%	4	14%	0	0%	0	0%
	2023	11	2.2	8.3	8	73%	2.2	4.3	0.89	3.0	5.1	-	3.3	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2024	10	3.9	8.0	8	80%	4.0	6.5	1.1	3.5	6.0	-	4.3	-	10	100%	0	0%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	20	20	26	12	60%	41	454	71	78	85	-	218	-	12	60%	1	5.0%	1	5.0%	2	10%	4	20%
	2012	43	1.8	18	15	35%	1.8	360	48	51	53	13	150	80	26	60%	6	14%	4	9.3%	0	0%	7	16%
	2013	126	3.3	19	34	27%	3.3	700	55	57	59	21	105	107	69	55%	17	13%	15	12%	12	9.5%	13	10%
	2014	81	3.0	17	12	15%	3.0	970	81	82	83	37	210	154	34	42%	20	25%	8	9.9%	5	6.2%	14	17%
	2015	62	3.6	18	10	16%	3.6	590	79	81	82	32	129	142	25	40%	17	27%	7	11%	5	8.1%	8	13%
	2016	77	4.7	14	14	18%	4.7	970	76	77	78	33	148	159	31	40%	19	25%	14	18%	2	2.6%	11	14%
	2017	66	6.4	18	19	29%	6.4	470	47	49	51	20	104	89	41	62%	12	18%	2	3.0%	4	6.1%	7	11%
	2018	50	2.9	16	8	16%	8.0	630	91	92	93	50	182	123	14	28%	11	22%	6	12%	3	6.0%	16	32%
	2019	39	5.8	19	8	21%	5.8	670	232	233	235	210	522	217	10	26%	7	18%	0	0%	1	2.6%	21	54%
	2020	46	3.5	7.1	5	11%	3.5	380	73	73	74	40	165	81	15	33%	11	24%	1	2.2%	9	20%	10	22%
	2021	33	-	-	0	0%	8.9	350	73	73	73	48	120	64	5	15%	12	36%	3	9.1%	6	18%	7	21%
	2022	43	4.6	18	3	7.0%	4.6	210	59	60	60	43	146	51	14	33%	9	21%	7	16%	5	12%	8	19%
	2023	57	4.9	18	13	23%	4.9	220	41	43	44	29	96	44	25	44%	14	25%	9	16%	3	5.3%	6	11%
	2024	50	5.1	18	10	20%	7.7	230	55	56	57	43	140	50	17	34%	12	24%	7	14%	7	14%	7	14%
Nagano	2011	64	20	83	58	91%	49	1,320	35	57	79	-	-	-	58	91%	1	1.6%	0	0%	0	0%	5	7.8%
	2012	85	2.6	11	34	40%	2.6	2,100	67	69	70	6.9	126	243	61	72%	5	5.9%	7	8.2%	2	2.4%	10	12%
	2013	76	3.2	10	16	21%	3.2	2,900	114	115	115	14	150	391	48	63%	8	11%	4	5.3%	2	2.6%	14	18%
	2014	176	4.7	25	143	81%	4.7	1,500	29	36	43	-	24	-	158	90%	7	4.0%	3	1.7%	2	1.1%	6	3.4%
	2015	175	2.4	25	134	77%	4.7	910	20	23	26	-	23	-	159	91%	7	4.0%	2	1.1%	3	1.7%	4	2.3%
	2016	37	5.0	40	26	70%	5.0	76	8.5	12	16	-	25	-	33	89%	1	2.7%	2	5.4%	1	2.7%	0	0%
	2017	12	9.3	9.7	3	25%	12	150	32	33	34	24	60	40	6	50%	4	33%	1	8.3%	0	0%	1	8.3%
	2018	26	5.8	9.4	11	42%	5.8	48	12	14	16	6.1	30	11	21	81%	5	19%	0	0%	0	0%	0	0%
	2019	8	6.2	25	5	63%	6.2	18	4.4	8.1	12	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2020	8	4.4	25	7	88%	4.4	4.4	0.6	9.4	18	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2021	16	4.5	25	10	63%	7.4	120	13	16	19	-	32	-	14	88%	1	6.3%	0	0%	0	0%	1	6.3%
	2022	12	2.2	25	5	42%	2.2	43	10	15	21	2.9	25	12	11	92%	1	8.3%	0	0%	0	0%	0	0%
	2023	11	4.8	25	6	55%	4.8	340	39	43	46	-	44	-	8	73%	2	18%	0	0%	0	0%	1	9.1%
	2024	3	-	-	0	0%	13	43	28	28	28	27	-	15	1	33%	2	67%	0	0%	0	0%	0	0%
Shizuoka	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	11	5.4	10	3	27%	5.4	350	116	118	119	60	340	137	5	45%	0	0%	1	9.1%	1	9.1%	4	36%
	2013	19	7.6	9.8	3	16%	11	220	70	70	71	53	136	62	7	37%	2	11%	3	16%	1	5.3%	6	32%
	2014	18	8.4	9.4	5	28%	14	360	78	79	80	26	267	113	9	50%	3	17%	1	5.6%	0	0%	5	28%
	2015	15	5.0	9.4	2	13%	5.0	410	70	70	71	17	170	109	9	60%	0	0%	2	13%	1	6.7%	3	20%
	2016	18	4.8	10	5	28%	4.8	350	84	86	87	46	241	104	7	39%	3	17%	1	5.6%	1	5.6%	6	33%
	2017	16	4.3	9.5	3	19%	4.3	210	45	46	47	14	130	62	11	69%	0	0%	1	6.3%	1	6.3%	3	19%
	2018	18	5.5	11	3	17%	5.5	220	62	62	63	23	179	74	10	56%	2	11%	0	0%	2	11%	4	22%
	2019	8	6.1	9.3	2	25%	6.1	150	41	42	43	18	-	50	4	50%	1	13%	2	25%	0	0%	1	13%
	2020	14	6.4	11	2	14%	6.4	170	45	45	46	29	115	50	6	43%	4	29%	1	7.1%	1	7.1%	2	14%
	2021	15	6.3	17	10	67%	6.3	51	6.9	12	16	-	20	-	14	93%	0	0%	1	6.7%	0	0%	0	0%
	2022	18	5.3	9.1	5	28%	5.3	110	35	36	38	17	82	35	10	56%	1	5.6%	4	22%	2	11%	1	5.6%
	2023	12	15	16	2	17%	20	230	93	95	96	86	169	73	3	25%	2	17%	0	0%	2	17%	5	42%
	2024	13	9.0	20	7	54%	9.0	440	50	54	59	-	103	-	9	69%	2	15%	0	0%	0	0%	2	15%

Difficult for cultivation/feed management
(14) Edible Wild Plants (wild, including wild vegetables)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio		
Total	2011	121	4.0	57	52	43%	8.0	1,060	95	101	106	17	320	175	65	54%	12	9.9%	10	8.3%	6	5.0%	28	23%
	2012	1,405	0.99	26	555	40%	0.99	2,900	67	69	71	11	140	202	860	61%	179	13%	111	7.9%	70	5.0%	185	13%
	2013	2,457	1.4	25	1,241	51%	1.6	12,000	49	53	56	-	57	-	1,916	78%	255	10%	94	3.8%	54	2.2%	138	5.6%
	2014	2,932	1.4	25	1,435	49%	1.4	1,200	16	19	22	2.85	37	45	2,467	84%	265	9.0%	103	3.5%	38	1.3%	59	2.0%
	2015	2,571	0.89	25	1,649	64%	0.89	690	13	17	21	-	31	-	2,272	88%	144	5.6%	66	2.6%	26	1.0%	63	2.5%
	2016	3,219	0.20	25	2,000	62%	0.93	720	10	14	18	-	27	-	2,869	89%	224	7.0%	55	1.7%	30	0.9%	41	1.3%
	2017	2,435	0.90	25	1,482	61%	0.90	450	8.8	12	15	-	23	-	2,220	91%	134	5.5%	34	1.4%	18	0.7%	29	1.2%
	2018	2,577	0.90	25	1,553	60%	0.90	780	16	20	23	-	40	-	2,196	85%	177	6.9%	70	2.7%	36	1.4%	98	3.8%
	2019	1,947	1.1	25	1,245	64%	1.1	630	14	18	22	-	29	-	1,732	89%	104	5.3%	29	1.5%	24	1.2%	58	3.0%
	2020	1,620	0.89	25	1,039	64%	0.89	470	12	16	20	-	29	-	1,429	88%	95	5.9%	35	2.2%	22	1.4%	39	2.4%
	2021	2,037	0.83	25	1,291	63%	0.83	650	8.8	12	15	-	19	-	1,878	92%	76	3.7%	33	1.6%	23	1.1%	27	1.3%
	2022	4,131	0.86	25	3,219	78%	0.86	770	8.1	16	24	-	32	-	3,590	87%	364	8.8%	105	2.5%	33	0.8%	39	0.9%
	2023	3,509	0.78	54	2,989	85%	0.78	670	4.4	21	38	-	6.6	-	3,360	96%	51	1.5%	45	1.3%	18	0.5%	35	1.0%
2024	6,024	0.74	54	5,485	91%	0.74	480	2.9	24	45	-	-	-	5,847	97%	74	1.2%	40	0.7%	23	0.4%	40	0.7%	
Aomori	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	53	10	25	53	100%	-	-	0	10	20	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%
	2013	42	25	25	42	100%	-	-	0	13	25	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	2014	42	25	25	42	100%	-	-	0	13	25	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	2015	43	25	25	43	100%	-	-	0	13	25	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%
	2016	16	25	25	16	100%	-	-	0	13	25	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2017	18	25	25	18	100%	-	-	0	13	25	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iwate	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	44	-	-	0	0%	9.7	330	106	106	106	84	236	78	3	6.8%	5	11%	8	18%	14	32%	14	32%
	2013	74	5.3	20	52	70%	6.4	170	17	21	25	-	41	-	60	81%	7	9.5%	0	0%	2	2.7%	5	6.8%
	2014	59	5.9	18	49	83%	5.9	220	8.4	14	20	-	14	-	54	92%	2	3.4%	2	3.4%	0	0%	1	1.7%
	2015	241	4.7	19	180	75%	4.7	360	6.2	11	16	-	19	-	229	95%	9	3.7%	2	0.8%	0	0%	1	0.4%
	2016	139	7.0	25	123	88%	7.0	85	2.9	9.8	17	-	7.7	-	133	96%	4	2.9%	1	0.7%	1	0.7%	0	0%
	2017	17	5.7	25	14	82%	5.7	16	1.6	9.8	18	-	5.9	-	17	100%	0	0%	0	0%	0	0%	0	0%
	2018	20	6.5	25	13	65%	6.5	44	6.3	10	15	-	17	-	18	90%	2	10%	0	0%	0	0%	0	0%
	2019	73	3.6	16	53	73%	3.6	61	4.1	8.2	12	-	11	-	71	97%	1	1.4%	1	1.4%	0	0%	0	0%
	2020	85	4.9	25	69	81%	4.9	37	2.6	7.6	13	-	8.3	-	83	98%	2	2.4%	0	0%	0	0%	0	0%
	2021	74	5.6	16	61	82%	5.6	33	2.3	6.7	11	-	9.4	-	73	99%	1	1.4%	0	0%	0	0%	0	0%
	2022	45	5.9	25	30	67%	5.9	60	8.1	12	16	-	31	-	39	87%	5	11%	1	2.2%	0	0%	0	0%
	2023	15	7.8	18	10	67%	7.8	61	9.2	14	18	-	33	-	13	87%	1	6.7%	1	6.7%	0	0%	0	0%
2024	82	4.1	18	64	78%	4.1	63	4.6	9.5	14	-	16	-	77	94%	3	3.7%	2	2.4%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2012	9	1.4	1.7	7	78%	8.2	12	2.2	2.9	3.5	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2013	26	9.9	16	19	73%	10	110	10	14	19	-	33	-	22	85%	3	12%	0	0%	0	0%	1	3.8%
	2014	25	8.6	14	19	76%	9.2	120	15	20	25	-	66	-	21	84%	0	0%	2	8.0%	0	0%	2	8.0%
	2015	24	8.3	15	16	67%	8.3	79	11	15	19	-	47	-	20	83%	1	4.2%	2	8.3%	1	4.2%	0	0%
	2016	10	8.0	11	1	10%	8.0	88	29	30	30	19	71	28	7	70%	1	10%	1	10%	1	10%	0	0%
	2017	10	7.3	13	3	30%	7.3	85	24	26	28	10	80	30	7	70%	1	10%	0	0%	2	20%	0	0%
	2018	3	5.0	8.0	1	33%	5.0	12	5.7	7.0	8.3	5.0	-	3.5	3	100%	0	0%	0	0%	0	0%	0	0%
	2019	15	5.9	13	6	40%	5.9	80	22	24	26	10	58	23	8	53%	5	33%	1	6.7%	1	6.7%	0	0%
	2020	9	7.8	15	3	33%	7.8	21	9.0	11	13	10	-	3.8	9	100%	0	0%	0	0%	0	0%	0	0%
	2021	5	-	-	0	0%	9.2	46	27	27	27	32	-	16	2	40%	3	60%	0	0%	0	0%	0	0%
	2022	10	-	-	0	0%	6.4	25	19	19	19	21	25	7.0	10	100%	0	0%	0	0%	0	0%	0	0%
	2023	5	10	10	1	20%	22	42	26	27	28	27	-	13	2	40%	3	60%	0	0%	0	0%	0	0%
2024	10	8.6	11	3	30%	8.6	56	23	25	26	16	51	20	6	60%	3	30%	1	10%	0	0%	0	0%	
Miyagi	2011	3	9.0	9.0	1	33%	14	143	52	54	55	14	-	76	2	67%	0	0%	0	0%	0	0%	1	33%
	2012	69	5.7	20	2	2.9%	5.7	530	101	102	102	79	192	87	5	7.2%	6	8.7%	21	30%	17	25%	20	29%
	2013	284	7.5	25	89	31%	7.5	930	46	49	52	19	110	82	157	55%	55	19%	26	9.2%	15	5.3%	31	11%
	2014	579	8.2	25	241	42%	8.2	1,200	25	29	33	12	53	68	433	75%	85	15%	29	5.0%	19	3.3%	13	2.2%
	2015	509	2.4	25	266	52%	7.3	690	32	36	40	-	84	-	359	71%	57	11%	36	7.1%	16	3.1%	41	8.1%
	2016	1,070	4.4	25	586	55%	4.4	720	18	23	28	-	39	-	865	81%	130	12%	27	2.5%	18	1.7%	30	2.8%
	2017	549	3.1	25	215	39%	3.1	450	18	21	23	5.9	44	40	453	83%	52	9.5%	15	2.7%	9	1.6%	20	3.6%
	2018	599	4.9	25	339	57%	4.9	440	23	28	33	-	55	-	477	80%	57	9.5%	18	3.0%	13	2.2%	34	5.7%
	2019	548	2.8	25	247	45%	2.8	630	30	34	37	5.0	80	72	413	75%	59	11%	18	3.3%	16	2.9%	42	7.7%
	2020	497	3.2	25	262	53%	3.2	470	26	31	36	-	72	-	373	75%	54	11%	22	4.4%	16	3.2%	32	6.4%
	2021	544	2.5	25	242	44%	2.5	650	20	22	24	4.7	54	55	453	83%	36	6.6%	18	3.3%	17	3.1%	20	3.7%
	2022	2,978	4.7	25	2,418	81%	4.7	770	8.9	19	29	-	36	-	2,503	84%	322	11%	94	3.2%	27	0.9%	32	1.1%
	2023	2,291	4.6	54	2,156	94%	4.9	670	4.0	28	52	-	-	-	2,201	96%	14	0.6%	37	1.6%	13	0.6%	26	1.1%
2024	4,945	3.5	54	4,725	96%	3.5	480	2.3	27	52	-	-	-	4,828	98%	41	0.8%	25	0.5%	17	0.3%	34	0.7%	
Yamagata	2011	3	20	20	3	100%	-	-	0	10	20	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2012	31	11	15	31	100%	-	-	0	6.2	12	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%
	2013	345	4.0	25	311	90%	6.7	240	2.9	10	18	-	-	-	333	97%	6	1.7%	5	1.4%	0	0%	1	0.3%
	2014	249	7.2	20	224	90%	7.2	200	4.0	11	19	-	1.4	-	238	96%	3	1.2%	5	2.0%	2	0.8%	1	0.4%
	2015	175	7.9	20	161	92%	7.9	129	3.0	11	19	-	-	-	170	97%	2	1.1%	0	0%	1	0.6%	2	1.1%
	2016	175	7.0	19	158	90%	8.8	160	3.6	11	18	-	-	-	166	95%	7	4.0%	0	0%	1	0.6%	1	0.6%
	2017	145	8.6	19	115	79%	8.6	75	6.5	13	20	-	26	-	130	90%	10	6.9%	5	3.4%	0	0%	0	0%
	2018	149	8.3	20	108	72%	8.3	130	9.6	16	22	-	40	-	128	86%	12	8.1%	5	3.4%	3	2.0%	1	0.7%
	2019	114	6.0	19	87	76%	10	78	6.6	13	19	-	28	-	101	89%	11	9.6%	1	0.9%	1	0.9%	0	0%
	2020	53	10	18	21	40%	10	70	18.0	21	24	12	47	16	38	72%	10	19%	5	9.4%	0	0%	0	0%
	2021	44	7.1	19	19	43%	7.1	81	20	23	26	11	59	19	29	66%	8	18%	6	14%	1	2.3%	0	0%
	2022	40	7.2	18	15	38%	7.2	84	20	23	26	16	49	17	27	68%	9	23%	3	7.5%	1	2.5%	0	0%
	2023	37	7.9	20	14	38%	7.9	78	14	18	21	12	33	13	30	81%	6	16%	0	0%	1	2.7%	0	0%
2024	37	6.1	19	16	43%	6.1	54	11	15	18	9.5	24	10	34	92%	2	5.4%	1	2.7%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	66	12	57	33	50%	12	1,060	118	125	131	-	430	-	38	58%	5	7.6%	4	6.1%	2	3.0%	17	26%
	2012	555	3.3	20	241	43%	3.3	1,800	78	80	82	6.9	210	217	354	64%	72	13%	28	5.0%	19	3.4%	82	15%
	2013	771	3.5	20	376	49%	3.5	12,000	115	117	120	4.3	100	683	570	74%	71	9.2%	33	4.3%	21	2.7%	76	9.9%
	2014	797	3.7	19	499	63%	3.7	700	15	18	21	-	34	-	693	87%	44	5.5%	25	3.1%	13	1.6%	22	2.8%
	2015	753	3.7	20	552	73%	3.7	260	6.2	9.9	13	-	13.8	-	708	94%	22	2.9%	11	1.5%	5	0.7%	7	0.9%
	2016	915	3.1	20	657	72%	3.1	180	5.5	9.0	12	-	15.0	-	860	94%	30	3.3%	15	1.6%	6	0.7%	4	0.4%
	2017	838	3.0	20	673	80%	3.0	180	3.2	7.2	11	-	9.6	-	810	97%	21	2.5%	5	0.6%	1	0.1%	1	0.1%
	2018	1,021	4.1	18	686	67%	4.1	310	12	16	19	-	40	-	880	86%	61	6.0%	37	3.6%	15	1.5%	28	2.7%
	2019	625	4.5	19	517	83%	4.5	43	2.1	6.8	11	-	10	-	617	99%	8	1.3%	0	0%	0	0%	0	0%
	2020	473	3.7	20	400	85%	3.7	46	2.0	6.6	11	-	7.8	-	464	98%	9	1.9%	0	0%	0	0%	0	0%
	2021	583	3.9	19	505	87%	3.9	43	1.5	6.1	11	-	5.8	-	579	99%	4	0.7%	0	0%	0	0%	0	0%
	2022	413	4.1	19	353	85%	4.1	300	2.5	6.9	11	-	8.1	-	408	99%	4	1.0%	0	0%	0	0%	1	0.2%
	2023	394	2.7	20	329	84%	2.7	83	2.1	6.6	11	-	6.9	-	388	98%	5	1.3%	0	0%	1	0.3%	0	0%
	2024	383	2.9	19	308	80%	2.9	120	3.2	7.3	11	-	10	-	375	98%	4	1.0%	1	0.3%	1	0.3%	2	0.5%
Ibaraki	2011	9	-	-	0	0%	28	730	226	226	226	156	-	218	0	0%	1	11%	1	11%	1	11%	6	67%
	2012	68	4.0	11	11	16%	4.0	1,300	84	85	85	32	193	169	32	47%	10	15%	5	7.4%	3	4.4%	18	26%
	2013	20	2.6	7.2	3	15%	2.6	47	8.4	8.9	9.3	4.9	18	10	19	95%	1	5.0%	0	0%	0	0%	0	0%
	2014	226	1.6	8.5	19	8.4%	1.6	59	15	15	15	12	31	12	187	83%	34	15%	5	2.2%	0	0%	0	0%
	2015	98	1.7	12	54	55%	2.3	37	4.9	6.6	8.3	-	15	-	95	97%	3	3.1%	0	0%	0	0%	0	0%
	2016	233	2.4	14	95	41%	2.4	55	7.4	8.6	9.8	3.7	22	8.6	215	92%	16	6.9%	2	0.9%	0	0%	0	0%
	2017	271	2.0	11	88	32%	2.0	59	8.2	9.0	9.9	4.0	23	9.6	251	93%	17	6.3%	3	1.1%	0	0%	0	0%
	2018	255	2.0	19	86	34%	2.0	71	7.1	8.0	8.9	3.6	23	8.7	242	95%	11	4.3%	2	0.8%	0	0%	0	0%
	2019	9	-	-	0	0%	89	630	295	295	295	290	-	181	0	0%	0	0%	0	0%	1	11%	8	89%
	2020	3	4.7	7.5	3	100%	-	-	0	3.1	6.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2021	317	1.9	9.9	170	54%	1.9	35	4.3	5.8	7.3	-	13	-	306	97%	11	3.5%	0	0%	0	0%	0	0%
	2022	183	2.1	16	98	54%	2.1	36	5.1	6.6	8.2	-	16	-	177	97%	6	3.3%	0	0%	0	0%	0	0%
	2023	321	1.7	16	187	58%	1.7	56	3.7	5.3	6.9	-	12	-	315	98%	5	1.6%	1	0.3%	0	0%	0	0%
	2024	199	1.8	13	124	62%	1.8	210	7.0	8.8	11	-	18	-	186	93%	8	4.0%	3	1.5%	0	0%	2	1.0%
Tochigi	2011	4	-	-	0	0%	18	51	33	33	33	31	-	14	1	25%	2	50%	1	25%	0	0%	0	0%
	2012	259	0.99	23	65	25%	1.0	2,900	104	105	106	23	210	323	134	52%	49	19%	27	10%	9	3.5%	40	15%
	2013	174	2.4	19	91	52%	2.4	500	22	25	28	-	52	-	145	83%	9	5.2%	6	3.4%	6	3.4%	8	4.6%
	2014	164	1.9	19	91	55%	1.9	240	13	16	18	-	25	-	147	90%	6	3.7%	5	3.0%	0	0%	6	3.7%
	2015	173	2.5	18	122	71%	2.5	92	5.5	9.5	14	-	17	-	161	93%	9	5.2%	2	1.2%	1	0.6%	0	0%
	2016	247	0.20	18	166	67%	2.6	66	4.4	8.2	12	-	14	-	237	96%	7	2.8%	3	1.2%	0	0%	0	0%
	2017	259	3.0	19	198	76%	3.0	68	4.2	8.1	12	-	13	-	242	93%	15	5.8%	2	0.8%	0	0%	0	0%
	2018	193	4.0	25	153	79%	4.0	67	3.1	8.3	14	-	12	-	190	98%	1	0.5%	2	1.0%	0	0%	0	0%
	2019	231	3.1	25	170	74%	3.1	52	3.6	8.6	14	-	12	-	224	97%	6	2.6%	1	0.4%	0	0%	0	0%
	2020	153	3.7	25	127	83%	3.7	35	1.7	5.7	9.8	-	6.4	-	152	99%	1	0.7%	0	0%	0	0%	0	0%
	2021	200	3.9	17	163	82%	3.9	44	2.0	6.2	10	-	7.7	-	199	99.5%	1	0.5%	0	0%	0	0%	0	0%
	2022	189	3.7	22	158	84%	3.7	68	2.5	6.7	11	-	7.6	-	185	98%	2	1.1%	2	1.1%	0	0%	0	0%
	2023	187	2.3	18	153	82%	2.3	78	1.8	5.4	9.1	-	5.3	-	186	99%	0	0%	0	0%	1	0.5%	0	0%
	2024	142	2.3	18	111	78%	2.3	39	2.4	6.1	10	-	8.1	-	139	98%	3	2.1%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	8	16	30	6	75%	16	33	6.1	16	25	-	-	-	7	88%	1	13%	0	0%	0	0%	0	0%
	2012	39	20	23	25	64%	24	290	28	35	41	-	66	-	26	67%	6	15%	3	7.7%	2	5.1%	2	5.1%
	2013	98	6.5	19	37	38%	6.5	350	34	37	40	13.5	113	51	61	62%	18	18%	4	4.1%	4	4.1%	11	11%
	2014	28	7.4	18	20	71%	8.9	530	28	34	40	-	45	-	23	82%	3	11%	0	0%	0	0%	2	7.1%
	2015	32	8.3	19	24	75%	8.3	79	8.6	15	21	-	21	-	29	91%	0	0%	2	6.3%	1	3.1%	0	0%
	2016	21	9.5	18	7	33%	9.5	68	20	23	26	17	41	15	12	57%	8	38%	1	4.8%	0	0%	0	0%
	2017	30	7.4	19	7	23%	7.4	99	26	28	30	20	56	22	16	53%	10	33%	2	6.7%	2	6.7%	0	0%
	2018	102	7.9	19	33	32%	7.9	780	78	81	84	34	220	120	46	45%	21	21%	5	4.9%	3	2.9%	27	26%
	2019	62	8	19	33	53%	8	150	14	18	23	-	33	-	51	82%	6	9.7%	4	6.5%	0	0%	1	1.6%
	2020	70	6.7	19	38	54%	6.7	100	14	19	23	-	41	-	56	80%	9	13%	3	4.3%	2	2.9%	0	0%
	2021	52	7.6	19	28	54%	7.6	120	14	19	24	-	47	-	43	83%	5	9.6%	3	5.8%	0	0%	1	1.9%
	2022	49	9.1	19	33	67%	9.1	74	10	16	22	-	36	-	41	84%	5	10%	3	6.1%	0	0%	0	0%
	2023	50	7.5	19	25	50%	7.5	140	19	23	27	-	66	-	38	76%	6	12%	3	6.0%	0	0%	3	6.0%
2024	42	7.1	19	20	48%	7.1	92	17	22	26	7.4	50	19	30	71%	7	17%	3	7.1%	2	4.8%	0	0%	
Chiba	2011	14	-	-	0	0%	22	250	90	90	90	73	166	62	1	7.1%	2	14%	4	29%	3	21%	4	29%
	2012	152	1.3	10	37	24%	1.3	170	30	31	31	15	75	35	90	59%	28	18%	19	13%	6	3.9%	9	5.9%
	2013	351	1.6	3.5	6	1.7%	1.6	130	23	23	23	17	46	19	244	70%	80	23%	19	5.4%	6	1.7%	2	0.6%
	2014	479	1.4	17	16	3.3%	1.4	96	18	18	18	14	37	15	373	78%	80	17%	22	4.6%	4	0.8%	0	0%
	2015	284	0.89	9.3	48	17%	0.89	130	12	13	13	7.4	29	15	250	88%	26	9.2%	6	2.1%	0	0%	2	0.7%
	2016	180	0.93	8.5	20	11%	0.93	62	8.6	8.9	9.2	6.1	21	8.8	168	93%	11	6.1%	1	0.6%	0	0%	0	0%
	2017	127	0.90	2.6	10	7.9%	0.90	36	7.3	7.3	7.4	5.0	16	7.1	123	97%	4	3.1%	0	0%	0	0%	0	0%
	2018	87	0.90	3.7	14	16%	0.90	45	6.5	6.7	6.8	3.0	18	8.1	83	95%	4	4.6%	0	0%	0	0%	0	0%
	2019	122	1.1	3.3	17	14%	1.1	32	6.1	6.3	6.4	3.9	17	6.2	120	98%	2	1.6%	0	0%	0	0%	0	0%
	2020	147	0.89	8.2	23	16%	0.89	34	5.9	6.1	6.3	4.0	15	6.3	144	98%	3	2.0%	0	0%	0	0%	0	0%
	2021	98	0.83	4.2	17	17%	0.83	26	5.8	6.0	6.2	3.9	15	5.5	97	99%	1	1.0%	0	0%	0	0%	0	0%
	2022	104	0.86	5.9	25	24%	0.86	30	5.7	6.0	6.4	3.1	16	6.6	100	96%	4	3.8%	0	0%	0	0%	0	0%
	2023	81	0.78	2.8	20	25%	0.78	18	3.1	3.4	3.6	2.0	7.8	3.3	81	100%	0	0%	0	0%	0	0%	0	0%
2024	69	0.74	3.6	20	29%	0.74	20	3.6	3.9	4.2	2.2	9.3	3.8	69	100%	0	0%	0	0%	0	0%	0	0%	
Saitama	2011	6	40	40	6	100%	-	-	0.0	20	40	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2012	59	2.4	20	26	44%	2.4	43	7.1	9.1	11	4.3	17	7.4	57	97%	2	3.4%	0	0%	0	0%	0	0%
	2013	61	1.9	18	41	67%	1.9	34	2.3	5.9	9.4	-	7.7	-	60	98%	1	1.6%	0	0%	0	0%	0	0%
	2014	27	2.4	16	23	85%	2.4	8.6	0.86	4.7	8.5	-	3.9	-	27	100%	0	0%	0	0%	0	0%	0	0%
	2015	17	3.1	11	14	82%	3.1	50	3.3	6.4	9.4	-	3.3	-	16	94%	1	5.9%	0	0%	0	0%	0	0%
	2016	15	2.6	20	14	93%	5.2	5.2	0.35	3.5	6.7	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2017	12	2.2	15	11	92%	7.1	7.1	0.59	5.6	11	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2018	15	4.1	13	14	93%	4.2	4.2	0.28	5.3	10	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2019	14	11	12	14	100%	-	-	0	5.9	12	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2020	15	2.6	17	12	80%	2.6	12	1.2	4.4	7.6	-	3.0	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2021	14	3.9	10	12	86%	4.4	4.8	0.66	3.4	6.1	-	3.1	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2022	9	3.9	12	8	89%	4.4	4.4	0.49	3.8	7.2	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2023	13	3.2	16	13	100%	-	-	0	3.8	7.6	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
2024	13	3.1	16	12	92%	3.1	3.1	0.24	2.9	5.5	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2012	7	5.0	16	6	86%	5.0	5.0	0.71	5.8	11	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2013	6	5.2	12	5	83%	5.2	5.2	0.87	5.5	10	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2014	1	12	12	1	100%	-	-	0	6.0	12	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	1	8.3	8.3	1	100%	-	-	0	4.2	8.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	1	9.3	9.3	1	100%	-	-	0	4.7	9.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
2024	1	7.9	7.9	1	100%	-	-	0	4.0	7.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
Kanagawa	2011	4	-	-	0	0%	12	38	21	21	21	17	-	12	3	75%	1	25%	0	0%	0	0%	0	0%
	2012	9	1.8	4.8	2	22%	10	35	14	15	15	12	-	10	8	89%	1	11%	0	0%	0	0%	0	0%
	2013	7	1.4	6.4	2	29%	2.6	16	5.7	6.2	6.8	3.4	-	5.3	7	100%	0	0%	0	0%	0	0%	0	0%
	2014	6	4.6	6.0	2	33%	4.6	34	12	13	14	9.8	-	11	5	83%	1	17%	0	0%	0	0%	0	0%
	2015	6	3.6	5.8	3	50%	3.6	32	6.6	7.9	9.3	-	-	-	5	83%	1	17%	0	0%	0	0%	0	0%
	2016	5	2.6	5.4	2	40%	2.6	7.7	3.5	4.5	5.6	2.6	-	2.0	5	100%	0	0%	0	0%	0	0%	0	0%
	2017	4	5.8	6.8	3	75%	13	13	3.3	5.6	7.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2018	3	2.2	5.6	1	33%	2.2	3.8	2.0	2.9	3.9	2.2	-	1.7	3	100%	0	0%	0	0%	0	0%	0	0%
	2019	1	-	-	0	0%	2.1	2.1	2.1	2.1	2.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2020	1	-	-	0	0%	20	20	20	20	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2021	1	-	-	0	0%	2.5	2.5	2.5	2.5	2.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	8	5.7	8.5	8	100%	-	-	0	3.8	7.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2013	126	4.5	9.6	113	90%	4.5	38	1.6	5.0	8.3	-	2.3	-	123	98%	3	2.4%	0	0%	0	0%	0	0%
	2014	120	4.9	9.6	106	88%	4.9	170	5.8	9.0	12	-	5.4	-	112	93%	3	2.5%	3	2.5%	0	0%	2	1.7%
	2015	134	3.4	9.6	114	85%	3.4	140	4.1	7.2	10	-	6.1	-	126	94%	6	4.5%	1	0.7%	0	0%	1	0.7%
	2016	144	3.1	9.3	124	86%	3.1	220	4.3	7.3	10	-	5.6	-	136	94%	5	3.5%	1	0.7%	1	0.7%	1	0.7%
	2017	119	4.4	9.7	103	87%	4.4	150	6.5	9.5	13	-	8.3	-	112	94%	1	0.8%	0	0%	4	3.4%	2	1.7%
	2018	107	3.3	9.3	89	83%	3.3	170	9.9	13	15	-	33	-	95	89%	5	4.7%	1	0.9%	1	0.9%	5	4.7%
	2019	110	2.9	9.0	88	80%	4.3	170	13	15	18	-	42	-	94	85%	6	5.5%	1	0.9%	4	3.6%	5	4.5%
	2020	87	3.4	10	65	75%	3.4	240	15	18	21	-	70	-	73	84%	3	3.4%	3	3.4%	4	4.6%	4	4.6%
	2021	78	4.8	9.0	62	79%	6.5	180	13	16	18	-	60	-	67	86%	1	1.3%	4	5.1%	3	3.8%	3	3.8%
	2022	84	3.4	9.2	69	82%	3.4	120	10	13	15	-	40	-	75	89%	1	1.2%	2	2.4%	3	3.6%	3	3.6%
	2023	85	2.6	8.6	68	80%	4.5	120	9.2	12	14	-	42	-	74	87%	5	5.9%	2	2.4%	2	2.4%	2	2.4%
2024	65	4.7	8.3	51	78%	9.2	190	13	15	18	-	52	-	55	85%	2	3.1%	4	6.2%	3	4.6%	1	1.5%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio		
Yamanashi	2011	1	4.0	4.0	1	100%	-	-	0	2.0	4.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2012	24	3.3	26	22	92%	5	22	1.1	6.5	11.8	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2013	28	2.6	18	24	86%	2.9	17	1.4	5.0	8.6	-	4.0	-	28	100%	0	0%	0	0%	0	0%	0	0%
	2014	13	5.1	17	11	85%	11	12	1.8	6.2	11	-	8.8	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2015	12	1.6	16	9	75%	7.5	13	2.7	5.5	8.4	-	12	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2016	10	3.6	15	8	80%	4.1	8.4	1.3	4.6	8.0	-	4.5	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2017	14	7.6	18	14	100%	-	-	0	6.4	13	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2018	8	6.6	16	8	100%	-	-	0	5.2	10	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2019	11	7.2	17	11	100%	-	-	0	5.0	10	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2020	6	4.6	11	6	100%	-	-	0	3.6	7.1	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2021	6	7.4	16	6	100%	-	-	0	5.3	11	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2022	4	6.2	16	4	100%	-	-	0	5.3	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2023	5	6.2	13	5	100%	-	-	0	4.2	8.3	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
2024	30	3.9	15	26	87%	5.2	14	1.3	4.4	7.4	-	5.4	-	30	100%	0	0%	0	0%	0	0%	0	0%	
Nagano	2011	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2012	17	2.1	9.7	17	100%	-	-	0	3.4	6.9	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%
	2013	30	5.2	9.1	23	77%	16	610	38	40	43	-	65	-	25	83%	1	3.3%	1	3.3%	0	0%	3	10%
	2014	112	3.3	19	68	61%	3.3	400	25	27	30	-	60	-	93	83%	4	3.6%	5	4.5%	0	0%	10	8.9%
	2015	65	6.4	25	38	58%	7.5	680	52	58	65	-	122	-	44	68%	7	11%	4	6.2%	1	1.5%	9	14%
	2016	34	7.3	25	18	53%	19	420	54	59	65	-	174	-	19	56%	5	15%	3	8.8%	2	5.9%	5	15%
	2017	17	8.4	25	6	35%	31	410	89	93	97	45	206	106	6	35%	3	18%	2	12%	0	0%	6	35%
	2018	10	25	25	3	30%	48	200	66	69	73	50	119	55	3	30%	3	30%	0	0%	1	10%	3	30%
	2019	7	-	-	0	0%	5.5	250	99	99	99	71	-	94	2	29%	0	0%	2	29%	1	14%	2	29%
	2020	16	7.2	25	6	38%	8.8	290	56	59	61	35	160	79	7	44%	4	25%	2	13%	0	0%	3	19%
	2021	16	5.6	25	1	6.3%	5.6	180	62	63	64	46	150	54	4	25%	5	31%	2	13%	2	13%	3	19%
	2022	17	15	25	3	18%	15	210	58	61	63	40	140	56	6	35%	6	35%	0	0%	2	12%	3	18%
	2023	19	5.9	25	2	11%	5.9	150	47	48	50	29	122	44	8	42%	6	32%	1	5.3%	0	0%	4	21%
2024	2	-	-	0	0%	31	250	141	141	141	141	-	155	0	0%	1	50%	0	0%	0	0%	1	50%	
Shizuoka	2011	2	8.0	20	1	50%	8.0	8.0	4.0	9.0	14	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2012	2	3.2	3.6	2	100%	-	-	0	1.7	3.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2013	14	1.9	11	7	50%	1.9	7.6	2.8	4.7	6.5	-	7.0	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2014	5	5.8	9.5	4	80%	5.8	5.8	1.2	4.8	8.4	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2015	5	8.0	9.7	5	100%	-	-	0	4.5	9.1	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2016	5	3.7	11	5	100%	-	-	0	3.6	7.3	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2017	5	7.3	11	4	80%	12	12	2.4	6.1	9.8	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2018	5	7.5	12	5	100%	-	-	0	4.7	9.3	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2019	5	5.1	9.2	2	40%	5.1	8.2	3.9	5.7	7.5	5.1	-	1.7	5	100%	0	0%	0	0%	0	0%	0	0%
	2020	5	7.1	13	4	80%	7.1	7.1	1.4	6.0	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2021	5	11	16	5	100%	-	-	0	6.8	14	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2022	5	2.5	7.3	4	80%	2.5	2.5	0.50	2.9	5.2	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2023	5	12	18	5	100%	-	-	0	7.8	16	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
2024	4	11	18	4	100%	-	-	0	7.5	15	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	

Difficult for cultivation/feed management
(15) Game Meat

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	611	1.4	100	57	9.3%	1.4	14,600	371	373	374	141	850	938	89	15%	60	9.8%	47	7.7%	42	6.9%	373	61%
	2012	1,241	1.1	25	152	12%	1.1	61,000	667	668	669	70	840	3,395	328	26%	190	15%	128	10%	104	8.4%	491	40%
	2013	1,382	1.4	28	241	17%	1.4	20,000	184	185	186	52	290	771	459	33%	215	16%	170	12%	121	8.8%	417	30%
	2014	1,363	1.6	28	298	22%	1.6	30,000	184	186	187	38	270	1,114	555	41%	240	18%	117	8.6%	102	7.5%	349	26%
	2015	893	1.0	26	333	37%	1.0	9,800	95	98	101	17	170	453	501	56%	120	13%	54	6.0%	52	5.8%	166	19%
	2016	1,719	1.7	38	462	27%	1.7	30,000	154	156	158	27	270	929	833	48%	268	16%	148	8.6%	92	5.4%	378	22%
	2017	1,638	2.6	25	802	49%	3.0	14,000	56	61	66	5.6	86	476	1,175	72%	196	12%	83	5.1%	54	3.3%	130	7.9%
	2018	2,133	2.3	26	1,106	52%	2.6	10,000	51	56	61	-	81	-	1,549	73%	252	12%	105	4.9%	61	2.9%	166	7.8%
	2019	2,089	2.5	25	1,224	59%	3.9	5,200	25	31	36	-	41	-	1,739	83%	199	10%	53	2.5%	29	1.4%	69	3.3%
	2020	3,435	4.5	26	2,287	67%	4.5	2,400	11	17	24	-	26	-	3,070	89%	261	7.6%	39	1.1%	24	0.7%	41	1.2%
	2021	2,296	3.6	25	1,611	70%	3.6	990	13	20	27	-	30	-	2,033	89%	153	6.7%	37	1.6%	18	0.8%	55	2.4%
	2022	3,272	3.2	25	2,309	71%	3.2	1,500	12	19	26	-	23	-	2,985	91%	145	4.4%	39	1.2%	35	1.1%	68	2.1%
	2023	1,618	3.8	25	1,000	62%	3.8	950	24	31	37	-	60	-	1,300	80%	120	7.4%	71	4.4%	41	2.5%	86	5.3%
	2024	8,020	1.4	55	6,023	75%	1.4	14,000	13	20	27	-	20	-	7,419	93%	349	4.4%	78	1.0%	48	0.6%	126	1.6%
Aomori	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	10	20	20	10	100%	-	-	0	10	20	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	2	20	20	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	2011	32	-	-	0	0%	1.4	600	147	147	147	98	359	145	3	9.4%	3	9.4%	8	25%	2	6.3%	16	50%
	2012	91	3.7	12	19	21%	3.7	580	61	62	63	21	150	99	50	55%	10	11%	7	7.7%	7	7.7%	17	19%
	2013	107	4.7	11	21	20%	4.7	380	43	44	45	24	98	55	56	52%	16	15%	15	14%	10	9.3%	10	9.3%
	2014	66	5.8	12	6	9.1%	5.8	380	59	59	60	28	165	81	30	45%	14	21%	8	12%	5	7.6%	9	14%
	2015	46	5.9	11	4	8.7%	5.9	150	48	48	49	40	109	40	21	46%	6	13%	7	15%	7	15%	5	11%
	2016	93	4.4	10	19	20%	4.4	430	47	47	48	21	120	74	51	55%	16	17%	10	11%	3	3.2%	13	14%
	2017	55	5.0	8.9	9	16%	5.0	130	32	33	34	19	82	31	30	55%	12	22%	5	9.1%	6	11%	2	3.6%
	2018	122	3.5	10	37	30%	3.5	590	40	41	43	11.5	110	75	78	64%	19	16%	4	3.3%	6	4.9%	15	12%
	2019	92	4.8	12	23	25%	4.8	260	28	29	30	13	69	41	63	68%	13	14%	8	8.7%	2	2.2%	6	6.5%
	2020	350	4.5	13	45	13%	4.5	240	17	17	18	11	30	24	304	87%	32	9.1%	4	1.1%	5	1.4%	5	1.4%
	2021	74	3.6	12	27	36%	3.6	85	14	15	17	7.7	39	17	61	82%	8	11%	3	4.1%	2	2.7%	0	0%
	2022	605	4.0	13	103	17%	4.0	160	14	15	16	10	26	16	543	90%	44	7.3%	8	1.3%	7	1.2%	3	0.5%
	2023	60	4.0	9.0	23	38%	4.0	120	15	16	18	7.6	40	20	49	82%	7	12%	3	5.0%	0	0%	1	1.7%
	2024	1,988	3.5	55	850	43%	3.5	110	8.3	11	13	6.2	20	10	1,863	94%	93	4.7%	22	1.1%	9	0.5%	1	0.1%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2012	5	1.1	1.3	3	60%	1.1	8.4	1.9	2.3	2.6	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	4	7.5	10	2	50%	7.5	8.5	4.0	6.5	8.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2020	7	10	10	5	71%	20	20	5.7	9.3	13	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2021	1	7.0	7.0	1	100%	-	-	0	3.5	7.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2022	2	9.7	9.7	1	50%	32	32	16	18	21	-	-	-	1	50%	1	50%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Miyagi	2011	14	-	-	0	0%	6.0	196	57	57	57	36	120	57	6	43%	3	21%	1	7.1%	0	0%	4	29%
	2012	53	-	-	0	0%	8.1	470	150	150	150	110	326	116	3	5.7%	8	15%	4	7.5%	11	21%	27	51%
	2013	91	7.0	7.5	2	2.2%	7.2	640	110	110	110	63	290	122	15	16%	23	25%	13	14%	11	12%	29	32%
	2014	131	7.9	17	7	5.3%	7.9	1,300	99	100	100	57	220	151	36	27%	25	19%	20	15%	14	11%	36	27%
	2015	137	3.0	16	2	1.5%	3.0	3,800	146	146	146	67	258	350	34	25%	24	18%	15	11%	10	7.3%	54	39%
	2016	158	7.1	19	17	11%	7.1	480	57	58	59	35	123	69	65	41%	31	20%	25	16%	12	7.6%	25	16%
	2017	142	7.2	18	19	13%	7.2	640	74	75	76	30	208	116	62	44%	31	22%	16	11%	5	3.5%	28	20%
	2018	308	6.8	19	122	40%	6.8	670	26	29	32	10	61	54	225	73%	41	13%	19	6.2%	6	1.9%	17	5.5%
	2019	377	6.7	20	214	57%	6.7	130	9.6	14	19	-	27	-	331	88%	36	10%	8	2.1%	1	0.3%	1	0.3%
	2020	326	7.6	19	173	53%	7.6	130	13	17	22	-	34	-	275	84%	33	10%	6	1.8%	9	2.8%	3	0.9%
	2021	427	6.5	20	272	64%	6.5	250	9.9	15	21	-	26	-	380	89%	31	7.3%	10	2.3%	1	0.2%	5	1.2%
	2022	398	6.8	19	260	65%	6.8	450	13	19	25	-	27	-	356	89%	19	4.8%	8	2.0%	6	1.5%	9	2.3%
	2023	455	6.9	20	309	68%	6.9	230	8.0	14	20	-	23	-	417	92%	23	5.1%	10	2.2%	2	0.4%	3	0.7%
2024	397	7.6	20	168	42%	7.6	240	25	29	32	11	74	33	266	67%	68	17%	24	6.0%	15	3.8%	24	6.0%	
Yamagata	2011	26	4.7	17	6	23%	4.7	560	93	94	96	29	201	133	12	46%	3	12%	0	0%	1	3.8%	10	38%
	2012	14	9.0	17	4	29%	9.0	110	38	40	42	36	94	34	6	43%	3	21%	3	21%	0	0%	2	14%
	2013	6	11	18	1	17%	11	180	44	45	47	19	-	66	4	67%	1	17%	0	0%	0	0%	1	17%
	2014	22	9.2	13	7	32%	13	63	20	22	24	20	37	15	15	68%	5	23%	2	9.1%	0	0%	0	0%
	2015	25	8.0	16	11	44%	8.0	48	13	16	18	9.0	39	12	19	76%	6	24%	0	0%	0	0%	0	0%
	2016	29	6.0	12	11	38%	6.0	53	17	19	21	13	41	14	21	72%	6	21%	2	6.9%	0	0%	0	0%
	2017	19	-	-	0	0%	7.0	100	20	20	20	13	29	21	15	79%	3	16%	0	0%	1	5.3%	0	0%
	2018	17	6.2	10	1	5.9%	6.2	66	24	24	24	19	51	18	11	65%	4	24%	2	12%	0	0%	0	0%
	2019	20	9.6	9.6	1	5.0%	10	160	39	39	40	24	110	41	11	55%	5	25%	1	5.0%	0	0%	3	15%
	2020	24	5.7	11	9	38%	5.7	130	19	21	23	9.4	56	29	20	83%	0	0%	2	8.3%	1	4.2%	1	4.2%
	2021	20	6.7	11	5	25%	6.7	64	14	15	16	11	27	15	18	90%	1	5.0%	1	5.0%	0	0%	0	0%
	2022	13	5.9	11	1	7.7%	5.9	84	23	23	24	13	61	25	9	69%	2	15%	1	7.7%	1	7.7%	0	0%
	2023	18	6.0	12	4	22%	6.0	85	17	18	20	10	45	21	15	83%	1	5.6%	1	5.6%	1	5.6%	0	0%
2024	13	5.1	11	6	46%	5.1	20	5.8	8.2	11	5.1	16	4.1	13	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
															≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
			Min	Max	Number of Samples	Ratio									Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio		
Fukushima	2011	265	12	30	16	6.0%	12	14,600	637	638	638	330	1,220	1,347	23	8.7%	17	6.4%	13	4.9%	13	4.9%	199	75%
	2012	393	4.2	17	15	3.8%	4.2	61,000	1,917	1,918	1,918	260	4,700	5,843	44	11%	30	7.6%	23	5.9%	22	5.6%	274	70%
	2013	310	4.1	18	9	2.9%	4.1	20,000	604	604	605	210	1,310	1,551	31	10%	13	4.2%	27	8.7%	20	6.5%	219	71%
	2014	338	5.3	17	17	5.0%	5.3	30,000	568	568	568	110	800	2,189	62	18%	49	14%	23	6.8%	25	7.4%	179	53%
	2015	56	7.0	19	7	13%	7.0	9,800	699	700	701	195	1,450	1,598	11	20%	4	7.1%	2	3.6%	4	7.1%	35	63%
	2016	590	4.4	18	55	9.3%	4.4	30,000	381	382	383	88	701	1,560	156	26%	67	11%	53	9.0%	33	5.6%	281	48%
	2017	262	4.5	17	54	21%	4.5	14,000	223	224	225	29.5	237	1,170	118	45%	44	17%	15	5.7%	24	9.2%	61	23%
	2018	311	5.0	25	49	16%	5.0	10,000	234	235	236	36	470	873	125	40%	48	15%	27	8.7%	30	9.6%	81	26%
	2019	215	4.8	19	54	25%	4.8	5,200	125	127	129	16	142	584	135	63%	36	17%	10	4.7%	6	2.8%	28	13%
	2020	248	4.9	19	70	28%	4.9	2,400	50	52	54	15	93	192	166	67%	37	15%	15	6.0%	6	2.4%	24	10%
	2021	193	5.1	17	35	18%	5.1	950	68	69	70	23	188	136	105	54%	41	21%	10	5.2%	8	4.1%	29	15%
	2022	196	4.1	16	44	22%	4.1	1,500	95	96	98	23	235	183	102	52%	21	11%	13	6.6%	15	7.7%	45	23%
	2023	311	4.7	18	98	32%	4.7	890	53	55	57	13	130	119	195	63%	36	12%	26	8.4%	15	4.8%	39	13%
	2024	387	5.0	22	103	27%	5.0	14,000	167	168	170	19	260	861	217	56%	44	11%	26	6.7%	19	4.9%	81	21%
Ibaraki	2011	27	11	11	1	3.7%	12	850	272	272	273	215	560	212	3	11%	2	7.4%	0	0%	1	3.7%	21	78%
	2012	31	3.2	5.4	3	10%	3.2	240	64	64	65	50	120	58	10	32%	7	23%	3	9.7%	6	19%	5	16%
	2013	41	-	-	0	0%	11	250	77	77	77	56	150	57	7	17%	12	29%	6	15%	4	10%	12	29%
	2014	33	-	-	0	0%	7.2	330	64	64	64	42	128	63	10	30%	11	33%	1	3.0%	5	15%	6	18%
	2015	38	3.6	3.6	1	2.6%	5.4	180	51	51	51	37	99	40	10	26%	13	34%	6	16%	6	16%	3	7.9%
	2016	29	5.0	10	1	3.4%	5.0	110	39	39	39	36	71	26	11	38%	10	34%	6	21%	1	3.4%	1	3.4%
	2017	32	-	-	0	0%	3.0	160	29	29	29	23	58	31	19	59%	8	25%	4	13%	0	0%	1	3.1%
	2018	19	-	-	0	0%	6.0	77	36	36	36	38	61	20	7	37%	8	42%	3	16%	1	5.3%	0	0%
	2019	27	-	-	0	0%	4.8	50	26	26	26	23	44	15	15	56%	12	44%	0	0%	0	0%	0	0%
	2020	16	5.6	8.9	1	6.3%	5.6	55	24	25	25	26	40	14	8	50%	7	44%	1	6.3%	0	0%	0	0%
	2021	36	-	-	0	0%	4.3	100	26	26	26	16	58	25	25	69%	5	14%	4	11%	2	5.6%	0	0%
	2022	12	-	-	0	0%	8.8	51	24	24	24	26	32	11	6	50%	5	42%	1	8.3%	0	0%	0	0%
	2023	13	5.5	20	3	23%	5.5	140	31	33	35	14	62	36	7	54%	3	23%	2	15%	0	0%	1	7.7%
	2024	26	7.7	22	13	50%	7.7	78	13	17	22	-	33	-	22	85%	3	12%	0	0%	1	3.8%	0	0%
Tochigi	2011	81	-	-	0	0%	26	2,490	314	314	314	152	551	482	0	0%	7	8.6%	10	12%	6	7.4%	58	72%
	2012	265	4.6	25	8	3.0%	4.6	1,100	112	112	112	57	230	162	35	13%	81	31%	46	17%	27	10%	76	29%
	2013	291	1.4	11	11	3.8%	1.4	1,000	79	79	79	53	180	87	58	20%	77	26%	53	18%	33	11%	70	24%
	2014	281	4.4	13	22	7.8%	4.4	450	70	70	70	41	160	76	82	29%	82	29%	27	9.6%	25	8.9%	65	23%
	2015	110	3.0	13	16	15%	3.0	500	68	69	69	35	172	90	48	44%	23	21%	7	6.4%	8	7.3%	24	22%
	2016	237	4.7	13	7	3.0%	4.7	250	46	46	46	33	100	43	90	38%	84	35%	24	10%	16	6.8%	23	10%
	2017	260	5.9	13	24	9.2%	5.9	170	28	29	29	19	62	27	164	63%	56	22%	25	10%	9	3.5%	6	2.3%
	2018	326	6.2	25	20	6.1%	6.2	600	43	44	45	26	97	60	157	48%	84	26%	42	13%	13	4.0%	30	9.2%
	2019	380	5.7	25	68	18%	5.7	600	30	31	32	15	68	52	258	68%	70	18%	19	5.0%	11	2.9%	22	5.8%
	2020	291	5.6	14	58	20%	5.6	330	17	18	19	12	35	26	238	82%	43	15%	6	2.1%	2	0.7%	2	0.7%
	2021	223	5.0	13	87	39%	5.0	71	8.4	11	13	7.2	20	7.9	210	94%	11	4.9%	2	0.9%	0	0%	0	0%
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]										
			≤25		>25 and ≤50										>50 and ≤75		>75 and ≤100		>100						
			Number of samples	Ratio	Number of samples	Ratio									Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio					
Gunma	2011	111	15	100	14	13%	15	482	136	139	142	115	277	100	16	14%	12	11%	10	9.0%	14	13%	59	53%	
	2012	215	10	20	23	11%	10	1,100	109	110	111	81	220	114	43	20%	26	12%	35	16%	28	13%	83	39%	
	2013	214	10	20	5	2.3%	10	500	102	102	102	76	207	84	18	8.4%	42	20%	44	21%	37	17%	73	34%	
	2014	159	10	20	5	3.1%	10	650	110	110	110	73	230	114	27	17%	24	15%	31	19%	25	16%	52	33%	
	2015	125	7.4	20	4	3.2%	7.4	1,100	99	99	100	69	186	120	27	22%	21	17%	15	12%	17	14%	45	36%	
	2016	186	8.2	20	19	10%	8.2	440	70	71	72	39	190	80	68	37%	33	18%	27	15%	23	12%	35	19%	
	2017	143	5.8	20	19	13%	5.8	880	77	79	80	31	168	123	62	43%	25	17%	16	11%	9	6.3%	31	22%	
	2018	88	7.3	20	16	18%	7.3	510	67	69	70	33.5	163	89	37	42%	21	24%	5	5.7%	3	3.4%	22	25%	
	2019	73	4.2	19	12	16%	4.2	830	60	61	62	22	110	116	40	55%	9	12%	7	10%	8	11%	9	12%	
	2020	41	8.5	19	12	29%	8.5	740	52	55	57	19	120	127	26	63%	9	22%	1	2.4%	0	0%	5	12%	
	2021	99	8.3	19	22	22%	8.3	990	74	76	78	32	204	128	44	44%	23	23%	6	6.1%	5	5.1%	21	21%	
	2022	60	8.0	19	8	13%	8.0	420	63	64	65	34	141	79	26	43%	12	20%	6	10%	5	8.3%	11	18%	
	2023	218	6.8	18	32	15%	6.8	950	80	81	82	41	180	123	77	35%	47	22%	29	13%	23	11%	42	19%	
2024	100	7.7	17	24	24%	7.7	330	52	54	56	23	170	66	53	53%	20	20%	3	3.0%	4	4.0%	20	20%		
Chiba	2011	10	-	-	0	0%	9.5	242	74	74	74	62	100	63	1	10%	3	30%	2	20%	3	30%	1	10%	
	2012	57	1.9	21	4	7.0%	2.3	260	34	34	35	22	62	46	35	61%	15	26%	2	3.5%	1	1.8%	4	7.0%	
	2013	160	3.2	28	94	59%	3.2	150	15	20	25	-	57	-	130	81%	13	8.1%	9	5.6%	6	3.8%	2	1.3%	
	2014	182	1.6	28	154	85%	1.6	91	4.5	12	19	-	23	-	166	91%	14	7.7%	1	0.5%	1	0.5%	0	0%	
	2015	244	3.8	26	209	86%	3.8	67	4.5	12	19	-	24	-	223	91%	19	7.8%	2	0.8%	0	0%	0	0%	
	2016	316	4.5	38	284	90%	4.5	97	2.8	10	18	-	2.3	-	298	94%	16	5.1%	0	0%	2	0.6%	0	0%	
	2017	256	3.1	20	227	89%	3.1	70	3.2	11	18	-	10	-	240	94%	14	5.5%	2	0.8%	0	0%	0	0%	
	2018	523	7.7	20	475	91%	8.7	82	2.6	10	18	-	-	-	500	96%	22	4.2%	0	0%	1	0.2%	0	0%	
	2019	353	15	20	321	91%	20	47	2.5	11	19	-	-	-	339	96%	14	4.0%	0	0%	0	0%	0	0%	
	2020	1,636	6.0	20	1,427	87%	6.0	81	3.5	12	20	-	22	-	1,536	94%	97	5.9%	2	0.1%	1	0.06%	0	0%	
	2021	652	6.1	20	597	92%	6.1	49	2.3	11	20	-	-	-	621	95%	31	4.8%	0	0%	0	0%	0	0%	
	2022	1,354	10	20	1,275	94%	10	46	1.6	11	20	-	-	-	1,316	97%	38	2.8%	0	0%	0	0%	0	0%	
	2023	21	7.7	17	19	90%	7.7	11	0.89	8.5	16	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%	
2024	4,549	1.4	20	4,308	95%	1.4	58	1.4	11	20	-	-	-	4,428	97%	120	2.6%	1	0.02%	0	0%	0	0%		
Saitama	2011	9	-	-	0	0%	10	130	56	56	56	49	-	42	2	22%	4	44%	1	11%	0	0%	2	22%	
	2012	51	12	20	37	73%	12	820	21	28	36	-	19	-	47	92%	3	5.9%	0	0%	0	0%	1	2.0%	
	2013	34	12	20	23	68%	12	200	13	19	26	-	30	-	30	88%	3	8.8%	0	0%	0	0%	1	2.9%	
	2014	41	11	20	28	68%	11	530	20	27	34	-	33	-	35	85%	5	12%	0	0%	0	0%	1	2.4%	
	2015	38	10	20	31	82%	10	30	3.9	12	20	-	18	-	35	92%	3	7.9%	0	0%	0	0%	0	0%	
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kanagawa	2011	6	-	-	0	0%	32	69	48	48	48	43	-	16	0	0%	4	67%	2	33%	0	0%	0	0%
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	17	4.2	9.7	8	47%	4.2	760	54	56	58	4.2	43	181	14	82%	1	5.9%	1	5.9%	0	0%	1	5.9%
	2013	49	3.4	6.5	13	27%	3.4	75	16	17	17	8.6	43	17	36	73%	11	22%	2	4.1%	0	0%	0	0%
	2014	74	2.8	9.3	20	27%	2.8	130	16	17	18	6.3	46	23	56	76%	11	15%	4	5.4%	2	2.7%	1	1.4%
	2015	17	3.6	6.1	8	47%	3.6	32	6.2	7.5	8.8	3.6	14	6.8	16	94%	1	5.9%	0	0%	0	0%	0	0%
	2016	20	3.6	4.9	1	5.0%	3.6	83	27	27	27	16	60	24	12	60%	5	25%	1	5.0%	2	10%	0	0%
	2017	10	3.5	6.0	3	30%	3.5	40	9.6	10	11	4.3	25	12	9	90%	1	10%	0	0%	0	0%	0	0%
	2018	5	2.6	7.4	2	40%	2.6	23	7.9	9.3	11	2.6	-	8.0	5	100%	0	0%	0	0%	0	0%	0	0%
	2019	13	5.3	6.2	2	15%	5.3	87	16	16	17	8.8	29	22	11	85%	1	7.7%	0	0%	1	7.7%	0	0%
	2020	5	5.2	6.1	3	60%	18	56	15	16	18	-	-	-	4	80%	0	0%	1	20%	0	0%	0	0%
	2021	4	3.8	6.3	3	75%	3.8	3.8	1.0	3.2	5.4	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2022	7	4.8	6.9	3	43%	4.8	55	12	14	15	4.8	-	18	6	86%	0	0%	1	14%	0	0%	0	0%
	2023	16	3.8	6.1	7	44%	3.8	48	10	11	12	4.4	31	13	14	88%	2	13%	0	0%	0	0%	0	0%
2024	14	2.3	7.5	8	57%	2.3	15	3.1	4.7	6.4	-	8.2	-	14	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	8	19	38	7	88%	36	36	4.5	15	25	-	-	-	7	88%	1	13%	0	0%	0	0%	0	0%
	2012	10	5.1	20	7	70%	5.1	72	8.4	14	19	-	13	-	9	90%	0	0%	1	10%	0	0%	0	0%
	2013	15	7.4	15	10	67%	7.4	69	9.6	14	18	-	27	-	13	87%	1	6.7%	1	6.7%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	18	7.4	16	13	72%	9.4	25	3.9	8.3	13	-	12	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2016	15	4.2	15	12	80%	4.2	13	1.6	5.7	9.7	-	6.1	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2017	15	7.3	16	13	87%	12	14	1.7	7.1	12	-	7.2	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2018	15	-	-	0	0%	11	22	16	16	16	15	20	3.3	15	100%	0	0%	0	0%	0	0%	0	0%
	2019	15	11	18	14	93%	12	12	0.80	7.6	14	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	12	4.4	19	11	92%	4.4	4.4	0.37	5.5	11	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2022	11	3.2	6.8	6	55%	3.2	7.0	2.3	4.0	5.7	-	6.4	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nagano	2011	19	15	60	13	68%	16	110	20	32	45	-	91	-	15	79%	1	5.3%	0	0%	2	11%	1	5.3%
	2012	39	4.5	8.3	21	54%	4.5	140	20	22	24	-	59	-	27	69%	6	15%	3	7.7%	2	5.1%	1	2.6%
	2013	51	4.0	8.0	42	82%	4.0	40	2.3	5.0	7.6	-	5.9	-	49	96%	2	3.9%	0	0%	0	0%	0	0%
	2014	33	4.0	7.7	30	91%	4.0	22	0.93	4.1	7.4	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2015	36	4.3	8.4	27	75%	4.3	16	1.6	4.2	6.8	-	5.0	-	36	100%	0	0%	0	0%	0	0%	0	0%
	2016	41	3.3	7.8	34	83%	3.3	21	1.6	4.5	7.4	-	3.7	-	41	100%	0	0%	0	0%	0	0%	0	0%
	2017	443	3.1	25	433	98%	3.1	160	0.63	12	24	-	-	-	440	99%	2	0.5%	0	0%	0	0%	1	0.2%
	2018	389	4.1	26	377	97%	4.1	120	1.5	13	25	-	-	-	379	97%	5	1.3%	3	0.8%	1	0.3%	1	0.3%
	2019	511	22	25	506	99%	22	46	0.29	13	25	-	-	-	508	99%	3	0.6%	0	0%	0	0%	0	0%
	2020	486	25	26	481	99%	35	110	0.60	13	25	-	-	-	481	99%	3	0.6%	1	0.2%	0	0%	1	0.2%
	2021	555	24	25	551	99%	24	59	0.28	13	25	-	-	-	552	99%	2	0.4%	1	0.2%	0	0%	0	0%
	2022	614	22	25	608	99%	22	77	0.43	13	25	-	-	-	609	99%	3	0.5%	1	0.2%	1	0.2%	0	0%
	2023	506	25	25	505	99.8%	48	48	0.095	13	25	-	-	-	505	99.8%	1	0.2%	0	0%	0	0%	0	0%
2024	546	25	25	543	99%	49	74	0.34	13	25	-	-	-	543	99%	1	0.2%	2	0.4%	0	0%	0	0%	
Shizuoka	2011	3	-	-	0	0%	20	145	94	94	94	116	-	65	1	33%	0	0%	0	0%	0	0%	2	67%
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2013	3	-	-	0	0%	2.7	27	13	13	13	9.0	-	13	2	67%	1	33%	0	0%	0	0%	0	0%
	2014	3	2.3	3.3	2	67%	3.0	3.0	1.0	1.9	2.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	-	-	0	0%	1.0	9.0	4.3	4.3	4.3	3.0	-	4.2	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	3	-	-	0	0%	1.7	3.5	2.8	2.8	2.8	3.1	-	0.95	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	1	2.6	2.6	1	100%	-	-	0	1.3	2.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	9	2.3	9.0	6	67%	4.4	15	2.7	4.5	6.3	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2019	9	2.5	9.1	7	78%	3.9	11	1.7	4.2	6.8	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2020	5	7.0	8.6	3	60%	7.0	7.2	2.8	5.3	7.7	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Difficult for cultivation/feed management
(16) Fishery Products (marine)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	4,545	0.068	58	1,334	29%	0.068	4,500	70	72	74	14	161	194	2,659	59%	583	13%	345	7.6%	214	4.7%	744	16%
	2012	13,927	0.047	25	6,448	46%	0.047	3,300	28	31	34	2.2	61	91	10,792	77%	1,427	10%	552	4.0%	326	2.3%	830	6.0%
	2013	15,762	0.033	25	10,787	68%	0.033	1,700	7.6	12	16	-	16	-	14,682	93%	544	3.5%	219	1.4%	125	0.8%	192	1.2%
	2014	16,416	0.045	25	13,563	83%	0.045	510	2.7	8.0	13	-	6.8	-	16,007	98%	243	1.5%	76	0.5%	40	0.2%	50	0.3%
	2015	14,884	0.0061	25	13,414	90%	0.0061	94	0.97	6.7	12	-	-	-	14,788	99%	70	0.5%	21	0.1%	5	0.03%	0	0%
	2016	14,713	0.28	25	13,953	95%	0.28	87	0.39	6.4	13	-	-	-	14,683	99.8%	25	0.2%	3	0.02%	2	0.01%	0	0%
	2017	13,672	0.20	25	13,303	97%	0.20	66	0.15	6.6	13	-	-	-	13,666	99.96%	4	0.03%	2	0.01%	0	0%	0	0%
	2018	11,003	0.13	35	10,767	98%	0.13	50	0.10	6.5	13	-	-	-	10,998	99.95%	5	0.05%	0	0%	0	0%	0	0%
	2019	9,211	0.098	25	9,068	98%	0.098	17	0.026	6.2	12	-	-	-	9,211	100%	0	0%	0	0%	0	0%	0	0%
	2020	7,891	0.33	20	7,828	99%	0.33	21	0.013	6.0	12	-	-	-	7,891	100%	0	0%	0	0%	0	0%	0	0%
	2021	10,961	0.24	20	10,859	99%	0.24	270	0.037	5.4	11	-	-	-	10,960	99.99%	0	0%	0	0%	0	0%	1	0.009%
	2022	9,655	0.26	20	9,422	98%	0.26	21	0.052	4.4	8.7	-	-	-	9,655	100%	0	0%	0	0%	0	0%	0	0%
	2023	13,816	0.28	20	13,726	99%	0.28	33	0.042	6.0	12	-	-	-	13,811	99.96%	5	0.04%	0	0%	0	0%	0	0%
	2024	12,586	0.28	20	12,555	99.8%	0.28	40	0.013	5.6	11	-	-	-	12,585	99.99%	1	0.01%	0	0%	0	0%	0	0%
Aomori	2011	282	0.53	45	207	73%	0.53	117	3.4	13	23	-	7.2	-	273	97%	4	1.4%	2	0.7%	2	0.7%	1	0.4%
	2012	1,050	0.37	25	732	70%	0.37	120	4.4	8.8	13	-	16	-	1,001	95%	40	3.8%	7	0.7%	1	0.1%	1	0.1%
	2013	979	0.36	25	733	75%	0.36	24	1.3	5.2	9.0	-	5.5	-	979	100%	0	0%	0	0%	0	0%	0	0%
	2014	759	0.36	25	620	82%	0.36	15	0	3.8	7.2	-	1.1	-	759	100%	0	0%	0	0%	0	0%	0	0%
	2015	581	0.31	25	523	90%	0.31	3.3	0.070	3.2	6.2	-	-	-	581	100%	0	0%	0	0%	0	0%	0	0%
	2016	568	0.28	25	533	94%	0.28	1.6	0	2.9	5.9	-	-	-	568	100%	0	0%	0	0%	0	0%	0	0%
	2017	275	0.30	25	264	96%	0.30	0.59	0.020	3.3	6.6	-	-	-	275	100%	0	0%	0	0%	0	0%	0	0%
	2018	193	0.35	25	185	96%	0.35	0.92	0.022	3.6	7.2	-	-	-	193	100%	0	0%	0	0%	0	0%	0	0%
	2019	223	0.28	25	218	98%	0.28	0.51	0.0083	2.7	5.4	-	-	-	223	100%	0	0%	0	0%	0	0%	0	0%
	2020	217	0.36	13	215	99%	0.36	0.40	0.0035	2.3	4.6	-	-	-	217	100%	0	0%	0	0%	0	0%	0	0%
	2021	164	0.33	15	163	99%	0.33	0.33	0.0020	2.8	5.6	-	-	-	164	100%	0	0%	0	0%	0	0%	0	0%
	2022	165	0.51	14	164	99%	0.51	0.51	0.0031	2.9	5.9	-	-	-	165	100%	0	0%	0	0%	0	0%	0	0%
	2023	123	0.31	14	119	97%	0.31	0.34	0.0106	3.0	5.9	-	-	-	123	100%	0	0%	0	0%	0	0%	0	0%
	2024	363	0.44	16	363	100%	-	-	0	4.4	8.8	-	-	-	363	100%	0	0%	0	0%	0	0%	0	0%
Iwate	2011	289	0.37	20	158	55%	0.37	89	4.7	6.7	8.7	-	11	-	276	96%	9	3.1%	3	1.0%	1	0.3%	0	0%
	2012	1,622	0.36	24	1,126	69%	0.36	400	4.9	8.4	12	-	17	-	1,535	95%	80	4.9%	4	0.2%	2	0.1%	1	0.06%
	2013	1,653	0.35	20	1,318	80%	0.35	68	1.2	4.9	8.7	-	4.7	-	1,650	100%	2	0.1%	1	0.06%	0	0%	0	0%
	2014	1,528	0.42	20	1,480	97%	0.42	6.3	0.045	4.5	8.9	-	-	-	1,528	100%	0	0%	0	0%	0	0%	0	0%
	2015	1,476	0.40	19	1,448	98%	0.40	4.1	0.016	3.7	7.4	-	-	-	1,476	100%	0	0%	0	0%	0	0%	0	0%
	2016	1,485	0.35	16	1,460	98%	0.35	6.4	0.018	3.6	7.1	-	-	-	1,485	100%	0	0%	0	0%	0	0%	0	0%
	2017	1,537	0.33	15	1,519	99%	0.33	4.3	0.0088	3.5	7.0	-	-	-	1,537	100%	0	0%	0	0%	0	0%	0	0%
	2018	1,512	0.21	15	1,485	98%	0.21	3.3	0.012	3.3	6.5	-	-	-	1,512	100%	0	0%	0	0%	0	0%	0	0%
	2019	1,684	0.41	15	1,662	99%	0.41	11	0.019	3.4	6.9	-	-	-	1,684	100%	0	0%	0	0%	0	0%	0	0%
	2020	1,502	0.35	17	1,487	99%	0.35	0.90	0.0054	3.4	6.7	-	-	-	1,502	100%	0	0%	0	0%	0	0%	0	0%
	2021	1,971	0.30	16	1,957	99%	0.30	7.6	0.0072	3.8	7.6	-	-	-	1,971	100%	0	0%	0	0%	0	0%	0	0%
	2022	1,815	0.37	16	1,810	99.7%	0.37	0.52	0.0012	4.1	8.1	-	-	-	1,815	100%	0	0%	0	0%	0	0%	0	0%
	2023	1,747	0.38	16	1,743	99.8%	0.38	0.66	0.0011	4.0	8.1	-	-	-	1,747	100%	0	0%	0	0%	0	0%	0	0%
	2024	1,797	0.28	16	1,796	99.9%	0.28	0.28	0.00016	4.0	7.9	-	-	-	1,797	100%	0	0%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	3	1.5	20	3	100%	-	-	0	3.8	7.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2012	17	0.79	12	16	94%	0.79	0.79	0.046	1.2	2.4	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%
	2013	9	1.2	12	9	100%	-	-	0	2.8	5.7	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2014	9	1.1	11	9	100%	-	-	0	2.2	4.4	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2015	2	1.3	1.4	2	100%	-	-	0	0.68	1.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	1.0	1.7	2	100%	-	-	0	0.68	1.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	2011	509	0.42	58	181	36%	0.42	360	10	11	11	2.4	27	26	454	89%	33	6.5%	12	2.4%	3	0.6%	7	1.4%
	2012	1,988	0.11	16	572	29%	0.34	3,300	19	20	21	5.6	41	86	1,622	82%	227	11%	75	3.8%	36	1.8%	28	1.4%
	2013	1,827	0.31	20	920	50%	0.31	310	5.9	8.8	12	-	16	-	1,743	95%	63	3.4%	9	0.5%	5	0.3%	7	0.4%
	2014	2,024	0.37	20	1,766	87%	0.37	190	0.82	6.7	12	-	1.4	-	2,019	100%	3	0.1%	0	0%	0	0%	2	0.1%
	2015	1,925	0.34	20	1,775	92%	0.34	27	0.27	6.3	12	-	-	-	1,924	99.9%	1	0.05%	0	0%	0	0%	0	0%
	2016	1,748	0.33	20	1,673	96%	0.33	50	0.088	6.1	12	-	-	-	1,747	99.9%	1	0.06%	0	0%	0	0%	0	0%
	2017	1,875	0.32	20	1,831	98%	0.32	8.9	0.045	6.3	12	-	-	-	1,875	100%	0	0%	0	0%	0	0%	0	0%
	2018	1,627	0.39	20	1,603	99%	0.39	19	0.032	6.4	13	-	-	-	1,627	100%	0	0%	0	0%	0	0%	0	0%
	2019	1,373	0.34	20	1,346	98%	0.34	1.1	0.011	5.9	12	-	-	-	1,373	100%	0	0%	0	0%	0	0%	0	0%
	2020	1,404	0.33	20	1,391	99%	0.33	0.7	0.0044	5.6	11	-	-	-	1,404	100%	0	0%	0	0%	0	0%	0	0%
	2021	3,571	0.24	20	3,521	99%	0.24	1.3	0.0065	4.1	8.3	-	-	-	3,571	100%	0	0%	0	0%	0	0%	0	0%
	2022	3,676	0.26	20	3,623	99%	0.26	3.0	0.0069	4.0	7.9	-	-	-	3,676	100%	0	0%	0	0%	0	0%	0	0%
	2023	4,648	0.32	20	4,628	99.6%	0.32	3.1	0.0025	4.7	9.4	-	-	-	4,648	100%	0	0%	0	0%	0	0%	0	0%
	2024	5,595	0.29	20	5,588	99.9%	0.29	4.4	0.0012	4.8	9.5	-	-	-	5,595	100%	0	0%	0	0%	0	0%	0	0%
Yamagata	2011	10	1.2	20	10	100%	-	-	0	5.0	10	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2012	21	1.6	13	21	100%	-	-	0	5.1	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2013	23	7.7	12	23	100%	-	-	0	5.3	11	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%
	2014	25	8.3	14	25	100%	-	-	0	5.4	11	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2015	22	8.9	13	22	100%	-	-	0	5.2	10	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%
	2016	22	8.7	13	22	100%	-	-	0	5.3	11	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%
	2017	9	9.4	14	9	100%	-	-	0	5.9	12	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2018	8	10	16	8	100%	-	-	0	6.0	12	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2019	8	9.2	18	8	100%	-	-	0	6.4	13	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	2,097	6.6	35	493	24%	6.6	4,500	132	134	136	54	290	271	709	34%	310	15%	242	12%	178	8.5%	658	31%
	2012	6,138	4.8	20	2,822	46%	4.8	2,000	50	54	58	9.0	130	122	3,969	65%	754	12%	379	6.2%	257	4.2%	779	13%
	2013	7,766	3.3	20	5,749	74%	3.3	1,700	12	17	23	-	31	-	6,889	89%	391	5.0%	193	2.5%	113	1.5%	180	2.3%
	2014	8,606	3.9	20	7,254	84%	3.9	510	4.2	11	17	-	11	-	8,232	96%	214	2.5%	72	0.8%	40	0.5%	48	0.6%
	2015	8,214	5.2	20	7,481	91%	5.2	94	1.5	8.5	16	-	-	-	8,123	99%	65	0.8%	21	0.3%	5	0.06%	0	0%
	2016	8,728	3.4	20	8,372	96%	3.4	87	0.50	7.9	15	-	-	-	8,710	99.8%	16	0.2%	1	0.01%	1	0.01%	0	0%
	2017	8,288	5.5	20	8,178	99%	5.9	51	0.14	8.0	16	-	-	-	8,286	99.98%	1	0.01%	1	0.01%	0	0%	0	0%
	2018	6,283	5.4	20	6,252	99.5%	6.3	50	0.063	8.0	16	-	-	-	6,281	99.97%	2	0.03%	0	0%	0	0%	0	0%
	2019	4,840	6.3	20	4,835	99.9%	6.3	17	0.012	8.1	16	-	-	-	4,840	100%	0	0%	0	0%	0	0%	0	0%
	2020	3,975	6.0	20	3,970	99.9%	6.5	21	0.013	7.8	15	-	-	-	3,975	100%	0	0%	0	0%	0	0%	0	0%
	2021	3,880	5.2	20	3,873	99.8%	5.2	270	0.086	8.0	16	-	-	-	3,879	99.97%	0	0%	0	0%	0	0%	1	0.03%
	2022	1,666	3.9	20	1,666	100%	-	-	0	8.1	16	-	-	-	1,666	100%	0	0%	0	0%	0	0%	0	0%
	2023	5,781	6.1	20	5,756	99.6%	7.4	33	0.075	8.3	17	-	-	-	5,776	99.9%	5	0.1%	0	0%	0	0%	0	0%
	2024	3,636	5.0	20	3,630	99.8%	5.0	40	0.025	8.3	16	-	-	-	3,635	99.97%	1	0.03%	0	0%	0	0%	0	0%
Ibaraki	2011	1,088	0.40	20	136	13%	0.40	540	32	32	32	20	75	41	673	62%	223	20%	84	7.7%	30	2.8%	78	7.2%
	2012	2,453	0.32	25	776	32%	0.32	600	15	17	19	7.6	37	23	2,000	82%	319	13%	84	3.4%	30	1.2%	20	0.8%
	2013	2,513	0.36	25	1,340	53%	0.36	1,000	5.9	8.6	11	-	15	-	2,400	96%	85	3.4%	16	0.6%	7	0.3%	5	0.2%
	2014	2,614	0.35	25	1,728	66%	0.35	65	2.4	5.6	8.8	-	6.8	-	2,584	99%	26	1.0%	4	0.2%	0	0%	0	0%
	2015	2,061	0.42	25	1,661	81%	0.42	39	0.88	4.4	8.0	-	3.1	-	2,057	99.8%	4	0.2%	0	0%	0	0%	0	0%
	2016	1,586	0.41	25	1,441	91%	0.41	80	0.45	4.5	8.6	-	-	-	1,577	99%	8	0.5%	0	0%	1	0.06%	0	0%
	2017	1,114	0.39	15	1,042	94%	0.39	25	0.29	4.2	8.1	-	-	-	1,114	100%	0	0%	0	0%	0	0%	0	0%
	2018	853	0.31	35	807	95%	0.31	33	0.20	4.2	8.2	-	-	-	851	99.8%	2	0.2%	0	0%	0	0%	0	0%
	2019	720	0.39	14	681	95%	0.39	16	0.078	4.0	7.9	-	-	-	720	100%	0	0%	0	0%	0	0%	0	0%
	2020	698	0.33	15	670	96%	0.33	18	0.058	4.0	7.9	-	-	-	698	100%	0	0%	0	0%	0	0%	0	0%
	2021	1,246	0.26	16	1,216	98%	0.26	6.5	0.025	3.8	7.6	-	-	-	1,246	100%	0	0%	0	0%	0	0%	0	0%
	2022	1,147	0.31	16	1,123	98%	0.31	7.7	0.024	3.8	7.5	-	-	-	1,147	100%	0	0%	0	0%	0	0%	0	0%
	2023	1,240	0.28	19	1,224	99%	0.28	8.3	0.019	3.8	7.6	-	-	-	1,240	100%	0	0%	0	0%	0	0%	0	0%
	2024	890	0.45	16	889	99.9%	0.71	0.71	0.00080	4.3	8.7	-	-	-	890	100%	0	0%	0	0%	0	0%	0	0%
Tochigi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	Cultured(4)	17	22	4	100%	-	-	0	9.4	19	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2013	Cultured(2)	19	20	2	100%	-	-	0	9.8	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2014	Cultured(1)	9.2	9.2	1	100%	-	-	0	4.6	9.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2015	Cultured(1)	9.9	9.9	1	100%	-	-	0	5.0	9.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	Cultured(1)	9.5	9.5	1	100%	-	-	0	4.8	9.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	Cultured(1)	6.7	6.7	1	100%	-	-	0	3.4	6.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2018	Cultured(1)	8.3	8.3	1	100%	-	-	0	4.2	8.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2019	Cultured(1)	9.7	9.7	1	100%	-	-	0	4.9	9.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	2011	68	1.5	20	30	44%	3.0	53	8.2	12	15	4.1	19	9.9	63	93%	4	5.9%	1	1.5%	0	0%	0	0%
	2012	401	0.31	15	174	43%	0.31	130	2.8	3.5	4.1	0.65	4.1	9.7	390	97%	7	1.7%	3	0.7%	0	0%	1	0.2%
	2013	797	0.36	15	513	64%	0.36	38	1.4	2.4	3.3	-	4.5	-	794	99.6%	3	0.4%	0	0%	0	0%	0	0%
	2014	706	0.34	15	546	77%	0.34	12	0.27	1.5	2.7	-	0.69	-	706	100%	0	0%	0	0%	0	0%	0	0%
	2015	472	0.29	13	374	79%	0.29	9.5	0.21	1.2	2.1	-	0.66	-	472	100%	0	0%	0	0%	0	0%	0	0%
	2016	440	0.29	14	322	73%	0.29	69	1.0	2.1	3.2	-	0.97	-	438	99.5%	0	0%	2	0.5%	0	0%	0	0%
	2017	478	0.28	13	367	77%	0.28	66	0.81	1.8	2.8	-	1.2	-	474	99%	3	0.6%	1	0.2%	0	0%	0	0%
	2018	424	0.31	13	325	77%	0.31	26	1.0	1.7	2.4	-	2.2	-	423	99.8%	1	0.2%	0	0%	0	0%	0	0%
	2019	271	0.29	14	227	84%	0.29	16	0.28	1.2	2.1	-	0.53	-	271	100%	0	0%	0	0%	0	0%	0	0%
	2020	13	5.2	7.2	13	100%	-	-	0	3.1	6.2	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2021	12	5.6	7.1	12	100%	-	-	0	3.1	6.1	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2022	1,068	0.28	13	918	86%	0.28	21	0.42	1.4	2.4	-	0.67	-	1,068	100%	0	0%	0	0%	0	0%	0	0%
	2023	171	0.41	13	150	88%	0.41	23	0.65	2.1	3.5	-	0.75	-	171	100%	0	0%	0	0%	0	0%	0	0%
	2024	192	0.29	14	176	92%	0.29	8.9	0.35	3.4	6.5	-	-	-	192	100%	0	0%	0	0%	0	0%	0	0%
Saitama	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	20	0.94	20	18	90%	0.94	9.3	0.51	3.3	6.1	-	0.094	-	20	100%	0	0%	0	0%	0	0%	0	0%
	2012	39	0.45	25	27	69%	0.45	12	1.0	4.3	7.6	-	4.3	-	39	100%	0	0%	0	0%	0	0%	0	0%
	2013	31	0.70	20	30	97%	2.8	2.8	0.090	5.2	10	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%
	2014	25	1.2	14	25	100%	-	-	0	4.6	9.2	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2015	25	0.90	16	24	96%	0.90	0.90	0.036	4.2	8.4	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2016	16	1.3	9.1	15	94%	1.3	1.3	0.081	3.7	7.3	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	2017	15	0.60	11	15	100%	-	-	0	3.7	7.4	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2018	13	0.80	11	13	100%	-	-	0	3.9	7.7	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2019	24	0.90	14	24	100%	-	-	0	4.1	8.3	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2020	30	7.0	13	30	100%	-	-	0	4.1	8.3	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%
	2021	33	0.60	12	33	100%	-	-	0	4.1	8.3	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2022	31	0.90	14	31	100%	-	-	0	4.0	8.0	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%
	2023	28	1.0	12	28	100%	-	-	0	4.2	8.4	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%
2024	24	0.60	10	24	100%	-	-	0	3.9	7.8	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%	
Kanagawa	2011	166	0.47	20	95	57%	0.47	59	2.9	4.8	6.7	-	9.1	-	165	99%	0	0%	1	0.6%	0	0%	0	0%
	2012	177	0.95	17	172	97%	2.2	16	0.17	4.0	7.8	-	-	-	177	100%	0	0%	0	0%	0	0%	0	0%
	2013	149	0.44	16	146	98%	0.44	6.7	0.067	3.3	6.5	-	-	-	149	100%	0	0%	0	0%	0	0%	0	0%
	2014	103	1.0	14	103	100%	-	-	0	3.1	6.2	-	-	-	103	100%	0	0%	0	0%	0	0%	0	0%
	2015	96	0.29	13	95	99%	0.29	0.29	0.0030	2.7	5.4	-	-	-	96	100%	0	0%	0	0%	0	0%	0	0%
	2016	83	0.61	25	83	100%	-	-	0	2.6	5.2	-	-	-	83	100%	0	0%	0	0%	0	0%	0	0%
	2017	74	0.20	10	72	97%	0.20	0.41	0.0082	2.2	4.4	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%
	2018	80	0.13	11	79	99%	0.13	0.13	0.0016	2.5	5.0	-	-	-	80	100%	0	0%	0	0%	0	0%	0	0%
	2019	67	0.098	9.5	66	99%	0.098	0.098	0.0015	2.1	4.3	-	-	-	67	100%	0	0%	0	0%	0	0%	0	0%
	2020	52	0.65	11	52	100%	-	-	0	2.6	5.2	-	-	-	52	100%	0	0%	0	0%	0	0%	0	0%
	2021	84	1.2	12	84	100%	-	-	0	2.7	5.4	-	-	-	84	100%	0	0%	0	0%	0	0%	0	0%
	2022	87	0.61	10	87	100%	-	-	0	2.5	5.0	-	-	-	87	100%	0	0%	0	0%	0	0%	0	0%
	2023	78	0.97	11	78	100%	-	-	0	2.6	5.1	-	-	-	78	100%	0	0%	0	0%	0	0%	0	0%
2024	89	0.65	12	89	100%	-	-	0	2.7	5.4	-	-	-	89	100%	0	0%	0	0%	0	0%	0	0%	
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	2	7.2	7.6	2	100%	-	-	0	3.7	7.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	Cultured(3)	7.7	8.4	3	100%	-	-	0	4.0	8.0	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	2011	13	0.068	0.15	3	23%	0.068	15	2.9	3.0	3.0	0.49	9.6	5.0	13	100%	0	0%	0	0%	0	0%	0	0%
	2012	14	0.047	0.15	3	21%	0.047	0.33	0.099	0.11	0.12	0.074	0.24	0.087	14	100%	0	0%	0	0%	0	0%	0	0%
	2013	13	0.033	0.12	4	31%	0.033	0.36	0.097	0.11	0.13	0.070	0.21	0.086	13	100%	0	0%	0	0%	0	0%	0	0%
	2014	14	0.045	0.14	4	29%	0.045	0.29	0.094	0.11	0.12	0.082	0.19	0.067	14	100%	0	0%	0	0%	0	0%	0	0%
	2015	9	0.0061	9.4	8	89%	0.0061	0.0061	0.00068	3.4	6.9	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2016	34	0.45	9.1	29	85%	0.45	2.9	0.22	2.1	3.9	-	0.84	-	34	100%	0	0%	0	0%	0	0%	0	0%
	2017	6	0.64	8.9	5	83%	0.64	0.64	0.11	2.1	4.2	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2018	9	2.0	9.1	9	100%	-	-	0	3.1	6.2	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Difficult for cultivation/feed management
(17) Fishery Products (freshwater)

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	918	0.51	50	437	48%	0.51	18,700	85	88	91	7.0	190	630	539	59%	99	11%	61	6.6%	58	6.3%	161	18%
	2012	3,435	0.37	29	1,743	51%	0.37	1,400	27	30	33	-	79	-	2,518	73%	402	12%	159	4.6%	116	3.4%	240	7.0%
	2013	3,507	0.58	25	2,029	58%	0.62	600	15	18	21	-	39	-	2,962	84%	267	7.6%	99	2.8%	70	2.0%	109	3.1%
	2014	3,392	0.44	25	1,913	56%	0.44	740	13	16	19	-	36	-	2,898	85%	266	7.8%	113	3.3%	65	1.9%	50	1.5%
	2015	2,532	0.49	25	1,515	60%	0.49	240	9.6	13	16	-	30	-	2,221	88%	190	7.5%	76	3.0%	31	1.2%	14	0.6%
	2016	2,218	0.40	25	1,243	56%	0.40	170	10	13	16	-	35	-	1,895	85%	254	11%	43	1.9%	15	0.7%	11	0.5%
	2017	2,109	0.39	42	1,274	60%	0.39	480	8.3	12	15	-	24	-	1,910	91%	139	6.6%	37	1.8%	12	0.6%	11	0.5%
	2018	2,214	0.63	20	1,397	63%	0.85	220	7.5	11	15	-	24	-	2,007	91%	160	7.2%	33	1.5%	9	0.4%	5	0.2%
	2019	2,170	0.62	20	1,283	59%	0.66	230	8.0	12	15	-	26	-	1,949	90%	183	8.4%	28	1.3%	6	0.3%	4	0.2%
	2020	1,467	3.1	20	721	49%	3.1	140	11	14	17	4.6	32	11	1,219	83%	234	16%	12	0.8%	1	0.1%	1	0.1%
	2021	1,137	3.2	20	790	69%	3.2	170	5.8	10	14	-	19	-	1,058	93%	62	5.5%	13	1.1%	2	0.2%	2	0.2%
	2022	1,641	0.57	20	1,157	71%	0.57	82	4.5	7.9	11	-	15	-	1,555	95%	79	4.8%	6	0.4%	1	0.1%	0	0%
	2023	1,626	3.2	20	1,106	68%	3.2	160	6.1	9.8	14	-	22	-	1,502	92%	103	6.3%	17	1.0%	2	0.1%	2	0.1%
	2024	1,487	0.74	20	961	65%	2.5	92	6.8	10	14	-	25	-	1,342	90%	131	8.8%	12	0.8%	2	0.1%	0	0%
Aomori	2011	9	1.2	50	9	100%	-	-	0	12	24	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2012	131	0.96	25	130	99%	6.0	6.0	0.046	5.5	11	-	-	-	131	100%	0	0%	0	0%	0	0%	0	0%
	2013	155	1.0	15	155	100%	-	-	0	5.1	10	-	-	-	155	100%	0	0%	0	0%	0	0%	0	0%
	2014	136	5.9	15	136	100%	-	-	0	5.0	10	-	-	-	136	100%	0	0%	0	0%	0	0%	0	0%
	2015	107	6.2	13	107	100%	-	-	0	4.8	9.5	-	-	-	107	100%	0	0%	0	0%	0	0%	0	0%
	2016	113	4.8	14	113	100%	-	-	0	4.3	8.5	-	-	-	113	100%	0	0%	0	0%	0	0%	0	0%
	2017	126	5.6	15	126	100%	-	-	0	4.1	8.2	-	-	-	126	100%	0	0%	0	0%	0	0%	0	0%
	2018	126	0.85	12	125	99%	0.85	0.85	0	4.3	8.6	-	-	-	126	100%	0	0%	0	0%	0	0%	0	0%
	2019	105	4.7	12	105	100%	-	-	0	4.2	8.4	-	-	-	105	100%	0	0%	0	0%	0	0%	0	0%
	2020	61	4.8	13	61	100%	-	-	0	4.2	8.4	-	-	-	61	100%	0	0%	0	0%	0	0%	0	0%
	2021	100	4.8	12	100	100%	-	-	0	3.8	7.7	-	-	-	100	100%	0	0%	0	0%	0	0%	0	0%
	2022	210	4.6	13	210	100%	-	-	0	4.0	8.1	-	-	-	210	100%	0	0%	0	0%	0	0%	0	0%
	2023	245	4.2	15	245	100%	-	-	0	3.9	7.9	-	-	-	245	100%	0	0%	0	0%	0	0%	0	0%
	2024	200	4.3	15	200	100%	-	-	0	4.2	8.4	-	-	-	200	100%	0	0%	0	0%	0	0%	0	0%
Iwate	2011	127	0.51	15	97	76%	0.51	240	24	25	26	-	98	-	101	80%	3	2.4%	3	2.4%	8	6.3%	12	9.4%
	2012	350	0.37	29	240	69%	0.37	310	12	15	19	-	37	-	306	87%	21	6.0%	11	3.1%	4	1.1%	8	2.3%
	2013	271	0.65	15	212	78%	4.2	68	3.7	7.0	10	-	12	-	259	96%	8	3.0%	4	1.5%	0	0%	0	0%
	2014	387	0.61	15	278	72%	0.68	180	4.2	7.1	9.9	-	9.7	-	375	97%	7	1.8%	2	0.5%	1	0.3%	2	0.5%
	2015	338	0.58	16	244	72%	0.70	79	3.8	6.9	10	-	11	-	328	97%	5	1.5%	3	0.9%	2	0.6%	0	0%
	2016	117	0.52	14	88	75%	0.52	170	5.9	9.3	13	-	15	-	111	95%	4	3.4%	0	0%	0	0%	2	1.7%
	2017	171	0.39	17	117	68%	0.39	56	5.1	8.1	11	-	21	-	159	93%	11	6.4%	1	0.6%	0	0%	0	0%
	2018	120	0.63	12	94	78%	4.1	62	3.5	6.1	8.7	-	11	-	115	96%	4	3.3%	1	0.8%	0	0%	0	0%
	2019	65	0.74	13	43	66%	5.0	16	3.1	5.8	8.5	-	10	-	65	100%	0	0%	0	0%	0	0%	0	0%
	2020	48	4.1	14	31	65%	4.1	20	3.2	6.1	8.9	-	10	-	48	100%	0	0%	0	0%	0	0%	0	0%
	2021	39	4.9	13	21	54%	4.9	58	7.4	9.8	12	-	17	-	36	92%	2	5.1%	1	2.6%	0	0%	0	0%
	2022	25	5.0	16	17	68%	5.0	25	4.0	7.5	11	-	15	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2023	15	6.0	14	13	87%	6.4	7.4	0.92	5.3	10	-	3.8	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2024	17	0.74	16	16	94%	4.4	4.4	0.26	4.5	8.8	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	20	1.0	14	16	80%	1.0	11	1.0	4.6	8.2	-	3.6	-	20	100%	0	0%	0	0%	0	0%	0	0%
	2013	14	4.9	14	13	93%	4.9	4.9	0.35	5.4	10	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2014	11	0.86	11	10	91%	0.86	0.86	0.078	4.3	8.6	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Miyagi	2011	50	0.77	8.0	29	58%	7.6	128	26	27	28	-	93	-	34	68%	4	8.0%	4	8.0%	3	6.0%	5	10%
	2012	280	0.38	15	111	40%	0.38	530	42	43	45	12	121	74	169	60%	46	16%	17	6.1%	14	5.0%	34	12%
	2013	234	0.58	20	96	41%	0.62	250	21	23	25	9.7	49	29	161	69%	50	21%	9	3.8%	7	3.0%	7	3.0%
	2014	305	0.77	20	130	43%	3.8	160	13	15	18	5.9	39	20	259	85%	26	8.5%	11	3.6%	6	2.0%	3	1.0%
	2015	229	3.5	20	95	41%	3.5	240	13	16	18	6.2	36	23	193	84%	23	10%	6	2.6%	6	2.6%	1	0.4%
	2016	186	4.0	20	77	41%	4.0	68	8.8	11	13	6.0	24	10	169	91%	13	7.0%	4	2.2%	0	0%	0	0%
	2017	181	0.63	20	63	35%	3.6	71	10	12	13	6.5	28	11	158	87%	21	12%	2	1.1%	0	0%	0	0%
	2018	191	0.65	20	85	45%	4.2	42	8.2	10	12	5.3	21	7.7	180	94%	11	5.8%	0	0%	0	0%	0	0%
	2019	118	0.62	20	54	46%	4.6	43	7.6	10	12	5.5	23	7.3	110	93%	8	6.8%	0	0%	0	0%	0	0%
	2020	110	3.1	14	44	40%	3.1	67	9.1	11	13	6.2	26	10.0	98	89%	10	9.1%	2	1.8%	0	0%	0	0%
	2021	143	4.0	14	91	64%	4.0	30	4.8	7.6	10	-	18	-	140	98%	3	2.1%	0	0%	0	0%	0	0%
	2022	117	0.65	14	71	61%	3.4	29	4.2	6.9	10	-	12	-	115	98%	2	1.7%	0	0%	0	0%	0	0%
	2023	167	3.2	14	91	54%	3.2	31	4.2	6.8	9.4	-	11	-	165	99%	2	1.2%	0	0%	0	0%	0	0%
2024	139	2.9	15	83	60%	2.9	37	4.2	6.7	9.2	-	12	-	135	97%	4	2.9%	0	0%	0	0%	0	0%	
Yamagata	2011	4	-	-	0	0%	4.4	57	30	30	30	30	-	26	2	50%	1	25%	1	25%	0	0%	0	0%
	2012	41	1.2	13	29	71%	4.4	40	4.2	7.8	11	-	17	-	40	98%	1	2.4%	0	0%	0	0%	0	0%
	2013	24	6.0	18	23	96%	6.0	6.0	0.25	7.2	14	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2014	19	6.1	16	18	95%	6.1	6.1	0.32	6.6	13	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2015	18	9.1	18	18	100%	-	-	0	7.4	15	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	2016	13	10	20	13	100%	-	-	0	7.8	16	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	2017	11	9.0	17	11	100%	-	-	0	6.2	12	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2018	12	11	14	12	100%	-	-	0	6.2	12	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2019	8	8.9	12	8	100%	-	-	0	5.3	11	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2020	4	13	14	4	100%	-	-	0	6.8	14	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	295	7.2	20	149	51%	7.2	18,700	148	153	157	-	270	-	168	57%	24	8.1%	16	5.4%	15	5.1%	72	24%
	2012	701	7.1	20	344	49%	7.1	1,400	43	47	51	7.7	120	94	445	63%	94	13%	47	6.7%	33	4.7%	82	12%
	2013	753	6.5	20	402	53%	6.5	600	28	32	36	-	89	-	564	75%	73	9.7%	27	3.6%	32	4.2%	57	7.6%
	2014	994	6.4	20	532	54%	6.4	740	18	22	27	-	57	-	785	79%	101	10%	51	5.1%	30	3.0%	27	2.7%
	2015	680	6.2	20	397	58%	6.2	180	13	17	22	-	38	-	573	84%	61	9.0%	22	3.2%	17	2.5%	7	1.0%
	2016	712	5.8	20	361	51%	5.8	170	12	16	20	-	34	-	595	84%	92	13%	14	2.0%	7	1.0%	4	0.6%
	2017	772	6.6	42	394	51%	6.6	480	13	17	21	-	33	-	660	85%	71	9.2%	24	3.1%	9	1.2%	8	1.0%
	2018	965	6.4	20	567	59%	6.4	220	10	15	19	-	29	-	844	87%	90	9.3%	20	2.1%	6	0.6%	5	0.5%
	2019	1,171	6.1	20	603	51%	6.1	120	10	14	19	-	30	-	1,012	86%	138	12%	16	1.4%	3	0.3%	2	0.2%
	2020	742	6.3	20	288	39%	6.3	66	13	16	20	12	33	8.5	587	79%	152	20%	3	0.4%	0	0%	0	0%
	2021	476	6.6	20	298	63%	6.6	170	8.9	14	19	-	27	-	418	88%	45	9.5%	9	1.9%	2	0.4%	2	0.4%
	2022	240	8.2	20	147	61%	8.2	82	7.8	13	18	-	24	-	220	92%	18	7.5%	1	0.4%	1	0.4%	0	0%
	2023	494	7.2	20	252	51%	7.2	160	13	18	22	-	37	-	391	79%	85	17%	15	3.0%	1	0.2%	2	0.4%
	2024	506	6.1	20	220	43%	6.1	92	14	17	21	11	34	10	395	78%	99	20%	10	2.0%	2	0.4%	0	0%
Ibaraki	2011	103	2.0	20	6	5.8%	2.0	330	46	46	46	36	94	46	42	41%	24	23%	15	15%	13	13%	9	8.7%
	2012	337	3.6	15	29	8.6%	3.6	330	48	48	49	29	110	49	130	39%	108	32%	26	7.7%	32	9.5%	41	12%
	2013	406	0.88	25	134	33%	0.88	150	14	16	18	6.7	39	18	321	79%	57	14%	22	5.4%	4	1.0%	2	0.5%
	2014	355	0.44	25	90	25%	0.44	89	18	19	20	16	38	14	254	72%	86	24%	14	3.9%	1	0.3%	0	0%
	2015	265	0.49	25	110	42%	0.49	68	13	15	17	8.3	36	13	206	78%	52	20%	7	2.6%	0	0%	0	0%
	2016	248	0.40	25	102	41%	0.40	64	14	15	17	7.9	41	14	200	81%	38	15%	10	4.0%	0	0%	0	0%
	2017	184	0.57	13	99	54%	3.7	49	7.4	9.8	12	-	22	-	169	92%	15	8.2%	0	0%	0	0%	0	0%
	2018	143	0.71	14	74	52%	1.1	60	11.2	13.5	16	-	38	-	111	78%	30	21%	2	1.4%	0	0%	0	0%
	2019	100	2.2	12	59	59%	2.2	44	6.5	9.1	12	-	21	-	91	91%	9	9.0%	0	0%	0	0%	0	0%
	2020	105	3.2	13	56	53%	3.2	38	7.3	9.5	12	-	23	-	97	92%	8	7.6%	0	0%	0	0%	0	0%
	2021	82	3.6	14	60	73%	3.6	26	2.5	6.0	9.4	-	8.4	-	81	99%	1	1.2%	0	0%	0	0%	0	0%
	2022	96	0.57	15	74	77%	0.57	24	2.1	5.8	9.5	-	7.7	-	96	100%	0	0%	0	0%	0	0%	0	0%
	2023	94	3.2	15	69	73%	3.2	18	2.2	5.8	9.3	-	8.0	-	94	100%	0	0%	0	0%	0	0%	0	0%
	2024	64	3.2	16	52	81%	3.2	18	1.5	5.2	8.8	-	5.8	-	64	100%	0	0%	0	0%	0	0%	0	0%
Tochigi	2011	128	11	26	61	48%	11	396	51	55	60	12	164	75	73	57%	14	11%	12	9.4%	7	5.5%	22	17%
	2012	894	2.6	28	403	45%	2.6	420	23	27	30	7.0	71	38	671	75%	98	11%	43	4.8%	25	2.8%	57	6.4%
	2013	538	3.1	23	392	73%	3.1	190	4.9	9.4	14	-	14	-	520	97%	9	1.7%	4	0.7%	1	0.2%	4	0.7%
	2014	295	3.1	15	240	81%	3.1	260	6.0	10	14	-	7.9	-	282	96%	3	1.0%	2	0.7%	3	1.0%	5	1.7%
	2015	289	3.4	14	249	86%	3.4	130	3.1	6.8	11	-	5.5	-	280	97%	3	1.0%	2	0.7%	2	0.7%	2	0.7%
	2016	338	3.9	14	240	71%	3.9	110	11	14	18	-	46	-	262	78%	67	20%	5	1.5%	2	0.6%	2	0.6%
	2017	208	3.7	14	174	84%	3.7	160	3.9	7.7	12	-	6.6	-	198	95%	7	3.4%	1	0.5%	0	0%	2	1.0%
	2018	171	1.0	13	148	87%	1.0	95	3.0	6.9	11	-	5.0	-	163	95%	5	2.9%	2	1.2%	1	0.6%	0	0%
	2019	225	3.5	13	196	87%	3.5	76	2.8	6.6	10	-	5.7	-	216	96%	3	1.3%	5	2.2%	1	0.4%	0	0%
	2020	146	4.4	13	57	39%	4.4	67	20	21	23	16	44	16	86	59%	55	38%	5	3.4%	0	0%	0	0%
	2021	48	4.7	13	39	81%	4.7	50	5.4	9.0	13	-	26	-	43	90%	5	10%	0	0%	0	0%	0	0%
	2022	82	4.0	14	59	72%	5.1	37	7.2	10	13	-	30	-	66	80%	16	20%	0	0%	0	0%	0	0%
	2023	51	3.3	12	40	78%	3.3	28	2.9	6.1	9.2	-	8.6	-	50	98%	1	2.0%	0	0%	0	0%	0	0%
	2024	23	2.5	9.8	5	22%	2.5	40	22	23	24	28	33	11	10	43%	13	57%	0	0%	0	0%	0	0%

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	124	2.0	50	47	38%	2.0	768	135	138	140	34	487	208	57	46%	16	13%	7	5.6%	7	5.6%	37	30%
	2012	280	2.8	16	206	74%	2.8	360	13	17	22	-	26	-	251	90%	13	4.6%	3	1.1%	2	0.71%	11	3.9%
	2013	399	3.4	15	206	52%	3.4	260	20	23	26	-	84	-	313	78%	31	7.8%	11	2.8%	20	5.0%	24	6.0%
	2014	352	4.1	15	173	49%	4.1	380	19	22	24	4.5	71	34	275	78%	19	5.4%	30	8.5%	22	6.3%	6	1.7%
	2015	280	3.8	14	132	47%	3.8	130	14	16	18	4.8	52	19	217	78%	30	11%	32	11%	0	0%	1	0.4%
	2016	260	2.9	14	133	51%	2.9	120	9.2	11	14	-	29	-	227	87%	28	11%	2	0.8%	2	0.8%	1	0.4%
	2017	249	4.5	14	175	70%	4.5	130	5.8	9.1	12	-	15	-	234	94%	8	3.2%	5	2.0%	1	0.4%	1	0.4%
	2018	256	3.8	14	166	65%	3.8	92	5.5	8.5	12	-	16	-	244	95%	8	3.1%	3	1.2%	1	0.4%	0	0%
	2019	180	4.5	15	124	69%	4.5	230	5.7	9.0	12	-	11	-	171	95%	6	3.3%	1	0.6%	0	0%	2	1.1%
	2020	211	3.6	15	142	67%	3.6	140	5.7	8.8	12	-	15	-	198	94%	9	4.3%	2	0.9%	1	0.5%	1	0.5%
	2021	210	3.2	15	144	69%	3.2	70	4.3	7.7	11	-	12	-	201	96%	6	2.9%	3	1.4%	0	0%	0	0%
	2022	223	3.6	15	148	66%	3.6	55	4.6	8.1	12	-	15	-	213	96%	9	4.0%	1	0.4%	0	0%	0	0%
	2023	221	4.5	19	153	69%	4.5	100	4.5	8.3	12	-	13	-	214	97%	4	1.8%	2	0.9%	1	0.5%	0	0%
2024	113	3.6	17	66	58%	3.6	74	6.0	8.7	11	-	15	-	106	94%	5	4.4%	2	1.8%	0	0%	0	0%	
Chiba	2011	19	1.3	3.0	2	11%	1.3	400	68	68	69	34	137	95	9	47%	2	11%	1	5.3%	3	16%	4	21%
	2012	120	4.6	14	20	17%	4.6	240	26	27	28	15	58	41	90	75%	15	13%	9	7.5%	1	0.8%	5	4.2%
	2013	188	3.6	16	28	15%	3.6	220	34	35	36	15	80	44	115	61%	32	17%	20	11%	6	3.2%	15	8.0%
	2014	196	1.2	15	56	29%	3.0	210	16	17	19	7.4	32	27	167	85%	17	8.7%	3	1.5%	2	1.0%	7	3.6%
	2015	182	0.74	13	51	28%	4.0	140	13	14	16	6.9	28	21	162	89%	9	4.9%	4	2.2%	4	2.2%	3	1.6%
	2016	174	3.9	13	67	39%	3.9	140	13	15	16	5.7	34	22	149	86%	11	6.3%	8	4.6%	4	2.3%	2	1.1%
	2017	161	3.5	16	73	45%	3.5	96	7.6	9.7	12	4.4	18	14	149	93%	6	3.7%	4	2.5%	2	1.2%	0	0%
	2018	193	2.6	13	91	47%	2.6	93	8.8	11	13	3.6	24	13	175	91%	12	6.2%	5	2.6%	1	0.5%	0	0%
	2019	161	0.66	14	55	34%	0.66	92	12	14	15	5.6	37	16	134	83%	19	12%	6	3.7%	2	1.2%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2022	606	3.1	15	390	64%	3.1	66	4.9	7.7	11	-	16	-	569	94%	33	5.4%	4	0.7%	0	0%	0	0%
	2023	295	3.3	16	199	67%	3.3	34	4.1	7.4	11	-	16	-	284	96%	11	3.7%	0	0%	0	0%	0	0%
2024	390	3.0	15	284	73%	3.0	46	3.4	6.6	9.7	-	13	-	380	97%	10	2.6%	0	0%	0	0%	0	0%	
Saitama	2011	4	28	40	2	50%	28	28	14	24	34	-	-	-	2	50%	2	50%	0	0%	0	0%	0	0%
	2012	68	5.1	15	43	63%	5.1	130	9.3	13	17	-	24	-	61	90%	3	4.4%	3	4.4%	0	0%	1	1.5%
	2013	63	4.5	15	48	76%	4.5	60	5.5	9.5	13	-	23	-	57	90%	5	7.9%	1	1.6%	0	0%	0	0%
	2014	60	3.3	14	36	60%	3.3	46	7.4	10	13	-	23	-	54	90%	6	10%	0	0%	0	0%	0	0%
	2015	40	6.4	14	15	38%	6.4	39	12	14	16	11	28	8.8	33	83%	7	18%	0	0%	0	0%	0	0%
	2016	15	5.2	15	11	73%	5.2	40	4.5	8.2	12	-	11	-	14	93%	1	6.7%	0	0%	0	0%	0	0%
	2017	14	7.7	10	11	79%	7.7	16	2.8	6.5	10	-	14	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2018	10	6.5	11	8	80%	6.5	8.6	1.5	5.3	9.2	-	6.7	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2019	8	8.4	10	7	88%	12	12	1.5	5.6	9.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2020	10	5.8	10	8	80%	5.8	7.3	1.3	4.9	8.6	-	6.0	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2021	12	5.0	9.6	10	83%	5.0	5.2	0.85	4.5	8.1	-	4.5	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2022	11	8.3	9.4	10	91%	26	26	2.4	6.4	10	-	-	-	10	91%	1	9.1%	0	0%	0	0%	0	0%
	2023	12	7.2	9.8	12	100%	-	-	0	4.3	8.6	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
2024	8	7.3	9.9	8	100%	-	-	0	4.0	8.0	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	12	4.2	17	5	42%	6.9	81	18	20	22	12	33	21	8	67%	3	25%	0	0%	1	8.3%	0	0%
	2012	32	5.3	15	22	69%	7.9	36	5.1	8.6	12	-	17	-	30	94%	2	6.3%	0	0%	0	0%	0	0%
	2013	377	2.6	17	247	66%	2.6	30	2.7	6.2	9.8	-	8.1	-	376	99.7%	1	0.3%	0	0%	0	0%	0	0%
	2014	246	3.2	15	184	75%	3.2	27	1.8	5.5	9.1	-	6.6	-	245	99.6%	1	0.4%	0	0%	0	0%	0	0%
	2015	90	3.3	13	85	94%	3.3	6.3	0.28	4.1	8.0	-	-	-	90	100%	0	0%	0	0%	0	0%	0	0%
	2016	33	5.3	9.7	32	97%	5.3	5.3	0.16	3.9	7.7	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2017	30	4.3	13	29	97%	4.3	4.3	0.14	4.1	8.1	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%
	2018	25	6.4	10	25	100%	-	-	0	4.3	8.6	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2019	27	5.8	10	27	100%	-	-	0	4.1	8.2	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%
	2020	28	6.5	13	28	100%	-	-	0	4.0	8.1	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%
	2021	25	6.7	12	25	100%	-	-	0	4.4	8.8	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	2022	29	6.4	16	29	100%	-	-	0	4.4	8.8	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%
	2023	30	5.7	18	30	100%	-	-	0	4.8	9.5	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%
2024	27	5.2	12	27	100%	-	-	0	4.2	8.3	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%	
Kanagawa	2011	10	20	20	4	40%	27	71	27	31	35	30	58	18	4	40%	4	40%	2	20%	0	0%	0	0%
	2012	35	3.7	13	18	51%	3.7	110	21	23	25	-	96	-	28	80%	1	2.9%	0	0%	5	14%	1	2.9%
	2013	8	7.2	14	6	75%	13	57	8.8	13	17	-	-	-	7	88%	0	0%	1	13%	0	0%	0	0%
	2014	9	5.3	14	7	78%	5.3	6.9	1.4	4.9	8.5	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	8.7	12	3	100%	-	-	0	4.9	9.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	2	8.3	11	2	100%	-	-	0	4.8	9.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2017	2	5.0	7.9	2	100%	-	-	0	3.2	6.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2018	2	6.2	13	2	100%	-	-	0	4.8	9.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2019	2	7.6	8.1	2	100%	-	-	0	3.9	7.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2020	2	6.8	7.0	2	100%	-	-	0	3.5	6.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2021	2	7.3	8.1	2	100%	-	-	0	3.9	7.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2022	2	6.9	10	2	100%	-	-	0	4.2	8.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2023	2	7.5	9.2	2	100%	-	-	0	4.2	8.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Niigata	2011	12	10	10	9	75%	12	17	3.7	7.5	11	-	15	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2012	19	2.4	14	15	79%	5.4	17	2.2	5.9	9.6	-	8.5	-	19	100%	0	0%	0	0%	0	0%	0	0%
	2013	21	4.0	14	14	67%	4.0	39	5.5	8.3	11	-	18	-	20	95%	1	4.8%	0	0%	0	0%	0	0%
	2014	21	5.0	12	18	86%	5.0	7.8	0.90	4.6	8.3	-	5.0	-	21	100%	0	0%	0	0%	0	0%	0	0%
	2015	8	2.7	16	6	75%	4.8	6.0	1.4	4.0	6.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2016	6	4.4	7.1	3	50%	4.8	7.8	3.1	4.4	5.8	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	9	2.0	8.0	9	100%	-	-	0	3.1	6.1	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2012	55	3.3	15	49	89%	3.3	19	1.0	5.2	9.3	-	2.0	-	55	100%	0	0%	0	0%	0	0%	0	0%
	2013	53	3.7	14	50	94%	3.7	5.4	0.25	4.9	9.6	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%
	2014	6	4.9	8.6	5	83%	4.9	4.9	0.82	4.2	7.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2015	2	7.5	8.3	2	100%	-	-	0	4.0	7.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nagano	2011	11	5.0	29	8	73%	42	87	16	19	23	-	42	-	8	73%	2	18%	0	0%	1	9.1%	0	0%
	2012	68	1.7	15	64	94%	1.7	18	0.47	5.2	9.9	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%
	2013	3	7.2	14	3	100%	-	-	0	5.7	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shizuoka	2011	1	-	-	0	0%	2.0	2.0	2.0	2.0	2.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2012	4	3.4	3.7	4	100%	-	-	0	1.8	3.6	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Difficult for cultivation/feed management
(18) Honey

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	10	11	20	7	70%	11	160	22	28	33	-	61	-	8	80%	1	10%	0	0%	0	0%	1	10%
	2012	73	5.1	16	64	88%	5.1	97	4.0	9.1	14	-	5.8	-	69	95%	2	2.7%	1	1.4%	1	1.4%	0	0%
	2013	58	6.5	15	49	84%	6.5	67	3.8	9.0	14	-	9.2	-	55	95%	1	1.7%	2	3.4%	0	0%	0	0%
	2014	53	5.8	14	46	87%	5.8	58	2.2	7.4	13	-	6.0	-	52	98%	0	0%	1	1.9%	0	0%	0	0%
	2015	50	6.4	15	48	96%	6.4	8.8	0.30	6.1	12	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%
	2016	53	7.2	14	51	96%	7.2	67	1.4	7.0	13	-	-	-	52	98%	0	0%	1	1.9%	0	0%	0	0%
	2017	50	5.7	15	48	96%	5.7	7.4	0.26	6.2	12	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%
	2018	50	6.7	15	48	96%	6.7	12	0.37	5.9	11	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%
	2019	48	5.8	14	44	92%	5.8	9.1	0.55	5.9	11	-	-	-	48	100%	0	0%	0	0%	0	0%	0	0%
	2020	35	9.4	15	34	97%	17	17	0.49	6.3	12	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%
	2021	39	5.1	14	38	97%	5.1	5.1	0.13	5.7	11	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%
	2022	42	3.1	15	39	93%	3.1	7.5	0.35	5.9	11	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	2023	46	3.7	15	43	93%	8.3	30	1.4	7.1	13	-	-	-	44	96%	2	4%	0	0%	0	0%	0	0%
2024	41	9.1	16	38	93%	15	36	1.7	7.3	13	-	-	-	40	98%	1	2%	0	0%	0	0%	0	0%	
Aomori	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iwate	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	7	11	14	7	100%	-	-	0	6.4	13	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	4	6.9	8.9	4	100%	-	-	0	3.9	7.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2013	4	12	14	4	100%	-	-	0	6.6	13	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2014	4	13	14	4	100%	-	-	0	6.6	13	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2015	4	15	15	4	100%	-	-	0	7.5	15	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2016	4	9.0	14	4	100%	-	-	0	5.9	12	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2017	4	8.0	13	4	100%	-	-	0	5.5	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2018	4	8.0	9.0	4	100%	-	-	0	4.4	8.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2019	4	6.3	7.9	4	100%	-	-	0	3.5	6.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	6	11	15	3	50%	11	160	37	40	44	-	-	-	4	67%	1	17%	0	0%	0	0%	1	17%
	2012	54	5.1	16	46	85%	5.1	97	5.3	11	16	-	7.1	-	50	93%	2	3.7%	1	1.9%	1	1.9%	0	0%
	2013	44	6.5	15	35	80%	6.5	67	5.1	9.9	15	-	16	-	41	93%	1	2.3%	2	4.5%	0	0%	0	0%
	2014	41	6.1	14	36	88%	6.1	58	2.4	7.7	13	-	6.1	-	40	98%	0	0%	1	2.4%	0	0%	0	0%
	2015	36	6.4	15	34	94%	6.4	8.8	0.42	6.0	12	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%
	2016	39	7.2	14	37	95%	7.2	67	1.9	7.5	13	-	-	-	38	97%	0	0%	1	2.6%	0	0%	0	0%
	2017	36	11	15	36	100%	-	-	0	6.3	13	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%
	2018	36	8.9	15	35	97%	12	12	0.33	6.2	12	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%
	2019	44	5.8	14	40	91%	5.8	9.1	0.60	6.1	12	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%
	2020	35	9.4	15	34	97%	17	17	0.49	6.3	12	-	-	-	35	100%	0	0%	0	0%	0	0%	0	0%
	2021	39	5.1	14	38	97%	5.1	5.1	0.13	5.7	11	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%
	2022	42	3.1	15	39	93%	3.1	7.5	0.35	5.9	11	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	2023	46	3.7	15	43	93%	8.3	30	1.4	7.1	13	-	-	-	44	96%	2	4%	0	0%	0	0%	0	0%
2024	41	9.1	16	38	93%	15	36	1.7	7.3	13	-	-	-	40	98%	1	2%	0	0%	0	0%	0	0%	
Ibaraki	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tochigi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	2	8.1	12	1	50%	8.1	8.1	4.1	7.1	10	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2013	10	11	13	10	100%	-	-	0	6.1	12	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2014	8	5.8	12	6	75%	5.8	13	2.4	6.5	11	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2015	10	9.9	13	10	100%	-	-	0	5.9	12	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2016	10	10	13	10	100%	-	-	0	5.6	11	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2017	10	5.7	13	8	80%	5.7	7.4	1.3	5.9	11	-	5.9	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2018	10	6.7	11	9	90%	6.7	6.7	0.67	5.2	10	-	0.67	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	z	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	2011	2	17	18	2	100%	-	-	0	8.9	18	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2012	2	6.5	6.8	2	100%	-	-	0	3.3	6.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	2011	2	12	20	2	100%	-	-	0	8.0	16	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2012	4	5.1	5.6	4	100%	-	-	0	2.7	5.3	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Others
(19) Processed Food

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Total	2011	3,121	0.79	100	847	27%	0.79	6,940	190	193	196	103	379	344	1,051	34%	163	5.2%	159	5.1%	170	5.4%	1,578	51%
	2012	2,016	1.8	34	1,229	61%	1.8	2,200	32	35	39	-	71	-	1,591	79%	167	8.3%	72	3.6%	47	2.3%	139	6.9%
	2013	1,841	0.28	27	1,337	73%	0.28	270	7.8	11	15	-	23	-	1,666	90%	93	5.1%	32	1.7%	22	1.2%	28	1.5%
	2014	1,460	0.84	25	1,184	81%	2.1	320	5.3	9.4	14	-	12	-	1,358	93%	58	4.0%	28	1.9%	8	0.5%	8	0.5%
	2015	1,457	1.2	26	1,171	80%	1.3	270	5.6	9.5	13	-	13	-	1,371	94%	45	3.1%	18	1.2%	8	0.5%	15	1.0%
	2016	1,359	0.10	25	1,195	88%	1.8	48	1.4	5.4	9.5	-	3.6	-	1,341	99%	18	1.3%	0	0%	0	0%	0	0%
	2017	1,014	2.0	20	855	84%	2.0	89	3.2	7.1	11	-	8.6	-	964	95%	38	3.7%	9	0.9%	3	0.3%	0	0%
	2018	985	1.5	19	800	81%	1.9	240	4.7	8.9	13	-	13	-	931	95%	41	4.2%	4	0.4%	2	0.2%	7	0.7%
	2019	921	1.4	21	748	81%	1.4	140	3.4	7.3	11	-	11	-	890	97%	21	2.3%	6	0.7%	2	0.2%	2	0.2%
	2020	789	0.31	25	660	84%	1.6	580	3.2	6.7	10	-	6.5	-	766	97%	16	2.0%	5	0.6%	1	0.1%	1	0.1%
	2021	583	0.59	19	486	83%	2.7	210	4.4	8.7	13	-	11	-	551	95%	23	3.9%	5	0.9%	1	0.2%	3	0.5%
	2022	551	0.51	19	448	81%	2.6	430	5.7	9.8	14	-	14	-	517	94%	24	4.4%	4	0.7%	2	0.4%	4	0.7%
	2023	386	0.68	19	307	80%	2.4	210	5.1	9.5	14	-	15	-	369	96%	10	2.6%	2	0.5%	1	0.3%	4	1.0%
	2024	325	1.4	19	246	76%	2.5	580	11	15	20	-	17	-	303	93%	14	4.3%	2	0.6%	0	0%	6	1.8%
Aomori	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	6	25	25	6	100%	-	-	0	13	25	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2014	4	25	25	4	100%	-	-	0	13	25	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	1	13	13	1	100%	-	-	0	6.5	13	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	2011	9	-	-	0	0%	48	2,880	1,212	1,212	1,212	1,393	-	1,052	0	0%	1	11%	0	0%	0	0%	8	89%
	2012	185	7.1	20	19	10%	7.1	1,400	160	161	162	70	424	252	49	26%	33	18%	17	9.2%	17	9.2%	69	37%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	7	12	15	7	100%	-	-	0	7.0	14	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	1	13	13	1	100%	-	-	0	6.5	13	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]										
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100		
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	
Akita	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2020	1	5.0	5.0	1	100%	-	-	0	2.5	5.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Miyagi	2011	15	1.9	20	11	73%	37	668	84	89	94	-	299	-	11	73%	1	6.7%	0	0%	0	0%	3	20%	
	2012	10	5.0	25	7	70%	5.0	55	6.9	13	19	-	14	-	9	90%	0	0%	1	10%	0	0%	0	0%	
	2013	17	20	20	16	94%	21	21	1.2	11	20	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%	
	2014	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2015	18	10	20	13	72%	10	52	8.7	15	21	-	38	-	15	83%	2	11%	1	5.6%	0	0%	0	0%	
	2016	33	9.9	25	27	82%	9.9	19	2.7	11	19	-	13	-	33	100%	0	0%	0	0%	0	0%	0	0%	
	2017	28	5.9	20	17	61%	5.9	43	7.4	12	17	-	26	-	25	89%	3	11%	0	0%	0	0%	0	0%	
	2018	13	6.4	18	7	54%	11	45	12	16	20	-	32	-	9	69%	4	31%	0	0%	0	0%	0	0%	
	2019	21	8.1	20	8	38%	8.1	25	8.9	12	15	10	19	5.5	21	100%	0	0%	0	0%	0	0%	0	0%	
	2020	8	5.3	25	6	75%	14	580	74	80	86	-	-	-	7	88%	0	0%	0	0%	0	0%	1	13%	
	2021	2	6.9	6.9	1	50%	9.1	9.1	4.6	6.3	8.0	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	
	2022	3	6.7	6.7	1	33%	12	22	11	12	14	12	-	7.8	3	100%	0	0%	0	0%	0	0%	0	0%	
	2023	4	11	18	1	25%	11	22	13	15	17	14	-	4.5	4	100%	0	0%	0	0%	0	0%	0	0%	
2024	5	13	19	1	20%	13	580	323	325	326	480	-	286	2	40%	0	0%	0	0%	0	0%	3	60%		
Yamagata	2011	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2012	1	15	15	1	100%	-	-	0	7.5	15	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2013	1	16	16	1	100%	-	-	0	8.0	16	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2014	1	17	17	1	100%	-	-	0	8.5	17	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2017	1	17	17	1	100%	-	-	0	8.5	17	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2018	1	13	13	1	100%	-	-	0	6.5	13	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2021	1	5.5	5.5	1	100%	-	-	0	2.8	5.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	
	2022	4	5.1	10	4	100%	-	-	0	3.8	7.6	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Fukushima	2011	888	5.1	82	451	51%	5.1	4,900	76	81	86	-	145	-	596	67%	88	9.9%	41	4.6%	39	4.4%	124	14%
	2012	1,656	1.8	34	1,108	67%	1.8	420	15	19	23	-	42	-	1,410	85%	111	6.7%	45	2.7%	29	1.8%	61	3.7%
	2013	1,573	1.7	19	1,138	72%	1.8	270	8.5	12	16	-	26	-	1,410	90%	83	5.3%	31	2.0%	21	1.3%	28	1.8%
	2014	1,281	2.1	20	1,029	80%	2.1	320	5.8	9.8	14	-	14	-	1,183	92%	54	4.2%	28	2.2%	8	0.6%	8	0.6%
	2015	1,266	1.3	19	1,011	80%	1.3	270	6.1	9.8	13	-	14	-	1,185	94%	42	3.3%	16	1.3%	8	0.6%	15	1.2%
	2016	1,199	2.0	17	1,060	88%	2.0	48	1.3	5.2	9.1	-	3.6	-	1,182	99%	17	1.4%	0	0%	0	0%	0	0%
	2017	878	2.5	18	761	87%	2.5	89	2.5	6.3	10	-	5.9	-	848	97%	21	2.4%	6	0.7%	3	0.3%	0	0%
	2018	895	1.9	19	754	84%	1.9	240	4.2	8.5	13	-	9.0	-	856	96%	26	2.9%	4	0.4%	2	0.2%	7	0.8%
	2019	865	1.4	21	725	84%	2.1	140	2.9	6.9	11	-	8.9	-	838	97%	20	2.3%	3	0.3%	2	0.2%	2	0.2%
	2020	691	1.5	19	573	83%	1.6	89	2.5	6.1	9.7	-	6.5	-	672	97%	15	2.2%	3	0.4%	1	0.1%	0	0%
	2021	551	1.4	19	466	85%	2.7	210	4.3	8.7	13	-	10	-	522	95%	20	3.6%	5	0.9%	1	0.2%	3	0.5%
	2022	473	1.5	19	376	79%	2.6	430	6.4	10	14	-	15	-	440	93%	23	4.9%	4	0.8%	2	0.4%	4	0.8%
	2023	350	1.4	19	287	82%	4.0	210	4.8	9.5	14	-	13	-	335	96%	8	2.3%	2	0.6%	1	0.3%	4	1.1%
	2024	304	1.4	19	240	79%	2.5	410	5.9	10	15	-	16	-	285	94%	14	4.6%	2	0.7%	0	0%	3	1.0%
Ibaraki	2011	50	0.79	43	11	22%	0.79	219	73	76	80	77	157	53	17	34%	0	0%	7	14%	9	18%	17	34%
	2012	13	6.0	25	4	31%	16	2,200	573	576	579	21	1,560	770	7	54%	0	0%	0	0%	0	0%	6	46%
	2013	9	0.28	25	7	78%	0.28	0.46	0.082	4.5	8.9	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2014	3	25	25	3	100%	-	-	0	13	25	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2015	3	25	25	3	100%	-	-	0	13	25	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2016	4	6.9	25	4	100%	-	-	0	10	20	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2017	12	-	-	0	0%	22	45	33	33	33	34	41	7.8	3	25%	9	75%	0	0%	0	0%	0	0%
	2018	12	-	-	0	0%	4.2	50	30	30	30	31	46	13.5	3	25%	9	75%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	7	0.73	1.1	7	100%	-	-	0	0.42	0.85	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	2021	12	0.59	1.0	7	58%	13	44	12	12	12	-	33	-	9	75%	3	25%	0	0%	0	0%	0	0%
	2022	43	0.55	15	42	98%	42	42	0.98	5.0	9.0	-	-	-	42	98%	1	2.3%	0	0%	0	0%	0	0%
	2023	16	0.68	5.0	10	63%	2.4	33	8.2	8.8	9.4	-	26	-	14	88%	2	13%	0	0%	0	0%	0	0%
	2024	12	3.7	3.7	1	8%	3.9	18	8.4	8.6	8.7	6.4	15	4.8	12	100%	0	0%	0	0%	0	0%	0	0%
Tochigi	2011	29	-	-	0	0%	15	6,940	1,179	1,179	1,179	985	2,332	1,347	1	3.4%	2	6.9%	0	0%	2	6.9%	24	83%
	2012	17	3.9	5.9	10	59%	19	260	29	30	32	-	66	-	12	71%	2	12%	2	12%	0	0%	1	5.9%
	2013	114	2.4	27	89	78%	2.6	52	3.2	6.7	10	-	12	-	110	96%	3	2.6%	1	0.9%	0	0%	0	0%
	2014	63	2.7	21	58	92%	3.8	35	1.1	5.0	8.9	-	-	-	62	98%	1	1.6%	0	0%	0	0%	0	0%
	2015	82	1.3	26	73	89%	1.5	11	0.66	4.2	7.7	-	1.4	-	82	100%	0	0%	0	0%	0	0%	0	0%
	2016	52	0.10	9.7	50	96%	1.8	2.8	0.088	3.2	6.4	-	-	-	52	100%	0	0%	0	0%	0	0%	0	0%
	2017	39	3.3	8.9	39	100%	-	-	0	3.5	7.1	-	-	-	39	100%	0	0%	0	0%	0	0%	0	0%
	2018	12	1.5	8.5	12	100%	-	-	0	2.5	5.0	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	2	7.1	7.7	2	100%	-	-	0	3.7	7.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	1	15	15	1	100%	-	-	0	7.5	15	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	2	5.8	17	1	50%	5.8	5.8	2.9	7.2	11	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Gunma	2011	41	20	100	15	37%	22	2,867	346	353	361	46	825	559	16	39%	5	12%	1	2.4%	0	0%	19	46%
	2012	36	3.5	20	21	58%	3.5	59	13	18	23	-	38	-	25	69%	10	28%	1	2.8%	0	0%	0	0%
	2013	33	5.5	18	26	79%	5.5	24	2.2	8.3	14	-	8.2	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2014	33	7.5	19	31	94%	9.6	13	0.68	7.9	15	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	2015	28	5.8	19	24	86%	5.8	21	1.4	8.6	16	-	5.9	-	28	100%	0	0%	0	0%	0	0%	0	0%
	2016	29	2.4	19	22	76%	2.4	25	3.0	9.5	16	-	12	-	29	100%	0	0%	0	0%	0	0%	0	0%
	2017	9	8.5	16	4	44%	8.5	23	8.7	12	15	8.5	-	4.6	9	100%	0	0%	0	0%	0	0%	0	0%
	2018	20	5.6	19	10	50%	10	28	9.1	13	17	-	24	-	19	95%	1	5.0%	0	0%	0	0%	0	0%
	2019	18	6.0	19	12	67%	8.0	27	5.3	11	16	-	19	-	17	94%	1	5.6%	0	0%	0	0%	0	0%
	2020	14	7.1	18	8	57%	7.1	23	6.1	11	15	-	16	-	14	100%	0	0%	0	0%	0	0%	0	0%
	2021	12	6.4	19	6	50%	6.4	20	5.6	9.9	14	-	14	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2022	10	6.0	18	7	70%	11	15	4.0	9.5	15	-	14	-	10	100%	0	0%	0	0%	0	0%	0	0%
	2023	13	4.4	18	7	54%	8.1	15	5.2	9.4	14	-	13	-	13	100%	0	0%	0	0%	0	0%	0	0%
2024	4	3.9	19	4	100%	-	-	0	7.4	15	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	
Chiba	2011	31	10	20	5	16%	108	1,320	393	394	395	260	860	355	5	16%	0	0%	0	0%	0	0%	26	84%
	2012	40	11	29	39	98%	22	22	0.55	11	22	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2013	42	1.3	19	41	98%	1.3	1.3	0.031	6.6	13	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	2014	40	0.84	18	40	100%	-	-	0	5.9	12	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%
	2015	37	1.2	20	37	100%	-	-	0	7.4	15	-	-	-	37	100%	0	0%	0	0%	0	0%	0	0%
	2016	24	0.87	19	24	100%	-	-	0	7.1	14	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	2017	20	13	20	20	100%	-	-	0	8.5	17	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%
	2018	12	14	18	12	100%	-	-	0	8.4	17	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	1	1.9	1.9	1	100%	-	-	0	0.95	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2022	11	0.51	19	11	100%	-	-	0	5.3	11	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	2023	1	1.9	1.9	1	100%	-	-	0	0.95	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Saitama	2011	1,785	4.0	40	308	17%	4.0	2,700	223	226	229	170	388	279	330	18%	37	2.1%	92	5.2%	105	5.9%	1,221	68%
	2012	7	3.6	20	3	43%	5.7	29	10	12	14	5.7	-	10	6	86%	1	14%	0	0%	0	0%	0	0%
	2013	5	8.1	11	3	60%	8.1	98	21	24	27	-	-	-	4	80%	0	0%	0	0%	1	20%	0	0%
	2014	1	8.1	8.1	1	100%	-	-	0	4.1	8.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	1	17	17	1	100%	-	-	0	8.5	17	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Tokyo	2011	56	9.0	22	8	14%	10	690	208	209	211	198	345	151	10	18%	1	1.8%	2	3.6%	0	0%	43	77%
	2012	13	11	14	7	54%	21	280	41	44	47	-	99	-	8	62%	2	15%	1	7.7%	0	0%	2	15%
	2013	6	5.9	12	4	67%	5.9	34	6.7	10	14	-	-	-	5	83%	1	17%	0	0%	0	0%	0	0%
	2014	15	5.4	12	12	80%	5.4	8.6	1.4	5.1	8.8	-	6.5	-	15	100%	0	0%	0	0%	0	0%	0	0%
	2015	5	8.1	11	5	100%	-	-	0	4.7	9.4	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2016	3	0.90	1.1	2	67%	14	14	4.7	5.0	5.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2017	12	7.5	10	12	100%	-	-	0	4.2	8.3	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kanagawa	2011	101	1.2	45	27	27%	21	3,000	271	273	275	170	550	440	29	29%	2	2.0%	5	5.0%	3	3.0%	62	61%
	2012	15	-	-	0	0%	4.4	61	32	32	32	34	56	20	7	47%	4	27%	4	27%	0	0%	0	0%
	2013	2	17	17	2	100%	-	-	0	8.5	17	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2014	4	6.2	8.4	2	50%	6.2	6.9	3.3	5.3	7	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2015	5	1.3	24	3	60%	9.3	21	6.1	9.5	13	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	2016	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	46	0.31	5.1	46	100%	-	-	0	1.4	2.9	-	-	-	46	100%	0	0%	0	0%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Niigata	2011	2	20	20	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2012	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Prefecture	Fiscal Year	Number of samples	LOD [Bq/kg]		Number of samples below LOD		Min [Bq/kg]	Max [Bq/kg]	Mean 1 [Bq/kg]	Mean 2 [Bq/kg]	Mean 3 [Bq/kg]	Median [Bq/kg]	90%ile [Bq/kg]	Standard Deviation [Bq/kg]	Radioactive Cs (total of Cs-134 and Cs-137) concentration [Bq/kg]									
			Min	Max	Number of Samples	Ratio									≤25		>25 and ≤50		>50 and ≤75		>75 and ≤100		>100	
															Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio	Number of samples	Ratio
Yamanashi	2011	7	3.0	3.0	2	29%	38	207	71	72	72	73	-	70	2	29%	1	14%	1	14%	2	29%	1	14%
	2012	3	5.5	6.7	3	100%	-	-	0	3.1	6.1	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	2013	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2014	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2015	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2016	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2020	9	3.8	5.2	9	100%	-	-	0	2.2	4.4	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	2021	4	5.2	14	4	100%	-	-	0	5.7	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2022	4	13	14	4	100%	-	-	0	6.9	14	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	2011	4	20	46	3	75%	28	28	7.0	20	34	-	-	-	3	75%	1	25%	0	0%	0	0%	0	0%
	2012	8	2.5	6.4	7	88%	5.9	5.9	0.74	2.2	3.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	2013	6	3.6	10	4	67%	3.6	6.1	1.6	4.3	6.9	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	2014	2	7.7	25	2	100%	-	-	0	8.2	16	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	2015	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2016	1	7.0	7.0	1	100%	-	-	0	3.5	7.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	2017	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2018	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2019	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2020	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shizuoka	2011	103	2.0	14	4	3.9%	2.0	599	96	96	96	49	266	119	29	28%	24	23%	10	9.7%	10	9.7%	30	29%
	2012	12	-	-	0	0%	7.0	77	31	31	31	22	62	24	6	50%	4	33%	1	8.3%	1	8.3%	0	0%
	2013	27	-	-	0	0%	0.81	47	11	11	11	3.3	32	14	21	78%	6	22%	0	0%	0	0%	0	0%
	2014	12	-	-	0	0%	2.3	28	14	14	14	12	27	10	9	75%	3	25%	0	0%	0	0%	0	0%
	2015	12	2.0	2.8	1	8.3%	2.0	59	15	15	15	12	25	16	10	83%	1	8.3%	1	8.3%	0	0%	0	0%
	2016	12	2.5	3.1	3	25%	3.0	42	11	11	11	9.8	21	11	11	92%	1	8.3%	0	0%	0	0%	0	0%
	2017	15	2.0	2.9	1	6.7%	2.0	64	28	28	28	26	59	21	7	47%	5	33%	3	20%	0	0%	0	0%
	2018	20	2.0	3.1	4	20%	2.0	27	10	10	11	8.95	23	8.2	19	95%	1	5.0%	0	0%	0	0%	0	0%
	2019	17	1.4	2.9	3	18%	1.4	62	19	19	19	14	56	20	14	82%	0	0%	3	18%	0	0%	0	0%
	2020	3	-	-	0	0%	50	59	54	54	54	52	-	4.7	0	0%	1	33%	2	67%	0	0%	0	0%
	2021	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2023	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2024	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-