(別表1)使用状況調査の結果(令和4年度)

対象農産物	調査農家数	農薬の 総使用回数	不適正使用のあった農家数	不適正使用の内容別の農家数				
				誤った作物に使用	誤った使用量 又は希釈倍数 で使用	誤った時期に使用	誤った回数で使用	その他の 不適正使用
米穀	60	614	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
だいこん	60	546	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
ごぼう	30	182	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
チンゲンサイ	30	173	1 (3.3%)	0 (0.0%)	0 (0.0%)	1 ^{**1} (3.3%)	0 (0.0%)	0 (0.0%)
しゅんぎく	49	169	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
ねぎ	60	825	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
なす	60	799	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
えだまめ	30	222	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
ぶどう	60	1,013	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
茶	30	101	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
計	469	4,644	1 (0.2%)	0 (0.0%)	0 (0.0%)	1 (0.2%)	0 (0.0%)	0 (0.0%)

^{※1} チンゲンサイを栽培する農家において、使用基準の使用時期が播種前である農薬を、苗の定植前に使用