

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE
LINDANE	γ-BHC	×	×	1	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	1	1.00	不検出	0.1	2	0.1	0.01*	0.01*	基準値なし	0.01*
DBEC	DBEC	○	×	0.5	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
DDT	DDT	×	×	0.5	—	0.05	不検出	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	3.5	不検出	0.1	不検出	0.1	0.05*	0.05*	基準値なし	0.05*
EPTC	EPTC	×	×	0.04	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	不検出	0.1	0.04	0.1	0.01*	0.01*	基準値なし	0.01*
IOXNYL	アイオキシニル	○	×	0.1	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
ACEQUINOCYL	アセキノシル	○	○	0.2	—	〔☆〕	不検出	0.01	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	0.02	0.1	0.01*	0.01*	基準値なし	0.01*
ACETAMIPRID	アセタミプリド	○	○	0.05	—	0.01	0.5	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.01	0.1	0.1	0.1	0.01*	0.01*	基準値なし	0.01*
ACEPHATE	アセフエート	○	○	0.5	—	1	1.0	0.01	0.02	不検出	0.01	基準値なし	[DL] 0.05	輸入を認めない	0.5	0.01	0.02	0.1	不検出	0.01(*)	0.01*	0.01*	基準値なし	0.01*
AXOXYSTROBIN	アノキシストロビン	○	○	1	1	1	0.1	0.1	基準値なし	1	1	基準値なし	1	1	1	0.01	8.0	8	0.1	1	1.0	1.0	1.0	1
ATRAZINE	アトラジン	○	×	0.1	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.05*	0.05*	基準値なし	0.05*
ABAMECTIN	アバメクチン	○	×	0.01	0.005	0.01	0.01	0.01	0.02	0.005	0.005	基準値なし	0.005	輸入を認めない	0.005	0.01	0.01	0.01	*0.01	0.01	0.01*	0.01*	基準値なし	0.005
AFIDOPYROPEN	アフィピロペン	○	×	0.01	0.01	〔☆〕	不検出	0.01	基準値なし	0.01	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.01	0.02	0.1	0.01	0.01*	基準値なし	0.01
AMETOCTRADIN	アメクトラジン	○	×	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.05	0.05	0.2	0.1	0.05	0.05	基準値なし	0.05
ALANYCARB	アラニカルブ	○	×	0.5	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
ALDRIN and DIELDRIN	アルドリン及びディルドリン	×	×	0.1	0.1	0.1	不検出	0.01	0.05	0.1	0.1	基準値なし	0.1	0.1	0.1	0.1	不検出	0.1	0.1	0.1	0.01*	0.01*	0.1	0.1
IPRODIONE	イプロジオン	○	○	—	—	〔☆〕	0.5	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	—	0.01	不検出	0.07	0.1	0.1	0.01*	0.01*	基準値なし	0.01*
IMAZAQUIN	イマザキン	○	×	0.5	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	不検出	0.1	0.01*	0.05*	基準値なし	0.01*
IMAZAQUIN	イマザキン	×	×	0.02	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	0.05	0.1	0.01*	0.01*	基準値なし	0.01*
IMAZETHIAPHYR	イマゼチアピリ	×	×	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01*	基準値なし	0.01
AMMONIUM	イゼルギビアンモニウム塩	×	×	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01*	基準値なし	0.01
IMICYAFOS	イミシヤホス	○	○	0.05	—	〔☆〕	不検出	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
IMIDACLOPRID	イミダクロプリド	○	○	0.4	0.5	0.5	0.5	0.07	基準値なし	0.5	0.5	基準値なし	0.5	0.5	0.5	0.01	0.4	0.4	T0.05	0.1	0.01*	0.5	0.5	0.5
IMINOCTADINE	イミノクタジン	○	○	0.02	—	〔☆〕	不検出	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.05*	0.05*	基準値なし	0.05*
INDOXACARB	インドキサカルブ	○	×	0.01	—	〔☆〕	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	0.01	0.1	0.05	0.1	0.01*	0.02*	基準値なし	0.01*
ETHION	エチオン	×	×	0.1	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	1.0	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
ETHEPHON	エトホン	○	×	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.1	0.1	0.05*	0.05*	基準値なし	0.05*
ETOFENPROX	エトフェンプロクス	○	○	0.02	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	5.0	0.1	0.05	0.1	0.01*	0.01*	基準値なし	0.01*
ETRIDIAZOLE	エトリジアゾール	×	×	0.5	—	〔☆〕	3.0	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	不検出	0.1	0.01*	0.05*	基準値なし	0.01*
EMAMECTIN BENZOATE	エマメクチン安息香酸塩	○	×	0.1	—	〔☆〕	不検出	0.05	基準値なし	不検出	0.01	基準値なし	[DL] 0.005	輸入を認めない	0.1	0.01	不検出	0.1	*0.01	0.1	0.002*	0.01*	基準値なし	0.002*
ENDOSULFAN	エンドスルファン	×	×	0.5	—	0.05	不検出	0.01	0.05	2	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	0.05*	0.05*	0.05*	0.05*	基準値なし	0.05*
ENDRIN	エンドリン	×	×	0.01	—	〔☆〕	不検出	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
OXADIXYL	オキサジキシル	×	×	1	—	〔☆〕	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	1	0.01	不検出	0.1	0.1	0.1	0.01*	0.01*	基準値なし	0.01*
OXATHIAPROLIN	オキサチアピロリン	○	×	0.04	0.04	〔☆〕	不検出	0.01	基準値なし	0.04	0.04	基準値なし	0.04	輸入を認めない	0.04	0.01	0.04	0.04	0.04	0.1	0.01*	0.01*	基準値なし	0.04
OXAMYL	オキサミル	○	○	0.10	—	〔☆〕	0.2	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.10	0.01	0.1	0.05	0.1	0.001*	0.01*	0.01*	基準値なし	0.001*
OXYDEMETON-METHYL	オキシデメトンメチル	×	×	0.02	—	〔☆〕	0.02	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
OXINE-COPPER	オキシン銅 (有機銅)	○	○	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
OMETHOATE	オメトエート	×	×	1	—	〔☆〕	不検出	0.01	0.02	不検出	0.01	基準値なし	不検出	輸入を認めない	1	0.01	不検出	0.1	不検出	2	0.01*	0.01*	基準値なし	0.01*
CARFENTHAZONE-ETHYL	カルフェントラゾンエチル	○	×	0.1	—	0.1	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	0.1	0.1	0.05	0.1	0.02*	0.01*	基準値なし	0.02*
CARBENDAZIM, THIOPHANATE, THIOPHANATE-METHYL and BENOMYL	カルベンダジム,チオファネート,チオファネートメチル及びベノミル	○	○	0.6	—	〔☆〕	0.2	0.05	基準値なし	3	0.01	基準値なし	[DL] 0.1	輸入を認めない	0.6	0.50	不検出	0.1	不検出	0.1	0.1*	0.1*	0.075	0.1*
QUIZALOFOP-P-P	キザロホップデメチル	○	○	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.01	0.1	0.01	0.01	基準値なし	0.01
QUIZALOFOP-ETHYL and QUIZALOFOP-P-P	キザロホプエチル及びキザロホップデメチル	○	○	0.05	—	〔☆〕	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.01	0.1	0.01*	0.01*	基準値なし	0.01*
QUINALPHOS	キナルホス	×	×	0.05	—	〔☆〕	0.03	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
QUINTOZENE	キントゼン	×	×	0.02	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.02*	0.02*	基準値なし	0.02*
GLYPHOSATE	グリホサート	○	○	0.2	—	0.2	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	0.2	0.1	*0.1	0.1	0.1*	0.1*	0.3	0.1*
GLUFOSINATE	グルホシネート	○	○	0.2	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	0.2	0.1	0.1	0.1	0.03*	0.03*	基準値なし	0.03*
GRESOXIM-METHYL	グレスキシムメチル	○	○	0.02	—	〔☆〕	0.3	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	0.02	0.1	0.01*	0.01*	基準値なし	0.01*
CLETHODIM	クレトジム	○	×	1	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	1	0.01	1.0	0.1	0.1	0.1	0.1	0.1	基準値なし	0.1
CLODINAFOF-PROPARGYL	クロジナフプロパルギル	×	×	0.02	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.02*	0.02*	基準値なし	0.02*
CLOTHIANIDIN	クロチアニジン	○	○	0.2	0.2	〔☆〕	0.01	0.01	基準値なし	0.2	0.2	基準値なし	0.2	0.2	0.2	0.01	0.3	0.1	T0.1	0.1	0.01*	0.01*	基準値なし	0.2
CLOPIDOL	クロピドール	×	×	0.2	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
CLOMAZONE	クロマゾン	×	×	0.05	—	〔☆〕	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.05	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
CHROMAFENOZIDE	クロマフェノジド	○	○	0.05	—	〔☆〕	0.05	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
CHLORANTRANILIPROLE	クロラントラニリプロール	○	○	0.05	0.02	0.02	0.02	0.01	0.02	0.02	0.02	基準値なし	0.02	0.02	0.02	0.01	0.30	0.3	T0.5	0.1	0.02	0.02	0.02	0.02
CHLORTHAL-DIMETHYL	クロルタルジメチル	○	×	4	—	〔☆〕	0.1	0.01	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	4	0.01	2	2	5	0.1	0.01*	0.01*	0.05	0.01*
CHLORDANE	クロルデン	×	×	0.02	0.02*	0.02	不検出	0.01	0.02	0.02	0.02	基準値なし	0.02	0.02	0.02	0.2	不検出	0.1	0.02	0.1	0.01*	0.01*	0.02	0.02
CHLOROPICRIN	クロルピクリン	○	○	0.01	—	〔☆〕	不検出	0.01	0.1	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.025	不検出	0.1	0.005*	0.005*	基準値なし	0.005*
CHLORPYRIFOS-METHYL	クロルピリホスメチル	×	×	0.05	—	5	0.01	0.01	5	不検出														

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE	
CYFLUMETOFEN	シフルメトフエン	○	○	0.2	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	0.02	0.1	0.01*	0.01 *	基準値なし	0.01*	
CYPROCONAZOLE	シプロコナゾール	○	×	0.01	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	0.01	0.1	0.05*	0.05 *	基準値なし	0.05*	
CYPERMETHRIN	シベルメトリン	○	○	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.01	基準値なし	0.01	0.01	0.01	0.01	0.1	0.1	*0.01	0.1	0.05*	0.05 *	0.01	0.01*	
DIMETHIPIN	ジメチピン	×	×	0.04	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	不検出	0.1	不検出	0.1	0.05*	0.05 *	基準値なし	0.05*	
DIMETHOATE	ジメトエート	○	×	1	—	0.5	不検出	0.01	0.01	2	0.01	基準値なし	0.01	輸入を認めない	1	2.0	不検出	0.1	不検出	2	0.01*	0.01 *	基準値なし	0.01*	
SPINOSAD	スピノサド	○	×	0.02	—	0.1	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	0.1	0.02	0.02	0.1	0.02*	0.02 *	基準値なし	0.02*	
SPIROTRIFURAMAT	スピロトリフラマト	○	×	0.6	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.6	0.01	0.6	0.6	0.1	0.1	0.02*	0.1 *	基準値なし	0.02*	
SPIROMESIFEN	スピロメシフェン	○	×	0.02	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	0.02	0.02	0.02	不検出	0.1	0.02*	0.02 *	基準値なし	0.02*
SULFENTHAZOLE	スルフェンタゾン	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.15	0.15	0.15	不検出	0.1	0.01	0.01	基準値なし	0.01
SULFOXAFLOL	スルホキサフル	○	○	0.05	0.03	【☆】	0.03	0.05	基準値なし	0.03	0.03	基準値なし	0.03	0.03	0.03	0.01	0.05	0.05	0.05	0.05	0.03	0.03	基準値なし	0.03	
SETHOXYDIM	セトキシジム	○	○	0.3	—	【☆】	0.05	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	4.0	0.1	0.1	0.01	0.01	0.1	基準値なし	0.01	
DIAZINON	ジアジノン	○	○	0.02	—	0.7	0.1	0.01	基準値なし	0.5	0.01	基準値なし	0.01	輸入を認めない	0.02	0.5	不検出	0.1	0.7	0.01(*)	0.01*	0.01 *	基準値なし	0.01*	
DAZOMET, METAM and METHYL	ダゾメット、メタム及びメチルイソシアネート	○	×	0.3	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	不検出	0.1	不検出	0.1	0.01*	0.02 *	0.5	0.01*	
ISOTHIOCYANATE	チオシアネート	×	×	0.05	—	【☆】	3.0	0.01	基準値なし	不検出	0.01	基準値なし	【DL】 0.1	輸入を認めない	0.05	0.01	10	0.1	0.03	0.1	0.01*	0.01 *	基準値なし	0.01*	
THIABENDAZOLE	チアベンダゾール	○	○	0.3	0.3	0.3	0.25	0.01	基準値なし	0.3	0.3	基準値なし	0.3	0.3	0.3	0.01	0.02	0.02	T0.7	0.1	0.01*	0.01 *	基準値なし	0.3	
THIODICARB and METHOMYL	チオディカルブ及びメタミル	○	×	0.5	—	【☆】	0.5	0.01	0.2	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	0.2	0.01	0.1	0.1	0.01*	0.01 *	基準値なし	0.01*	
THIOPHANATE	チオファネート	×	○	0.6	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.6	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
THIOPHANATE-METHYL	チオファネートメチル	×	○	0.6	—	【☆】	0.2	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.6	0.01	不検出	0.1	0.01	0.1	0.1*	0.1 *	基準値なし	0.1*	
DIELDRIN	ディルドリン	×	×	0.1	0.1	0.1	不検出	0.01	0.05	0.1	0.1	基準値なし	0.1	0.1	0.1	0.01	不検出	0.1	不検出	0.1	0.01	0.01	0.1	0.1	
TECNAZENE	テナナゼン	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
TEBUCONAZOLE	テブコナゾール	○	○	0.01	—	【☆】	0.4	0.1	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	0.05	0.1	0.02*	0.02 *	基準値なし	0.02*	
TEBUFENOZIDE	テブフENOZIDE	○	×	0.02	—	【☆】	0.01	0.1	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	0.015	0.1	0.05	0.1	0.01*	0.01 *	基準値なし	0.01*	
TEPRALOXDIM	テプラロキシジム	○	○	0.2	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.1*	0.1 *	基準値なし	0.1*	
TEFLUTHRIN	テフルトリン	○	○	0.1	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.01*	0.05	基準値なし	0.01*	
DEMETON-S-METHYL	デモン-S-メチル	×	×	0.4	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.4	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
DELTAMETHRIN and TRALOMETHRIN	デルタメトリン及びトラロメトリン	○	○	0.02	—	【☆】	0.01	0.01	基準値なし	0.01	0.01	基準値なし	【DL】 0.05	輸入を認めない	0.02	0.01	0.04	0.1	0.05	0.1	0.01*	0.01 *	0.1	0.01*	
TERBUFOS	テルブフス	×	×	0.005	—	【☆】	不検出	0.05	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	0.005	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
DODINE	ドシン	×	×	0.2	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	0.1	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRALOMETHRIN	トラロメトリン	○	○	0.02	—	【☆】	0.5	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
TRIADIMENOL	トリアジメノール	×	×	0.1	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	【DL】 0.1	輸入を認めない	0.1	0.01	不検出	0.1	0.05	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRIADIMEFON	トリアジメフォン	×	×	0.1	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	【DL】 0.1	輸入を認めない	0.1	0.01	不検出	0.1	0.05	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRI-ALLATE	トリアルレート	×	×	0.1	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.1*	0.1 *	基準値なし	0.1*	
TRICLOPYR	トリクロピル	○	×	0.03	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.03	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRICHLORFON	トリクロルホン	×	×	0.50	—	0.1	0.01	0.01	0.2	0.1	0.01	基準値なし	0.01	輸入を認めない	0.50	0.1	不検出	0.1	0.05	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRIDEMORPH	トリデモルフ	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRIFLUMURON	トリフルムロン	×	×	0.02	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRIFLURALIN	トリフルラリン	○	○	0.05	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.05	0.1	0.01	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRIFLOXYSTROBIN	トリフロキシストロビン	○	×	0.04	—	【☆】	0.1	0.2	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	0.04	0.1	0.05	0.1	0.01*	0.01 *	基準値なし	0.01*	
TOLFENPYRAD	トolfenピラド	○	○	0.01	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	0.01	0.01	0.01	不検出	0.1	0.01*	0.01 *	基準値なし	0.01
NALED	ナレド	×	×	0.1	—	【☆】	0.2	0.01	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	0.5	0.1	不検出	0.1	0.01*	0.01 *	0.1	0.01*	
COPPER																									
NONYLPHENOLSULFONATE	ニルフェノールスルホン酸銅	○	○	5	—	【☆】	対象外	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	5	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
NOVALURON	ノバルロン	○	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.05	0.1	0.1	0.1	0.01*	0.01 *	基準値なし	0.01*	
PARAQUAT (Paraquat dichloride)	パラコアト	○	○	0.05	0.05	0.05	0.05	0.01	0.05	0.05	0.05	基準値なし	0.05	0.05	0.05	0.05	0.5	0.1	*0.05	0.05(*)	0.02*	0.02 *	0.005	0.05	
PARATHION	パラチオン	×	×	0.05	—	0.1	不検出	0.01	0.01	0.7	0.01	基準値なし	0.01	輸入を認めない	0.05	0.5	不検出	0.1	不検出	0.1	0.05*	0.05 *	基準値なし	0.05*	
PARATHION-METHYL	パラチオンメチル	×	×	1.0	—	【☆】	0.01	0.01	0.02	不検出	0.01	基準値なし	0.01	輸入を認めない	1.0	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
BILANAFOS (BIALAPHOS)	ビラナフス	×	×	0.004	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.004	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
BIORESMETHRIN	ビオレスメトリン	×	×	0.1	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
BIXAFEN	ビキサフェン	×	×	0.01	0.06	【☆】	不検出	0.01	基準値なし	0.06	0.06	基準値なし	0.01	輸入を認めない	0.06	0.01	0.3	0.01	0.06	0.1	0.06	0.06	基準値なし	0.06	
RICOXYSTROBIN	リコキシストロビン	○	○	0.01	—	【☆】	不検出	0.07	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	0.03	0.04	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
PYDIFLUMETOFEN	ピディフルメトフエン	○	×	0.1	0.1	【☆】	不検出	0.01	基準値なし	0.1	0.1	基準値なし	0.1	輸入を認めない	0.1	0.01	0.015	0.015	0.3	0.1	0.01	0.06	基準値なし	0.1	
BITERANTOL	ビテルタノール	×	×	0.05	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
BIFENAZATE	ビファナゼート	○	○	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.1	0.1	0.2	0.1	0.01*	0.02 *	基準値なし	0.01*	
BIFENTHRIN	ビフントリン	○	×	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	基準値なし	0.05	0.05	0.05	0.01	0.05	0.05	0.03	0.1	0.05	0.05	基準値なし	0.05	
PIPERONYL BUTOXIDE	ピペロニルブトキッド	×	×	0.5	0.5	0.5	0.5	0.01	0.5	8	0.5	基準値なし	0.5	0.5	0.5	0.01	不検出	0.1	0.5	8	0.01	0.01	0.5	0.5	
HYMEKSAZOL	ヒメキサゾール (ヒドキシイソキサゾール)	○	×	0.5	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	不検出	0.1	0.02*	0.1	基準値なし	0.02*	
PYMETROZINE	ピメトロジン	○	×	0.02	—	【☆】	基準値なし	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	0.02	0.02	0.02	0.1	0.02*	0.02 *	基準値なし	0.02*	
PYRACLOSTROBIN	ピラクロストロビン	○	×	0.04	0.02	【☆】	0.4																		

Pesticide name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE
FLUOPYRAM	フルピラム	○	○	0.1	—	[☆]	0.03	0.2	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	0.1	0.1	0.2	0.1	0.15	0.1	基準値なし	0.15
FLUMETURON	フルメツuron	x	x	0.02	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
FLUXAPYROXAD	フルキサピロキサド	○	x	0.03	0.03	[☆]	0.03	0.05	基準値なし	0.03	0.03	基準値なし	0.03	輸入を認めない	0.03	0.01	0.02	0.02	0.9	0.1	0.2	0.1	基準値なし	0.03
FLUXAMETAMIDE	フルキサメタミド	○	○	0.01	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
FLUCYTRINATE	フルシトリンエート	○	x	0.05	—	0.05	0.5	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
FLUSULFAMIDE	フルスルフアミド	○	x	0.05	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
FLUVALINATE	フルバリンエート	○	○	0.02	—	[☆]	0.5	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	0.02	0.1	0.01*	0.01*	基準値なし	0.01*
FLUPYRADIIFURONE	フルピラジフロン	○	x	0.7	0.7	[☆]	不検出	0.01	基準値なし	0.7	0.7	基準値なし	0.7	輸入を認めない	0.7	0.01	0.05	0.05	0.2	0.1	0.05	0.01*	基準値なし	0.7
FLUBENAMIDE	フルベンジアミド	○	○	0.05	—	[☆]	不検出	0.01	基準値なし	0.01	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.2	0.1	0.01*	0.01*	基準値なし	0.01*
FLUMIOXAZIN	フルミオキサジン	○	x	0.02	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	0.02	0.02	0.1	0.02*	0.02*	0.02*	基準値なし	0.02*
FLUROXYPIR	フルロキシピル	x	x	0.05	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.02	0.1	0.01*	0.01*	基準値なし	0.01*
BRODIFACOU	ブロディアコウム	x	x	0.001	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.001	0.01	不検出	0.1	不検出	0.001(*)	0.01	0.01	基準値なし	0.01
FLONICAMID	フロニカミド	○	○	0.2	—	[☆]	0.01	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	0.2	0.1	0.2	0.1	0.03*	0.03*	基準値なし	0.03*
BROFLANILIDE	フロフランリド	○	x	0.04	0.04	[☆]	不検出	0.01	基準値なし	0.04	0.04	基準値なし	0.04	輸入を認めない	0.04	0.01	0.04	0.01	不検出	0.1	0.01	0.04	基準値なし	0.04
PROPOXUR	プロポキスル	x	x	0.5	—	[☆]	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	不検出	0.1	0.005*	0.05*	基準値なし	0.005*
PROMETRYN	プロモドリン	○	○	0.02	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	*0.1	0.1	0.01	0.01	基準値なし	0.01
BROMOPROPYLATE	プロモプロピレート	x	x	0.05	—	[☆]	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
HEXACHLOROBENZENE	ヘキサクロロベンゼン	x	x	0.01	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
BENALAXYL	ベナラキシル	x	x	0.05	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.05*	基準値なし	0.01*
BENOMYL	ベニミル	○	○	0.6	—	[☆]	0.2	0.05	基準値なし	3	0.01	基準値なし	[DL] 0.1	輸入を認めない	0.6	0.50	不検出	0.1	不検出	0.1	0.1*	0.1*	基準値なし	0.1*
PERMETHRIN	ペルメスリン	○	○	0.01	—	[☆]	0.5	0.01	基準値なし	2	0.01	基準値なし	[DL] 0.1	輸入を認めない	0.01	0.01	0.05	0.1	0.05	0.1	0.05*	0.05*	基準値なし	0.05*
PENCONAZOLE	ペンコナゾール	x	x	0.05	—	[☆]	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.05	0.01	0.01	0.01	不検出	0.1	0.02	0.1	0.01*	0.01*	基準値なし	0.01*
PENCYCURON	ペンシクロン	○	○	0.2	—	[☆]	0.01	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.02*	0.02*	基準値なし	0.02*
PENTHIOPYRAD	ペンチオピラド	○	x	0.06	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.06	0.01	0.06	0.06	2	0.1	0.01*	0.04	基準値なし	0.01*
PENDIMETHALIN	ペンディメタリン	○	○	0.05	—	[☆]	0.1	0.1	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	*0.05	0.1	0.05*	0.05*	基準値なし	0.05*
PHOXIM	ホキシム	x	x	0.02	—	0.05	不検出	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
BOSCALID	ボスカリド	○	x	2	2	[☆]	0.01	0.01	2	2	2	基準値なし	2	2	2	0.01	0.05	0.05	1	0.5	2	2.0	2.0	2
FOSITHIAZATE	ホスチアゼート	○	○	0.02	—	[☆]	0.03	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	0.02*	0.02*	0.02*	基準値なし	0.02*	
FOSETYL-ALUMINIUM (Fosetyl-Al)	ホセチル	○	x	40	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	40	0.01	不検出	0.1	不検出	0.1	1.5	2.0*	基準値なし	1.5
PHORATE	ホレート	x	x	0.3	—	[☆]	0.05	0.01	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.05	不検出	0.024	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
MALATHION	マラセオン (マラソン)	○	x	0.5	—	8	0.01	0.01	0.5	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	3.0	不検出	0.1	0.05	3	0.02*	0.02*	基準値なし	0.02*
MALEIC HYDRAZIDE	マリン酸ヒドドラジド	○	x	0.2	—	[☆]	15.0	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.2*	0.2*	基準値なし	0.2*
MANDIPROAMID	マンジプロバミド	○	x	0.01	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	0.09	0.09	0.5	0.1	0.01*	0.01*	基準値なし	0.01*
MYCLOBUTANIL	ミクロブタニル	○	x	0.06	0.06	[☆]	0.2	0.03	基準値なし	0.06	0.06	基準値なし	0.06	0.06	0.06	0.01	0.03	0.1	0.05	0.1	0.06	0.06	基準値なし	0.06
MILBEMECTIN	ミルベメクチン	○	○	0.1	—	[☆]	0.05	0.01	基準値なし	0.01	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.02*	0.02*	基準値なし	0.02*
METHOMYL	メソミル	○	x	0.5	—	[☆]	1.0	0.01	0.2	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	0.2	0.01	1	0.1	0.01*	0.01*	基準値なし	0.01*
METHAMIDOPHOS	メタミドホス	x	x	0.1	—	0.05	0.1	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.01(*)	0.01*	0.01*	基準値なし	0.01*
METAM	メタム	○	○	0.3	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	不検出	0.1	不検出	0.1	0.01	0.02*	基準値なし	0.01
METALAXYL and MEFENOXAM	メタラキシル及びメフェノキサム	○	○	0.4	—	0.1	0.4	0.5	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.4	0.01	0.5	0.1	T0.1	0.1	0.01*	0.01*	基準値なし	0.01*
METHIOCARB	メチオカルブ	x	x	0.05	—	[☆]	0.01	0.01	基準値なし	0.1	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.1	0.1	0.03*	0.03*	基準値なし	0.03*
METHIDATHION	メチダチオン (DMTP)	x	x	0.02	—	[☆]	不検出	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.02*	0.02*	基準値なし	0.02*
METHYL ISOTHIOCYANATE	メチルイソチオシアネート	○	○	0.3	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	不検出	0.1	不検出	0.1	0.01	0.02*	基準値なし	0.01
METHOXYCHLOR	メトキシクロール	x	x	0.01	—	[☆]	不検出	0.01	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
METCONAZOLE	メトコナゾール	○	x	0.04	0.04	[☆]	0.01	0.05	基準値なし	0.04	0.04	基準値なし	0.04	輸入を認めない	0.04	0.01	0.04	0.04	*0.04	0.1	0.04*	0.04*	基準値なし	0.04
METOLACHLOR	メトラクロール	○	○	0.02	—	[☆]	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	0.20	0.1	0.02	0.1	0.05*	0.05*	基準値なし	0.05*
MEFENOXAM	メフェノキサム	○	○	0.4	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.4	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
MEFENTRIFLUCONAZOL	メフェントリフルコナゾール	○	x	0.04	0.05	[☆]	不検出	0.01	基準値なし	0.05	0.05	基準値なし	0.05	輸入を認めない	0.05	0.01	0.04	0.04	0.7	0.1	0.05	0.01*	基準値なし	0.05
LINURON	リニロン	○	○	0.1	—	[☆]	0.5	0.2	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	0.05	0.1	0.01*	0.01*	基準値なし	0.01*
HYDROGEN PHOSPHIDE	ジシロ水素	○	x	0.01	—	0.05	0.1	0.1	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	*0.01	0.1	0.01*	0.01*	基準値なし	0.01*
RESMETHRIN	レスメスリン	x	x	0.1	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	3.0	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
LENACIL	レナシル	○	x	0.3	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	不検出	0.1	不検出	0.1	0.5	0.5	基準値なし	0.5
WARFARIN	ワルファリン	○	○	0.001	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.001	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
FENBUTATIN OXIDE	フェンブタチンオキサイド	x	x	0.05	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
BROMIDE	臭素	○	x	50	—	[☆]	不検出	30	0.02	20	0.01	基準値なし	0.01	輸入を認めない	50	0.01	不検出	0.1	20	0.1	50	50.0	基準値なし	50
ETHYLENE DICHLORIDE	二塩化エチレン	x	x	0.01	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01*	0.01	基準値なし	0.01*
ETHYLENE DIBROMIDE (EDB)	二臭化エチレン	x	x	0.01	—	[☆]	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01*	0.01	基準値なし	0.01*
●登録の有無：当該成分を有効成分とする農薬の登録の有無	規定形式			ボジティブリスト	—		ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト	ボジティブリスト
●適用の有無：当該成分を有効成分とする農薬の当該作物への適用の有無	優先順位1			—		基準値なし	—	不検出	一律基準値 (0.01ppm)	基準値なし	CODEX基準	CODEX基準	基準値なし	CODEX基準	輸入を認めない	CODEX規格	一律基準値 (0.01ppm)	不検出	一律基準値 (0.1ppm)	不検出	一律基準値 (0.1ppm)	一律基準値 (0.01ppm)		

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE	
	各国・地域等のMRL確認Webサイト等 ●詳細については、「各国・地域等の残留農薬基準値所管官署のWebサイト等について」を参照			残留農薬基準値検索システム（日本食品化学研究振興財団）	Pesticide Database (CODEX)	電子版香港法令	全国法規資料庫	食品医薬品安全処（MFDS）	农业农村部农产品质量安全中心	Singapore Statutes Online	Laman Web Rasmi PROGRAM KESSELAMATAN DAN KUALITI MAKANAN KEMENTERIAN KESIHATAN MALAYSIA	DATABASE PERATURAN PERUNDANG-UNDANGAN (法務人権省法規総局) ※基準日時点で以下のリンクは接続できません。リンクが復旧するまでお待ちください。	National Bureau of Agricultural Commodity and Food Standards (農業協同組合省)	THU VIEN PHÁP LUẬT (Lawsoft)	Republic of the Philippines Departmet of Agriculture	Food Safety and Standards Authority of India (FSSAI)	e-CFR (連邦規則集)	Health Canada (保健省)	Food Standards Australia & New Zealand	Ministry for Primary Industries	EU Pesticides database (欧州委員会)	Maximum Residue Level Search	連邦国家情報局	Ministry of Industry & Advanced Technology	
https://www.maff.go.jp/shokusan/export/zannou_kisei.html				http://db.ffrc.or.jp/	http://www.fao.org/fao-who-codexalimentarius/codex-texts/databases/pesticides/en/	https://www.legislation.gov.hk/hk/cap132/CM?apid=ID1438402690419_001	https://law.moi.gov.tw/ENG/LawClass/LawAll.aspx?pcid=L0040083	https://www.law.go.kr/%ED%96%89%EC%A0%99%EA%B7%9C%EC%B9%99%EC%8B%9D%ED%92%88%EC%9D%98%EA%B8%B0%EC%A4%B0%EB%B0%8F%EA%B7%9C%EA%B2%A9/	http://www.aqsc.agri.cn/zlbz/qzdt/202106/t20210603_379939.htm	https://sso.agc.gov.sg/SL/SFA1973-RG17DocDate=20180327&ProvIds=Sc9-8Sc9	https://hq.mph.gov.my/fsg/peraturan-peraturan-makanan-1985	https://www.peraturan.go.id/	https://food.fda.moph.gov.th/food-law/category/contaminants-02	https://thuvinhphapluat.vn/van-ban/The-thao-Y-te/Thong-tu-50-2016-TT-BYT-gioi-han-toi-da-du-luong-thuoc-bao-ve-thuc-vat-trong-thuc-pham-337490.aspx		https://bafsa.gov.ph/w/p-bafsa/7page_id=26	https://www.fssai.gov.in/cms/food-safety-and-standards-regulations.php	https://ecfr.gov/current/title-40/chapter-I/subchapter-E/part-180/subpart-C	https://pest-control.canada.ca/pesticide-registry/en/mri-search.html	https://www.foodstandards.gov.au/food-standards-code/legislation	https://www.mpi.govt.nz/agriculture/agricultural-compounds-vet-medicines/maximum-residue-levels-agricultural-compounds/	https://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/status/screen/mrils	https://secure.pesticides.gov.uk/MRLs/search	http://publication.pravo.gov.ru/Document/View/001202102030022?index=402&rangeSize=1	https://eservices.moiat.gov.ae/eservices/custom-purchase-standards
各国資料等で検索する場合の品目名				やまいも(長いものをいう)	VR 0600 Yams-Yam, Chinese-Chamma VR 2071 Subgroup of Tuberous and corm vegetables(includes all commodities in this subgroup) VR 0075 root and tuber	山藥 淮山 根菜類和薯芋類 蔬菜	山藥 根莖菜類	마 (ながいも) 서귀 (いも類)	山药 (根茎类和薯芋类)	Root and tuber vegetables	Yam Tuber crops Root and tuber vegetables	当該品目なし	Root and tuber vegetables	Root and tuber vegetables Vegetables and fruits (except for some vegetables and fruits with specific regulations)	当該品目なし	vegetables Fruits and Vegetables Other Vegetables	Yams Vegetable, tuberous and corm subgroup 1C Vegetable, tuberous and corm, except potato, subgroup 1D	True yam tubers	Yams Root and tuber vegetables	Tuber vegetables Root and tuber vegetables	Yams (212030)	Yams (212030)	батат овощи со съедобными клубнями корнеплодные овощи	VR 0600 - Yams VR 0075 - Root and tuber vegetables	
検体				泥を水で軽く洗い落としたもの	Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	根または茎全体	ひげ根を除き、泥を水で軽く洗い落としたもの	Whole potato	規定なし（一部の農薬／作物の組み合わせには、検体が追加されている場合がある）	Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	—	菓柄を切り落とした根または塊茎。サンプルに花がついている場合は、流水または柔らかいブラシで取り除いてもよい。	—	Codex, 原産国に準じる	—	whole raw agricultural commodity unless otherwise specified	—	whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	Whole product after removal of tops and soil	Whole product after removal of tops and soil	—	MRLは、① CODEX設定値、② EU設定値、③ 0.01 mg/kgの優先順で適用とされており、検体もCODEXまたはEUの規定に準ずる。	
備考				—：一律基準値 (0.01ppm)	*：基準値=検出限界 —：規定なし	「Pesticide Residues in Food Regulation（以下「規則」という。）」の別表において、食品及び農薬の組み合わせで残留農薬基準が規定されていない場合、残留農薬基準値表で「☆」と表示	[対象外]：残留基準値対象外物質—	—	—	—	—	—	[DL]：Annex 3 of Default Limits for Plant of the value	輸入を認めない：ベトナム保健省が定めている残留農薬基準値に係る通達で規定されていない品目・農薬有効成分の組合せについては輸入を認めない（令和4年ベトナム保健省に照会）	—：原産国（日本）の基準値が適用となり一律基準値 (0.01ppm)	*：基準値=定値 —：下限値	—	T: 暫定基準値 *: 基準値=検出下限値	(*)：基準値=定値 —：検出限界	*：基準値=検出限界	*：基準値=検出限界	—	*：基準値=検出限界		