

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE
LINDANE	γ-BHC	×	×	2	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	不検出	輸入を認めない	2	1.00	不検出	0.1	2	0.1	0.01*	0.01 *	基準値なし	0.01*
DBEDC	DBEDC	○	×	0.5	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
DDT	DDT	×	×	0.5	—	0.05	不検出	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.5	3.5	不検出	0.1	1	0.1	0.05*	0.05 *	基準値なし	0.05*
EPTC	EPTC	×	×	0.04	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	不検出	0.1	*0.04	0.1	0.02*	0.02 *	基準値なし	0.02*
IOXYNIL	アイオキシニル	○	○	0.1	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	*0.02	0.1	0.01*	0.01 *	0.1	0.01*
ACIBENZOLARS-	アセベンゾラルS-メチル	○	×	0.2	0.15	〔☆〕	0.1	0.05	0.15	0.15	0.15	基準値なし	0.15	輸入を認めない	0.15	0.01	0.1	0.1	不検出	0.1	0.15	0.15	基準値なし	0.15
ACETAMIPRID	アセタミプリド	○	○	0.2	0.02	〔☆〕	0.02	0.05	0.1	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.1	0.1	0.02	0.02	0.03	0.02
ACEPHATE	アセファート	○	○	0.3	—	1	1.0	0.01	0.02	不検出	0.01	基準値なし	[DL] 0.05	輸入を認めない	0.3	0.01	0.02	0.1	不検出	0.01(*)	0.02*	0.02 *	基準値なし	0.02*
AZOXYSTROBIN	アゾキシストロビン	○	○	10	10	1.0	1.0	0.1	2	10	10	基準値なし	10	10	10.00	0.05	1.0	1	0.2	0.01(*)	10	10.0	10.0	10
ATRAZINE	アトラジン	○	×	0.02	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.05*	0.05 *	基準値なし	0.05*
ABAMECTIN	アバメクチン	○	○	0.005	0.005	〔☆〕	0.01	0.05	0.05	0.005	0.005	基準値なし	0.05	輸入を認めない	0.01	0.01	0.01	0.05	0.01	0.01*	0.01 *	0.01	0.005	
AMISULBROM	アミスルブロム	○	○	0.05	—	〔☆〕	不検出	0.2	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.02	0.1	0.01*	0.01 *	基準値なし	0.01*
AMETOCTRADIN	アメクトラジン	○	○	2	1.5	〔☆〕	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.01	1.5	1.5	1.5	0.5	1.5	0.5	1.5	
ALANYCARB	アラニカルブ	○	×	0.1	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
ALDRIN and DIELDRIN	アルドリン及びディルドリン	×	×	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	基準値なし	0.05	0.05	0.05	0.1	0.01	0.1	0.1	0.01*	0.01 *	0.05	0.05	
ISOXATHION	イソキサチオン	○	○	0.01	—	〔☆〕	0.05	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
ISOFETAMID	イソフェタミド	○	○	0.05	—	〔☆〕	不検出	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.02	0.1	0.01*	0.01 *	基準値なし	0.01*
ISOFEINAMOS	イソフェインモス	×	×	0.10	—	〔☆〕	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.10	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
IPRODIONE	イプロジオン	○	○	0.3	0.15	〔☆〕	0.2	0.5	0.05	0.1	0.15	0.2	0.2	0.2	0.2	0.15	0.01	0.5	0.07	0.1	0.01*	0.01 *	0.2	0.15
IMAZAQUIN	イマザキン	○	×	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.05 *	基準値なし	0.01*
IMAZALIL	イマザリル	×	×	0.02	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	0.05	0.1	0.01*	0.01 *	基準値なし	0.01*
IMAZETHAPYR	イマゼザルアンモニウム塩	×	×	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01 *	基準値なし	0.01
AMMONIUM																								
IMIDACLOPRID	イミダクロプリド	○	○	0.07	0.1	〔☆〕	0.1	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.01	0.15	0.1	0.05	0.02(*)	0.01*	0.1	0.2	0.1
IMINOCTADINE	イミノクタジン	○	○	0.05	—	〔☆〕	不検出	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.05*	0.05 *	基準値なし	0.05*
INPYRFLUXAM	インピルフルキサム	○	○	0.09	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.09	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
UNICONAZOLE P	ウコンゾールP	○	○	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
ETHION	エチオン	×	×	0.3	—	〔☆〕	不検出	0.01	基準値なし	1	0.01	基準値なし	0.01	輸入を認めない	0.3	1.0	不検出	0.1	不検出	0.1	0.02*	0.02 *	基準値なし	0.02*
ETHEPHON	エトホーン	○	×	0.05	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.05*	0.05 *	基準値なし	0.05*
ETHOFUMESATE	エトフメセート	×	×	0.3	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	0.25	0.25	*0.1	0.01(*)	0.03*	0.08	基準値なし	0.03*
ETRIDIAZOLE	エトリジアゾール	×	×	0.1	—	〔☆〕	3.0	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.01*	0.05 *	基準値なし	0.01*
ENDOSULFAN	エンドスルファン	×	×	0.2	—	0.1	不検出	0.01	0.05	0.2	0.01	基準値なし	不検出	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.1*	0.1 *	基準値なし	0.1*
ENDRIN	エンドリン	×	×	0.01	—	〔☆〕	不検出	0.01	0.05	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*
OXADIXYL	オキサジキシル	×	×	5	—	〔☆〕	0.01	0.5	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	5	0.01	不検出	0.1	0.5	0.1	0.01*	0.01 *	0.04	0.04
OXATHIAPROLIN	オキサチアピロリン	○	○	0.04	0.04	〔☆〕	不検出	0.05	0.04	0.04	0.04	基準値なし	0.04	輸入を認めない	0.04	0.01	0.04	0.04	0.04	0.01(*)	0.04	0.01*	0.04	0.04
OXAMYL	オキサミル	○	×	0.05	—	0.2	0.2	0.01	基準値なし	0.05	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.2	0.1	0.05	0.1	0.001*	0.01 *	0.01	0.001*
OXYTETRACYCLINE	オキシテトラサイクリン	○	○	0.2	—	〔☆〕	対象外	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
OXYDEMETON-METHYL	オキシデメトンメチル	×	×	0.04	—	〔☆〕	0.02	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	0.05	0.1	不検出	0.1	0.02*	0.02 *	基準値なし	0.02*
OXYFLUORFEN	オキシフルオロフェン	×	×	0.05	—	0.05	0.02	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.05	0.05	0.05	*0.05	0.01(*)	0.01*	0.05 *	0.2	0.01*
OXINE-COPPER	オキシネ銅 (有機銅)	○	○	0.2	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
OXOLINIC ACID	オキシリニック酸	○	○	0.1	—	〔☆〕	不検出	0.07	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
OMETHOATE	オメトエート	×	×	1	—	〔☆〕	不検出	0.05	0.02	不検出	0.01	基準値なし	不検出	輸入を認めない	1	0.01	不検出	0.1	0.5	2	0.01*	0.01 *	基準値なし	0.01*
KASUGAMYCIN	カサガマイシン	○	○	0.2	—	〔☆〕	不検出	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
CARTAP, THIOCYCLAM and BENSLUPAT	カルタップ、チオシクラム及びベンスルタップ	○	○	0.2	—	〔☆〕	0.1	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
CARFENTHAZONE-ETHYL	カルフェントラゾンエチル	○	×	0.1	—	0.01	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	0.1	0.1	0.05	0.1	0.02*	0.01 *	基準値なし	0.02*
CARBENDAZIM, THIOPHANATE, THIOPHANATE-METHYL and BENOMYL	カルベンダジム、チオファネート、チオファネートメチル及びベノミル	○	○	3	—	3	0.2	0.05	0.3	0.1	0.01	基準値なし	[DL] 0.01	輸入を認めない	3	0.50	0.5	0.1	不検出	0.1	0.1*	0.1 *	0.075	0.1*
CARBOXIN	カルボキシン	×	×	0.2	—	0.2	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	0.2	0.1	不検出	0.1	0.03*	0.03 *	基準値なし	0.03*
QUIZALOFOP-P-	キザロホップPテチル	○	○	0.02	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	*0.02	0.1	0.04	0.04	0.06	0.04
QUIZALOFOP-ETHYL and QUIZALOFOP-P-	キザロホップエチル及びキザロホップPテチル	○	○	0.02	—	〔☆〕	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01*	不検出	0.1	*0.02	0.1	0.04	0.04	0.05	0.04
QUINALPHOS	キナルホス	×	×	0.05	—	〔☆〕	0.03	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*
QUINOFLOMELIN	キノフロメルイン	×	○	0.04	—	〔☆〕	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
CAPTAN	キャプタン	○	○	0.3	—	0.05	不検出	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	15	0.05	0.1	0.1	10	0.03*	0.03 *	基準値なし	0.03*
QUINTOZENE	キントゼン	×	×	0.1	—	〔☆〕	不検出	0.01	基準値なし	0.2	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.05*	0.05 *	基準値なし	0.05*
GLYPHOSATE	グリホサート	○	×	0.2	—	0.2	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	0.2	0.1	*0.1	0.1	0.1*	0.1 *	0.3	0.1*
GLUFOSINATE	グリホシネート	○	○	0.2	0.05	0.05	0.05	0.05	0.1	0.05	0.05	0.05	0.05	0.05	0.05	0.01	0.01	0.1	0.1	0.05	0.05	0.05	0.05	0.05
KRESOXIM-METHYL	クレソキシムメチル	○	○	0.02	—	〔☆〕	0.3	0.1	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	0.3	0.1	0.3	0.3	基準値なし	0.3
CLETHODIM	クレトジム	○	○	0.5	0.5	〔☆〕	0.5	0.01	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.01	0.5	0.1	0.3	0.1	0.5	0.5	0.5	0.5</

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE	
CYCLOXYDIM	シクロキシジム	×	×	0.5	3	【☆】	3.0	0.01	3	3	3	3	3	3	3	0.01	不検出	0.1	3	0.1	3	3.0	基準値なし	3	
DICHLORFLUANID	ジクロルフルアノド	×	×	0.10	—	0.1	不検出	0.01	0.1	不検出	0.01	0.1	0.01	0.1	0.10	0.01	不検出	0.1	不検出	0.1	0.01	0.01	0.1	0.01	
DICLOMEZINE	ジクロメジン	×	×	0.02	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
DICHLORAN (Dicloran)	ジクロラン	×	×	0.2	—	0.2	0.01	0.01	0.2	不検出	0.01	0.2	0.01	0.2	0.2	0.01	10	5	不検出	0.1	0.2	0.2	0.2	0.01*	
DICHLORVOS and Naled	ジクロロボス及びナレド	×	×	0.1	—	0.2	0.2	0.05	0.2	0.5	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	0.5	0.1	0.01	0.01(*)	0.01*	0.01 *	0.1	0.01*	
1,3-DICHLOROPROPENE	1,3-ジクロロプロペン	○	○	0.01	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.01(*)	0.01*	0.01 *	基準値なし	0.01*	
DIQUAT	ジクワット	○	○	0.02	—	0.05	不検出	0.01	基準値なし	0.1	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.02	0.1	0.1	0.01*	0.01 *	0.05	0.01*	
DICOFOL	ジコフォル	×	×	3	—	【☆】	不検出	0.01	0.01	5	0.01	基準値なし	0.01	輸入を認めない	3	5.0	不検出	0.1	5	3	0.05*	0.05 *	基準値なし	0.05*	
DISULFOTON	ジスルホトン	×	×	0.5	—	【☆】	不検出	0.01	基準値なし	0.5	0.01	基準値なし	不検出	輸入を認めない	0.5	0.5	0.01	不検出	0.1	不検出	0.1	0.02*	0.02 *	基準値なし	0.02*
DITHIOCARBAMATES	ジチオカルバメート	○	○	0.5	0.5	7	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	4 (Mancozeb)	不検出	0.5	4	7	1	1.0	0.5	0.5	
DINOTEFURAN	ジノテフラン	○	×	0.1	0.1	【☆】	0.1	0.01	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.01	0.15	0.1	0.02	0.1	0.1	0.1	基準値なし	0.1	
CYHALOTHRIN	シロトリジン	○	○	0.5	0.2	0.2	0.1	0.5	0.2	0.2	0.2	基準値なし	0.2	0.2	0.2	0.01	0.1	0.01	*0.05	0.01(*)	0.2	0.2	0.2	0.2	
DIHYDROSTREPTOMYCIN and STREPTOMYCIN	ジヒドロストレプトマイシン及びストレプトマイシン	○	○	0.05	—	【☆】	ジヒドロストレプトマイシンは不検出、ストレプトマイシンは対象外	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01 *	基準値なし	0.01	
DIPHENYLAMINE	ジフェニルアミン	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.05	0.1	0.05*	0.05 *	基準値なし	0.05*	
DIFENCONAZOLE	ジフェノコナゾール	○	×	0.2	0.1	【☆】	0.3	0.05	0.5	0.1	0.1	基準値なし	0.1	0.1	0.01	0.01	0.2	0.2	TO.1	0.1	0.5	0.5	基準値なし	0.1	
DIFENZOQUAT	ジフェンゾクワート	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.01	0.1	0.01	0.01	基準値なし	0.01	
CYBUTHIHRIN	ジブススリン	○	○	0.05	—	【☆】	0.5	0.05	0.05	0.05	0.05	基準値なし	0.05	輸入を認めない	0.05	0.01	0.05	0.1	0.05	0.1	0.01*	0.02 *	基準値なし	0.01*	
DIFLUFENOPYR	ジフルフェノピリ	×	×	0.05	—	【☆】	不検出	0.01	0.01	0.01	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	0.01	0.1	0.01	0.01	基準値なし	0.01	
DIFLUBENZUROLIN	ジフルベンズロリン	○	○	0.05	—	【☆】	1.0	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
CYPRODINIL	ジプロジニル	○	○	0.6	0.3	0.6	1.0	0.01	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.01	0.6	0.6	0.2	0.01(*)	0.3	0.3	0.3	0.3	
CYPERMETHRIN	シメルメスリン	○	○	0.05	0.05	0.01	0.1	0.05	0.01	0.1	0.05	0.01	0.01	0.01	0.05	0.01	0.1	0.1	*0.01	0.1	0.1	0.1	0.05	0.05	
GIBBERELLIN	ジベレリン	○	○	0.3	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	MRL確認用Webサイト等にアクセスできないため不明	0.01	輸入を認めない	0.3	0.01	対象外(先除：GAP使用基準に準ずる)	0.1	不検出	0.1	No MRL Required	No MRL Required	基準値なし	No MRL Required	
DIMETHIPIN	ジメチピン	×	×	0.04	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	基準値なし	0.1	不検出	0.1	0.1*	0.1 *	基準値なし	0.1*	
DIMETHENAMID	ジメテナミド	○	○	0.01	0.01	0.01	0.01	0.05	0.01	0.01	0.01	基準値なし	0.01	0.01	0.01	0.01	0.01	0.01	0.01	T*0.01	0.1	0.01*	0.01 *	0.01	0.01*
DIMETHOATE	ジメトエート	○	×	0.3	—	【☆】	0.2	不検出	0.2	0.01	2	不検出	0.01	輸入を認めない	0.3	2.0	不検出	0.1	2	0.01*	0.01 *	基準値なし	0.01*	0.01*	
DIMETHOMORPH	ジメトモルフ	○	○	0.6	0.6	2	0.6	0.2	0.6	0.6	0.6	基準値なし	0.6	0.6	0.6	0.01	0.6	0.6	0.6	0.6	0.6	0.6	0.15	0.6	
CYMOXANIL	シモキサニル	○	○	0.05	—	【☆】	0.01	0.1	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.05	0.1	不検出	0.05(*)	0.01*	0.01 *	0.5	0.01*	
CYROMAZINE	ジロマジン	○	×	0.1	0.1	0.1	0.2	0.01	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.01	0.3 (0.6*)	0.3	0.05	0.1	0.01*	0.05 *	0.1	0.1	
STREPTOMYCIN	ストレプトマイシン	○	○	0.05	—	【☆】	対象外	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	基準値なし	0.1	不検出	0.1	0.01	0.01 *	基準値なし	0.01	
SPINETORAM	スピネトラム	○	○	0.1	0.01	【☆】	0.01	0.05	0.8	0.01	0.01	0.01	0.1	0.01	0.01	0.01	0.1	0.1	0.1	0.01(*)	0.02*	0.05 *	基準値なし	0.01	
SPINOSAD	スピノサド	○	○	0.1	0.1	【☆】	0.1	0.07	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.01	0.1	0.1	0.01	0.1	0.07	0.07	基準値なし	0.1	
SPINETORAMAT	スピネトラマト	○	×	0.8	0.4	【☆】	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.01	0.8	0.8	0.5	0.1	0.4	0.4	0.4	0.4	
SPIROMESIFEN	スピロメシフェン	○	×	0.09	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.09	0.01	0.09	1	不検出	0.1	0.02*	0.02 *	基準値なし	0.02*	
SULFENTHAZOLE	スルフェンタゾール	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
SULFOXYFLOR	スルホキサフル	○	×	0.01	0.01	【☆】	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01*	0.01 *	0.02	0.01	
SETHOXYDIM	セトキシジム	○	×	0.8	—	【☆】	0.9	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.8	0.01	1.0	0.2	0.3	0.1	0.5	0.5	基準値なし	0.5	
ZOXANIDE	ゾキサミド	×	×	0.7	—	【☆】	0.7	0.7	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.7	0.01	0.7	0.7	不検出	0.1	0.02*	0.02 *	基準値なし	0.02*	
DIAZINON	ダイアジン	○	○	0.05	—	0.7	0.1	0.01	0.05	不検出	0.01	0.05	0.05	0.05	0.05	0.5	0.75	0.75	0.7	0.01(*)	0.05	0.05	0.1	0.05	
DAZOMET, METAM and METHYL ISOTHIOCYANATE	ダゾメット、メタム及びメチルイソチオシアネート	○	○	0.1	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.15	0.02 *	0.5	0.15	
THIABENDAZOLE	チアベンダゾール	×	×	2	—	【☆】	3.0	0.01	基準値なし	0.1	0.01	基準値なし	[DL] 0.1	輸入を認めない	2	0.01	0.02	0.1	0.05	0.1	0.01*	0.01 *	基準値なし	0.01*	
THIAMETHOXAM	チアメトキサム	○	×	0.02	0.02	【☆】	0.25	0.01	0.02	0.02	0.02	基準値なし	0.02	輸入を認めない	0.02	0.01	0.03	0.02	TO.5	0.01(*)	0.01*	0.02	0.05	0.02	
THIODICARB and METHOMYL	チオジカルブ及びメソミル	○	○	0.2	0.2	0.2	0.5	0.01	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.01	0.2	0.01	0.1	0.1	0.01*	0.01 *	0.2	0.2	
THIOCYCLAM	チオシクラム	○	○	0.2	—	【☆】	0.5	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
THIOPHANATE	チオファネート	×	×	3	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	3	0.01	0.5	0.1	0.1	0.1	0.01	0.01	基準値なし	0.01	
THIOPHANATE-METHYL	チオファネートメチル	○	○	3	—	3	0.2	0.05	0.3	0.1	0.01	基準値なし	0.01	輸入を認めない	3	0.01	0.5	0.1	0.1	0.1	0.1*	0.1 *	基準値なし	0.1*	
THIOBENCARB	チオベンカルブ (ベンチオカーブ)	○	○	0.02	—	【☆】	0.01	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
DIELDRIN	ディルドリン	×	×	0.05	0.05	0.05	不検出	0.01	0.05	0.05	0.05	基準値なし	0.05	0.05	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01	0.05	0.05	
TECNAZENE	テクナゼン	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
TEBUCONAZOLE	テブコナゾール	○	○	0.2	0.15	【☆】	0.1	0.05	0.1	0.15	0.15	0.1	0.15	0.15	0.15	0.1	0.2	0.1	0.07	0.1	0.15	0.15	0.1	0.15	
TEPRALOXYDIM	テプラロキシジム	○	○	0.3	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	0.4	0.1	不検出	0.1*	0.1*	0.1 *	基準値なし	0.1*	
DEMETON-S-METHYL	デメトン-S-メチル	×	×	0.4	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.4	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01	
DELTAETHRIN and DELTAMETHRIN	デルタエトリン及びトラロメトリン	○	○	0.05	0.05	0.05	0.05	0.05	0.05	0.1	0.05	0.05	0.05	0.05	0.05	0.01	0.1	0.1	0.05	0.01(*)	0.06	0.06	0.05	0.05	
TERBUFOS	テルブホス	×	×	0.05	—	【☆】	不検出	0.05	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01*	0.01 *	基準値なし	0.01*	
DODINE	ドシン	×	×	0.2	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不検出	0.1	0.1	0.1	0.01*	0.01 *	基準値なし	0.01*	
TRALOMETHRIN	トラロメトリン	○	○	0.05	—	【☆】	0.5	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.05	0.01	不検出	0.1	0.01	0.01	0.01	基準値なし	0.01*	
TRIADIMENOL	トリアジメノール	×	×	0.5	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	[DL] 0.1	輸入を認めない	0.5	0.01	不検出	0.1	0.05	0.2	0.01*	0.01 *	基準値なし	0.01*	
TRIADIMEFON	トリアジメホン	×	×	0.5	—	【☆】	0.01	0.01	基準値なし	不検出	0.01	基準値なし	[DL] 0.1	輸入を認めない	0.5	0.01	不検出	0.1							

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE	
VALIDAMYCIN	バダマイシン	○	○	0.2	—	〔☆〕	不輸出	0.05	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
HALOXYFOP	ハロキシホップ	×	×	0.05	0.2	0.2	不輸出	0.05	基準値なし	0.2	0.2	0.2	0.2	0.2	0.2	0.01	不輸出	0.1	不輸出	0.1	0.2	0.2	0.2	0.2	
BILANAFOS (BIALAPHOS)	ビアラノス	×	×	0.004	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.004	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
BIORESMEETHRIN	ビレスメトリン	×	×	0.1	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
PICARBUTRAZOX	ピカルブトラゾクス	○	○	0.03	—	〔☆〕	不輸出	0.05	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.03	0.01	0.01	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
PICOCYSTROBIN	ピコキストロビン	○	○	0.05	—	〔☆〕	不輸出	0.2	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	0.5	0.8	0.1	0.01*	0.01 *	0.01 *	基準値なし	0.01*	
PYDIFLUMETOFEN	ピディフルメトフェン	○	×	0.3	0.3	〔☆〕	0.2	0.2	基準値なし	0.3	0.3	基準値なし	0.3	輸入を認めない	0.3	0.01	0.2	0.2	0.3	0.1	0.01	0.06	基準値なし	0.3	
BITTERTANOL	ビテルタノール	×	×	0.05	—	〔☆〕	0.01	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.01 *	0.01 *	基準値なし	0.01*
PIPERONYL BUTOXIDE	ピペロニルブトキシド	×	×	8	—	〔☆〕	0.5	0.01	基準値なし	8	0.01	基準値なし	0.01	輸入を認めない	8	0.01	不輸出	0.1	8	8	0.01	0.01	基準値なし	0.01	
HYMEAZOL	ヒメキサゾール (ヒドロキシノキサゾール)	○	×	0.5	—	〔☆〕	不輸出	0.05	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.5	0.01	不輸出	0.1	不輸出	0.1	0.02*	0.05 *	基準値なし	0.02*	
PYRACLOSTROBIN	ピラクロストロビン	○	○	2	1.5	0.2	1.5	0.05	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.9	0.9	1.5	0.1	1.5	1.5	0.2	1.5	
PYRAZIFLUMID	ピラジフルミド	○	○	0.2	—	〔☆〕	不輸出	0.05	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01*	基準値なし	0.01	
PYRAZOLYNATE	ピラゾリネート (ピラレレート)	○	×	0.02	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
PYRAFLUFEN ETHYL (Pyraflufen-ethyl)	ピラフルフェンエチル	○	○	0.01	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不輸出	0.1	不輸出	0.1	0.02*	0.02 *	基準値なし	0.02*	
PYRIDALYL	ピリダリル	○	○	0.05	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.01 *	基準値なし	0.01*	
PYRIDATE	ピリデート	×	×	0.2	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不輸出	0.1	不輸出	0.1	0.05*	0.05 *	基準値なし	0.05*	
PYRILQUINAZON	ピリルキナゾン	○	○	0.05	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
PYRIPROXYFEN	ピリプロキソフェン	○	○	0.2	—	0.15	0.01	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	0.7	0.06	0.1	0.1	0.01*	0.05 *	基準値なし	0.01*	
PYRIBENICARB	ピリベニカルブ	○	○	0.1	—	〔☆〕	不輸出	0.05	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	0.1	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
PIRIMICARB (Primicarb)	ピリミカルブ	×	×	0.50	0.1	〔☆〕	0.1	0.01	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.01	不輸出	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
PIRIMIPHOS-METHYL	ピリミホスメチル	×	×	1.0	—	〔☆〕	0.2	0.01	基準値なし	1	0.01	基準値なし	0.1	輸入を認めない	1.0	0.01	不輸出	0.1	0.02	0.1	0.01*	0.01 *	基準値なし	0.01*	
PYRIMETHANIL	ピリメタンイル	×	×	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	3.0	0.2	
PYRETHRIN	ピリトリン	○	×	1	—	〔☆〕	0.05	1.0	基準値なし	1	0.01	基準値なし	0.01	輸入を認めない	1	1.0	1	0.1	1	1	1	1	1.0	基準値なし	1
PYROXASULFONE	ピロキサルスホン	○	○	0.01	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	0.15	0.15	0.01	0.1	0.01	0.01	基準値なし	0.01	
VINCLIZOLIN	ビンクロゾリン	×	×	1	—	〔☆〕	0.1	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	1	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.01 *	1.0	0.01*	
PINDONE	ピンドン	×	×	0.001	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.001	0.01	不輸出	0.1	不輸出	0.001(*)	0.01	0.01	基準値なし	0.01	
FAMOXADONE	ファミオキサドン	○	○	0.5	0.4	〔☆〕	0.01	0.4	基準値なし	0.4	0.4	基準値なし	0.4	輸入を認めない	0.4	0.01	0.45	0.1	不輸出	0.1	0.01*	0.01 *	1.0	0.4	
FENITROTHION	フェニトロチオン (MEP)	○	○	0.05	—	0.5	0.05	0.05	0.5	0.05	0.01	基準値なし	0.01	輸入を認めない	0.05	0.3	不輸出	0.1	不輸出	0.1	0.02*	0.02 *	基準値なし	0.02*	
FENOXAPROP-ETHYL	フェノキサプロプエチル	×	×	0.1	—	〔☆〕	不輸出	0.05	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.05*	0.3	不輸出	0.1	不輸出	0.1	0.1	0.1	0.01	0.1
FENOXYCARB	フェノキシカルブ	×	×	0.05	—	〔☆〕	0.01	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不輸出	0.1	0.1	0.1	0.01*	0.01 *	基準値なし	0.01*	
FENOBUCARB	フェンブカルブ (BPMC)	○	×	0.3	—	〔☆〕	0.01	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.3	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
FENAMIDONE	フェナミドン	×	×	0.2	0.15	0.2	不輸出	0.1	0.15	0.15	0.15	基準値なし	0.15	0.15	0.15	0.01	0.2	0.2	不輸出	0.05(*)	0.01*	0.01 *	0.2	0.15	
FENSULFOTHION	フェンシルホチオン	×	×	0.1	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	不輸出	輸入を認めない	0.1	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
FENTIN	フェンチン	×	×	0.05	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	不輸出	輸入を認めない	0.05	0.01	不輸出	0.1	不輸出	0.1	0.02*	0.02 *	基準値なし	0.02*	
PHENTHOATE	フェントエート (PAP)	○	○	0.02	—	〔☆〕	0.01	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
FENVALERATE	フェンバレレート	○	×	0.50	—	〔☆〕	0.1	0.01	0.5	不輸出	0.01	基準値なし	[DL] 0.02	輸入を認めない	0.50	0.01	不輸出	0.1	0.05	0.1	0.02*	0.02 *	基準値なし	0.02*	
FENBUCONAZOLE	フェンブコナゾール	○	○	0.05	—	〔☆〕	0.01	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不輸出	0.1	0.02	0.1	0.01*	0.01 *	基準値なし	0.01*	
FENPROPMORPH	フェンプロピモルフ	×	×	0.05	—	〔☆〕	0.01	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.01 *	基準値なし	0.01*	
FENHEXAMID	フェンヘキサミド	○	○	0.05	3	〔☆〕	不輸出	0.05	3	3	3	基準値なし	3	輸入を認めない	3	0.01	2	2	3	0.1	3	3.0	基準値なし	3	
BUTAMIFOS	ブタミフォス	○	○	0.02	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
FLUAZINAM	フルアジナム	○	○	0.2	—	〔☆〕	不輸出	0.05	0.05	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.10	0.01	0.2	0.2	0.01	0.02	0.06	0.06	0.06	0.06	
FLUAZIFOP-BUTYL	フルアジホップブチル	○	○	0.3	0.3	〔☆〕	0.2	0.05	0.3	0.3	0.3	基準値なし	0.3	輸入を認めない	0.50	0.01	0.5	0.5	0.05	0.1	0.3	0.3	0.02	0.3	
FLUOPICOLIDE	フルオピコリド	○	○	7	1	〔☆〕	0.02	1.0	1	1	1	1	1	1	1	0.01	7	7	0.1	0.1	1	1.0	1.0	1	
FLUOPYRAM	フルオピラム	○	○	0.4	0.07	〔☆〕	0.1	0.05	0.07	0.07	0.07	基準値なし	0.07	0.07	0.07	0.01	0.4	0.4	0.07	0.07	0.07	0.1	0.07	0.07	
FLUOMETURON	フルオメツロン	×	×	0.02	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.02	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.01 *	基準値なし	0.01*	
FLUXAPYROXAD	フルキサピロキサド	○	×	2	0.6	〔☆〕	0.3	0.05	0.6	0.6	0.6	基準値なし	0.6	輸入を認めない	0.6	0.01	1.5	1.5	0.2	0.2	0.1	基準値なし	0.6		
FLUXAMETAMIDE	フルキサメタミド	○	○	0.01	—	〔☆〕	不輸出	0.05	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不輸出	0.1	不輸出	0.1	0.01	0.01	基準値なし	0.01	
FLUDIOXONIL	フルジオクソニル	○	○	0.5	0.5	0.5	0.5	0.05	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.01	0.5	0.1	0.5	0.01 (*)	0.5	0.5	0.5	0.5	
FLUCYTHRINATE	フルシトリンエート	○	○	0.10	—	〔☆〕	0.5	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.10	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.01 *	基準値なし	0.01*	
FLUTALANIL	フルタルニル	○	○	0.01	—	〔☆〕	1.0	0.05	1.0	0.05	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.01 *	基準値なし	0.01*	
FLURALINATE	フルリナート	○	○	0.03	—	〔☆〕	0.5	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.03	0.01	不輸出	0.1	0.02	0.1	0.01*	0.01 *	基準値なし	0.01*	
FLUPYRADIFURONE	フルピラジフルロン	○	×	0.09	0.01	〔☆〕	不輸出	0.01	0.01	0.01	0.01	基準値なし	0.01	輸入を認めない	0.01	0.09	0.09	0.2	0.1	0.01*	0.01 *	基準値なし	0.01*		
FLUFENOXURON	フルフェノクスロン	○	○	0.01	—	〔☆〕	0.05	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不輸出	0.1	不輸出	0.1	0.01*	0.05 *	基準値なし	0.01*	
FLUMIOXAZIN	フルミオキサジン	○	×	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	基準値なし	0.02	輸入を認めない	0.02	0.01	0.02	0.02	0.02	0.1	0.02*	0.02 *	基準値なし	0.02	
FLUROXYPPYR	フルロキシピル	×	×	0.04	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.04	0.01	0.03	0.03	0.2	0.05	0.05*	0.05 *	0.05	0.05*	
PROCYMIDONE	プロシミドン	○	○	0.2	—	〔☆〕	0.5	0.2	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.2	0.01	不輸出	0.1	0.2	0.1	0.02*	0.02 *	0.2	0.02*	
PROSULFOCARB	プロスルホカルブ	○	×	0.1	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不輸出	0.1	不輸出	0.1	0.03	0.03	0.03	0.03	
PROTHIOFOS	プロチオフォス	○	○	0.1	—	〔☆〕	不輸出	0.01	基準値なし	不輸出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不輸出	0.1	不輸出	0.1	0.01	0.0			

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE
FOSETYL-ALUMINIUM (FoSETYL-AI)	ホセチル	○	×	50	—	0.5	不検出	0.07	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	50	0.01	0.5	0.5	不検出	0.1	40	50.0	0.01	40
POLYOXIN COMPLEX POLPET	ポリオキシン複合体 ポリペット	○	○	0.05	—	【☆】	対象外	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	不検出	0.1	0.01	0.01	基準値なし	0.01
PHORATE	ホーレート	○	○	1	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	1	0.01	2.0	25	不検出	0.1	0.03*	0.03*	1.0	1
MALATHION	マラチオン (マラソン)	×	×	0.3	—	【☆】	0.05	0.05	0.01	不検出	0.01	基準値なし	不検出	1	0.3	0.05	不検出	0.024	0.5	0.1	0.02*	0.02*	基準値なし	0.02*
MALEIC HYDRAZIDE	マレイク酸ヒドРАЗィド	○	○	8	1	【☆】	1.0	0.01	1	1	0.1	基準値なし	1	1.00	3.0	3.0	2	0.5	2	5	0.02*	0.02*	5.0	1
MANDIPROPAMID	マンジプロパミド	○	×	20	15	15	15.0	0.01	15	15	15	15	15	15	15	15.00	15	15	15	15	15.0	15.0	15	15
MANDESTRUBIN	マンデストロビン	○	×	0.05	—	【☆】	不検出	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	*0.01	0.01(*)	0.01*	0.01*	基準値なし	0.01*
MYCLOBUTANIL	ミクロブタニル	○	×	0.06	0.06	【☆】	0.2	0.01	0.06	0.06	0.06	基準値なし	0.06	0.06	0.01	不検出	0.1	0.05	0.1	0.06	0.06	基準値なし	0.06	0.06
METHOMYL	メトミル	○	○	0.2	0.2	【☆】	0.2	1.0	0.01	0.2	0.2	0.2	0.2	0.2	0.2	0.01	0.2	0.01	0.1	0.01*	0.01*	0.01*	0.2	0.2
METAFUMIZONE	メタフルミゾン	○	○	0.1	—	【☆】	0.01	0.05	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.02*	0.05*	基準値なし	0.02*
METHABENZTHIAZURO	メタバベンチアズロン	×	×	0.05	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.05	0.01	不検出	0.1	*0.05	0.05(*)	0.02*	0.02*	基準値なし	0.02*
METHAMIDOPHOS	メタミドホス	×	×	0.2	—	0.05	0.1	0.01	0.05	不検出	0.01	基準値なし	不検出	0.01	不検出	0.01	不検出	0.1	0.05	0.05	0.02*	0.02*	基準値なし	0.02*
METAM	メタム	○	○	0.1	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.15	0.02*	基準値なし	0.15
METALAXYL and MEFENOXAM	メタラキシル及びメフェノキサム	○	○	2	0.03	3	2.0	0.05	2	0.05	0.05	2	2	2	0.03	0.01	3.0	3	0.1	0.05(*)	0.03	0.5	2.0	0.03
METHIOCARB	メチオカルブ	×	×	0.5	0.5	0.5	0.5	0.01	0.5	0.1	0.5	0.5	0.5	0.5	0.5	0.01	不検出	0.1	0.1	0.01	0.03*	0.03*	0.5	0.5
METHIDATHION	メチダチオン (DMTP)	×	×	0.1	—	0.1	不検出	0.01	0.05	不検出	0.01	0.1	0.01	0.1	0.1	0.01	不検出	0.1	不検出	0.1	0.05*	0.05*	0.1	0.05*
METHYL ISOTHIOCYANATE	メチルイソチオシアネート	○	○	0.1	—	【☆】	不検出	0.01	基準値なし	不検出	0.01	基準値なし	0.01	輸入を認めない	0.1	0.01	不検出	0.1	不検出	0.1	0.15	0.02*	基準値なし	0.15
METHOXYCHLOR	メトキシクロール	×	×	0.01	—	【☆】	不検出	0.01	0.01	不検出	0.01	基準値なし	0.01	輸入を認めない	0.01	0.01	不検出	0.1	不検出	0.1	0.01*	0.01*	基準値なし	0.01*
METCONAZOLE	メトコナゾール	○	○	0.1	0.05	【☆】	0.01	0.05	基準値なし	0.05	0.05	基準値なし	0.05	輸入を認めない	0.05									

Pesticides name	農薬の有効成分	登録の有無	適用の有無	日本	CODEX	香港	台湾	韓国	中国	シンガポール	マレーシア	インドネシア	タイ	ベトナム	フィリピン	インド	米国	カナダ	オーストラリア	ニュージーランド	EU	英国	ロシア	UAE
	各国資料等で検索する場合の品目名			たまねぎ	VA 0385 Onion,Bulb VA 2031 Subgroup of Bulb Onions(includes all commodities in this subgroup) VA 0035 Bulb	洋葱 鱧葱類蔬菜 Onion, Bulb Bulb vegetables	洋葱 根莖菜類	양파(たまねぎ) 근채류 (根菜類) 채소류(野菜類)	洋葱 鱧葱類蔬菜(鱧葱类)	Onion Bulb vegetables	Onion (bulb)	Onion	onion, bulb	Onion Vegetable Vegetables and fruits (except for some vegetables and fruits with specific regulations)	Onion	Onion vegetables Fruits and Vegetables Other Vegetables	Onion, bulb Vegetable, bulb, group 3 Onion, bulb, subgroup 3-07A	Dry bulb onions Onions	Onion, bulb Bulb vegetables	Onions Bulb onions Bulb vegetables	Onions (220020)	Onions (220020)	лук-репка лук овощи со съедобными луковыми частями	VR 0600 - Yams VR 0075 - Root and tuber vegetables
検体				外皮及びひげ根を除去したもの	Bulb onions: Whole commodity after removal of roots and adhering soil and whatever parchment skin is easily detached.	Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	鱧葱全体	ひげ根を除き、泥を水で軽く洗い落したものと	Whole potato	規定なし（一部の農薬／作物の組み合わせには、検体が追加されている場合がある）	Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	—	根を切り取り、付着した泥、乾燥した部分を除去したもの	—	Codex、原産国に準じる	—	whole raw agricultural commodity unless otherwise specified	whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry	Whole product after removal of tops and soil	Whole product after removal of tops and soil	—	MRLは、① CODEX設定値、② EU設定値、③ 0.01 mg/kgの優先順で適用とされており、検体もCODEXまたはEUの規定に準ずる。	
備考				—	*：基準値=検出限界 —：規定なし	香港の「Pesticide Residues in Food Regulation（以下「規則」という。）」の別表において、食品及び農薬の組み合わせで残留農薬基準が規定されていない場合、残留農薬基準値表で「☆」と表示	[対象外]：残留基準値対象外物質	—	—	—	—	—	[DL]：Annex 3の Default Limits for Plantの値	輸入を認めない：ベトナム保健省が定めている残留農薬基準値に係る通達で規定されていない品目・農薬有効成分の組合せについては輸入を認めない（令和4年ベトナム保健省に照会）	—	*：基準値=定量下限値	[対象外]：残留基準値対象外物質 (*)：当該農薬が残留する堆肥など、特定の栽培条件下における基準値	T: 暫定基準値 *: 基準値=検出下限値	(*)：基準値=定量限界	*：基準値=検出限界	*：基準値=検出限界	—	*：基準値=検出限界	