

| Pesticides name                                          | 農薬の有効成分                          | 登録の有無 | 適用の有無 | 日本   | CODEX | 香港   | 台湾   | 韓国   | 中国    | シンガポール | マレーシア | インドネシア | タイ        | ベトナム    | フィリピン | インド  | 米蘭   | カナダ  | オーストラリア | ニュージーランド | EU     | 英国     | ロシア   | UAE    |
|----------------------------------------------------------|----------------------------------|-------|-------|------|-------|------|------|------|-------|--------|-------|--------|-----------|---------|-------|------|------|------|---------|----------|--------|--------|-------|--------|
| BHC                                                      | BHC                              | ×     | ×     | 0.2  | —     | 0.05 | 不検出  | 0.01 | 0.05  | 不検出    | 0.01  | 0.01   | 不検出       | 輸入を認めない | 0.2   | 1.00 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 0.01  | 0.01*  |
| LINDANE                                                  | γ-BHC                            | ×     | ×     | 1    | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 1     | 1.00 | 不検出  | 0.1  | 2       | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| DBEDC                                                    | DBEDC                            | ○     | ×     | 0.5  | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.5   | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| DCIP                                                     | DCIP                             | ×     | ×     | 0.02 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| DDT                                                      | DDT                              | ×     | ×     | 0.2  | —     | 0.05 | 不検出  | 0.01 | 0.05  | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.2   | 3.5  | 不検出  | 0.1  | 1       | 0.1      | 0.05*  | 0.05 * | 基準値なし | 0.05*  |
| EPN                                                      | EPN                              | ×     | ×     | 0.05 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| EPTC                                                     | EPTC                             | ×     | ×     | 0.04 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.04  | 0.01 | 不検出  | 0.1  | 0.04    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| IOXYNIL                                                  | アイオキシニル                          | ○     | ×     | 0.1  | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.1   | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| ACETAMIPRID                                              | アセタミプリド                          | ○     | ○     | 0.2  | —     | 0.01 | 0.5  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.2   | 0.01 | 0.01 | 0.1  | 0.1     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| AZOXYSTROBIN                                             | アゾキシストロビン                        | ○     | ○     | 1    | 1     | 1    | 0.1  | 0.05 | 基準値なし | 1      | 1     | 0.01   | 1         | 1       | 0.01  | 8    | 8    | 1    | 0.1     | 1        | 1.0    | 1.0    | 1.0   | 1      |
| ATRAZINE                                                 | アトラジン                            | ○     | ×     | 0.1  | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.1   | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.05*  | 0.05 * | 基準値なし | 0.05*  |
| ABAMECTIN                                                | アバメクテン                           | ○     | ×     | 0.01 | 0.005 | 0.01 | 0.01 | 0.05 | 0.02  | 0.005  | 0.005 | 0.005  | 0.01      | 輸入を認めない | 0.005 | 0.01 | 0.01 | 0.01 | +0.01   | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.005  |
| AFIDOPYROPEN                                             | アフィドピロペン                         | ○     | ×     | 0.01 | 0.01  | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 0.01   | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 0.01 | 0.01 | +0.01   | 0.1      | 0.01   | 0.01 * | 基準値なし | 0.01   |
| AMETOCTRADIN                                             | アメクトトラジン                         | ○     | ×     | 0.05 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 0.05 | 0.05 | 0.2     | 0.1      | 0.05   | 0.05   | 基準値なし | 0.05   |
| ALACHLOR                                                 | アラクロール                           | ○     | ○     | 0.02 | —     | 〔☆〕  | 0.01 | 0.2  | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| ALANYCARB                                                | アラニカルブ                           | ○     | ○     | 0.5  | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.5   | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01   | 基準値なし | 0.01   |
| ALDRIN and DIELDRIN                                      | アルドリン及びディルドリン                    | ×     | ×     | 0.1  | 0.1   | 0.1  | 不検出  | 0.01 | 0.05  | 0.1    | 0.1   | 0.01   | 0.1       | 0.1     | 0.1   | 0.1  | 不検出  | 0.1  | 0.1     | 0.1      | 0.01*  | 0.01 * | 0.1   | 0.1    |
| IMAZAQUIN                                                | イマザキン                            | ○     | ×     | 0.05 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.05 * | 基準値なし | 0.01*  |
| IMAZALIL                                                 | イマザリル                            | ×     | ×     | 0.02 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1  | 0.05    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| IMAZETAPYR AMMONIUM                                      | イマゼタビルアンモニウム塩                    | ×     | ×     | 0.05 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01   | 0.01 * | 基準値なし | 0.01   |
| IMICYAFOS                                                | イミシアホス                           | ○     | ○     | 0.01 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| IMIDACLOPRID                                             | イミダクロプリド                         | ○     | ○     | 0.4  | 0.5   | 0.5  | 0.5  | 0.05 | 0.1   | 0.5    | 0.5   | 0.5    | 0.4       | 0.5     | 0.5   | 0.01 | 0.4  | 0.4  | 0.3     | 0.1      | 0.01*  | 0.5    | 0.5   | 0.5    |
| INDOXACARB                                               | インドキサカルブ                         | ○     | ○     | 0.05 | —     | 〔☆〕  | 0.01 | 0.03 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.05      | 輸入を認めない | 0.05  | 0.01 | 0.01 | 0.1  | 0.05    | 0.1      | 0.01*  | 0.02 * | 基準値なし | 0.01*  |
| ETHION                                                   | エチオン                             | ×     | ×     | 0.1  | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.1       | 輸入を認めない | 0.1   | 1.0  | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| ETHEPHON                                                 | エテホン                             | ○     | ×     | 0.05 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 0.1     | 0.1      | 0.05*  | 0.05 * | 基準値なし | 0.05*  |
| ETOXAZOLE                                                | エトキサゾール                          | ○     | ○     | 0.05 | —     | 〔☆〕  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 0.05    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| ETOFENPROX                                               | エトフェンプロックス                       | ○     | ○     | 0.01 | —     | 〔☆〕  | 不検出  | 0.2  | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 5.0  | 0.1  | 0.05    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| ETHOPROPHOS                                              | エトプロホス                           | ×     | ×     | 0.05 | 0.05  | 0.05 | 0.01 | 0.05 | 0.02  | 0.05   | 0.05  | 0.05   | 0.05      | 輸入を認めない | 0.05  | 0.01 | 0.02 | 0.02 | 不検出     | 0.1      | 0.01*  | 0.01 * | 0.05  | 0.05   |
| ETRIDIAZOLE                                              | エトリジアゾール                         | ×     | ×     | 0.5  | —     | 〔☆〕  | 3.0  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.5   | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.05 * | 基準値なし | 0.01*  |
| EMAMECTIN BENZOATE                                       | エマメクテン安息香酸塩                      | ○     | ○     | 0.1  | —     | 〔☆〕  | 不検出  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.1       | 輸入を認めない | 0.1   | 0.01 | 不検出  | 0.1  | +0.01   | 0.1      | 0.002* | 0.01 * | 基準値なし | 0.002* |
| ENDOSULFAN                                               | エンドスルファン                         | ×     | ×     | 0.5  | 0.05  | 0.05 | 不検出  | 0.01 | 0.05  | 0.05   | 0.05  | 0.01   | 不検出       | 0.05    | 0.05  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.05*  | 0.05 * | 0.05  | 0.05   |
| ENDRIN                                                   | エンドリン                            | ×     | ×     | 0.01 | —     | 〔☆〕  | 不検出  | 0.01 | 0.05  | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| OXADIXYL                                                 | オキサジキシル                          | ×     | ×     | 1    | —     | 〔☆〕  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 1     | 0.01 | 不検出  | 0.1  | 0.1     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| OXATHIAPYPROLIN                                          | オキサチアピプロリン                       | ○     | ×     | 0.04 | 0.04  | 〔☆〕  | 不検出  | 0.01 | 0.01  | 0.04   | 0.04  | 0.04   | 0.04      | 輸入を認めない | 0.04  | 0.01 | 0.04 | 0.04 | 0.04    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.04   |
| OXAMYL                                                   | オキサミル                            | ○     | ○     | 0.10 | —     | 〔☆〕  | 0.2  | 0.01 | 基準値なし | 0.1    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.10  | 0.01 | 0.1  | 0.1  | 0.2     | 0.1      | 0.001* | 0.01 * | 基準値なし | 0.001* |
| OXYDEMETON-METHYL                                        | オキシデメトンメチル                       | ×     | ×     | 0.02 | —     | 〔☆〕  | 0.02 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| OMETHOATE                                                | オメトエート                           | ×     | ×     | 1    | —     | 〔☆〕  | 不検出  | 0.01 | 0.02  | 不検出    | 0.01  | 0.01   | 0.05      | 輸入を認めない | 1     | 0.01 | 不検出  | 0.1  | 0.05    | 2        | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| 2-PHENYLPHENOL                                           | オルトフェニルフェノール                     | ×     | ×     | 10   | —     | 15   | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 10    | 0.01 | 15   | 15   | 0.1     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| GADUSAFOS                                                | カズサホス                            | ○     | ○     | 0.02 | —     | 〔☆〕  | 不検出  | 0.05 | 0.02  | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| GARTAP, THIOCYCLAM and BENSULTAP                         | カルタップ、チオシクラム及びベンスルタップ            | ○     | ○     | 0.05 | —     | 〔☆〕  | 0.1  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| CARBARYL                                                 | カルバリル (NAC)                      | ○     | ×     | 0.02 | 0.02  | 2    | 0.1  | 0.01 | 0.02  | 0.02   | 0.02  | 0.02   | 0.02      | 0.02    | 0.02  | 5.0  | 0.2  | 0.02 | 0.1     | 0.1      | 0.02   | 0.02   | 0.02  | 0.02   |
| CARFENTHAZONE-ETHYL                                      | カルフェントラゾンエチル                     | ○     | ×     | 0.1  | —     | 0.1  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.1   | 0.01 | 0.1  | 0.1  | 0.05    | 0.1      | 0.02*  | 0.01 * | 基準値なし | 0.02*  |
| CARBENDAZIM, THIOPHANATE, THIOPHANATE-METHYL and BENOMYL | カルベンダジム、チオファネート、チオファネートメチル及びベノミル | ○     | ○     | 0.6  | —     | 〔☆〕  | 0.2  | 0.05 | 0.1   | 1      | 0.01  | 0.01   | [DL] 0.01 | 輸入を認めない | 0.6   | 0.50 | 不検出  | 0.1  | 不検出     | 0.1      | 0.1*   | 0.1 *  | 0.075 | 0.1*   |
| QUIZALOFOP-P-TEFURYL                                     | キザロホップテフリル                       | ○     | ○     | 0.05 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 0.01    | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| QUIZALOFOP-ETHYL and QUIZALOFOP-P-TEFURYL                | キザロホップエチル及びキザロホップテフリル            | ○     | ○     | 0.05 | —     | 〔☆〕  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 0.01    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| QUINALPHOS                                               | キナルホス                            | ×     | ×     | 0.05 | —     | 〔☆〕  | 0.03 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| QUINTOZENE                                               | キントゼン                            | ×     | ×     | 0.02 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.02*  | 0.02 * | 基準値なし | 0.02*  |
| GLYPHOSATE                                               | グリホサート                           | ○     | ○     | 0.2  | —     | 0.2  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.2   | 0.01 | 3.0  | 0.1  | +0.1    | 0.1      | 0.1*   | 0.1 *  | 0.3   | 0.1*   |
| GLUFOSINATE                                              | グルホシネート                          | ○     | ○     | 0.1  | —     | 〔☆〕  | 0.03 | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.1   | 0.01 | 0.8  | 0.1  | 0.1     | 0.1      | 0.03*  | 0.03 * | 基準値なし | 0.03*  |
| CLETHODIM                                                | クレトジム                            | ○     | ○     | 1    | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 1     | 0.01 | 1.0  | 0.1  | 1       | 0.1      | 0.1    | 0.1    | 基準値なし | 0.1    |
| GLDINAFOP-PROPARGYL                                      | クロジナホッププロパルギル                    | ×     | ×     | 0.02 | —     | 〔☆〕  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1  | 不検出     | 0.1      | 0.02*  | 0.02 * | 基準値なし | 0.02*  |
| GLOTHIANIDIN                                             | クロチアニジン                          | ○     | ○     | 0.2  | 0.2   | 〔☆〕  | 0.02 | 0.05 | 基準値なし | 0.2    | 0.2   | 0.2    | 0.2       | 0.2     | 0.2   | 0.01 | 0.3  | 0.3  | 10.1    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.2    |

| Pesticides name      | 農薬の有効成分       | 登録の有無 | 適用の有無 | 日本   | CODEX | 香港   | 台湾   | 韓国   | 中国    | シンガポール | マレーシア | インドネシア | タイ        | ベトナム    | フィリピン | インド  | 米 国  | カナダ   | オーストラリア | ニュージーランド | EU     | 英国      | ロシア   | UAE    |
|----------------------|---------------|-------|-------|------|-------|------|------|------|-------|--------|-------|--------|-----------|---------|-------|------|------|-------|---------|----------|--------|---------|-------|--------|
| GLOPIDOL             | クロビドール        | ×     | ×     | 0.2  | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.2   | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| CLOMAZONE            | クロマゾン         | ×     | ×     | 0.05 | —     | 0.05 | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 0.05 | 0.05  | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| CHROMAFENOZIDE       | クロマフェノジド      | ○     | ○     | 0.05 | —     | [☆]  | 0.05 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| CHLORANTHANILIPROLE  | クロラントラニリプロール  | ○     | ○     | 0.05 | 0.02  | 0.02 | 0.02 | 0.05 | 0.02  | 0.02   | 0.02  | 0.01   | 0.02      | 0.02    | 0.02  | 0.01 | 0.30 | 0.3   | T0.5    | 0.1      | 0.02   | 0.02    | 0.02  | 0.02   |
| CHLORTHAL-DIMETHYL   | クロルタルジメチル     | ○     | ×     | 3    | —     | [☆]  | 0.1  | 0.01 | 0.01  | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 3     | 0.01 | 2.0  | 2     | 5       | 0.1      | 0.01*  | 0.01 *  | 0.05  | 0.01*  |
| CHLORDANE            | クロルデン         | ×     | ×     | 0.02 | 0.02* | 0.02 | 不検出  | 0.01 | 0.02  | 0.02   | 0.02  | 0.01   | 0.02*     | 0.02    | 0.02  | 0.2  | 不検出  | 0.1   | 0.02    | 0.1      | 0.01*  | 0.01 *  | 0.02  | 0.02   |
| CHLOROPICLIN         | クロルピクリン       | ○     | ○     | 0.01 | —     | [☆]  | 不検出  | 0.01 | 0.1   | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 不検出  | 0.025 | 不検出     | 0.1      | 0.005* | 0.005 * | 基準値なし | 0.005* |
| CHLORPYRIFOS         | クロルピリホス       | ×     | ×     | 0.1  | —     | 0.05 | 不検出  | 0.01 | 0.02  | 不検出    | 0.01  | 0.01   | 不検出       | 輸入を認めない | 0.1   | 0.2  | 0.05 | 0.1   | T0.05   | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| CHLORPYRIFOS-METHYL  | クロルピリホスメチル    | ×     | ×     | 0.05 | —     | 5    | 0.01 | 0.01 | 5     | 不検出    | 0.01  | 0.01   | 不検出       | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| CHLORFENAPYR         | クロルフェナピル      | ○     | ○     | 0.05 | —     | [☆]  | 0.05 | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.05      | 輸入を認めない | 0.05  | 0.01 | 0.01 | 0.1   | 0.02    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| 4-CPA                | 4-クロルフェノキシ酢酸  | ○     | ×     | 0.02 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| CHLORFENVINPHOS      | クロルフェンビンホス    | ×     | ×     | 0.05 | —     | [☆]  | 不検出  | 0.01 | 0.01  | 0.05   | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| CHLORFLUAZURON       | クロルフルアズロン     | ○     | ○     | 0.05 | —     | [☆]  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| CHLOROTHALONIL       | クロロタロニル (TPN) | ○     | ×     | 0.2  | 0.3   | 0.3  | 0.5  | 0.03 | 基準値なし | 7      | 0.3   | 0.3    | 0.3       | 0.3     | 0.3   | 0.01 | 不検出  | 0.1   | T7      | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.3    |
| DIAFENTHURON         | ジアフェンチウロン     | ○     | ×     | 0.02 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1   | 0.01    | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| CYANTRANILIPROLE     | シアントラニリプロール   | ○     | ○     | 0.2  | 0.05  | [☆]  | 不検出  | 0.05 | 基準値なし | 0.05   | 0.05  | 0.05   | 0.05      | 0.05    | 0.05  | 0.01 | 0.15 | 0.15  | T0.05   | 0.1      | 0.15   | 0.05    | 基準値なし | 0.05   |
| HYDROGEN CYANIDE     | シアン化水素        | ○     | ×     | 1    | —     | 5    | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 1     | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| DIURON               | ジウロン (DDM)    | ○     | ×     | 0.05 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 0.05    | 0.1      | 0.01*  | 0.01 *  | 0.02  | 0.01*  |
| CYCLOXYDIM           | シクロキシジム       | ×     | ×     | 0.05 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.6    | 0.2     | 基準値なし | 0.6    |
| DICHLORFLUANID       | ジクロフルアニド      | ×     | ×     | 5    | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 5     | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| DICLOMEZINE          | ジクロメジン        | ×     | ×     | 0.02 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| DICHLORAN (Dicloran) | ジクロラン         | ×     | ×     | 5    | —     | 10   | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 5     | 0.01 | 10   | 5     | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| DICHLORVOS and NALED | ジクロルボス及びナレド   | ×     | ×     | 0.1  | —     | 0.2  | 0.2  | 0.01 | 0.2   | 0.5    | 0.01  | 0.01   | 0.1       | 輸入を認めない | 0.1   | 0.01 | 0.5  | 0.1   | 0.01    | 0.01(※)  | 0.01*  | 0.01 *  | 0.1   | 0.01*  |
| 1,3-DICHLOROPROPENE  | 1,3-ジクロロプロペン  | ○     | ○     | 0.01 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 不検出  | 0.1   | 不検出     | 0.01(※)  | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| DIOQUAT              | ジクワット         | ○     | ○     | 0.01 | —     | 0.05 | 不検出  | 0.01 | 0.05  | 0.05   | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 0.02 | 0.1   | +0.05   | 0.05(※)  | 0.01*  | 0.01 *  | 0.05  | 0.01*  |
| DICOFOL              | ジコホール         | ×     | ×     | 3    | —     | [☆]  | 不検出  | 0.01 | 0.01  | 5      | 0.01  | 0.01   | 0.01      | 輸入を認めない | 3     | 5.0  | 不検出  | 0.1   | 5       | 3        | 0.02*  | 0.02 *  | 基準値なし | 0.02*  |
| DISULFOTON           | ジスルトン         | ×     | ×     | 0.5  | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 0.5    | 0.01  | 0.01   | 不検出       | 輸入を認めない | 0.5   | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| DITHIOCARBAMATES     | ジチオカルバメート     | ○     | ×     | 0.1  | —     | 7    | 0.5  | 0.01 | 0.5   | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.1   | 0.01 | 不検出  | 0.1   | 不検出     | 7        | 0.05*  | 0.05 *  | 基準値なし | 0.05*  |
| DINOTEFURAN          | ジノテフラン        | ○     | ○     | 0.1  | —     | [☆]  | 0.05 | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.1       | 輸入を認めない | 0.1   | 0.01 | 0.05 | 0.1   | 0.02    | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| CYHALOTHRIN          | シハロトリン        | ○     | ×     | 0.05 | 0.01  | 0.01 | 0.04 | 0.1  | 0.01  | 0.01   | 0.01  | 0.02   | 0.02      | 0.01    | 0.01  | 0.01 | 0.02 | 0.02  | 不検出     | 0.01(※)  | 0.01*  | 0.01 *  | 0.01  | 0.01   |
| DIPHENYLAMINE        | ジフェニルアミン      | ×     | ×     | 0.05 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 0.05    | 0.1      | 0.05*  | 0.05 *  | 基準値なし | 0.05*  |
| DIFENZOQUAT          | ジフェンゾコート      | ×     | ×     | 0.05 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| CYFLUTHRIN           | シフルトリン        | ○     | ○     | 0.05 | —     | 0.5  | 0.5  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | [DL] 0.02 | 輸入を認めない | 0.05  | 0.01 | 0.01 | 0.1   | 0.05    | 0.1      | 0.01*  | 0.02 *  | 基準値なし | 0.01*  |
| DIFLUFENOPYR         | ジフルフェンゾピル     | ×     | ×     | 0.05 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.05  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| CYFLUMETOFEN         | シフルメトフェン      | ○     | ○     | 0.01 | —     | [☆]  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 不検出  | 0.1   | 0.02    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| CYPROCONAZOLE        | シプロコナゾール      | ○     | ×     | 0.01 | —     | [☆]  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.01  | 0.01 | 不検出  | 0.1   | 0.01    | 0.1      | 0.05*  | 0.05 *  | 基準値なし | 0.05*  |
| CYPERMETHRIN         | シベルメトリン       | ○     | ○     | 0.05 | 0.01  | 0.01 | 0.05 | 0.01 | 0.01  | 0.05   | 0.01  | 0.01   | 0.01      | 0.01    | 0.01  | 0.01 | 0.1  | 0.1   | +0.01   | 0.1      | 0.05*  | 0.05 *  | 0.01  | 0.01   |
| DIMETHIPIN           | ジメチピン         | ×     | ×     | 0.04 | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.04  | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.05*  | 0.05 *  | 基準値なし | 0.05*  |
| DIMETHENAMID         | ジメテナミド        | ○     | ×     | 0.01 | 0.01  | 0.01 | 0.01 | 0.01 | 0.01  | 0.01   | 0.01  | 0.01   | 0.01      | 0.01    | 0.01  | 0.01 | 0.01 | 0.01  | 不検出     | 0.1      | 0.01*  | 0.01 *  | 0.01  | 0.01   |
| DIMETHOATE           | ジメトエート        | ○     | ×     | 1    | —     | 1    | 不検出  | 0.01 | 0.05  | 2      | 0.01  | 0.01   | 0.1       | 輸入を認めない | 1     | 2.0  | 不検出  | 0.1   | 0.1     | 2        | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| SILAFLOFEN           | シラフルオフエン      | ×     | ×     | 0.1  | —     | [☆]  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.1   | 0.01 | 不検出  | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| SPINETORAM           | スピネトラム        | ○     | ○     | 0.1  | —     | [☆]  | 不検出  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.1   | 0.01 | 0.10 | 0.04  | 0.02    | 0.1      | 0.02*  | 0.05 *  | 基準値なし | 0.02*  |
| SPINOSAD             | スピノサド         | ○     | ×     | 0.02 | —     | 0.1  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.02  | 0.01 | 0.1  | 0.02  | 0.02    | 0.1      | 0.02*  | 0.02 *  | 基準値なし | 0.02*  |
| SPIROTRAMAT          | スピロトラマト       | ○     | ×     | 0.6  | —     | [☆]  | 0.8  | 0.2  | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01      | 輸入を認めない | 0.6   | 0.01 | 0.6  | 0.6   | 5       | 0.1      | 0.02*  | 0.1 *   | 基準値なし | 0.02*  |
| SPIROMESIFEN         | スピロメシフェン      | ○     | ×     | 0.02 | 0.02  | [☆]  | 不検出  | 0.01 | 0.02  | 0.02   | 0.02  | 0.02   | 0.02      | 輸入を     |       |      |      |       |         |          |        |         |       |        |

| Pesticides name                | 農薬の有効成分              | 登録の有無 | 適用の有無 | 日本    | CODEX | 香港   | 台湾    | 韓国   | 中国    | シンガポール | マレーシア | インドネシア | タイ       | ベトナム    | フィリピン | インド  | 米 国   | カナダ   | オーストラリア | ニュージーランド | EU     | 英 国     | ロシア   | UAE    |
|--------------------------------|----------------------|-------|-------|-------|-------|------|-------|------|-------|--------|-------|--------|----------|---------|-------|------|-------|-------|---------|----------|--------|---------|-------|--------|
| THIOPHANATE-METHYL             | チオファネートメチル           | ○     | ○     | 0.6   | —     | 【☆】  | 0.2   | 0.05 | 0.1   | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.6   | 0.01 | 不検出   | 0.1   | 0.1     | 0.1      | 0.1*   | 0.1 *   | 基準値なし | 0.1*   |
| DIELDRIN                       | ディルドリン               | ×     | ×     | 0.1   | —     | 0.1  | 不検出   | 0.01 | 0.05  | 不検出    | 0.01  | 0.01   | 0.01     | 0.1     | 0.1   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 0.1   | 0.01   |
| TECNAZENE                      | テクナゼン                | ×     | ×     | 0.05  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TEBUPFENOZIDE                  | テブフェノジド              | ○     | ○     | 0.05  | —     | 【☆】  | 0.01  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 0.015 | 0.1   | 0.05    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TEFLUTHRIN                     | テフルトリン               | ○     | ○     | 0.1   | —     | 【☆】  | 不検出   | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.05    | 基準値なし | 0.01*  |
| TEFLUBENZURON                  | テフルベンズロン             | ○     | ○     | 0.05  | —     | 【☆】  | 1.0   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| DEMENTON-S-METHYL              | デメントン-S-メチル          | ×     | ×     | 0.4   | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.4   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| TERBUFOS                       | テルブホス                | ×     | ×     | 0.005 | —     | 【☆】  | 不検出   | 0.05 | 0.01  | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.005 | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| DODINE                         | ドジン                  | ×     | ×     | 0.2   | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.2   | 0.01 | 不検出   | 0.1   | 0.1     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRIADIMENOL                    | トリアジメノール             | ×     | ×     | 0.1   | —     | 【☆】  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | [DL] 0.1 | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1   | 0.05    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRIADIMEFON                    | トリアジメホン              | ×     | ×     | 0.1   | —     | 【☆】  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | [DL] 0.1 | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1   | 0.05    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRI-ALLATE                     | トリアレート               | ×     | ×     | 0.1   | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.1*   | 0.1 *   | 基準値なし | 0.1*   |
| TRICLOPYR                      | トリクロピル               | ○     | ×     | 0.03  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.03  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRICHLORFON                    | トリクロルホン              | ×     | ×     | 0.50  | —     | 0.1  | 0.01  | 0.01 | 0.2   | 0.1    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.50  | 0.1  | 不検出   | 0.1   | 0.1     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRIDEMORPH                     | トリデモルフ               | ×     | ×     | 0.05  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRIFLUMIZOLE                   | トリフルミゾール             | ○     | ○     | 0.03  | —     | 【☆】  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.03  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.02*  | 0.02 *  | 基準値なし | 0.02*  |
| TRIFLUMURON                    | トリフルムロン              | ×     | ×     | 0.02  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRIFLURALIN                    | トリフルラリン              | ○     | ○     | 0.05  | —     | 【☆】  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 0.05  | 0.1   | 0.01    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| TRIFLOXYSTROBIN                | トリフロキシストロビン          | ○     | ○     | 0.04  | —     | 【☆】  | 0.01  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.04  | 0.01 | 0.04  | 0.1   | 0.05    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| NAPROXAMIDE                    | ナプロバミド               | ○     | ×     | 0.1   | —     | 0.1  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 0.01 | 0.1   | 0.1   | 0.02    | 0.1      | 0.01*  | 0.05 *  | 基準値なし | 0.01*  |
| NALED                          | ナレド                  | ×     | ×     | 0.1   | —     | 【☆】  | 0.2   | 0.01 | 0.01  | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 0.01 | 0.5   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 0.1   | 0.01   |
| COPPER NONYLPHENOL SULFONATE   | ノニルフェノールスルホノ酸銅       | ○     | ×     | 5     | —     | 【☆】  | 対象外   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 5     | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| NOVALURON                      | ノバルロン                | ○     | ○     | 0.05  | —     | 【☆】  | 不検出   | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 0.05  | 0.05  | 0.1     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| PARAQUAT (Paraquat dichloride) | パラコート                | ○     | ○     | 0.05  | 0.05  | 0.05 | 0.05  | 0.01 | 0.05  | 0.05   | 0.05  | 0.05   | 不検出      | 0.05    | 0.05  | 0.05 | 0.5   | 0.1   | +0.05   | 0.05(+)  | 0.02*  | 0.02 *  | 0.005 | 0.05   |
| PARATHION                      | パラチオン                | ×     | ×     | 0.3   | —     | 0.1  | 不検出   | 0.01 | 0.01  | 0.7    | 0.01  | 0.01   | 不検出      | 輸入を認めない | 0.3   | 0.5  | 不検出   | 0.1   | 不検出     | 0.1      | 0.05*  | 0.05 *  | 基準値なし | 0.05*  |
| PARATHION-METHYL               | パラチオンメチル             | ×     | ×     | 0.1   | —     | 0.1  | 0.01  | 0.01 | 0.02  | 不検出    | 0.01  | 0.01   | 不検出      | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| BILANAFOS (BIALAPHOS)          | ビアラホス                | ×     | ×     | 0.004 | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.004 | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| BIORESMETHRIN                  | ビオレスメトリン             | ×     | ×     | 0.1   | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| BIXAFEN                        | ビキサフェン               | ×     | ×     | 0.01  | 0.06  | 【☆】  | 不検出   | 0.01 | 基準値なし | 0.06   | 0.06  | 0.06   | 0.06     | 輸入を認めない | 0.06  | 0.01 | 0.01  | 0.01  | 0.06    | 0.1      | 0.06   | 0.06    | 基準値なし | 0.06   |
| PYDIFLUMETOFEN                 | ピジフルメトフェン            | ○     | ×     | 0.1   | 0.1   | 【☆】  | 不検出   | 0.05 | 基準値なし | 0.1    | 0.1   | 0.1    | 0.1      | 輸入を認めない | 0.1   | 0.01 | 0.015 | 0.015 | 0.3     | 0.1      | 0.01   | 0.06    | 基準値なし | 0.1    |
| BITERTANOL                     | ビタタノール               | ×     | ×     | 0.05  | —     | 【☆】  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| BIFENAZATE                     | ビフェナゼート              | ○     | ○     | 0.05  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 0.1   | 0.1   | 0.2     | 0.1      | 0.01*  | 0.02 *  | 基準値なし | 0.01*  |
| BIFENTHRIN                     | ビフェントリン              | ○     | ×     | 0.05  | 0.05  | 0.05 | 0.05  | 0.05 | 0.05  | 0.05   | 0.05  | 0.05   | 0.05     | 0.05    | 0.05  | 0.01 | 0.05  | 0.05  | +0.05   | 0.1      | 0.05   | 0.05    | 基準値なし | 0.05   |
| PIPERONYL BUTOXIDE             | ピペロニルブトキシド           | ×     | ×     | 0.5   | 0.5   | 0.5  | 0.5   | 0.01 | 0.5   | 8      | 0.5   | 0.5    | 0.5      | 0.5     | 0.5   | 0.01 | 0.25  | 0.1   | 8       | 8        | 0.01   | 0.01    | 0.5   | 0.5    |
| HYMEXAZOL                      | ヒメキサゾール(ヒドロキシノキサゾール) | ○     | ×     | 0.5   | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.5   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.02*  | 0.1     | 基準値なし | 0.02*  |
| PYMETROZINE                    | ピメトロジン               | ○     | ×     | 0.02  | —     | 【☆】  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.02     | 輸入を認めない | 0.02  | 0.01 | 0.02  | 0.02  | 0.02    | 0.1      | 0.02*  | 0.02 *  | 基準値なし | 0.02*  |
| PYRAQLOSTROBIN                 | ピラクロストロビン            | ○     | ×     | 0.04  | 0.02  | 【☆】  | 0.4   | 0.05 | 0.05  | 0.02   | 0.02  | 0.02   | 0.02     | 輸入を認めない | 0.02  | 0.01 | 0.04  | 0.04  | 0.5     | 0.1      | 0.02*  | 0.02 *  | 基準値なし | 0.02   |
| PYRAQLOFOS                     | ピラクロホス               | ×     | ×     | 0.05  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| PYRAZOLYNATE                   | ピラゾリネート(ピラゾレート)      | ○     | ×     | 0.02  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| PYRALUFEN ETHYL                | ピラルフェンエチル            | ○     | ○     | 0.01  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.01  | 0.01 | 0.02  | 0.1   | 不検出     | 0.1      | 0.02*  | 0.02 *  | 基準値なし | 0.02*  |
| PYRIDABEN                      | ピリダベン                | ○     | ○     | 0.05  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| PYRIDALYL                      | ピリダリル                | ○     | ○     | 0.05  | —     | 【☆】  | 不検出   | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| PYRIFLOQUINAZON                | ピリフルキナゾン             | ○     | ×     | 0.05  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 0.02  | 0.02  | 不検出     | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| PIRIMICARB (Primicarb)         | ピリミカール               | ×     | ×     | 0.50  | 0.05  | 0.05 | 0.5   | 0.01 | 0.05  | 0.05   | 0.05  | 0.05   | 0.05     | 0.05    | 0.05  | 0.01 | 不検出   | 0.1   | 1       | 0.1      | 0.05   | 0.05    | 0.05  | 0.05   |
| PIRIMIPHOS-METHYL              | ピリミホスメチル             | ×     | ×     | 0.05  | —     | 【☆】  | 0.2   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.05     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 0.02    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| PYRIMETHANIL                   | ピリメタニル               | ×     | ×     | 0.05  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 0.05  | 0.05  | 0.05    | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| PYRETHRINS                     | ピレトリン                | ○     | ×     | 1     | 0.05  | 0.05 | 0.05  | 1.0  | 0.05  | 1      | 0.05  | 0.05   | 0.05     | 0.05    | 0.05  | 1.0  | 0.05  | 0.05  | 1       | 1        | 1      | 1.0     | 0.05  | 0.05   |
| PYROXASULFONE                  | ピロキサスルホン             | ○     | ×     | 0.01  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.01  | 0.01 | 0.08  | 0.08  | 0.01    | 0.1      | 0.01   | 0.01    | 基準値なし | 0.01   |
| PINDONE                        | ピンドン                 | ×     | ×     | 0.001 | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.001 | 0.01 | 不検出   | 0.1   | 不検出     | 0.001(+) | 0.01   | 0.01    | 基準値なし | 0.01   |
| FIPRONIL                       | フィプロニル               | ○     | ○     | 0.01  | —     | 【☆】  | 0.002 | 0.05 | 0.02  | 不検出    | 0.01  | 0.01   | 0.005    | 輸入を認めない | 0.01  | 0.01 | 不検出   | 0.1   | +0.01   | 0.1      | 0.005* | 0.005 * | 基準値なし | 0.005* |
| FENITROTHION                   | フェニトロチオン (MEP)       | ○     | ○     | 0.05  | —     | 5    | 0.05  | 0.05 | 0.5   | 0.1    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.3  | 不検出   | 0.1   | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| FENOXAPROP-ETHYL               | フェノキサプロップエチル         | ×     | ×     | 0.1   | —     | 【☆】  | 不検出   | 0.03 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1   | 不検出     | 0.1      | 0.1    | 0.1     | 基準値なし | 0.1    |
| FENOXYPARB                     | フェノキシカルブ             | ×     | ×     | 0.05  | —     | 【☆】  | 0.01  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1   | 0.1     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |
| FENAMIDONE                     | フェンアミドン              | ×     | ×     | 0.02  | —     | 【☆】  | 不検出   | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 0.02  | 0.02  | 不検出     | 0.1      | 0.01*  | 0.01 *  | 基準値なし | 0.01*  |

| Pesticide name                | 農薬の有効成分       | 登録の有無 | 適用の有無 | 日本    | CODEX | 香港   | 台湾   | 韓国   | 中国    | シンガポール | マレーシア | インドネシア | タイ       | ベトナム    | フィリピン | インド  | 米 国   | カナダ  | オーストラリア | ニュージーランド | EU     | 英 国    | ロシア   | UAE    |
|-------------------------------|---------------|-------|-------|-------|-------|------|------|------|-------|--------|-------|--------|----------|---------|-------|------|-------|------|---------|----------|--------|--------|-------|--------|
| FENSULTHION                   | フェンスルホチオン     | ×     | ×     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 不検出      | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| FENTHION                      | フェンチオン        | ×     | ×     | 0.1   | —     | 0.05 | 0.01 | 0.01 | 0.05  | 0.1    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 1.00 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| FENTIN                        | フェンチン         | ×     | ×     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 不検出      | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.02*  | 0.02 * | 基準値なし | 0.02*  |
| PHENTHIOATE                   | フェントエート (PAP) | ○     | ○     | 0.02  | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.02     | 輸入を認めない | 0.02  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| FENVALERATE                   | フェンバレーレート     | ○     | ○     | 0.05  | —     | 0.05 | 0.1  | 0.01 | 0.05  | 0.05   | 0.01  | 0.01   | 0.05     | 輸入を認めない | 0.05  | 0.01 | 0.05  | 0.1  | 0.05    | 0.1      | 0.02*  | 0.02 * | 0.05  | 0.02*  |
| FENPROIMORPH                  | フェンプロビモルフ     | ×     | ×     | 0.05  | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| BUTAMIFOS                     | ブタミホス         | ○     | ○     | 0.01  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.01  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| FLUAZINAM                     | フルアジナム        | ○     | ○     | 0.03  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.03  | 0.01 | 0.02  | 0.1  | 0.01    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| FLUAZIFOP-BUTYL               | フルアジホップブチル    | ○     | ○     | 0.05  | —     | 【☆】  | 0.2  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 1.5   | 1.5  | 10.3    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| FLUENSULFONE                  | フルエンスルホン      | ○     | ○     | 4     | 0.8   | 【☆】  | 不検出  | 0.01 | 0.8   | 0.8    | 0.8   | 0.8    | 0.8      | 輸入を認めない | 0.8   | 0.01 | 0.1   | 0.8  | 2       | 0.4      | 0.01   | 0.01   | 基準値なし | 0.8    |
| FLUOPICOLIDE                  | フルオピコリド       | ○     | ×     | 0.02  | —     | 【☆】  | 0.02 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 0.09  | 0.08 | 0.01    | 0.1      | 0.01*  | 0.01   | 基準値なし | 0.01*  |
| FLUOPYRAM                     | フルオピラム        | ○     | ○     | 0.2   | —     | 【☆】  | 0.03 | 0.03 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.2   | 0.01 | 0.1   | 0.1  | 0.02    | 0.1      | 0.15   | 0.1    | 基準値なし | 0.15   |
| FLUMETURON                    | フルオメツロン       | ×     | ×     | 0.02  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| FLUXAPYROXAD                  | フルキサピロキサド     | ○     | ×     | 0.03  | 0.03  | 【☆】  | 0.03 | 0.05 | 基準値なし | 0.03   | 0.03  | 0.03   | 0.03     | 輸入を認めない | 0.03  | 0.01 | 0.02  | 0.02 | 0.9     | 0.1      | 0.2    | 0.1    | 基準値なし | 0.03   |
| FLUXAMETAMIDE                 | フルキサメタミド      | ○     | ○     | 0.01  | —     | 【☆】  | 不検出  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.01  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| FLUCYTHRINATE                 | フルシトリネート      | ○     | ×     | 0.05  | —     | 0.05 | 0.5  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| FLUSULFAMIDE                  | フルスルファミド      | ○     | ×     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| FLUPYRADIFURONE               | フルピラジフロン      | ○     | ×     | 0.05  | 0.05  | 【☆】  | 不検出  | 0.01 | 0.05  | 0.05   | 0.05  | 0.05   | 0.05     | 輸入を認めない | 0.05  | 0.01 | 0.05  | 0.05 | 0.07    | 0.1      | 0.05   | 0.01 * | 基準値なし | 0.05   |
| FLUFENXURON                   | フルフェノクスロン     | ○     | ○     | 0.02  | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.05 * | 基準値なし | 0.01*  |
| FLUBENDAMIDE                  | フルベンジファミド     | ○     | ○     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 0.2     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| FLUMIOXAZIN                   | フルミオキサジン      | ○     | ×     | 0.02  | 0.02  | 【☆】  | 不検出  | 0.01 | 0.02  | 0.02   | 0.02  | 0.02   | 0.02     | 輸入を認めない | 0.02  | 0.01 | 0.02  | 0.02 | 0.02    | 0.1      | 0.02*  | 0.02 * | 基準値なし | 0.02   |
| FLUROXYPYR                    | フルロキシピル       | ×     | ×     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 0.02    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| PROTHIOFOS                    | プロチオホス        | ○     | ○     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| BRODIFACUM                    | ブロディファコウム     | ×     | ×     | 0.001 | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.001 | 0.01 | 不検出   | 0.1  | 不検出     | 0.001(※) | 0.01   | 0.01   | 基準値なし | 0.01   |
| PROFENFOS                     | プロフェノホス       | ×     | ×     | 0.01  | —     | 【☆】  | 0.05 | 0.01 | 0.05  | 0.01   | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.01  | 0.01 | 不検出   | 0.1  | 0.02    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| BROFLANILIDE                  | ブロフラニリド       | ○     | ○     | 0.04  | 0.04  | 【☆】  | 不検出  | 0.03 | 基準値なし | 0.04   | 0.04  | 0.04   | 0.04     | 輸入を認めない | 0.04  | 0.01 | 0.04  | 0.04 | 不検出     | 0.1      | 0.01   | 0.04   | 基準値なし | 0.04   |
| PROPOXUR                      | プロポキスル        | ×     | ×     | 0.5   | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.5   | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.005* | 0.05 * | 基準値なし | 0.005* |
| BROMOPROPYLATE                | ブロモプロピレート     | ×     | ×     | 0.05  | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| HEXAChLOROBENZENE             | ヘキサクロロベンゼン    | ×     | ×     | 0.01  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 不検出      | 輸入を認めない | 0.01  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| HEXYTHIAZOX                   | ヘキシチアゾクス      | ○     | ○     | 0.2   | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.2   | 0.01 | 不検出   | 0.1  | 0.05    | 0.1      | 0.01*  | 0.5    | 基準値なし | 0.01*  |
| BENALXLYL                     | ベナラキシル        | ×     | ×     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.05 * | 基準値なし | 0.01*  |
| BENOMYL                       | ベノミル          | ○     | ○     | 0.6   | —     | 【☆】  | 0.2  | 0.05 | 基準値なし | 3      | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.6   | 0.50 | 不検出   | 0.1  | 不検出     | 0.1      | 0.1*   | 0.01   | 0.075 | 0.1*   |
| PERMETHRIN                    | ペルメトリン        | ○     | ○     | 0.02  | —     | 2    | 0.5  | 0.01 | 1     | 不検出    | 0.01  | 0.01   | 【DL】 0.1 | 輸入を認めない | 0.02  | 0.01 | 0.05  | 0.1  | 0.05    | 0.1      | 0.05*  | 0.05 * | 基準値なし | 0.05*  |
| PENCONAZOLE                   | ペンコナゾール       | ×     | ×     | 0.05  | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 0.02    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| BENSULTAP                     | ベンスルタップ       | ×     | ×     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01   | 0.01   | 基準値なし | 0.01   |
| BENZOVINDIFLUPYR              | ベンゾビンジフルピル    | ×     | ×     | 0.02  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 0.02  | 0.02 | 0.02    | 0.1      | 0.02   | 0.02   | 基準値なし | 0.02   |
| PENTHIOPYRAD                  | ペンチオピラド       | ○     | ×     | 0.06  | —     | 【☆】  | 不検出  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.06  | 0.01 | 0.06  | 0.06 | 2       | 0.1      | 0.04   | 0.04   | 基準値なし | 0.04   |
| PENDIMETHALIN                 | ペンディメタリン      | ○     | ○     | 0.05  | —     | 【☆】  | 0.1  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | +0.05   | 0.1      | 0.05*  | 0.05 * | 基準値なし | 0.05*  |
| PHOXIM                        | ホキシム          | ×     | ×     | 0.02  | —     | 0.05 | 不検出  | 0.05 | 0.05  | 0.05   | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| BOSCALD                       | ボスカリド         | ○     | ×     | 2     | 2     | 0.01 | 0.01 | 0.01 | 2     | 2      | 2     | 2      | 2        | 2       | 2     | 0.01 | 0.05  | 0.05 | 1       | 0.5      | 2      | 2.0    | 2.0   | 2      |
| FOSTHIAZATE                   | ホステアゼート       | ○     | ○     | 0.01  | —     | 【☆】  | 不検出  | 0.05 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.01  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.02*  | 0.02 * | 基準値なし | 0.02*  |
| PHOSMET                       | ホスメット         | ×     | ×     | 10    | —     | 【☆】  | 0.1  | 0.01 | 基準値なし | 10     | 0.01  | 0.01   | 0.01     | 輸入を認めない | 10    | 0.01 | 12    | 0.1  | 0.05    | 0.1      | 0.01*  | 0.05 * | 基準値なし | 0.01*  |
| FOSETYL-ALUMINUM (Fosetyl-Al) | ホセテル          | ○     | ×     | 40    | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 40    | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 1.5    | 2.0 *  | 基準値なし | 1.5    |
| PHORATE                       | ホレート          | ×     | ×     | 0.3   | —     | 【☆】  | 0.05 | 0.05 | 0.01  | 不検出    | 0.01  | 0.01   | 不検出      | 輸入を認めない | 0.3   | 0.05 | 0.024 | 0.5  | 0.01    | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| MALATHION                     | 馬拉チオン (マラソン)  | ○     | ○     | 0.5   | —     | 8    | 0.01 | 0.01 | 8     | 不検出    | 0.01  | 0.01   | 8        | 輸入を認めない | 0.5   | 3.0  | 1     | 0.1  | 0.05    | 3        | 0.02*  | 0.02 * | 基準値なし | 0.02*  |
| MALEIC HYDRAZIDE              | マレイン酸ヒドラジド    | ○     | ×     | 10    | —     | 【☆】  | 15.0 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 10    | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.2*   | 0.2 *  | 基準値なし | 0.2*   |
| MANIPROPAMID                  | マンジプロバミド      | ○     | ×     | 0.01  | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.01  | 0.01 | 0.09  | 0.09 | 0.5     | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| MYCLOBUTANIL                  | ミクロブタニル       | ○     | ×     | 0.06  | 0.06  | 【☆】  | 0.2  | 0.01 | 基準値なし | 0.06   | 0.06  | 0.06   | 0.06     | 0.06    | 0.06  | 0.01 | 0.03  | 0.1  | 0.05    | 0.1      | 0.06   | 0.06   | 基準値なし | 0.06   |
| MILBEMECTIN                   | ミルベメクチン       | ○     | ○     | 0.05  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.02*  | 0.02 * | 基準値なし | 0.02*  |
| METHOMYL                      | メソミル          | ○     | ○     | 0.5   | —     | 【☆】  | 1.0  | 0.01 | 0.2   | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.5   | 0.01 | 0.1   | 0.01 | 1       | 0.1      | 0.01*  | 0.01 * | 基準値なし | 0.01*  |
| METAFLOMIZONE                 | メタフルミゾン       | ○     | ○     | 0.1   | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.1   | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.02*  | 0.05 * | 基準値なし | 0.02*  |
| METAM                         | メタム           | ○     | ○     | 0.02  | —     | 【☆】  | 不検出  | 0.01 | 基準値なし | 不検出    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.02  | 0.01 | 不検出   | 0.1  | 不検出     | 0.1      | 0.01*  | 0.02 * | 基準値なし | 0.01*  |
| METHIOCARB                    | メチオカルブ        | ×     | ×     | 0.05  | —     | 【☆】  | 0.01 | 0.01 | 基準値なし | 0.1    | 0.01  | 0.01   | 0.01     | 輸入を認めない | 0.05  | 0.01 | 不検出   | 0.1  | 0.1     | 0.1      | 0.03*  | 0.03 * | 基準値なし | 0.03*  |



| Pesticiodes name | 農薬の有効成分 | 登録の有無 | 適用の有無 | 日本              | CODEX                                                                                                                                    | 香港                                                                                                                                       | 台湾               | 韓国                                            | 中国      | シンガポール                                 | マレーシア                                                                                                                                   | インドネシア | タイ                                                    | ベトナム                                                                                | フィリピン                             | インド         | 米 国                                                         | カナダ | オーストラリア                                                                                                                                  | ニュージーランド                                                                                                                                 | EU                                           | 英 国                                          | ロシア | UAE                                                                 |
|------------------|---------|-------|-------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------------------|---------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------|-------------|-------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|-----|---------------------------------------------------------------------|
|                  | 検体      |       |       | 泥を水で軽く洗い落とししたもの | Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity). | Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity). | 根または茎全体          | ひげ根を除き、泥を水で軽く洗い落とししたもの                        | 根または茎全体 | 規定なし（一部の農薬／作物の組み合わせには、検体が追記されている場合がある） | Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity) | —      | 葉柄を切り落とし根または塊茎。サンプルに泥がついている場合は、流水または柔らかいブラシで取り除いてもよい。 | —                                                                                   | Codex、原産国に準じる                     | —           | whole raw agricultural commodity unless otherwise specified | —   | whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity). | whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity). | Whole product after removal of tops and soil | Whole product after removal of tops and soil | —   | MRLは、①CODEX設定値、②EU設定値、③0.01mg/kgの優先順で適用とされており、検体もCODEXまたはEUの規定に準ずる。 |
|                  | 備考      |       |       | —               | *：基準値=検出限界<br>—：規定なし                                                                                                                     | 香港の「Pesticide Residues in Food Regulation（以下「規則」という。）」の別表において、食品及び農薬の組み合わせで残留農薬基準が規定されていない場合、残留農薬基準値表で「☆」と表示                             | [対象外]：残留基準値対象外物質 | 2025/10/1時点でURLに接続不可のため、前回（2025/9/1時点）の基準値を記載 | —       | —                                      | —                                                                                                                                       | —      | [DL]：Annex 3のDefault Limits for Plantの値               | 輸入を認めない：ベトナム保健省が定めている残留農薬基準値に係る通達で規定されていない品目・農薬有効成分の組合せについては輸入を認めない（令和4年ベトナム保健省に照会） | —：原産国（日本）の基準値が適用となり一律基準値（0.01ppm） | *：基準値=定量下限値 | —                                                           | —   | T：暫定基準値<br>*：基準値=検出下限値                                                                                                                   | (*)：基準値=定量限界                                                                                                                             | *：基準値=検出限界                                   | *：基準値=検出限界                                   | —   | *：基準値=検出限界                                                          |