

平成3（1991年）3月

アイリス属
(旧名 ビアデットアイリス)
(Iris L.)

本審査基準は重要な形質を定める最新の告示を反映しておりません。

出願等にあたっては、最新の重要な形質をご確認ください。(以下 HP の植物区分ごとの特性表参照。

→https://www.maff.go.jp/j/shokusan/hinshu/info/sinsa_kijun_jp.html)

なお、それぞれの重要な形質に対する定義等は変更されておりません。

ビアデットアイリス種苗特性分類調査基準

部	形質	定 義	調 査	状 態	階 級	標 準 品 種 名
(01) 植 物 体	(01) 草 丈	開花時における地際から植 物体最高位までの高さ	測 定 図 1	低 (70 cm 未満) 中 (70 ~ 100) 高 (100 cm 以上)	3 5 7	ワイトスー (白)
	(02) 根 茎		観 察	小 中 大	3 5 7	ビウカ対 (桃)、ブラックタ (黒) K・ホト (白)、フィスタス (青) ワイトスー (白)、五月空 (紫) ハセー (青)
(03) 葉	(01) 葉の姿勢	自然状態での十分に発育し た葉の真横から見た姿勢	観 察	湾 曲 直 立 よじれる	1 2 3	ビウカ対 (桃)、 タイタスローリー (紫) フィスタス (青) カトリマー (白)、アゼト (白)、 ジョーイングウェイ (白)
	(02) 葉の長さ	開花時における最大成葉の 基部から先端までの長さ ③ 開花時：開花2日目に調査 以下同様	測 定 cm単位	短 (30 cm 未満) 中 (30 ~ 50) 長 (50 cm 以上)	3 5 7	
	(03) 葉の幅	開花時における最大成葉の 最大幅	測 定 cm単位	狭 (3.0 cm 未満) 中 (3.0 ~ 5.0) 広 (5.0 cm 以上)	3 5 7	
	(04) 葉の厚さ	開花時における最大成葉の 最大幅部における厚さ (主脈を除く)	測 定 mm単位	薄 (0.5 mm 未満) 中 (0.5 ~ 1.0) 厚 (1.0 mm 以上)	3 5 7	ブラックタ (黒)
	(05) 葉の表面の色	開花時における成葉表面の 主要な色 (ブルームを含む)	測 定 J. H. S. カラーチャート	灰・緑 淡・緑 緑 その他	1 2 4 9	
	(06) 葉の基部のアントシ アンの着色の有無と程 度	開花時における成葉の基部 のアントシアンの着色の有 無とその程度	観 察	無 弱 中 強	1 3 5 7	黎明 (桃)
	(04) 花 茎	開花時における側花茎の有 無	観 察	無 有	1 9	

部	形質	定義	調査	測定方法	階級	標準品種名
イ 花 茎	(02) 花茎の1次分枝数	開花時における主花茎の1次分枝数	測定 本	少 (2 本 未満) 中 (2 ～ 5) 多 (5 本 以上)	3 5 7	
	(03) 花茎の2次分枝の有無	開花時における花茎の2次分枝の有無	観察	無 有	1 9	
	(04) 花茎の長さ	開花時における地際から苞基部までの長さ	測定 cm単位 図 1	短 (30 cm 未満) 中 (30 ～ 50) 長 (50 cm 以上)	3 5 7	
	(05) 花茎の太さ	開花時における花茎の中間部の太さ	測定 cm単位	細 (1.0 cm 未満) 中 (1.0 ～ 2.0) 太 (2.0 cm 以上)	3 5 7	1-ルルア (セブ黄)、ラックワタ (セブ黒) カレガール (セブ桃)、エリザベス (セブ青) ニュームン (セブ黄)
イ 花	(01) 花 数	開花時の主花茎における開花可能な蕾を含めた花の総数	測定 個	少 (5 個 未満) 中 (5 ～ 8) 多 (8 個 以上)	3 5 7	ラックワタ (セブ黒) スーパーステーション (セブ 黒)、 ペルゴラソラッド (アモイ) カスバ (ブカカ)、ロードワイルド (セブ黄)
	(02) 花の縦径	開花時における花の最大縦径	測定 cm単位 図 3	短 (10 cm 未満) 中 (10 ～ 15) 長 (15 cm 以上)	3 5 7	フォックスファイア (セブ黄)、 エリザベス (セブ青) ペルゴラソラッド (セブ黄)、ビリーシズ (セブ桃) K・ホワイト (セブ 白)、 インクマイン (ブカカ)
	(03) 花の横径	開花時における花の最大横径	測定 cm単位 図 3	短 (10 cm 未満) 中 (10 ～ 15) 長 (15 cm 以上)	3 5 7	リッパ (アモイ)、アセント (ブカカ) タイタスグローリー (セブ紫) マリ・フランス (セブ青)
	(04) 花の着色状態	開花時における花の全体に見た着色の状態	観察	単 色 複 色	1 2	カレガール (セブ桃)、タキタナ (セブ 黒)
イ 花 被 片	(01) 外花被片の姿勢	開花時における花の外花被片の姿勢	観察 図 4	下 垂 中 間 横張り	1 2 3	フォックスファイア (セブ黄)、アセント (ブカカ) タイタスグローリー (セブ 紫)、 スーパーステーション (セブ 黒) カレガール (アモイ)、カスバ (ブカカ)
	(02) 外花被片の全形	開花時における花の外花被片の全形の形状	観察 図 5	長楕円状倒皮針形 倒卵形 広倒卵形 円 形	1 2 3 4	

型	形質	定義	測定	状態	等級	標準品種名
外花被片	(03) 外花被片の長さ	開花時における外花被片の基部から先端部までの長さ	測定 cm単位	短 (7.0 cm 未満) 中 (7.0 ~ 10.0) 長 (10.0 cm 以上)	3 5 7	
	(04) 外花被片の幅	開花時における外花被片の最大幅	測定 cm単位	狭 (5.0 cm 未満) 中 (5.0 ~ 8.0) 広 (8.0 cm 以上)	3 5 7	
	(05) 外花被片の厚さ	開花時における外花被片の厚さ	観察	薄 中 厚	3 5 7	黎明 (白桃)、五月空 (白紫) ハル (白青) ブラックダイヤモンド (黒)
	(06) 外花被片の周縁の波打ちの程度 (フリル)	開花時における外花被片の周縁の波打ちの強弱	観察 図 6	弱 中 強	3 5 7	
	(07) 外花被片の周縁のひだの程度 (フリンジ)	開花時における外花被片の周縁の切れ込みの強弱	観察 図 7	弱 中 強	3 5 7	
	(08) 外花被片の光沢	開花時における外花被片の光沢の強弱	観察	弱 中 強	3 5 7	かぐや姫 (白桃)、ハル (白青) ヘルコ・リンダウッド、リンダ (アモレ)
	(09) 外花被片の表面が単色か複色かの区分	開花時における外花被片表面が単色か複色かの別	観察	単色 複色	1 2	ト・ホワイト、ソグノ・ルウエイ (白) リソベッタ・チ、テンゴ・ゴールド (黄)
	(10) 外花被片の表面が単色の場合の色	開花時における外花被片表面が単色の場合の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤紫 青紫 青 その他	1 2 3 4 5 6 7 8 9	リソベッタ・チ、サウスター (黄) ビリー・スミス、かぐや姫 (桃) クラウド・ベース (白)、シャボ (白) スーパー・ステーション (黒) ブルー・スター、ハル (青)

型	形質	定義	調査	状態	等級	標準品種名
外花被片	(11) 外花被片の表面の覆輪の有無とパターン	開花時における外花被片表面の覆輪の有無と着色パターン	観 察 図 8	無 極浅覆輪 浅覆輪 深覆輪 極深覆輪 二重覆輪 その他	1 2 3 4 5 6 9	ル・パル・ブ (フリカータ) ガマドリッド (パリエータ)、コーンスマイウェイ (フリカータ) エキシックスター (セルフ紫)、キトリット (フリカータ) セントルイスブルス、ピクトリアフォールズ (セルフ青) ショウケース (フリカータ)
	(12) 外花被片表面の覆輪のAゾーンの色	開花時における外花被片表面の覆輪のAゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	エキシックスター (セルフ 紫) ココスト (セルフ黄) フラウンザッソー (フリカータ)
	(13) 外花被片表面の覆輪のBゾーンの色	開花時における外花被片表面の覆輪のBゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	リンゴ、ワバッシュ (アモナ) ベイベリーキャンドル (バカラ)、デリアドン (フリカータ) ココスト (セルフ 黄)、ガマドリッド (パリエータ) ネフェティティ (ブレッド) アクセント (パリエータ)、テアトル、リップラングローズ (フリカータ) ステップンガウト (フリカータ)
	(14) 外花被片表面の覆輪のCゾーンの色	開花時における外花被片表面の覆輪のCゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

型	形質	定義	調査	状態区分	階級	標準品種名
外 花 被 片	(15) 外花被片の表面 の主脈部の着色 の鮮明度	開花時における外花被片表面の主脈部の着色の鮮明度	観 察	不鮮明 鮮 明	1 2	
	(16) 外花被片表面の 主脈部の色	開花時における外花被片表面の主脈部の着色の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(17) 外花被片表面の すじ状の着色の 有無と程度	開花時における外花被片表面のすじ状の着色の有無とその程度	観 察 図 9	無 少 中 多	1 3 5 7	
	(18) 外花被片表面の すじ状着色の色	開花時における外花被片表面のすじ状着色の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(19) 外花被片表面の 肩部の着色の有 無とその色	開花時における外花被片表面の肩部の着色の有無とその主要な色	測 定 J. H. S. カラーチャート 図 10	無 白 黄 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	

型	形質	定義	調査	状態	等級	標準品種名
(06) 外 花 被 片	(20) 外花被片裏面 が単色か複色か の区分	開花時における外花被片裏 面が単色か複色かの区別	観 察	単 色 複 色	1 2	
	(21) 外花被片裏面が 単色の場合の色	開花時における外花被片裏 面が単色の場合の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(22) 外花被片裏面の 覆輪の有無とパ ターン	開花時における外花被片裏 面の覆輪の有無と着色パタ ーン	観 察 図 8	無 極浅覆輪 浅覆輪 深覆輪 極深覆輪 二重覆輪 その他	1 2 3 4 5 6 9	
	(23) 外花被片裏面の 覆輪のAゾーン の色	開花時における外花被片裏 面の覆輪のAゾーンの主要 な色	測 定 J. H. S. カラーチャート 図 8	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	
	(24) 外花被片裏面の 覆輪のBゾーン の色	開花時における外花被片裏 面の覆輪のBゾーンの主要 な色	測 定 J. H. S. カラーチャート 図 8	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	

型	形質	定義	調査	状態区分	階級	標準品種名
外 花 被 片	(25) 外花被片裏面の Cゾーンの色	開花時における外花被片裏面の覆輪のCゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	
	(26) 外花被片裏面の主脈部の着色の鮮明度	開花時における外花被片裏面の主脈部の着色の鮮明度	観察	不鮮明 鮮 明	1 2	
	(27) 外花被片裏面の 主脈部の色	開花時における外花被片裏面の主脈部の主要な色	測定 J. H. S. カラーチャート	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	
	(28) 外花被片裏面の すじ状の着色の 有無と程度	開花時における外花被片裏面のすじ状の着色の有無とその程度	観察 図 9	無 少 中 多	1 3 5 7	
	(29) 外花被片裏面の すじ状着色の色	開花時における外花被片裏面のすじ状着色の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

部	形質	定 義	測 定	状 態	階 級	標 準 品 種 名
外 花 被 片	(06) 外花被片裏面の 肩部の着色の有 無とその色	開花時における外花被片裏 面の肩部の着色の有無とそ の主要な色	測 定 J. H. S. カラーチャート 図 10	無	1	
				白	2	
				黄	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
内 花 被 片	(01) 内花被片の姿勢	開花時における内花被片の 姿勢	観 察 図 11	抱 合 直 立 斜 上	1 2 3	ディスカス(セウ青)、ヘンコリングウッド(アモナ) カトリマー(セウ白)、ルネシオン(アモナ) ミカグライド(バリエータ)
	(02) 内花被片の全形	開花時における内花被片全 体の形状	観 察 図 5	長楕円状倒皮針形 倒卵形 広倒卵形 円 形	1 2 3 4	
	(03) 内花被片の長さ	開花時における内花被片基 部から先端部までの長さ	測 定 cm単位	短 (7 cm 未満) 中 (7 ~ 10) 長 (10 cm 以上)	3 5 7	K・ボイト(セウ 白) キャロットローズ(バリエータ)
	(04) 内花被片の幅	開花時における内花被片の 最大幅	測 定 cm単位	狭 (5 cm 未満) 中 (5 ~ 8) 広 (8 cm 以上)	3 5 7	ビウーシス(セウ桃)、サファイアヒズ(セウ青) タイタズグローリー(セウ紫)、 リトルマツ(リバーズアモナ)
	(05) 内花被片の厚さ	開花時における内花被片の 厚さ	観 察	薄 中 厚	3 5 7	
	(06) 内花被片の周縁 の波打ちの程度 (フリル)	開花時における内花被片の 周縁の波打ちの強弱	観 察 図 6	弱 中 強	3 5 7	
	(07) 内花被片の周縁 のひだの程度 (フリンジ)	開花時における内花被片の 周縁の切れ込みの強弱	観 察 図 7	弱 中 強	3 5 7	

型	形質	定義	調査	状態区分	階級	標準品種名
内花被片	(08) 内花被片の光沢	開花時における内花被片の光沢の強弱	観 察	弱 中 強	3 5 7	
	(09) 内花被片表面が単色か複色かの区分	開花時における内花被片の表面が単色か複色かの区別	観 察	単 色 複 色	1 2	
	(10) 内花被片表面が単色の場合の色	開花時における内花被片の表面が単色の場合の主要な色	測 定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(11) 内花被片表面の覆輪の有無とパターン	開花時における内花被片の表面の覆輪の有無と着色パターン	観 察 図 8	無 極浅覆輪 浅覆輪 深覆輪 極深覆輪 二重覆輪 その他	1 2 3 4 5 6 9	
	(12) 内花被片表面の覆輪のAゾーンの色	開花時における内花被片の表面の覆輪のAゾーンの主要な色	測 定 J. H. S. カラーチャート 図 8	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

部	形質	定義	調査	状態	等級	標準品種名
(07)	(13) 内花被片表面の覆輪のBゾーンの色	開花時における内花被片表面の覆輪のBゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤紫	6	
				青紫	7	
				青	8	
				その他	9	
	(14) 内花被片表面の覆輪のCゾーンの色	開花時における内花被片表面の覆輪のCゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤紫	6	
				青紫	7	
				青	8	
				その他	9	
	(15) 内花被片表面の主脈部の着色の鮮明度	開花時における内花被片表面の主脈部の着色の鮮明度	観察	不鮮明	1	
				鮮明	2	
	(16) 内花被片表面の主脈部の色	開花時における内花被片表面の主脈部の着色の主要な色	測定 J. H. S. カラーチャート	白	1	
				黄	2	
				茶	3	
				橙	4	
				桃	5	
				赤紫	6	
				青紫	7	
				青	8	
				その他	9	
	(17) 内花被片表面のすじ状の着色の有無と程度	開花時における内花被片表面のすじ状の着色の有無と程度	観察 図 9	無	1	
				少	3	
				中	5	
				多	7	

型	形質	定義	調査	状態区分	階級	標準品種名
(07)	(18) 内花被片表面の すじ状着色の色	開花時における内花被片表面のすじ状着色の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(19)内花被片裏面 が単色化複色化 の区分	開花時における内花被片裏面が単色が複色かの区別	観察	単 色 複 色	1 2	
	(20) 内花被片裏面が 単色の場合の色	開花時における内花被片裏面が単色の場合の主要な色	測定 J. H. S. カラーチャート	白 黄 緑 茶 橙 桃 赤 紫 青 紫 青	1 2 3 4 5 6 7 8 9	
	(21) 内花被片裏面の 覆輪の有無とバ ターン	開花時における内花被片裏面の覆輪の有無と着色パターン	観察 図 8	無 極浅覆輪 浅覆輪 深覆輪 極深覆輪 二重覆輪	1 2 3 4 5 6	
	(22) 内花被片裏面の 覆輪のAゾーン の色	開花時における内花被片裏面の覆輪のAゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

型	形質	定義	測定	状態	等級	標準品種名
(07)	(23) 内花被片裏面の覆輪のBゾーンの色	開花時における内花被片裏面の覆輪のBゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(24) 内花被片裏面の覆輪のCゾーンの色	開花時における内花被片裏面の覆輪のCゾーンの主要な色	測定 J. H. S. カラーチャート 図 8	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(25)内花被片裏面の主脈部の着色の鮮明度	開花時における内花被片裏面の主脈部の着色の鮮明度	観 察	不鮮明	1	
				鮮 明	2	
	(26) 内花被片裏面の主脈部の色	開花時における内花被片裏面の主脈部の主要な色	測定 J. H. S. カラーチャート	白	1	
				黄	2	
				緑	3	
				茶	4	
				橙	5	
				桃	6	
				赤 紫	7	
				青 紫	8	
				青	9	
	(27) 内花被片裏面のすじ状の着色の有無と程度	開花時における内花被片裏面のすじ状着色の有無とその程度	観 察 図 9	無	1	
				少	3	
				中	5	
				多	7	

部	形質	定 義	測 定	状態	等級	標準品種名	
(07) 内 花 被 片	(28) 内花被片裏面の すじ状着色の色	開花時における内花被片裏 面のすじ状着色の主要な色	測 定 J. H. S. カラーチャート	白	1		
				黄	2		
				茶	3		
				橙	4		
				桃	5		
				赤 紫	6		
				青 紫	7		
				青	8		
				その他	9		
(08) 花 柱 主 枝	(01) 花柱枝の先端の ひだ	開花時における花柱枝（爪 弁）の先端のひだの大きさ	観 察	小	3		
	(02) 花柱枝の色	開花時における花柱枝（爪 弁）の主要な色	測 定 J. H. S. カラーチャート	中	5		
				大	7		
				白	1		
				黄	2		
				茶	3		
				橙	4		
				桃	5		
				赤 紫	6		
				青 紫	7		
				青	8		
				その他	9		
				(03) 花柱枝の2次的 な色	開花時における花柱枝（爪 弁）の主要な色に次ぐ2次 的な色		測 定 J. H. S. カラーチャート
	黄	2					
	茶	3					
橙	4						
桃	5						
赤 紫	6						
青 紫	7						
青	8						
その他	9						
(09) ヒ ゲ 部	(01) ヒゲ部の長さ	開花時におけるヒゲ部の長 さ	測 定 cm単位	短 （ 4 cm 未満）	3		
				中 （ 4 ～ 5 ）	5		
				長 （ 5 cm 以上）	7		

部	形質	定義	調査	状態区分	階級	標準品種名
ヒゲ部	(02) ヒゲ部の太さ	開花時におけるヒゲ部の最大幅	測定 cm単位	細 (1.0 cm 未満) 中 (1.0 ～ 1.5) 太 (1.5 cm 以上)	3 5 7	エコーン (ブカ-タ)
	(03) ヒゲ部先端の突起物の有無と形状	開花時におけるヒゲ部の先端の突起物の有無と形状	観察	無 、 つの状 スプーン状	1 2 3	K・ホイト (セロ白)、サンオスター (セロ黄) スカイックス、エコーン (ブカ-タ) スーニタム (セロ黄) トリックアトリート (セロ 紫)
	(04) ヒゲ部の基部の色	開花時におけるヒゲ部の基部の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(05) ヒゲ部の中間部の色	開花時におけるヒゲ部の中間部の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	
	(06) ヒゲ部の先端部の色	開花時におけるヒゲ部の先端部の主要な色	測定 J. H. S. カラーチャート	白 黄 茶 橙 桃 赤 紫 青 紫 青 その他	1 2 3 4 5 6 7 8 9	

観	形質	定 義	観 察	状態	階級	標準品種名
(10) 系	(01) 葯の発育	開花時における葯の発育の 状態	観 察	正 常 異 常	3 5	
	(02) 葯の色	開花時における葯の主要な 色	観 察	白 その他	1 9	
(11) 生 育 特 性	(01) 開花期	通常栽培条件下における開 花の早晩	観 察	早 中 晩	3 5 7	
	(02) 開花期間	通常栽培条件下における主 花茎第一花の咲き始めから 最終花が咲き終るまでの期 間	観 察	短 中 長	3 5 7	
	(03) 二季咲性	通常栽培条件下における開 花後新たに花茎を生じて開 花する性質の有無	観 察	無 有	1 2	
	(04) 繁殖性	通常栽培条件下における繁 殖性の強弱	観 察	弱 中 強	3 5 7	
	(05) 耐寒性	通常栽培条件下における耐 寒性の強弱	観 察	弱 中 強	3 5 7	
	(06) 冬季の葉の状態	通常栽培条件下で冬季に成 葉が枯れるか枯れないかの 区別	観 察	枯れる 枯れない	1 2	
	(07) 耐暑性	通常栽培条件下における耐 暑性の強弱	観 察	弱 中 強	3 5 7	
	(08) 香の強弱	通常栽培条件下における香 の強弱	観 察	弱 中 強	3 5 7	

型	形 質	定 義	調 査	状態区分	階級	標 準 品 種 名
(11) 生態的特性	(09) 病害抵抗性	通常栽培条件下における病害抵抗性の強弱	観 察	弱 中 強	3 5 7	
	(10) 虫害抵抗性	通常栽培条件下における虫害抵抗性の強弱		弱 中 強	3 5 7	

ピアデットアイリス
種苗特性分類調査参考図




図 1. 01-01 草 丈 04-04 花茎の長さ




図 2. 03-01 葉の姿勢







図 3. 05-02 花の縦径 05-03 花の横径


花冠の名称



下垂




中間




横張り


図 4. 06-01 外花被片の姿勢




長楕円状
倒皮針形



倒卵形




広倒卵形



円形

図 5. 外・内花被片の全形




弱

中

強

図6. 外・内花被片の波打ち（フリル）の程度




弱

中

強

図7. 外・内花被片のひだ（フリンジ）の程度



無

極浅覆輪

浅覆輪

深覆輪

極深覆輪

二重覆輪

図8. 覆輪の有無とパターン




図9. すじ状着色の有無とパターン




図10. 肩部の着色




図11. 内花被片の姿勢

(注) 参考図作成にあたりまして、「アイリス」(日本アイリス会監修、誠文堂新光社発行)を参考にしました。

特性検定のための栽培試験方法

品種の特性は、植物齢および栽培条件によって異なることがあるので、原則として次のような通常の条件で栽培され、正常に生育した株を検定の対象とする。

1. 9月中～下旬に株分けし、充実した球根（根茎）を30cm間隔で露地に定植する。

特性の検定は、翌年あるいは2年目に自然状態で開花したものを用いる。

2. 関東以西では、冬期雨よけ程度の被覆下で保護する。

3. 花についての調査は、原則として開花2日後の午前中を基準とする

Bearded Iris Characteristics Table for
Recording and Registration

Characteristics	States	Example Varieties	Note	remarks
(01-01) Plant : height	low (below 70 cm) medium (70 ~ 100) high (over 100 cm)	Late Snow	3 5 7	Fig. 1
(02-01) Rhizome : size	small medium large	Pink Cameo, Black Taffta K-White, Distance Late Snow, Satukizora, High Heels	3 5 7	
(03-01) Leaf : pose	curved upright twist	Pink Cameo, Titan's Glory Distance Country Manner, Accent, Going My Way	1 2 3	Fig. 2
(03-02) Leaf : length	short (below 30 cm) medium (30 ~ 50) long (over 50 cm)		3 5 7	
(03-03) Leaf : width	narrow (below 3.0 cm) medium (3.0 ~ 5.0) wide (over 5.0 cm)		3 5 7	
(03-04) Leaf : thickness	thin (below 0.5 mm) medium (0.5 ~ 1.0) thickness (over 1.0 mm)	Black Dragon	3 5 7	
(03-05) Leaf : color of surface	gray green pale green green others		1 2 3 9	J.H.S. color chart
(03-06) Leaf : degree of coloring anthocyanin on the base.	absent weak medium strong	Reimei	1 3 5 7	
(04-01) Scape : absent or present of side scape	absent present		1 9	

Characteristics	States	Example Varieties	Note	remarks
(04-02) Scape : number of first branching	few (below 2) medium (2 ~ 5) many (over 5)		3 5 7	
(04-03) Scape : absent or present of second branching	absent present		1 9	
(04-04) Scape : length	short (below 30 cm) medium (30 ~ 50) long (over 50 cm)		3 5 7	Fig. 1
(04-05) Scape : thickness	thin (below 1.0 cm) medium (1.0 ~ 2.0) thick (over 2.0)	Gold Galore, Black Taffta Play Girl, Eleanor's Pride New Moon	3 5 7	
(05-01) Flower : number of flowers	few (below 5) medium (5 ~ 8) many (over 8)	Black Dragon Superstition, Hellen Collingwood Casbah, Load Baltimore	3 5 7	Fig. 3
(05-02) Flower : length	short (below 10 cm) medium (10 ~ 15) long (over 15 cm)	Fox Fire, Eleanor's Pride Temple Gold, Beverly Sills K-White, Going My Way	3 5 7	Fig. 3
(05-03) Flower : width	short (below 10 cm) medium (10 ~ 15) long (over 15 cm)	Ringo, Accent Titan's Glory, Mary Frances	3 5 7	
(05-04) Flower : color condition	mono-color tri-color	Play Girl, Dusky Dancer	1 2	
(06-01) Outer perianth : pose	dropping medium wide sprasding	Fox Fire, Accent Titan's Glory, Superstition Premonition, Casbah	1 2 3	Fig. 4
(06-02) Outer perianth : whole shape	oblanceolate-oblong obovate oboval orbicular		1 2 3 4	Fig. 5

Characteristics	States	Example Varieties	Note	remarks
(06-03) Outer perianth : length	short		3	
	(below 7.0 cm)			
	medium		5	
	(7.0 ~ 10.0)			
	long		7	
	(over 10.0 cm)			
(06-04) Outer perianth : width	narrow		3	
	(below 5.0 cm)			
	medium		5	
	(5.0 ~ 8.0)			
	wide		7	
	(over 8.0 cm)			
(06-05) Outer perianth : thickness	thin	Reimei, Satukizora, High Hoe(?)	3	
	medium		5	
	thickness	Black Dragon	7	
(06-06) Outer perianth : degree of frill on the edge.	weak		3	Fig. 6
	medium		5	
	strong		7	
(06-07) Outer perianth : degree of fringe on the edge.	weak		3	Fig. 7
	medium		5	
	strong		7	
(06-08) Outer perianth : shine	weak	Kaguyahime, High Hoe(?)	3	
	medium		5	
	strong	Hellen Collingwood, Ringo	7	
(06-09) Surface of outer perianth: mono or tri-color	mono-color	K-White, Song of Norway, Olympic Torch Temple Gold	1	
	tri-color		2	
(06-10) Surface of outer perianth: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange	Olympic Torch, Son of Star	4	
	pink	Beverly Sills, Kaguyahime	5	
	red purple	Cloud Capers, Chapeau	6	
	blue purple	Superstition	7	
	blue	Blue Luster, High Heels	8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-11)	absent		1	Fig. 8
Surface of outer perianth: pattern of marginal variegation	very shallow marginal variegation	Loop The Loop	2	
	shallow marginal variegation	Gara Madorid, Going My Way	3	
	deep marginal variegation	Exotic Star, Kiltlit	4	
	very deep marginal variegation	St. Louis Blues, Victoria Falls	5	
	double marginal variegation	Show Case	6	
	others		9	
(06-12)	white	Exotic Star	1	J. H. S. color chart
Surface of outer perianth: color of A zone of marginal variegation	yellow	Kona Coast(?)	2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple	Brown Lasso	6	
	blue purple		7	
	blue		8	
	others		9	
(06-13)	white	Ringo, Wabash	1	J. H. S. color chart
Surface of outer perianth: color of B zone of marginal variegation	yellow	Bayberry Candle, Debby Rairdon	2	Fig. 8
	brown	Kona Coast(?), Gara Madorid	3	
	orange		4	
	pink	Nefertiti	5	
	red purple	Accent, Theatre, Rippling Rose	6	
	blue purple	Stepping Out	7	
	blue		8	
	others		9	
(06-14)	white		1	J. H. S. color chart
Surface of outer perianth: color of C zone of marginal variegation	yellow		2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-15)	unclearness		1	
Surface of outer perianth: degree of clearness of coloring on the part of midrib.	clearness		2	
(06-16)	white		1	J. H. S. color chart
Surface of outer perianth: color of the part of midrib.	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-17)	absent		1	Fig. 9
Surface of outer perianth: degree of coloring on stripe	few		3	
	medium		5	
	many		7	
(06-18)	white		1	J. H. S. color chart
Surface of outer perianth: color of stripe	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-19)	white		1	J. H. S. color chart
Surface of outer perianth: color of the part of shoulder	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-20) Under surface of outer perinath: Mono or tri-color	mono-color		1	
	tri-color		2	
(06-21) Under surface of outer perinath: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-22) Under surface of outer perinath: pattern of marginal variegation	absent		1	Fig. 8
	very shallow marginal variegation		2	
	shallow marginal variegation		3	
	deep marginal variegation		4	
	very deep marginal variegation		5	
	double marginal variegation		6	
(06-23) Under surface of outer perinath: color of A zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-24) Under surface of outer perinath: color of B zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-25) Under surface of outer perianth : color of C zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-26) Under surface of outer perianth : degree of clearness of coloring on the part of midrib.	unclearness		1	
	clearness		2	
(06-27) Under surface of outer perianth : color of the part of midrib.	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(06-28) Under surface of outer perianth : degree of coloring on stripe	absent		1	Fig. 9
	few		3	
	medium		5	
	many		7	
(06-29) Under surface of outer perianth : color of stripe	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(06-30)	white		1	J.H.S.
Under surface of				color chart
outer perianth :	yellow		2	
color of the part of	brown		3	Fig. 10
shoulder	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-01)	embrance	Distance, Hellen Collingwood	1	Fig. 11
Inner perianth : pose	uprighth	Countory Manner, Premonition	2	
	across	Michigan Pride	3	
(07-02)	oblanceolate-oblong		1	Fig. 5
Inner perianth :	obovate		2	
whole shape	oboval		3	
	orbicular		4	
(07-03)	short		3	
Inner perianth : length	(below 7.0 cm)			
	medium	K-White	5	
	(7.0 ~ 10.0)			
	long	Camelot Rose	7	
	(over 10.0 cm)			
(07-04)	narrow		3	
Inner perianth : width	(below 5.0 cm)			
	medium	Beverly Sills, Sapphire Hills	5	
	(5.0 ~ 8.0)			
	wide	Titan's Glory, Little Much	7	
	(over 8.0 cm)			
(07-05)	thin		3	
Inner perianth :				
thickness	medium		5	
	thickness		7	
(07-06)	weak		3	Fig. 6
Inner perianth :				
degree of frill on the	medium		5	
edge.	strong		7	
(07-07)	weak		3	Fig. 7
Inner perianth :				
degree of fringe on	medium		5	
the edge.	strong		7	

Characteristics	States	Example Varieties	Note	remarks
(07-08) Inner perianth : shine	weak		3	
	medium		5	
	strong		7	
(07-09) Surface of inner perianth: mono or tri-color of the surface	mono-color		1	
	tri-color		2	
(07-10) Surface of inner perianth: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue perple		7	
	blue		8	
	others		9	
(07-11) Surface of inner perianth: pattern of marginal variegation	absent		1	Fig. 8
	very shallow marginal variegation		2	
	shallow marginal variegation		3	
	deep marginal variegation		4	
	very deep marginal variegation		5	
	double marginal variegation		6	
(07-12) Surface of inner perianth: color of A zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(07-13) Surface of inner perianth: color of B zone of marginal variegation	white		1	J.H.S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-14) Surface of inner perianth: color of C zone of marginal variegation	white		1	J.H.S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-15) Surface of inner perianth: degree of clearness of coloring on the part of midrib.	unclearness		1	
	clearness		2	
(07-16) Surface of inner perianth: color of the part of midrib.	white		1	J.H.S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-17) Surface of inner perianth: degree of coloring on stripe	absent		1	Fig. 9
	few		3	
	medium		5	
	many		7	

Characteristics	States	Example Varieties	Note	remarks
(07-18) Surface of inner perianth: color of stripe	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-19) Under surface of inner perianth: mono or tri-color	mono-color		1	
	tri-color		2	
(07-20) Under surface of inner perianth: color of mono-color	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-21) Under surface of inner perianth: pattern of marginal variegation	absent		1	Fig. 8
	very shallow marginal variegation		2	
	shallow marginal variegation		3	
	deep marginal variegation		4	
	very deep marginal variegation		5	
	double marginal variegation		6	
(07-22) Under surface of inner perianth: color of A zone of marginal variegation	white		1	J. H. S. color chart Fig. 8
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(07-23) Under surface of inner perianth: color of B zone of marginal variegation	white		1	J. H. S. color chart
	yellow		2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-24) Under surface of inner perianth : color of C zone of marginal variegation	white			J. H. S. color chart
	yellow		2	Fig. 8
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-25) Under surface of inner perianth : degree of clearness of coloring on the part of midrib.	unclearness		1	
	clearness		2	
(07-26) Under surface of inner perianth : color of the part of midrib.	white		1	J. H. S. color chart
	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red purple		6	
	blue purple		7	
	blue		8	
	others		9	
(07-27) Under surface of inner perianth : degree of coloring on stripe	absent		1	Fig. 9
	few		3	
	medium		5	
	many		7	

Characteristics	States	Example Varieties	Note	remarks
(07-28)	white		1	
Under surface of	yellow		2	
inner perianth :	brown		3	
degree of coloring on	orange		4	
stripe	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(08-01)	small		3	
Apex of style branch :	medium		5	
gathers of the tip of	large		7	
style branch				
(08-02)	white		1	J. H. S.
Apex of style branch :	yellow		2	color chart
color	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(08-03)	white		1	J. H. S.
Apex of style branch :	yellow		2	color chart
secondary color	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(09-01)	short		3	
Beard : length	(below 4 cm)			
	medium		5	
	(4 ~ 5)			
	long		7	
	(over 5 cm)			

Characteristics	States	Example Varieties	Note	remarks
(09-02)	narrow		3	
Beard : thickness	(below 1.0 cm)	Unicorn	5	
	medium (1.0 ~ 1.5)		7	
	thick (over 1.5 cm)			
(09-03)	absent	K·White, Son of Star	1	
Beard : prominence shape of the tip of beard	horn style	Sky Hooks, Unicorn	2	
	spoon style	Spoon Time, Trick or Treat	3	
(09-04)	white		1	J. H. S. color chart
Beard : color of the base of beard	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(09-05)	white		1	J. H. S. color chart
Beard : color of the middle portion of beard	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	
(09-06)	white		1	J. H. S. color chart
Beard : color of the tip of beard	yellow		2	
	brown		3	
	orange		4	
	pink		5	
	red brown		6	
	blue brown		7	
	blue		8	
	others		9	

Characteristics	States	Example Varieties	Note	remarks
(10-01) Anther : development	normal		1	
	abnormal		2	
(10-02) Anther : color	white		1	
	others		9	
(11-01) Ecological Characteristics : season of flowering	early		3	
	medium		5	
	late		7	
(11-02) Ecological Characteristics : time of opening flower	short		3	
	medium		5	
	long		7	
(11-03) Ecological Characteristics : opening flower at two seasons	absent		1	
	present		9	
(11-04) Ecological Characteristics : propagation	weak		3	
	medium		5	
	strong		7	
(11-05) Ecological Characteristics : cold Hardiness	weak		3	
	medium		5	
	strong		7	
(11-06) Ecological Characteristics : persistency of leaves during winter	deciduous		1	
	persistent		2	
(11-07) Ecological Characteristics : heat hardiness	weak		3	
	medium		5	
	strong		7	
(11-08) Ecological Characteristics : flower fragrance	weak		3	
	medium		5	
	strong		7	
(11-09) Ecological Characteristics : resistance to disease	weak		3	
	medium		5	
	strong		7	
(11-10) Ecological Characteristics : resistance to pests	weak		3	
	medium		5	
	strong		7	

Illustration of Bearded Iris Characteristics for Recording




Fig. 1 01-01 Plant height 04-04 Scape length




Fig. 2 03-01 Leaf pose







Fig. 3 05-02 Flower length 05-03 Flower width


Name of Corolla



dropping




medium




wide spreading


Fig. 4 06-01 Pose of outer perianth




oblanceolate-
oblong



obovate



oboval



orbicular

Fig. 5 Whole shape of outer (inner) perianth




Fig. 6 Degree of frill on th edge of outer(inner) perianth




Fig. 7 Degree of fringe on the edge of outer(inner) perianth




Fig. 8 Pattern of marginal variegation




Fig. 9 Degree of coloring on stripe of outer (inner) perianth




Fig.10 Color of the part of shoulder of outer perianth




Fig.11 07-01 Pose of inner perianth