

さるすべり属

(*Lagerstroemia* L.)

本審査基準は重要な形質を定める最新の告示を反映しておりません。

出願等にあたっては、最新の重要な形質をご確認ください。（以下 HP の植物区分ごとの特性表参照。

→https://www.maff.go.jp/j/shokusan/hinshu/info/sinsa_kijun_jp.html）

なお、それぞれの重要な形質に対する定義等は変更されておりません。

3. 特 性 審 査 基 準 (案)

(1) 特 性 審 査 基 準 (案)

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
樹 姿	1 樹姿	観察 自然状態の5年生以上の樹姿 図1参照	直立 開張 平開 枝垂れ その他	1 3 5 7 9	フロリバンダ・ロゼア ウィーピング・ビオンク
	2 樹形	観察 自然状態の5年生以上の樹形 図2参照	楕円形 球形 その他	1 2 9	フロリバンダ・ロゼア トワーフ・ラベンダー
樹 高	3 樹高	観察 自然状態の5年生以上の樹高	極低 1m以下 低 1-2m 中 2-4m 高 4m以上	1 3 5 7	トワーフ・ラベンダー フロリバンダ・ロゼア
	4 樹幹のタイプ	観察 自然状態の5年生以上の単幹, 株立の別	単幹 株立	1 2	フロリバンダ・ロゼア トワーフ・ラベンダー
	5 樹幹の色	観察 開花期の樹幹の色	白 淡茶 茶 赤茶 その他	1 2 3 4 9	フロリバンダ・ロゼア ヤクマサルスベリ
枝	6 枝の太さ	測定 新梢中間部の太さ	細 中 太	3 5 7	トワーフ・ラベンダー フロリバンダ・ロゼア
	7 枝の色	観察 前年枝の色	白 淡茶 茶 赤茶 その他	1 2 3 4 9	
	8 枝の稜の明瞭さ	観察 新梢の稜の明瞭さ	不明瞭 明瞭	1 9	シマサルスベリ 加ロライナ・ビューティ
	9 分枝性	観察 分枝の着生密度	粗 中 密	3 5 7	ヤクマサルスベリ フロリバンダ・ロゼア トワーフ・ラベンダー
	10 節間長	測定 開花枝中間部の節間長 図3参照	短 中 長	3 5 7	フロリバンダ・ロゼア

重要形質	形 質	調 査 方 法 及 び 定 義	状 態 ・ 区 分	階 級	標 準 種 ・ 品 種 名
葉 形	11 葉身全体の形	観察 成葉の葉身全体の形 図 4 参照	広披針形 橢円形 広橢円形 卵形 倒卵形 その他	1 2 3 4 5 9	
	12 葉身先端の形	観察 成葉の葉身先端の形 図 5 参照	鋭尖形 鋭形 鈍形 円形 おう形 微突形 突形 その他	1 2 3 4 5 6 7 9	
	13 葉身基部の形	観察 成葉の葉身基部の形 図 6 参照	鋭尖形 鋭形 鈍形 円形 心形 その他	1 2 3 4 5 9	
	14 葉縁の形	観察 成葉の葉縁の形	全縁 その他	1 9	
	15 葉身の波打ち	観察 成葉葉身の波打ちの有 無	無 有	1 9	
	16 葉身長	測定 中庸な成葉の葉身先端 から基部までの長さ	短 中 長	3 5 7	アスカ系-3 フロリバンダ TM ・ロセ TM ア ヤクシマサルスベリ
	17 葉身幅	測定 中庸な成葉の最大幅	狭 中 広	3 5 7	アスカ系-3 フロリバンダ TM ・ロセ TM ア ヤクシマサルスベリ
	18 葉の厚さ	測定 中庸な成葉の厚さ	薄 中 厚	3 5 7	フロリバンダ TM ・ロセ TM ア

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
葉 色	19 未成葉の色	測定 展葉直後の表面の色 JHSカラーチャート (日本園芸植物標準色 票)を用い系統色名を 付記する	黄緑 淡緑 緑 濃緑 淡紅 紅 濃紅 紫紅 その他	1 2 3 4 5 6 7 8 9	
	20 成葉表面の色	観察	黄緑 淡緑 緑 濃緑 その他	1 2 3 4 9	
	21 成葉裏面の色	観察	黄緑 淡緑 緑 濃緑 その他	1 2 3 4 9	
	22 成葉の斑の有無	観察 成葉表面の斑の有無	無 有	1 9	
	23 成葉の斑のタイプ	観察 成葉表面の斑のタイプ	散斑 掃き込み斑 中斑 覆輪斑 ぼた斑 その他	1 2 3 4 5 9	
	24 成葉の斑の色	観察 成葉表面の斑の色	白 黄 黄緑 帯紅 その他	1 2 3 4 9	
	25 紅葉の色	観察 紅葉した時の色	黄 橙黄 橙赤 赤 その他	1 2 3 4 9	
	葉の光沢	観察 成葉表面の光沢の強さ	弱 中 強	3 5 7	ヤママリスハナリ フロリバンダ・ロゼツ
	26 葉の光沢				

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
葉 の 毛	27 葉表面の毛	観察 成葉表面の毛の有無	無 有	1 9	フロリバンダ・ロゼア トワーフ・ラハンダ
	28 葉裏面の毛	観察 成葉裏面の毛の有無	無 有	1 9	フロリバンダ・ロゼア
葉 柄	29 葉柄の長さ	測定 成葉の葉柄の長さ	短 中 長	3 5 7	フロリバンダ・ロゼア セクマリウスハリー
	30 葉柄の色	観察 成葉の葉柄表面の色	淡緑 緑 濃緑 緑褐 紅 紫紅 その他	1 2 3 4 5 6 9	カントリー・レッド フロリバンダ・ロゼア トワーフ・ラハンダ
つ ぼ み	31 つぼみの形	観察 図7参照	球形 円錐形 梯形 洋なし形 その他	1 2 3 4 9	トワーフ・ラハンダ シマリウスハリー ウィーピング・ピオン フロリバンダ・ロゼア
	32 つぼみの着色	観察 つぼみの赤味の着色程度	無 弱 中 強	1 3 5 7	ウィーピング・ピオン トワーフ・ラハンダ ウイリアム・ツアービュー カントリー・レッド
花 房	33 花房のタイプ	観察 最大の花房のタイプ 図8参照	I型 II型 III型 その他	1 2 3 9	セクマリウスハリー フロリバンダ・ロゼア ウィーピング・ピオン
	34 花房の長さ	測定 最大の花房の長さ 図9参照	短 中 長	3 5 7	アスカ系-3 フロリバンダ・ロゼア ウィーピング・ピオン
	35 花房の幅	測定 最大の花房の最大幅 図9参照	狭 中 広	3 5 7	アスカ系-3 フロリバンダ・ロゼア ウィーピング・ピオン
花	36 花のタイプ	観察 一重咲、八重咲の別	一重咲 八重咲 その他	1 2 9	フロリバンダ・ロゼア 赤八重

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
花	37 花の大きさ	測定 満開時の1小花の花径 図10参照	小 2cm以下 中 3-5cm 大 6cm以上	3 5 7	シマリスハナ フロリバンダ・ロゼア オオハナリスハナ
	38 花色変異の出現性	観察 1花房中での異なる花色の出現の有無 (色は付記する)	無 有	1 9	フロリバンダ・ロゼア
	39 退色性	観察 1小花の花色の退色程度	無 弱 中 強	1 3 5 7	ハントリー・レッド フロリバンダ・ロゼア トワイフ・ラバンダ
	40 単色・複色の別	観察 1小花の単色・複色の別 (爪の色は除く)	単色 複色	1 9	フロリバンダ・ロゼア
	41 複色のタイプ	観察	覆輪 絞り ぼかし その他	1 2 3 9	
	42 花弁の色	測定 開花盛期の花弁の色 JHSカラーチャート を用い系統色名を付記 する	白 桃 紅 濃紅 紅紫 紫 その他	1 2 3 4 5 6 9	
	43 複色花の花弁の2次の色	測定 開花盛期の花弁の2次の色 JHSカラーチャート を用い系統色名を付記 する	白 桃 紅 濃紅 紅紫 紫 その他	1 2 3 4 5 6 9	
	44 花弁の爪の色	測定 開花盛期の花弁の爪の色 JHSカラーチャート を用い系統色名を付記 する	白 桃 紅 濃紅 紅紫 紫 その他	1 2 3 4 5 6 9	

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
花	45 花弁の形	観察 花弁の爪を除いた形 図11参照	卵形 へん円形 円形 その他	1 2 3 9	シマリスハナ フロリバンダ・ロゼア
	46 花弁の波打ち	観察 花弁縁の波打ちの程度	無 弱 中 強	1 3 5 7	フロリバンダ・ロゼア
	47 花弁全体の長さ	測定 図12参照	短 1cm以下 中 2-3cm 長 4cm以上	3 5 7	シマリスハナ フロリバンダ・ロゼア
	48 花弁の爪の長さ	測定 図12参照	短 0.5cm以下 中 1-2cm 長 3cm以上	3 5 7	シマリスハナ フロリバンダ・ロゼア
	49 花弁の幅	測定 花弁の最大幅 図12参照	狭 0.5cm以下 中 1-2cm 広 3cm以上	3 5 7	シマリスハナ フロリバンダ・ロゼア
	50 花弁数	測定	少 中 5-8枚 多	3 5 7	フロリバンダ・ロゼア
雌雄ずい	51 花柱の色	観察	淡緑 淡紅 紅 紫紅 淡紫 その他	1 2 3 4 5 9	ウィーピング・ピンク カントリー・レッド トワーフ・ラバンダ
	52 雌ずいの数	測定	少 中 多	3 5 7	フロリバンダ・ロゼア
	53 六強雄ずいの花 糸の色	観察 (雄ずいおよび六強雄 ずいについては図13参 照)	白 淡桃 淡紅 紫紅 淡紫 その他	1 2 3 4 5 9	トワーフ・ラバンダ

重要形質	形 質	調 査 方 法 及 び 定 義	状 態 ・ 区 分	階 級	標 準 種 ・ 品 種 名
雌雄ずい	54 花糸の色	観察 六強雄ずいを除く花糸色	黄白 淡桃 淡紅 淡紫 その他	1 2 3 4 9	トワフ・ラハンダー カントリー・レッド
	55 雄ずいの数	測定	少 中 多	3 5 7	シマリスハナ フロリバンダ・ロゼア
が く	56 がく筒の稜	観察 がく筒部の稜の発達程度 図14参照	無 やや有 有	1 2 3	春日山 トワフ・ラハンダー
	57 小花柄の長さ	測定 開花時の小花柄の長さ	短 中 長	3 5 7	
	58 花数	測定 1花房の小花数	少 中 多	3 5 7	アサ系-3 フロリバンダ・ロゼア ワイピング・ピコ
花の香り 59 花の香り		観察	無 有	1 9	フロリバンダ・ロゼア トワフ・ラハンダー
果 実	60 果実全体の形	観察 成熟果全体の形 図15参照	橢円形 球形 その他	1 2 9	トワフ・ラハンダー フロリバンダ・ロゼア
	61 果実先端の形	観察 成熟果先端の形 図16参照	鈍形 円形 おう形 その他	1 2 3 9	フロリバンダ・ロゼア ワイピング・ピコ
	62 果実基部の形	観察 成熟果基部の形 図17参照	鋭形 円形 心形 その他	1 2 3 9	フロリバンダ・ロゼア トワフ・ラハンダー ワイピング・ピコ
	63 果実の長さ	測定 成熟果の長さ	短 中 長	3 5 7	フロリバンダ・ロゼア オオナリスハナ
	64 果実の幅	測定 成熟果の幅	狭 中 広	3 5 7	シマリスハナ フロリバンダ・ロゼア オオナリスハナ

重要形質	形 質	調 査 方 法 及 び 定 義	状態・区分	階級	標準種・品種名
果 実 65	果実の色	観察 乾燥前の色	淡褐	1	
			褐	2	
			その他	9	
ほう芽期 66	ほう芽期	観察 ほう芽の早晩	早	3	フロリガンダ・ロゼア
			中	5	
			晩	7	
開 花 期 67	開花始期	観察	早	3	
			中	5	
			晩	7	
68	開花期間	観察	短	3	
			中	5	
			長	7	
69	到花樹令の早晩	観察	早	3	トワフ・ラハンダ-
			中	5	
			晩	7	
70	落葉の早晩	観察	早	3	カロライナ・ビューティー
			中	5	
			晩	7	
耐 寒 性 71	耐寒性	観察	弱	3	
			中	5	
			強	7	
耐 暑 性 72	耐暑性	観察	弱	3	
			中	5	
			強	7	
病害 抵抗性	73 病害抵抗性	観察	弱	3	
			中	5	
			強	7	
虫害 抵抗性	74 虫害抵抗性	観察	弱	3	
			中	5	
			強	7	

(2) 特性審査基準 (案) 参考図




図1 樹姿

Fig. 1 Tree type




図2 樹形

Fig. 2 Tree form




図3 節間長

Fig. 3 Internode length




図4 葉身全体の形

Fig. 4 Whole shape of leaf




図5 葉身先端の形

Fig. 5 Shape of leaf apex




図6 葉身基部の形


Fig. 6 Shape of leaf base



1 球形
globose



2 円錐形
conical




3 梯形
trapezoid




4 洋なし形
pear-shaped

図7 つぼみの形


Fig. 7 Shape of flower bud



1 I型
type- I



2 II型
type- II



3 III型
type- III

図8 花房のタイプ

Fig. 8 Type of inflorescence




図9 花房の大きさ

Fig. 9 Size of inflorescence





図10 花の大きさ


Fig. 10 Diameter of a flower



1 卵形
ovate



2 へん円形
oblate



3 円形
rotundate

図11 花弁の形

Fig. 11 Shape of petal




図12 花弁の大きさ

Fig. 12 Size of petal






図13 雄ずいおよび六強雄ずい

Fig. 13 Long and short filaments



1 無
none



2 やや有
slightly developed



3 有
developed

図14 がく筒の稜

Fig. 14 Ridge of calyx tube



1 橢円形
elliptical



2 球形
globose

図15 果実全体の形

Fig. 15 Whole shape of fruit



1 鈍形
obtuse



2 円形
rotundate




3 おう形
emarginate

図16 果実先端の形


Fig. 16 Shape of fruit apex



1 鋭形
acute



2 円形
rotundate



3 心形
cordate

図17 果実基部の形

Fig. 17 Shape of fruit base

CHARACTERISTICS TABLE

Character		Description	Characteristics	Code	Standard cv.
1 Tree type	ob	(observation) see Fig. 1	upright	1	Floribunda Rosea
		Tree type over 5 years under natural conditions	spreading	3	Weeping Pink
			widely spreading	5	
			weeping	7	
			others	9	
2 Tree form	ob	see Fig. 2	elliptical	1	Floribunda Rosea
		Form of tree over 5 years under natural conditions	globose	2	Dwarf Lavender
			others	9	
3 Tree height	ob	Height of tree over 5 years under natural conditions	dwarf under 1m	1	
			low 1-2m	3	Dwarf Lavender
			medium 2-4m	5	Floribunda Rosea
			tall over 4m	7	
4 Type of trunk	ob	Single or much-trunked after 5 years or more under natural conditions	single trunked	1	Floribunda Rosea
			much-trunked	2	Dwarf Lavender
5 Trunk color	ob	Trunk color of flowering time	white	1	
			light brown	2	Floribunda Rosea
			brown	3	
			reddish brown	4	L. fouriei
			others	9	
6 Branch thickness	me	(measurement) Thickness in the middle portion of annual shoot	thin	3	Dwarf Lavender
			medium	5	Floribunda Rosea
			thick	7	
7 Branch color	ob	Branch color of previous year	white	1	
			light brown	2	
			brown	3	
			reddish brown	4	
			others	9	
8 Branch ridge	ob	Ridge of new branches	not obvious	1	L. subcostata
			obvious	9	Carolina Beauty
9 Branching	ob	Density of branching	low	3	L. fouriei
			medium	5	Floribunda Rosea
			high	7	Dwarf Lavender
10 Internode length	me	see Fig. 3 Internode length in the middle portion of a flowering branch	short	3	
			medium	5	Floribunda Rosea
			long	7	

Character		Description	Characteristics	Code	Standard cv.
11 Leaf shape	ob	see Fig. 4	broad lanceolate	1	
		Shape of a mature leaf blade	elliptical	2	
			broad elliptical	3	
			ovate	4	
			obovate	5	
			others	9	
12 Leaf apex	ob	see Fig. 5	acuminate	1	
		Shape of a mature leaf apex	acute	2	
			obtuse	3	
			rotundate	4	
			emarginate	5	
			mucronate	6	
			cuspidate	7	
			others	9	
13 Leaf base	ob	see Fig. 6	acuminate	1	
		Shape of a mature leaf base	acute	2	
			obtuse	3	
			rotundate	4	
			cordate	5	
			others	9	
14 Leaf margin	ob	Serration of mature leaf margins	entire	1	
			others	9	
15 Leaf undulation	ob	Presence of undulation on mature leaf blade	none	1	
			presence	9	
16 Leaf length	me	Length from the apex to the base of a mature leaf	short	3	Asuka-3
			medium	5	Floribunda Rosea
			long	7	L. fouriei
17 Leaf width	me	The maximum width of a mature leaf	narrow	3	Asuka-3
			medium	5	Floribunda Rosea
			wide	7	L. fouriei
18 Leaf thickness	me	Thickness of a mature leaf	thin	3	
			medium	5	Floribunda Rosea
			thick	7	

Character		Description	Characteristics	Code	Standard cv.
19 Immature leaf color	me	JHS color chart Color of a immature leaf surface just after leafing out	yellow green light green green dark green light crimson crimson deep crimson purplish crimson others	1 2 3 4 5 6 7 8 9	
20 Color of mature leaf upperside	ob		yellow green light green green dark green others	1 2 3 4 9	
21 Color of mature leaf underside	ob		yellow green light green green dark green others	1 2 3 4 9	
22 Leaf variegation	ob	Variegation of a mature leaf surface	none variegated	1 9	
23 Variegation pattern	ob	Pattern of variegation on a mature leaf surface	spotted splashed centered margined blotched others	1 2 3 4 5 9	
24 Variegation color	ob	Variegation color of a mature leaf surface	white yellow yellow green reddish others	1 2 3 4 9	
25 Leaf color in autumn	ob	Color of autumnal tints	yellow yellowish orange reddish orange red others	1 2 3 4 9	
26 Leaf gloss	ob	Degree of gloss on a mature leaf surface	weak medium strong	3 5 7	L. fouriei Floribunda roses

Character		Description	Characteristics	Code	Standard cv.
27 Hair on leaf upperside	ob	Presence of hair on a mature leaf upperside	none present	1 9	Floribunda Rosea Dwarf Lavender
28 Hair on leaf underside	ob	Presence of hair on a mature leaf underside	none present	1 9	Floribunda Rosea
29 Petiole length	me	Length of a mature leaf petiole	short medium long	3 5 7	Floribunda Rosea L. fouriei
30 Petiole color	me	Color of a mature leaf petiole	light green green dark green greenish brown crimson purplish crimson others	1 2 3 4 5 6 9	Country Red Floribunda Rosea Dwarf Lavender
31 Shape of flower bud	ob	see Fig. 7	globose conical trapezoid pear-shaped others	1 2 3 4 9	Dwarf Lavender L. subcostata Weeping Pink Floribunda Rosea
32 Coloring of flower bud	ob	Red coloring of flower bud	none weak medium strong	1 3 5 7	Weeping Pink Dwarf Lavender William Toovey Country Red
33 Inflorescence type	ob	see Fig. 8 Type of the largest inflorescence	type-I type-II type-III others	1 2 3 9	L. fouriei Floribunda Rosea Weeping Pink
34 Inflorescence length	me	see Fig. 9 Length of the largest inflorescence	short medium long	3 5 7	Asuka-3 Floribunda Rosea Weeping Pink
35 Inflorescence width	me	see Fig. 9 Width of the largest inflorescence	narrow medium wide	3 5 7	Asuka-3 Floribunda Rosea Weeping Pink
36 Flower type	ob	Type of a floret	single full-double others	1 2 9	Floribunda Rosea Aka-yae

Character		Description	Characteristics	Code	Standard cv.
37 Flower diameter	me	see Fig. 10	small under 2cm	3	L. fouriei
		Floret diameter in full bloom	medium 3-5cm	5	Floribunda Rosea
			large over 6cm	7	L. speciosa
38 Flower color variation	ob	Flower color variation in an inflorescence (Note flower color)	none	1	Floribunda Rosea
			varied	9	
39 Flower color fading	ob	Degree of color fading of a floret	none	1	Country Red
			weak	3	Floribunda Rosea
			medium	5	Dwarf Lavender
			strong	7	
40 Type of flower color	ob	Type of a floret color (Except for color of petal claw)	unicolored	1	Floribunda Rosea
			multicolored	9	
41 Multicolor pattern	ob		marginied	1	
			splashed	2	
			shaded	3	
			others	9	
42 Ground color of petal	me	JHS color chart	white	1	
		Ground color of petal surface in full bloom	pink	2	
			crimson	3	
			deep crimson	4	
			purplish crimson	5	
			purple	6	
			others	9	
43 Secondary color of petal	me	JHS color chart	white	1	
		Secondary color of petal surface in full bloom	pink	2	
			crimson	3	
			deep crimson	4	
			purplish crimson	5	
			purple	6	
			others	9	
44 Color of petal claw	me	JHS color chart	white	1	
		Color of petal claw in full bloom	pink	2	
			crimson	3	
			deep crimson	4	
			purplish crimson	5	
			purple	6	
			others	9	

Character		Description	Characteristics	Code	Standard cv.
45 Petal shape	ob	see Fig. 11 Shape of a petal (Except for petal claw)	ovate oblate rotundate others	1 2 3 9	L. subcostata Floribunda Rosea
46 Petal frill	ob	Degree of frills on a petal margin	none weak medium strong	1 3 5 7	Floribunda Rosea
47 Whole length of petal	me	see Fig. 12	short under 1cm medium 2-3cm long over 4cm	3 5 7	L. subcostata Floribunda Rosea
48 Length of petal claw	me	see Fig. 12	short under 5mm medium 10-20mm long over 30mm	3 5 7	L. subcostata Floribunda Rosea
49 Petal width	me	see Fig. 12 The maximum width of petal	narrow under 5mm medium 10-20mm wide over 30mm	3 5 7	L. subcostata Floribunda Rosea
50 Number of petals	me	Number of petals in a floret	few medium 5-8 many	3 5 7	Floribunda Rosea
51 Style color	ob		light green light crimson crimson purplish crimson light purple others	1 2 3 4 5 9	Weeping Pink Country Red Dwarf Lavender
52 Number of pistils	me	Number of pistils in a floret	few medium many	3 5 7	Floribunda Rosea
53 Color of long filaments	ob	see Fig. 13	white light pink light crimson purplish crimson light purple others	1 2 3 4 5 9	Dwarf Lavender

Character		Description	Characteristics	Code	Standard cv.
54 Color of short filaments	ob		yellowish white	1	Dwarf Lavender
			light pink	2	Country Red
			light crimson	3	
			light purple	4	
			others	9	
55 Number of stamens	me	Number of stamens in a floret	few	3	L. subcostata
			medium	5	Floribunda Rosea
			many	7	
56 Calyx tube ridge	ob	see Fig. 14 Presence of ridge on the calyx tube	none	1	
			slightly devel.	2	Kasugayama
			developed	3	Dwarf Lavender
57 Pedicel length	me	Length of a floret pedicel	short	3	
			medium	5	
			long	7	
58 Number of flowers	me	Number of florets in an inflorescence	few	3	Asuka-3
			medium	5	Floribunda Rosea
			many	7	Weeping Pink
59 Fragrance	ob	Presence of fragrance	absent	1	Floribunda Rosea
			present	9	Dwarf Lavender
60 Fruit shape	ob	see Fig. 15 Whole shape of a mature fruit	elliptical	1	Dwarf Lavender
			globose	2	Floribunda Rosea
			others	9	
61 Fruit apex	ob	see Fig. 16 Shape of a mature fruit apex	obtuse	1	
			rotundate	2	Floribunda Rosea
			emarginate	3	Weeping Pink
			others	9	
62 Fruit base	ob	see Fig. 17 Shape of a mature fruit base	acute	1	
			rotundate	2	
			cordate	3	
			others	9	
63 Fruit length	me	Length of a mature fruit	short	3	
			medium	5	Floribunda Rosea
			long	7	L. speciosa
64 Fruit width	me	Width of a mature fruit	narrow	3	L. subcostata
			medium	5	Floribunda Rosea
			wide	7	L. speciosa

Character		Description	Characteristics	Code	Standard cv.
65 Fruit color	ob	Color of fruit before drying	light brown	1	
			brown	2	
			others	9	
66 Sprouting time	ob	Earliness of sprouting time	early	3	Floribunda Rosea
			medium	5	
			late	7	
67 Flowering time	ob	Earliness of flowering time	early	3	
			medium	5	
			late	7	
68 Flowering period	ob		short	3	
			medium	5	
			long	7	
69 Time to the first flowering	ob		early	3	Dwarf Lavender
			medium	5	
			late	7	Calorina Beauty
70 Earliness of leaf falling	ob		early	3	
			medium	5	
			late	7	
71 Cold hardiness	ob		weak	3	
			medium	5	
			strong	7	
72 Heat tolerance	ob		weak	3	
			medium	5	
			strong	7	
73 Pest resistance	ob		weak	3	
			medium	5	
			strong	7	
74 Disease resistance	ob		weak	3	
			medium	5	
			strong	7	

4. 特性検定のための栽培試験方法

品種の特性は樹令や栽培条件によって変化することがあるので、原則として次のような栽培条件下のものを対象とすること

- (1) 地植えにされた樹令5年生前後の正常に生育したもの
- (2) 生育調整剤による処理の行われていないもの
- (3) 1品種10個体以上で比較観察し、測定値はその平均値とする