

家きん農場における飼養衛生管理基準の遵守状況(平成26年11月28日時点)

畜種・用途・飼養規模別

回答都道府県数 47/47

家きんの種類	飼養羽数	農場数 (①+②+③)	②指導を行った農場数				③未確認の農場数
			①指導が不要であった農場数		うち、改善済	うち、指導中	
採卵鶏	>1000	2,884	1,850 64.1%	1,024 35.5%	316 11.0%	708 24.5%	10 0.3%
	100-1000	1,292	644 49.8%	625 48.4%	201 15.6%	424 32.8%	23 1.8%
肉用鶏	>1000	3,382	2,753 81.4%	620 18.3%	283 8.4%	337 10.0%	9 0.3%
	100-1000	166	99 59.6%	65 39.2%	26 15.7%	39 23.5%	2 1.2%
鶏(卵用種鶏)	>1000	140	129 92.1%	10 7.1%	6 4.3%	4 2.9%	1 0.7%
	100-1000	2	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
鶏(肉用種鶏)	>1000	481	409 85.0%	70 14.6%	40 8.3%	30 6.2%	2 0.4%
	100-1000	10	8 80.0%	2 20.0%	1 10.0%	1 10.0%	0 0.0%
あひる	>1000	35	19 54.3%	15 42.9%	6 17.1%	9 25.7%	1 2.9%
	100-1000	35	11 31.4%	22 62.9%	9 25.7%	13 37.1%	2 5.7%
うずら	>1000	47	37 78.7%	10 21.3%	1 2.1%	9 19.1%	0 0.0%
	100-1000	5	5 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
きじ	>1000	22	17 77.3%	5 22.7%	3 13.6%	2 9.1%	0 0.0%
	100-1000	45	25 55.6%	19 42.2%	6 13.3%	13 28.9%	1 2.2%
ほろほろ鳥	>1000	2	1 50.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%
	100-1000	3	2 66.7%	1 33.3%	1 33.3%	0 0.0%	0 0.0%
七面鳥	>1000	0	0 -	0 -	0 -	0 -	0 -
	100-1000	7	3 42.9%	4 57.1%	4 57.1%	0 0.0%	0 0.0%
だちょう	>10	39	19 48.7%	18 46.2%	3 7.7%	15 38.5%	2 5.1%
合計		8,597	6,033 70.2%	2,510 29.2%	906 10.5%	1,604 18.7%	54 0.6%

家畜農場における飼養衛生管理基準の遵守状況(平成26年11月28日時点)

都道府県別

回答都道府県数 47/47

		農場数 (①+②+③)	①指導が不要であった農場数	②指導を行った農場数	うち、指導中		③未確認の農場数
					うち、改善済	うち、指導中	
01	北海道	235	199	36	31	5 2.1%	0
02	青森	168	148	20	19	1 0.6%	0
03	岩手	521	486	12	12	0 0.0%	23
04	宮城	147	82	65	65	0 0.0%	0
05	秋田	155	134	21	17	4 2.6%	0
06	山形	106	59	47	20	27 25.5%	0
07	福島	179	119	60	46	14 7.8%	0
08	茨城	280	114	166	4	162 57.9%	0
09	栃木	139	99	40	34	6 4.3%	0
10	群馬	183	100	83	37	46 25.1%	0
11	埼玉	174	105	67	34	33 19.0%	2
12	千葉	277	184	74	8	66 23.8%	19
13	東京	37	4	33	1	32 86.5%	0
14	神奈川	80	35	45	6	39 48.8%	0
15	新潟	132	97	35	27	8 6.1%	0
16	富山	27	16	10	0	10 37.0%	1
17	石川	30	14	16	0	16 53.3%	0
18	福井	37	15	22	0	22 59.5%	0
19	山梨	62	21	40	27	13 21.0%	1
20	長野	112	103	8	7	1 0.9%	1
21	岐阜	161	91	70	59	11 6.8%	0
22	静岡	156	110	43	3	40 25.6%	3
23	愛知	313	244	69	3	66 21.1%	0
24	三重	137	86	50	9	41 29.9%	1
25	滋賀	59	5	54	1	53 89.8%	0
26	京都	82	47	35	24	11 13.4%	0
27	大阪	31	22	9	2	7 22.6%	0
28	兵庫	220	176	44	20	24 10.9%	0
29	奈良	55	10	45	1	44 80.0%	0
30	和歌山	77	53	24	8	16 20.8%	0
31	鳥取	86	34	52	39	13 15.1%	0
32	島根	39	21	18	11	7 17.9%	0
33	岡山	177	104	73	2	71 40.1%	0
34	広島	118	91	27	12	15 12.7%	0
35	山口	116	59	57	30	27 23.3%	0
36	徳島	262	157	105	0	105 40.1%	0
37	香川	205	167	38	38	0 0.0%	0
38	愛媛	158	114	44	25	19 12.0%	0
39	高知	89	24	65	7	58 65.2%	0
40	福岡	192	95	97	29	68 35.4%	0
41	佐賀	158	123	35	32	3 1.9%	0
42	長崎	164	141	22	4	18 11.0%	1
43	熊本	222	101	120	22	98 44.1%	1
44	大分	186	111	75	1	74 39.8%	0
45	宮崎	991	913	78	50	28 2.8%	0
46	鹿児島	946	729	217	47	170 18.0%	0
47	沖縄	116	71	44	32	12 10.3%	1
合計		8,597	6,033	2,510	906	1,604 18.7%	54

○ 家きん農場における飼養衛生管理基準の遵守状況の確認結果（平成26年11月28日時点）

▶ 全国集計

項目	鶏（採卵用）		鶏（肉用）		鶏（卵用種鶏）		鶏（肉用種鶏）	
	1,000 ≤	100 - 1,000	1,000 ≤	100 - 1,000	1,000 ≤	100 - 1,000	1,000 ≤	100 - 1,000
1 防疫に関する情報の把握	100.0%	99.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
2 (1) 衛生管理区域の設定	99.8%	98.6%	99.9%	100.0%	100.0%	100.0%	100.0%	100.0%
(2) 衛生管理区域の境界の明瞭化	98.2%	94.6%	99.7%	99.4%	100.0%	100.0%	100.0%	100.0%
3 人・車両の入場制限	98.0%	94.1%	99.5%	97.0%	100.0%	100.0%	100.0%	100.0%
4 (1) 車両用消毒薬の常設	94.2%	86.9%	98.6%	90.9%	100.0%	100.0%	99.8%	100.0%
(2) 車両消毒の実施	93.4%	86.5%	98.4%	91.5%	100.0%	100.0%	99.8%	100.0%
(3) 排せつ物運搬時の車両消毒（※）	91.8%	87.5%	96.0%	89.6%	99.3%	100.0%	99.0%	100.0%
(4) 排せつ物運搬時の飛散防止対策（※）	94.6%	90.6%	98.4%	91.5%	100.0%	100.0%	99.6%	100.0%
5 (1) 立入者用の消毒薬の常設	96.0%	88.3%	99.3%	95.7%	100.0%	100.0%	99.8%	100.0%
(2) 立入者の消毒の実施	94.7%	87.5%	99.1%	96.3%	100.0%	100.0%	99.2%	100.0%
6 (1) 衛生管理区域専用の衣服・靴の着用	97.1%	91.8%	99.1%	98.8%	100.0%	100.0%	100.0%	100.0%
(2) 家きん舎ごとの専用の靴の着用	89.3%	87.1%	96.0%	93.3%	100.0%	100.0%	99.4%	100.0%
(3) 適切な方法による衣服・靴の着用（※）	92.6%	85.2%	97.6%	90.2%	100.0%	100.0%	99.8%	100.0%
7 立入者の渡航歴等の確認及び入場制限	99.4%	98.7%	99.9%	100.0%	100.0%	100.0%	100.0%	100.0%
8 他の畜産施設等での使用物品の洗浄・消毒	99.7%	99.1%	99.9%	100.0%	100.0%	100.0%	100.0%	100.0%
9 海外使用物品の持ち込み制限	99.6%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
10 (1) 給餌施設への排泄物混入防止対策	99.0%	96.5%	100.0%	99.4%	99.3%	100.0%	100.0%	100.0%
(2) 給水施設への排泄物混入防止対策	98.4%	97.1%	99.7%	97.0%	100.0%	100.0%	99.8%	100.0%
(3) 飼料保管場所への排泄物混入防止対策	99.4%	96.8%	100.0%	99.4%	100.0%	100.0%	100.0%	100.0%
11 飲用に適した水の給与	99.4%	96.8%	99.7%	98.8%	100.0%	100.0%	99.2%	100.0%
12 (1) 衛生管理区域への野生動物侵入対策（※）	62.1%	73.8%	76.3%	81.7%	70.5%	0.0%	82.0%	90.0%
(2) 家きん舎への野生動物侵入対策	96.2%	94.7%	99.4%	97.0%	99.3%	100.0%	99.8%	100.0%
(3) 侵入対策設備の破損箇所の定期的確認及び修繕	95.1%	94.7%	99.2%	95.7%	100.0%	100.0%	100.0%	100.0%
(4) 排せつ物処理施設への野生動物侵入対策（※）	73.4%	85.6%	93.5%	94.5%	87.8%	100.0%	93.9%	100.0%
13 (1) 家きん舎の破損箇所の修繕	97.2%	97.2%	99.6%	97.6%	100.0%	100.0%	100.0%	100.0%
(2) 家きん舎のねずみ・害虫の駆除	98.6%	94.2%	99.6%	98.2%	100.0%	100.0%	100.0%	100.0%
14 家きん舎・器具の清掃又は消毒	98.9%	96.1%	99.9%	98.8%	100.0%	100.0%	100.0%	100.0%
15 空の家きん舎・ケージの清掃及び消毒	98.5%	95.4%	99.8%	98.8%	100.0%	100.0%	100.0%	100.0%
16 適切な密度での飼養	99.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
17 家畜保健衛生所への連絡体制の確保	100.0%	99.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
18 家きんの異状時の獣医師の診療・指導	99.5%	97.9%	100.0%	100.0%	99.3%	100.0%	100.0%	100.0%
19 毎日の家きんの健康観察	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	99.4%	100.0%
20 (1) 導入元の疾病発生状況等の確認	99.9%	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
(2) 導入家きんの隔離の実施	98.4%	96.9%	99.8%	98.8%	100.0%	100.0%	99.8%	100.0%
21 移動前の健康状態の確認	99.6%	99.5%	99.9%	99.4%	100.0%	100.0%	99.8%	100.0%
22 埋却・焼却・化製処理の準備	96.6%	98.7%	97.8%	97.6%	98.6%	100.0%	96.0%	90.0%
23 (1) 立入時の記帳等の周知（※）	75.3%	76.5%	86.5%	81.1%	90.6%	0.0%	91.0%	100.0%
(2) 立入時の記帳等の実施及び帳簿の保管	96.1%	91.1%	98.4%	93.3%	99.3%	100.0%	99.8%	100.0%
24 獣医師による定期指導	99.8%	100.0%	100.0%	100.0%	99.3%	100.0%	100.0%	100.0%
25 従業員による通報体制の確保	99.8%	99.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
立入農場数	2874	1269	3373	164	139	2	479	10

注1 数値（％）は立入農場数に対する遵守農場率

注2 ※の項目は、飼養衛生管理基準に規定されていないが、飼養衛生管理の上で有効なもの