

# 食品中の放射性セシウム濃度の検査結果 (平成23～令和元年度) ○年度別、品目等別、都県別の解析結果

1. 検査点数	・・・ 1
2. 検査結果	
【栽培/飼養管理が可能な品目群】	・・・ 4
(1) 野菜類・いも類	・・・ 7
(2) 果実類・種実類	・・・ 10
(3) 米 (福島県等が実施した全袋検査の結果は含まない。)	・・・ 13
(4) 麦類	・・・ 16
(5) 豆類・雑穀類	・・・ 19
(6) 肉類 (野生鳥獣の肉類は除く。)	・・・ 22
(7) 卵類	・・・ 25
(8) 原乳	・・・ 28
(9) 茶 (飲用状態)	・・・ 31
(10) 菌床きのこ類 (栽培)	・・・ 34
(11) 山菜類等 (栽培)	・・・ 37
(12) 原木きのこ類 (栽培)	・・・ 40
【栽培/飼養管理が困難な品目群】	・・・ 43
(13) きのこ類 (野生)	・・・ 46
(14) 山菜類等 (野生) (野生の野菜類を含む。)	・・・ 49
(15) 野生鳥獣の肉類	・・・ 52
(16) 水産物 (海産)	・・・ 55
(17) 水産物 (淡水産)	・・・ 58
(18) はちみつ	・・・ 61
【その他】	
(19) 加工品等	・・・ 64





産地	検査 年度	【栽培/飼養管理が可能な品目群】											原木 きのこ の二類 (栽培)	【栽培/飼養管理が困難な品目群】							【その他】 加工品 等	合計	
		野菜類・ いも類	果実類・ 種実類	米	麦類	豆類・ 雑穀類	肉類	卵類	原乳	茶 (飲用状態)	菌床 きのこ の二類 (栽培)	山菜類 等 (栽培)		計	きのこ 類 (野生)	山菜類 等 (野生)	野生 鳥獣 の肉類	水産物		はち みつ			計
																		(海産)	(淡水産)				
新潟県	H23	0	0	0	0	0	380	0	72	-	0	0	452	0	24	0	0	0	12	0	36	2	490
	H24	3	3	0	0	0	2,181	0	104	0	82	0	2,373	3	1	8	17	0	19	0	45	0	2,421
	H25	32	61	74	2	18	3,197	0	104	3	172	0	3,663	12	28	126	49	0	21	0	224	0	3,899
	H26	17	53	74	2	18	2,749	0	103	3	139	0	3,158	8	30	120	74	2	21	0	247	0	3,413
	H27	15	55	73	2	18	2,132	0	102	3	122	0	2,522	8	28	134	17	0	8	0	187	0	2,717
	H28	14	53	74	2	18	2,146	0	102	3	126	0	2,538	5	33	144	20	0	6	0	203	0	2,746
	H29	0	0	74	0	0	2,276	0	8	0	34	0	2,392	4	29	119	10	0	0	0	158	0	2,554
	H30	0	0	74	0	0	2,452	0	0	0	0	0	2,526	7	45	107	5	0	0	0	157	0	2,690
	R1	0	0	71	0	0	2,875	0	0	0	0	0	2,946	7	37	110	13	0	0	0	160	0	3,113
山梨県	H23	6	15	51	2	4	17	0	0	-	0	0	95	7	20	1	8	0	9	0	38	7	147
	H24	35	37	48	2	3	220	0	27	3	6	0	381	15	43	24	10	0	55	0	132	3	531
	H25	40	37	48	2	3	185	0	25	3	11	0	354	15	126	28	15	0	53	0	222	0	591
	H26	35	25	40	2	3	187	0	6	1	0	0	299	9	81	13	0	0	6	0	100	0	408
	H27	21	25	19	2	3	598	0	6	1	0	0	675	2	62	12	18	0	2	0	94	0	771
	H28	12	11	6	2	2	648	0	6	1	0	0	688	2	77	10	15	0	0	0	102	0	792
	H29	0	4	1	0	0	712	0	0	0	0	0	717	4	66	14	15	0	0	0	95	0	816
	H30	0	4	1	1	0	587	0	0	0	0	0	593	2	50	8	15	0	0	0	73	0	668
	R1	0	4	1	1	0	598	0	0	0	0	0	604	1	39	11	15	0	0	0	65	0	670
長野県	H23	108	63	68	2	20	4,930	4	21	-	0	5	5,221	517	64	1	19	0	11	2	97	4	5,839
	H24	168	89	78	7	17	8,059	0	44	2	7	0	8,471	19	85	17	39	養殖(3)	68	4	216	8	8,714
	H25	58	32	29	7	9	8,830	0	28	0	0	4	8,997	8	76	30	51	0	3	0	160	6	9,171
	H26	30	21	29	4	8	8,539	0	22	0	6	1	8,660	23	176	112	33	0	0	0	321	2	9,006
	H27	31	20	29	4	8	8,754	0	24	0	1	0	8,871	8	175	65	36	0	0	0	276	1	9,156
	H28	27	15	10	4	5	8,967	0	11	0	0	0	9,039	1	37	34	41	0	0	0	112	1	9,153
	H29	0	0	0	0	0	7,767	0	0	0	0	0	7,767	0	12	17	443	0	0	0	472	0	8,239
	H30	0	0	0	0	0	8,162	0	0	0	0	0	8,162	0	26	10	389	0	0	0	425	0	8,587
	R1	0	0	0	0	0	7,858	0	0	0	0	0	7,858	2	8	7	511	0	0	0	526	0	8,386
静岡県	H23	31	11	5	2	4	1,000	4	9	-	0	0	1,066	8	0	2	3	13	1	0	19	103	1,196
	H24	36	15	5	2	4	898	4	23	151	0	1	1,139	12	11	2	0	14	4	0	31	12	1,194
	H25	25	15	4	2	4	1,486	4	12	61	0	1	1,614	13	19	14	3	13	0	0	49	27	1,703
	H26	23	7	3	2	0	1,351	2	1	19	0	2	1,410	12	18	5	3	14	0	0	40	12	1,474
	H27	19	7	3	2	0	1,596	2	1	19	0	2	1,651	12	15	5	3	9	0	0	32	12	1,707
	H28	18	7	3	2	0	1,206	2	1	16	0	0	1,255	11	18	5	3	34	0	0	60	12	1,338
	H29	0	0	0	0	0	1,433	0	0	19	0	0	1,452	5	16	5	1	6	0	0	28	15	1,500
	H30	0	0	0	0	0	1,271	0	0	0	0	0	1,271	20	18	5	9	9	0	0	41	20	1,352
	R1	0	0	0	0	0	1,145	0	0	0	0	0	1,145	12	8	5	9	0	0	0	22	17	1,196





産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
									点数	割合 (%)	点数				割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	
新潟県	H23	380	50	50	380	100%	-	-	0	25	50	-	-	-	380	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	2,269	1.9	50	2,264	99.8%	4.6	14	0	13	27	-	-	-	2,269	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	3,556	2.1	25	3,552	99.9%	3.5	18	0.010	12	23	-	-	-	3,556	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	3,052	4.5	25	3,049	99.9%	4.5	28	0.012	12	23	-	-	-	3,051	99.97%	1	0.03%	0	0%	0	0%	0	0%	0	0%
	H27	2,417	3.5	25	2,415	99.9%	4.5	6.6	0.0046	11	23	-	-	-	2,417	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2,433	3.2	27	2,432	99.96%	3.2	3.2	0.0013	11	23	-	-	-	2,433	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	2,384	4.8	25	2,384	100%	-	-	0	12	24	-	-	-	2,384	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	2,526	5.3	25	2,526	100%	-	-	0	12	24	-	-	-	2,526	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	2,946	5.2	25	2,946	100%	-	-	0	12	25	-	-	-	2,946	100%	0	0%	0	0%	0	0%	0	0%	0	0%
山梨県	H23	95	2.0	20	95	100%	-	-	0	4.3	8.7	-	-	-	95	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	351	1.2	50	348	99%	4.0	31	0.11	8.2	16	-	-	-	350	99.7%	1	0.3%	0	0%	0	0%	0	0%	0	0%
	H25	326	1.2	25	317	97%	1.7	20	0.22	7.8	15	-	-	-	326	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	292	1.5	25	292	100%	-	-	0	8.5	17	-	-	-	292	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	668	0.94	25	668	100%	-	-	0	11	23	-	-	-	668	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	681	1.3	25	681	100%	-	-	0	12	24	-	-	-	681	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	717	1.6	25	717	100%	-	-	0	12	25	-	-	-	717	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	593	1.5	25	593	100%	-	-	0	12	25	-	-	-	593	100%	0	0%	0	0%	0	0%	0	0%	0	0%
R1	604	1.1	25	604	100%	-	-	0	12	25	-	-	-	604	100%	0	0%	0	0%	0	0%	0	0%	0	0%	
長野県	H23	5,200	4.0	50	5,198	99.96%	54	82	0.026	24	49	-	-	-	5,198	99.96%	0	0%	1	0.02%	1	0.02%	0	0%	0	0%
	H24	8,425	2.3	50	8,422	99.96%	13	39	0.0094	13	26	-	-	-	8,423	99.98%	2	0.02%	0	0%	0	0%	0	0%	0	0%
	H25	8,969	6.5	25	8,969	100%	-	-	0	12	25	-	-	-	8,969	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	8,638	5.6	25	8,627	99.9%	7.4	9.9	0.011	12	25	-	-	-	8,638	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	8,847	7.6	25	8,847	100%	-	-	0	12	25	-	-	-	8,847	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	9,028	5.0	25	9,028	100%	-	-	0	12	25	-	-	-	9,028	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	7,767	16	25	7,767	100%	-	-	0	12	25	-	-	-	7,767	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	8,162	20	25	8,162	100%	-	-	0	12	25	-	-	-	8,162	100%	0	0%	0	0%	0	0%	0	0%	0	0%
R1	7,858	20	25	7,858	100%	-	-	0	12	25	-	-	-	7,858	100%	0	0%	0	0%	0	0%	0	0%	0	0%	
静岡県	H23	1,057	0.015	50	649	61%	0.015	191	11	19	28	-	36	-	889	84%	118	11%	27	2.6%	17	1.6%	6	0.6%		
	H24	965	0.011	50	948	98%	0.011	33	0.053	11	21	-	-	-	964	99.9%	1	0.1%	0	0%	0	0%	0	0%	0	0%
	H25	1,541	0.0059	25	1,535	99.6%	0.0059	5.1	0.0037	12	24	-	-	-	1,541	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	1,390	0.015	25	1,387	99.8%	0.015	0.024	0.000043	12	24	-	-	-	1,390	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	1,631	2.2	25	1,631	100%	-	-	0	12	24	-	-	-	1,631	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	1,238	1.7	25	1,238	100%	-	-	0	12	24	-	-	-	1,238	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	1,433	25	25	1,433	100%	-	-	0	13	25	-	-	-	1,433	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	1,271	25	25	1,271	100%	-	-	0	13	25	-	-	-	1,271	100%	0	0%	0	0%	0	0%	0	0%	0	0%
R1	1,145	25	25	1,145	100%	-	-	0	13	25	-	-	-	1,145	100%	0	0%	0	0%	0	0%	0	0%	0	0%	



















産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	74	5.7	8.6	74	100%	-	-	0	3.5	7.0	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	74	5.4	7.9	74	100%	-	-	0	3.3	6.6	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	73	4.8	7.9	73	100%	-	-	0	3.4	6.8	-	-	-	73	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	74	5.2	8.1	74	100%	-	-	0	3.4	6.8	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	74	5.1	8.5	74	100%	-	-	0	3.4	6.7	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	74	5.3	8.4	74	100%	-	-	0	3.4	6.7	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	71	5.2	8.2	71	100%	-	-	0	3.4	6.9	-	-	-	71	100%	0	0%	0	0%	0	0%	0	0%	0	0%
山梨県	H23	51	2.0	2.0	51	100%	-	-	0	3.6	7.2	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	48	1.9	2.8	48	100%	-	-	0	1.1	2.3	-	-	-	48	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	48	2.4	3.6	48	100%	-	-	0	1.5	3.0	-	-	-	48	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	40	2.5	3.7	40	100%	-	-	0	1.6	3.2	-	-	-	40	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	19	1.8	3.6	19	100%	-	-	0	1.4	2.8	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	6	1.4	1.9	6	100%	-	-	0	0.84	1.7	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	1	1.9	1.9	1	100%	-	-	0	1.0	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	1	1.7	1.7	1	100%	-	-	0	0.9	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
R1	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	
長野県	H23	68	20	40	68	100%	-	-	0	11	23	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	78	4.2	8.1	78	100%	-	-	0	3.0	5.9	-	-	-	78	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	29	6.5	10	29	100%	-	-	0	4.1	8.2	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	29	5.6	8.5	29	100%	-	-	0	3.5	7.0	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	29	7.6	11	29	100%	-	-	0	4.7	9.4	-	-	-	29	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	10	7.6	13	10	100%	-	-	0	5.3	11	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
静岡県	H23	5	0.077	20	3	60%	0.077	0.137	0.043	6.0	12	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	5	0.051	3.5	5	100%	-	-	0	0.84	1.7	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	4	0.039	3.0	4	100%	-	-	0	1.1	2.1	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	3	2.3	3.0	3	100%	-	-	0	1.4	2.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	3	2.7	3.0	3	100%	-	-	0	1.4	2.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	3	2.8	3.3	3	100%	-	-	0	1.5	3.0	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	







産地	検査年度	検査 点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)													
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過					
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)				
新潟県	H23	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	H24	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	H25	2	7.2	8.3	2	100%	—	—	0	3.9	7.8	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	2	6.9	7.5	2	100%	—	—	0	3.6	7.2	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	2	6.2	7.2	2	100%	—	—	0	3.4	6.7	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2	5.8	6.8	2	100%	—	—	0	3.2	6.3	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	H30	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	R1	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨県	H23	2	3.0	3.0	2	100%	—	—	0	1.5	3.0	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	2	2.3	2.4	2	100%	—	—	0	1.2	2.4	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	2	1.7	2.4	2	100%	—	—	0	1.0	2.1	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	2	1.8	2.2	2	100%	—	—	0	1.0	2.0	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	2	1.9	2.3	2	100%	—	—	0	1.1	2.1	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2	1.7	1.9	2	100%	—	—	0	0.90	1.8	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	H30	1	1.9	1.9	1	100%	—	—	0	1.0	1.9	—	—	—	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	1	1.7	1.7	1	100%	—	—	0	0.85	1.7	—	—	—	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
長野県	H23	2	20	20	2	100%	—	—	0	10	20	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	7	3.4	4.2	7	100%	—	—	0	1.9	3.9	—	—	—	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	7	9.5	11	7	100%	—	—	0	5.3	11	—	—	—	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	4	7.4	8.1	2	50%	7.4	7.7	3.8	5.8	7.8	—	—	—	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	4	9.2	9.9	4	100%	—	—	0	4.8	9.5	—	—	—	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	4	9.1	12	4	100%	—	—	0	5.2	10	—	—	—	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	H30	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	R1	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
静岡県	H23	2	—	—	0	0%	7.0	11	9.0	9.0	9.0	9.0	—	2.8	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	2	2.8	3.0	2	100%	—	—	0	1.5	2.9	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	2	3.0	3.6	2	100%	—	—	0	1.7	3.3	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	2	3.7	3.8	2	100%	—	—	0	1.9	3.8	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	2	3.1	3.3	2	100%	—	—	0	1.6	3.2	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2	2.7	3.4	2	100%	—	—	0	1.5	3.1	—	—	—	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	H30	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	R1	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—





産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H25	18	6.5	9.6	18	100%	-	-	0	3.9	7.8	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	18	6.2	9.6	18	100%	-	-	0	3.9	7.7	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	18	5.0	8.8	18	100%	-	-	0	3.4	6.7	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	18	5.3	9.2	18	100%	-	-	0	3.5	7.0	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
山梨県	H23	4	3.0	4.0	4	100%	-	-	0	1.9	3.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	3	2.2	2.8	3	100%	-	-	0	1.3	2.5	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	3	2.1	3.2	3	100%	-	-	0	1.3	2.6	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	3	2.5	2.8	3	100%	-	-	0	1.3	2.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	3	2.0	2.6	3	100%	-	-	0	1.2	2.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2	2.1	2.4	2	100%	-	-	0	1.1	2.3	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
長野県	H23	20	20	40	20	100%	-	-	0	20	39	-	-	-	20	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	17	5.5	8.9	17	100%	-	-	0	3.8	7.6	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	9	7.3	10	9	100%	-	-	0	4.4	8.8	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	8	7.8	9.8	8	100%	-	-	0	4.2	8.4	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	8	8.8	11	8	100%	-	-	0	5.0	10	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	5	8.5	11	5	100%	-	-	0	5.1	10	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
静岡県	H23	4	4.0	5.0	2	50%	5.0	14	4.8	5.9	7.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	4	2.9	4.2	2	50%	2.9	13	4.0	5.0	6.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	4	3.6	5.2	3	75%	5.1	5.1	1.3	3.0	4.7	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-







産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	380	50	50	380	100%	-	-	0	25	50	-	-	-	380	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	2,181	1.9	50	2,178	99.9%	13	14	0	14	28	-	-	-	2,181	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	3,197	4.4	25	3,197	100%	-	-	0	12	25	-	-	-	3,197	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	2,749	4.7	25	2,748	99.96%	28	28	0.010	12	25	-	-	-	2,748	99.96%	1	0.04%	0	0%	0	0%	0	0%	0	0%
	H27	2,132	5.1	25	2,132	100%	-	-	0	12	25	-	-	-	2,132	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2,146	5.8	27	2,146	100%	-	-	0	12	25	-	-	-	2,146	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	2,276	18	25	2,276	100%	-	-	0	12	25	-	-	-	2,276	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	2,452	25	25	2,452	100%	-	-	0	13	25	-	-	-	2,452	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	2,875	25	25	2,875	100%	-	-	0	13	25	-	-	-	2,875	100%	0	0%	0	0%	0	0%	0	0%	0	0%
山梨県	H23	17	4.0	40	17	100%	-	-	0	2.0	4.0	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	220	1.4	50	220	100%	-	-	0	12	24	-	-	-	220	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	185	1.6	25	185	100%	-	-	0	12	25	-	-	-	185	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	187	25	25	187	100%	-	-	0	13	25	-	-	-	187	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	598	20	25	598	100%	-	-	0	12	25	-	-	-	598	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	648	25	25	648	100%	-	-	0	13	25	-	-	-	648	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	712	20	25	712	100%	-	-	0	12	25	-	-	-	712	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	587	25	25	587	100%	-	-	0	13	25	-	-	-	587	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	598	25	25	598	100%	-	-	0	13	25	-	-	-	598	100%	0	0%	0	0%	0	0%	0	0%	0	0%
長野県	H23	4,930	4.0	50	4,930	100%	-	-	0	25	50	-	-	-	4,930	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	8,059	4.6	50	8,056	99.96%	13	39	0.010	13	27	-	-	-	8,057	99.98%	2	0.02%	0	0%	0	0%	0	0%	0	0%
	H25	8,830	25	25	8,830	100%	-	-	0	13	25	-	-	-	8,830	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	8,539	25	25	8,539	100%	-	-	0	13	25	-	-	-	8,539	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	8,754	16	25	8,754	100%	-	-	0	12	25	-	-	-	8,754	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	8,967	13	25	8,967	100%	-	-	0	12	25	-	-	-	8,967	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	7,767	16	25	7,767	100%	-	-	0	12	25	-	-	-	7,767	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	8,162	20	25	8,162	100%	-	-	0	12	25	-	-	-	8,162	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	7,858	20	25	7,858	100%	-	-	0	12	25	-	-	-	7,858	100%	0	0%	0	0%	0	0%	0	0%	0	0%
静岡県	H23	1,000	2.0	50	614	61%	2.0	191	12	20	29	-	37	-	832	83%	118	12%	27	2.7%	17	1.7%	6	0.6%		
	H24	898	1.9	50	897	99.9%	33	33	0.037	11	23	-	-	-	897	99.9%	1	0.1%	0	0%	0	0%	0	0%	0	0%
	H25	1,486	2.2	25	1,486	100%	-	-	0	12	25	-	-	-	1,486	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	1,351	2.3	25	1,351	100%	-	-	0	12	25	-	-	-	1,351	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	1,596	2.6	25	1,596	100%	-	-	0	12	25	-	-	-	1,596	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	1,206	2.2	25	1,206	100%	-	-	0	12	25	-	-	-	1,206	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	1,433	25	25	1,433	100%	-	-	0	13	25	-	-	-	1,433	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	1,271	25	25	1,271	100%	-	-	0	13	25	-	-	-	1,271	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	1,145	25	25	1,145	100%	-	-	0	13	25	-	-	-	1,145	100%	0	0%	0	0%	0	0%	0	0%	0	0%





産地	検査年度	検査 点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
山梨県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
長野県	H23	4	5.0	5.0	4	100%	-	-	0	2.5	5.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
静岡県	H23	4	3.0	2.0	4	100%	-	-	0	5.9	12	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	4	2.5	3.4	4	100%	-	-	0	1.5	3.0	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	4	2.1	2.8	4	100%	-	-	0	1.2	2.4	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	2	2.3	2.4	2	100%	-	-	0	1.2	2.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	2	2.4	2.8	2	100%	-	-	0	1.3	2.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2	2.0	2.7	2	100%	-	-	0	1.2	2.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-





産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分(Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				12以下		12超過25以下		25超過37以下		37超過50以下		50超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	72	10	20	72	100%	-	-	0	6.5	13	-	-	-	72	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	104	4.4	13	104	100%	-	-	0	4.3	8.7	-	-	-	104	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	104	4.7	13	104	100%	-	-	0	3.2	6.4	-	-	-	104	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	103	4.3	7.9	103	100%	-	-	0	3.0	6.0	-	-	-	103	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	102	3.8	5.5	102	100%	-	-	0	2.3	4.7	-	-	-	102	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	102	3.5	5.7	102	100%	-	-	0	2.3	4.6	-	-	-	102	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	8	3.9	5.5	8	100%	-	-	0	2.3	4.5	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
山梨県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	27	1.4	2.5	27	100%	-	-	0	0.89	1.8	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	25	1.3	1.9	25	100%	-	-	0	0.84	1.7	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	6	1.5	2.0	6	100%	-	-	0	0.88	1.8	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	6	1.5	1.9	6	100%	-	-	0	0.81	1.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	6	1.5	1.8	6	100%	-	-	0	0.84	1.7	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
長野県	H23	21	3.0	20	21	100%	-	-	0	4.0	8.0	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	44	1.1	2.9	44	100%	-	-	0	1.1	2.2	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	28	1.8	2.7	28	100%	-	-	0	1.1	2.3	-	-	-	28	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	22	1.3	2.8	20	91%	2.0	2.1	0.19	1.2	2.2	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	24	1.8	2.7	24	100%	-	-	0	1.1	2.2	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	11	1.9	2.7	11	100%	-	-	0	1.1	2.3	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
静岡県	H23	9	0.107	20	4	44%	0.11	0.56	0	2.8	5.4	0.11	-	8.1	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	23	0.020	3.5	15	65%	0.020	0.15	0.025	1.0	1.9	-	0.069	-	23	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	12	0.015	5.5	6	50%	0.015	0.047	0.015	0.43	0.85	-	0.037	-	12	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	1	1.5	1.5	1	100%	-	-	0	0.75	1.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	1	1.3	1.3	1	100%	-	-	0	0.65	1.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	







産地	検査年度	検査 点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)															
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				2.5 以下		2.5 超過 5.0 以下		5.0 超過 7.5 以下		7.5 超過 10 以下		10 超過							
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)						
新潟県	H23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H25	3	1.1	1.6	3	100%	-	-	0	0.67	1.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H26	3	1.2	1.3	3	100%	-	-	0	0.62	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	3	1.1	1.4	3	100%	-	-	0	0.60	1.2	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	3	1.3	1.4	3	100%	-	-	0	0.67	1.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
山梨県	H23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H24	3	1.3	1.5	3	100%	-	-	0	0.68	1.4	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H25	3	1.2	1.4	3	100%	-	-	0	0.67	1.3	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H26	1	1.7	1.7	1	100%	-	-	0	0.85	1.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	1	1.9	1.9	1	100%	-	-	0	1.0	1.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	1	1.6	1.6	1	100%	-	-	0	0.80	1.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
長野県	H23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H24	2	1.3	1.6	2	100%	-	-	0	0.73	1.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
静岡県	H23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H24	151	0.45	2.0	150	99%	0.45	0.45	0	0.77	1.5	-	-	-	151	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H25	61	0.74	3.3	61	100%	-	-	0	0	1.0	-	-	-	61	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	19	0.80	1.1	19	100%	-	-	0	0	0.95	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	19	0.81	1.1	19	100%	-	-	0	0	0.91	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	16	0.81	1.1	16	100%	-	-	0	0	0.91	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	19	0.84	1.4	19	100%	-	-	0	0.50	1.0	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

※ 飲む状態で飲料水の基準値10 Bq/kgを適用。





産地	検査年度	検査 点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)													
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過					
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)				
新潟県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	82	4.6	9.2	80	98%	4.6	9.4	0.17	3.5	6.9	-	-	-	82	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	172	2.1	9.2	168	98%	3.5	18	0.21	3.7	7.1	-	-	-	172	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	139	4.5	9.3	138	99%	4.5	4.5	0.032	3.7	7.3	-	-	-	139	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	122	4.5	9.5	120	98%	4.5	6.6	0.091	3.6	7.2	-	-	-	122	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	126	3.2	9.0	125	99%	3.2	3.2	0.025	3.1	6.2	-	-	-	126	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	34	4.8	8.5	34	100%	-	-	0	3.1	6.2	-	-	-	34	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
山梨県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	6	2.7	3.0	3	50%	4.0	31	6.7	7.4	8.1	-	-	-	5	83%	1	17%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	11	1.7	2.6	2	18%	1.7	20	6.5	6.7	6.9	5.7	13	5.5	11	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
長野県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	7	2.7	5.1	7	100%	-	-	0	1.7	3.5	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	6	25	25	6	100%	-	-	0	13	25	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
静岡県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-









(12) 原木きのご類(栽培)

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
17都県 (合計)	H23	1,494	0.66	100	796	53%	0.66	6,300	78	87	97	-	220	-	977	65%	101	6.8%	66	4.4%	64	4.3%	286	19%
	H24	1,854	1.5	25	487	26%	1.5	2,300	59	61	63	18	140	139	1,073	58%	317	17%	134	7.2%	95	5.1%	235	13%
	H25	1,678	1.4	25	471	28%	1.4	94	16	18	20	13	40	14	1,274	76%	328	20%	67	4.0%	9	0.5%	0	0%
	H26	2,276	1.1	25	962	42%	1.1	220	9.8	12	15	4.9	27	13	2,016	89%	229	10%	22	1.0%	6	0.3%	3	0.1%
	H27	2,352	0.94	25	1,059	45%	0.94	97	9.2	12	14	4.5	26	10	2,106	90%	226	9.6%	14	0.6%	6	0.3%	0	0%
	H28	2,554	1.3	25	976	38%	1.3	84	11	12	14	7.1	27	10	2,243	88%	290	11%	19	0.7%	2	0.1%	0	0%
	H29	2,384	0.99	25	1,045	44%	0.99	150	8.3	10	12	4.7	24	10	2,193	92%	177	7.4%	12	0.5%	1	0.04%	1	0.04%
	H30	2,085	0.91	25	917	44%	0.91	93	8.9	11	13	3.7	25	11	1,878	90%	180	8.6%	23	1.1%	4	0.19%	0	0%
	R1	1,841	1.0	35	849	46%	1.0	80	7.1	9.3	11	2.6	21	8.8	1,726	94%	104	5.6%	10	0.5%	1	0.05%	0	0%
青森県	H23	7	45	45	7	100%	-	-	0	23	45	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	H24	11	13	25	10	91%	13	13	1.2	13	24	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	H25	8	10	25	8	100%	-	-	0	11	21	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	H26	6	13	25	4	67%	13	18	5.2	14	22	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	H27	7	25	25	7	100%	-	-	0	13	25	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	H28	4	17	25	3	75%	17	17	4.4	14	23	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	H29	4	10	25	1	25%	10	13	8.8	12	15	11	-	6.8	4	100%	0	0%	0	0%	0	0%	0	0%
	H30	4	13	25	2	50%	13	17	7.5	13	19	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	R1	4	8.9	10	2	50%	8.9	11	5.0	7.5	10	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
岩手県	H23	127	7.5	30	82	65%	7.5	512	28	34	41	-	71	-	100	79%	11	8.7%	3	2.4%	4	3.1%	9	7.1%
	H24	634	3.0	25	200	32%	3.0	2,300	91	94	98	20	240	198	341	54%	78	12%	39	6.2%	48	7.6%	128	20%
	H25	405	5.0	25	128	32%	5.0	70	15	18	21	13	35	11	331	82%	58	14%	16	4.0%	0	0%	0	0%
	H26	366	3.1	25	82	22%	3.1	63	17	19	21	15	37	11	276	75%	83	23%	7	1.9%	0	0%	0	0%
	H27	287	4.3	25	62	22%	4.3	50	16	18	20	15	35	10	221	77%	66	23%	0	0%	0	0%	0	0%
	H28	296	3.6	25	58	20%	3.6	84	18	19	21	16	36	11	224	76%	68	23%	2	0.7%	2	0.7%	0	0%
	H29	237	4.9	25	58	24%	4.9	65	17	19	21	15	37	11	182	77%	50	21%	5	2.1%	0	0%	0	0%
	H30	259	4.9	25	48	19%	4.9	85	20	21	23	17	42	14	182	70%	68	26%	6	2.3%	3	1%	0	0%
	R1	204	4.3	25	54	26%	4.3	80	15	17	19	13	37	12	164	80%	35	17%	4	2.0%	1	0.5%	0	0%
秋田県	H23	3	2.5	20	1	33%	2.5	5.2	2.6	5.9	9.2	2.5	-	9.4	3	100%	0	0%	0	0%	0	0%	0	0%
	H24	5	1.8	10	1	20%	1.8	5.5	3.1	4.1	5.1	3.8	-	3.1	5	100%	0	0%	0	0%	0	0%	0	0%
	H25	6	8.9	13	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	5	6.8	12	4	80%	6.8	6.8	1.4	6.1	11	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	H27	3	10	12	3	100%	-	-	0	5.3	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	H28	2	11	11	1	50%	13	13	6.5	9.3	12	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H29	1	8.2	8.2	1	100%	-	-	0	4.1	8.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	1	8.6	8.6	1	100%	-	-	0	4.3	8.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
宮城県	H23	52	2.0	20	11	21%	16	1,600	261	262	263	122	590	355	13	25%	2	3.8%	5	9.6%	4	7.7%	28	54%
	H24	89	6.7	25	29	33%	6.7	680	75	79	83	35	190	96	34	38%	14	16%	6	6.7%	11	12%	24	27%
	H25	71	5.1	25	44	62%	5.1	90	17	23	30	-	47	-	45	63%	21	30%	3	4.2%	2	2.8%	0	0%
	H26	257	6.9	25	124	48%	6.9	220	13	18	22	9.1	28	22	217	84%	35	14%	0	0%	2	0.8%	3	1.2%
	H27	617	2.9	25	294	48%	5.6	97	11	15	19	8.7	29	10	530	86%	73	12%	9	1.5%	5	0.8%	0	0%
	H28	511	7.3	25	135	26%	7.3	53	13	15	17	13	24	6.0	473	93%	36	7%	2	0.4%	0	0%	0	0%
	H29	336	2.9	25	78	23%	2.9	60	10	11	12	7.6	22	8.0	316	94%	18	5.4%	2	0.6%	0	0%	0	0%
	H30	235	3.4	25	85	36%	5.6	60	11	14	17	10.0	26	7.6	211	90%	23	9.8%	1	0.4%	0	0%	0	0%
	R1	207	3.0	35	46	22%	3.0	40	11	12	14	9.1	23	8.0	190	92%	17	8.2%	0	0%	0	0%	0	0%
山形県	H23	10	0.66	20	4	40%	0.66	15	2.5	5.6	8.6	0.75	4.9	8.9	10	100%	0	0%	0	0%	0	0%	0	0%
	H24	21	6.8	15	14	67%	6.8	28	4.5	8.3	12	-	11	-	20	95%	1	4.8%	0	0%	0	0%	0	0%
	H25	3	5.4	10	1	33%	5.4	11	5.5	7.1	8.8	5.4	-	3.0	3	100%	0	0%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
福島県	H23	138	4.8	22	64	46%	4.8	6,300	128	132	137	7.8	232	569	90	65%	15	11%	6	4.3%	5	3.6%	22	16%
	H24	248	2.4	16	72	29%	2.4	96	11	12	14	6.9	30	11	210	85%	37	15%	0	0%	1	0.4%	0	0%
	H25	287	2.7	18	92	32%	2.7	61	11	12	14	6.1	31	12	244	85%	39	14%	4	1.4%	0	0%	0	0%
	H26	428	2.7	16	186	43%	2.7	72	6.3	7.9	9.5	3.8	17	7.7	404	94%	22	5.1%	2	0.5%	0	0%	0	0%
	H27	302	2.7	19	113	37%	2.7	51	8.5	9.9	11	5.0	23	8.7	279	92%	22	7.3%	1	0.3%	0	0%	0	0%
	H28	280	2.5	10	86	31%	2.5	58	9.8	11	12	6.5	25	10	254	91%	22	7.9%	4	1.4%	0	0%	0	0%
	H29	278	3.0	14	76	27%	3.0	63	9.2	10	11	6.7	22	8.2	264	95%	12	4.3%	2	0.7%	0	0%	0	0%
	H30	262	3.5	13	107	41%	3.5	93	8.7	11	12	6.7	21	9.2	244	93%	16	6.1%	1	0.4%	1	0%	0	0%
	R1	254	3.1	19	104	41%	3.1	55	8.8	11	13	5.8	22	9.3	235	93%	14	5.5%	5	2.0%	0	0%	0	0%

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分(Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
茨城県	H23	207	3.0	20	23	11%	3.0	1,130	142	142	143	64	362	189	72	35%	26	13%	11	5.3%	14	6.8%	84	41%
	H24	78	2.7	9.0	12	15%	2.7	960	56	56	57	19	80	150	50	64%	16	21%	4	5.1%	2	2.6%	6	7.7%
	H25	46	2.3	8.5	6	13%	2.3	62	18	19	19	12	43	16	31	67%	13	28%	2	4.3%	0	0%	0	0%
	H26	90	2.5	11	17	19%	2.5	54	11	12	12	6.7	30	11	80	89%	9	10%	1	1.1%	0	0%	0	0%
	H27	107	2.5	12	33	31%	2.5	46	8.3	9.2	10	4.3	23	9.3	98	92%	9	8.4%	0	0%	0	0%	0	0%
	H28	105	2.1	9.7	34	32%	2.1	48	11	12	13	7.2	30	11	89	85%	16	15%	0	0%	0	0%	0	0%
	H29	90	2.4	7.8	16	18%	2.4	46	14	15	15	11	32	12	72	80%	18	20%	0	0%	0	0%	0	0%
	H30	91	2.1	6.7	19	21%	2.1	68	14	15	15	7.8	40	15	72	79%	15	16%	4	4%	0	0%	0	0%
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
栃木県	H23	136	-	-	0	0%	1.3	1,908	218	218	218	133	494	293	23	17%	8	5.9%	9	6.6%	14	10%	82	60%
	H24	196	1.5	18	14	7%	1.5	1,000	109	110	110	52	285	160	72	37%	26	13%	24	12%	16	8.2%	58	30%
	H25	160	2.2	6.4	45	28%	2.2	61	18	18	19	17	41	15	111	69%	42	26%	7	4.4%	0	0%	0	0%
	H26	476	2.4	13	306	64%	2.4	77	3.8	6.1	8.4	-	12	-	461	97%	14	2.9%	0	0%	1	0.2%	0	0%
	H27	513	2.6	15	346	67%	2.6	76	4.5	7.1	9.6	-	15	-	492	96%	16	3.1%	4	0.8%	1	0.2%	0	0%
	H28	866	2.8	18	514	59%	2.8	68	7.5	10	12	-	27	-	761	88%	96	11%	9	1.0%	0	0%	0	0%
	H29	907	2.6	16	625	69%	2.6	52	4.4	7.0	9.7	-	16	-	866	95%	40	4.4%	1	0.1%	0	0%	0	0%
	H30	684	2.8	25	509	74%	2.8	60	3.9	6.8	9.6	-	13	-	653	95%	23	3.4%	8	1.2%	0	0%	0	0%
	R1	722	2.9	15	516	71%	2.9	56	3.9	6.6	9.3	-	15	-	691	96%	30	4.2%	1	0.1%	0	0%	0	0%
群馬県	H23	77	9.4	40	52	68%	9.4	254	32	44	55	-	125	-	56	73%	5	6.5%	4	5.2%	3	3.9%	9	12%
	H24	162	10	20	81	50%	10	140	18	23	28	-	52	-	109	67%	36	22%	11	6.8%	3	1.9%	3	1.9%
	H25	164	7.2	19	94	57%	7.2	73	12	17	22	-	41	-	124	76%	32	20%	8	4.9%	0	0%	0	0%
	H26	171	6.0	19	105	61%	6.0	51	8.4	14	19	-	28	-	150	88%	20	12%	1	0.6%	0	0%	0	0%
	H27	146	6.4	19	89	61%	6.4	40	6.6	12	17	-	24	-	138	95%	8	5.5%	0	0%	0	0%	0	0%
	H28	143	6.5	19	77	54%	6.5	53	8.5	13	18	-	25	-	130	91%	12	8.4%	1	0.7%	0	0%	0	0%
	H29	134	6.4	19	63	47%	6.4	40	9.1	13	17	7.9	24	5.8	124	93%	10	7.5%	0	0%	0	0%	0	0%
	H30	146	7.0	19	69	47%	7.0	43	8.8	13	17	7.7	22	5.5	137	94%	9	6.2%	0	0%	0	0%	0	0%
	R1	117	5.3	19	61	52%	5.3	38	7.2	12	17	-	20	-	114	97%	3	2.6%	0	0%	0	0%	0	0%
千葉県	H23	147	2.4	20	10	7%	2.4	1,955	120	120	121	55	254	214	40	27%	29	20%	14	9.5%	16	11%	48	33%
	H24	199	-	-	0	0%	1.5	740	47	47	47	32	80	63	72	36%	65	33%	39	20%	8	4.0%	15	7.5%
	H25	369	1.4	3.3	8	2%	1.4	94	23	23	23	20	44	16	243	66%	101	27%	18	4.9%	7	1.9%	0	0%
	H26	338	1.1	17	69	20%	1.1	83	14	14	15	9.7	30	14	285	84%	40	12%	10	3.0%	3	0.9%	0	0%
	H27	280	0.94	9.5	73	26%	0.94	45	9.1	10	11	6.9	24	8.9	254	91%	26	9.3%	0	0%	0	0%	0	0%
	H28	294	1.3	9.7	42	14%	1.3	62	11	12	12	7.2	27	10	255	87%	38	13%	1	0.3%	0	0%	0	0%
	H29	330	0.99	9.8	102	31%	0.99	150	9.2	10	11	5.3	24	13	300	91%	26	7.9%	2	0.6%	1	0.3%	1	0.3%
	H30	330	0.91	5.3	46	14%	0.91	57	8.4	8.6	8.8	4.4	21	10	302	92%	25	7.6%	3	0.9%	0	0%	0	0%
	R1	283	1.0	5.6	46	16%	1.0	30	5.4	5.7	5.9	3.2	14	5.6	279	99%	4	1.4%	0	0%	0	0%	0	0%
埼玉県	H23	25	2.6	100	12	48%	2.6	99	29	39	49	2.6	80	26	15	60%	1	4.0%	6	24%	3	12%	0	0%
	H24	111	2.0	20	20	18%	2.0	90	21	22	24	16	45	18	75	68%	27	24%	6	5.4%	3	2.7%	0	0%
	H25	78	4.3	12	12	15%	5.7	73	18	19	20	14	41	15	58	74%	15	19%	5	6.4%	0	0%	0	0%
	H26	55	4.9	17	20	36%	5.6	64	9.8	12	13	7.3	21	10	51	93%	3	5.5%	1	1.8%	0	0%	0	0%
	H27	35	4.1	12	11	31%	4.4	28	6.6	8.2	9.8	6.2	13	5.3	34	97%	1	2.9%	0	0%	0	0%	0	0%
	H28	18	4.0	13	10	56%	5.7	27	5.7	8.5	11	-	15	-	17	94%	1	5.6%	0	0%	0	0%	0	0%
	H29	38	2.8	14	12	32%	2.8	49	9.9	12	13	7.4	23	9.0	35	92%	3	7.9%	0	0%	0	0%	0	0%
	H30	35	4.4	13	19	54%	4.4	38	6.2	9.1	12	-	16	-	34	97%	1	2.9%	0	0%	0	0%	0	0%
	R1	16	4.6	13	5	31%	4.6	22	8.4	10	12	9.5	16	3.8	16	100%	0	0%	0	0%	0	0%	0	0%
東京都	H23	15	14	20	7	47%	14	115	27	31	35	14	70	30	10	67%	1	6.7%	3	20%	0	0%	1	6.7%
	H24	35	5.5	14	14	40%	5.5	63	18	20	22	9.0	45	16	22	63%	10	29%	3	8.6%	0	0%	0	0%
	H25	18	6.0	12	9	50%	6.0	42	8.3	11	14	-	21	-	16	89%	2	11%	0	0%	0	0%	0	0%
	H26	15	7.7	12	8	53%	7.7	40	7.3	10	13	-	18	-	14	93%	1	6.7%	0	0%	0	0%	0	0%
	H27	11	7.4	12	7	64%	7.4	19	5.5	9.0	13	-	18	-	11	100%	0	0%	0	0%	0	0%	0	0%
	H28	10	6.1	11	5	50%	6.1	17	5.8	8.5	11	-	16	-	10	100%	0	0%	0	0%	0	0%	0	0%
	H29	10	7.2	11	4	40%	7.2	12	5.6	7.6	9.5	7.3	11	1.7	10	100%	0	0%	0	0%	0	0%	0	0%
	H30	7	5.7	9.1	3	43%	5.7	22	8.1	10	12	5.7	-	5.7	7	100%	0	0%	0	0%	0	0%	0	0%
	R1	8	6.0	9.8	4	50%	6.0	17	5.1	7.4	10	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
神奈川県	H23	18	3.3	20	6	33%	3.3	153	30	33	37	18	72	35	11	61%	2	11%	4	22%	0	0%	1	5.6%
	H24	16	3.5	20	1	6%	3.5	140	38	39	39	27	86	37	8	50%	4	25%	1	6.3%	2	13%	1	6.3%
	H25	15	4.3	19	2	13%	4.3	72	28	29	30	18	54	21	8	53%	3	20%	4	27%	0	0%	0	0%
	H26	17	2.2	17	3	18%	2.2	39	11	13	14	8.9	20	8.9	16	94%	1	5.9%	0	0%	0	0%	0	0%
	H27	14	6.3	6.5	3	21%	6.3	27	12	13	13	11	27	8.0	11	79%	3	21%	0	0%	0	0%	0	0%
	H28	6	2.2	7.6	2	33%	2.2	31	8.4	9.5	11	3.7	-	10	5	83%	1	17%	0	0%	0	0%	0	0%
	H29	6	4.3	9.8	2	33%	4.3	12	6.1	7.6	9.0	6.2	-	2.9	6	100%	0	0%	0	0%	0	0%	0	0%
	H30	3	4.8	8.5	1	33%	4.8	18	7.6	9.0	10	4.8	-	6.8	3	100%	0	0%	0	0%	0	0%	0	0%
	R1	3	-	-	0	0%	3.3	6.2	4.3	4.3	4.3	3.5	-	1.6	3	100%	0	0%	0	0%	0	0%	0	0%

産地	検査年度	検査 点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)													
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過					
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)				
新潟県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	3	5.0	6.6	1	33%	5.0	5.7	3.6	4.7	5.8	5.0	-	0.8	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	12	5.1	9.2	11	92%	5.1	5.1	0.43	3.7	6.9	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	8	3.4	8.2	7	88%	11	11	1.4	4.1	6.9	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	8	4.4	7.3	6	75%	5.0	5.1	1.3	3.7	6.1	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	5	4.6	8.2	4	80%	4.6	4.6	0.92	3.6	6.2	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	4	5.5	8.5	4	100%	-	-	0	3.2	6.4	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	7	3.6	6.9	4	57%	3.6	10	3.2	4.9	6.7	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	7	4.2	7.5	6	86%	4.2	4.2	0.60	3.3	6.1	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
山梨県	H23	7	4.0	4.0	6	86%	8.0	8.0	1.1	2.9	4.6	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	15	1.8	13	7	47%	1.9	36	8.8	10	12	1.9	21	10	14	93%	1	6.7%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	15	1.8	3.2	2	13%	1.8	19	5.6	5.8	6.0	3.6	12	5.0	15	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	9	2.3	2.9	2	22%	2.3	16	6.3	6.6	6.9	5.0	-	5.3	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	2	3.9	3.9	1	50%	40	40	20	21	22	-	-	-	1	50%	1	50%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	2	-	-	0	0%	2.7	3.2	3.0	3.0	3.0	3.0	-	0.35	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	4	4.9	8.9	1	25%	4.9	11	5.5	6.6	7.7	5.4	-	2.8	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	2	-	-	0	0%	2.3	4.9	3.6	3.6	3.6	3.6	-	1.8	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	1	-	-	0	0%	5.8	5.8	5.8	5.8	5.8	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
長野県	H23	517	6.0	68	511	99%	8.9	180	0.52	22	44	-	-	-	515	100%	1	0.2%	0	0%	0	0%	0	0%	1	0.2%		
	H24	19	2.4	9.7	11	58%	2.7	13	2.8	4.4	6.0	-	7.8	-	19	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	8	3.9	7.2	4	50%	7.0	18	6.8	8.2	9.7	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	23	25	25	23	100%	-	-	0	13	25	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	8	25	25	7	88%	47	47	5.9	17	28	-	-	-	7	88%	1	13%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	1	25	25	1	100%	-	-	0	13	25	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	2	25	25	2	100%	-	-	0	13	25	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
静岡県	H23	8	-	-	0	0%	4.0	318	65	65	65	21	-	105	5	63%	0	0%	1	13%	1	13%	1	13%	1	13%		
	H24	12	-	-	0	0%	2.8	77	24	24	24	13	51	22	8	67%	2	17%	1	8.3%	1	8.3%	0	0%	0	0%		
	H25	13	2.1	9.8	1	8%	2.1	30	11	11	11	6.6	27	10	11	85%	2	15%	0	0%	0	0%	0	0%	0	0%		
	H26	12	2.0	3.3	2	17%	2.0	33	9.0	9.3	9.5	5.3	19	9.3	11	92%	1	8.3%	0	0%	0	0%	0	0%	0	0%		
	H27	12	2.0	3.1	4	33%	2.0	23	6.7	7.2	7.6	4.0	13	6.4	12	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H28	11	1.8	3.0	4	36%	1.8	13	4.3	4.8	5.3	3.7	9.6	3.7	11	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H29	5	1.8	2.6	2	40%	1.8	4.4	2.1	2.6	3.1	1.8	-	1.2	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H30	20	1.9	4.5	5	25%	1.9	22	8.5	8.9	9.4	9.1	15	5.5	20	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	R1	12	2.7	3.2	2	17%	11	34	12	12	12	11	18	8.4	11	92%	1	8.3%	0	0%	0	0%	0	0%	0	0%		

【栽培／飼養管理が困難な品目群】（全体）

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値 (Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=+1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
			17都県 (合計)	H23	6,491	0.068			100	2,048	32%				0.068	18,700	101	103	105	17	220	419	3,567	55%
H24	20,530	0.047		29	9,122	44%	0.047	61,000	74	77	80	5.1	92	897	14,835	72%	2,241	11%	988	4.8%	638	3.1%	1,828	8.9%
H25	23,707	0.033		28	14,551	61%	0.033	20,000	24	28	32	-	39	-	20,455	86%	1,336	5.6%	619	2.6%	395	1.7%	902	3.8%
H26	24,794	0.045		28	17,632	71%	0.045	30,000	16	21	25	-	23	-	22,506	91%	1,068	4.3%	425	1.7%	253	1.0%	542	2.2%
H27	21,596	0.0061		26	17,376	80%	0.0061	9,800	7.8	13	18	-	12	-	20,412	95%	573	2.7%	228	1.1%	124	0.6%	259	1.2%
H28	22,812	0.20		40	18,186	80%	0.28	30,000	15	20	25	-	17	-	21,092	92%	845	3.7%	275	1.2%	150	0.7%	450	2.0%
H29	20,833	0.20		42	17,420	84%	0.20	14,000	6.8	12	18	-	10	-	19,855	95%	534	2.6%	167	0.8%	92	0.4%	185	0.9%
H30	19,040	0.13		35	15,414	81%	0.13	10,000	9.7	15	20	-	16	-	17,696	93%	700	3.7%	230	1.2%	120	0.6%	294	1.5%
R1	16,080	0.098		25	13,202	82%	0.098	5,200	6.8	12	18	-	13	-	15,207	95%	541	3.4%	115	0.7%	60	0.4%	157	1.0%
青森県	H23	311	0.53	50	228	73%	0.53	117	3.6	13	23	-	8.5	-	301	97%	4	1.3%	3	1.0%	2	0.6%	1	0.3%
	H24	1,279	0.37	25	950	74%	0.37	120	4.1	9.0	14	-	15	-	1,222	96%	42	3.3%	7	0.5%	4	0.3%	4	0.3%
	H25	1,270	0.36	25	991	78%	0.36	40	1.3	5.6	9.9	-	5.6	-	1,268	99.8%	2	0.2%	0	0%	0	0%	0	0%
	H26	1,131	0.36	25	947	84%	0.36	31	0.80	5.0	9.2	-	1.1	-	1,128	99.7%	3	0.3%	0	0%	0	0%	0	0%
	H27	976	0.31	25	867	89%	0.31	31	0.71	4.6	8.6	-	0.48	-	973	99.7%	3	0.3%	0	0%	0	0%	0	0%
	H28	1,091	0.28	25	954	87%	0.28	48	0.94	4.3	7.8	-	0.70	-	1,090	99.9%	1	0.1%	0	0%	0	0%	0	0%
	H29	842	0.30	25	729	87%	0.30	34	1.3	5.2	9.0	-	6.1	-	838	99.5%	4	0.5%	0	0%	0	0%	0	0%
	H30	710	0.35	25	612	86%	0.35	44	1.5	5.3	9.2	-	6.0	-	707	99.6%	3	0.4%	0	0%	0	0%	0	0%
	R1	626	0.28	25	537	86%	0.28	46	1.6	5.0	8.3	-	6.3	-	620	99%	6	1.0%	0	0%	0	0%	0	0%
岩手県	H23	453	0.37	20	257	57%	0.37	600	20	22	23	-	63	-	383	85%	17	3.8%	14	3.1%	11	2.4%	28	6.2%
	H24	2,166	0.36	29	1,400	65%	0.36	3,000	15	18	21	-	28	-	1,926	89%	125	5.8%	36	1.7%	30	1.4%	49	2.3%
	H25	2,144	0.35	20	1,619	76%	0.35	380	4.4	8.0	12	-	8.9	-	2,055	96%	37	1.7%	23	1.1%	13	0.6%	16	0.7%
	H26	2,066	0.42	20	1,825	88%	0.42	380	3.1	7.1	11	-	1.2	-	2,008	97%	27	1.3%	13	0.6%	6	0.3%	12	0.6%
	H27	2,125	0.40	19	1,884	89%	0.40	360	2.5	6.1	9.8	-	3.2	-	2,075	98%	23	1.1%	12	0.6%	9	0.4%	6	0.3%
	H28	1,860	0.35	25	1,702	92%	0.35	430	3.3	6.9	11	-	-	-	1,797	97%	28	1.5%	12	0.6%	8	0.4%	15	0.8%
	H29	1,792	0.33	25	1,661	93%	0.33	130	1.6	5.0	8.4	-	-	-	1,751	98%	26	1.5%	6	0.3%	7	0.4%	2	0.1%
	H30	1,787	0.21	25	1,630	91%	0.21	590	3.3	6.4	9.4	-	-	-	1,728	97%	30	1.7%	6	0.3%	8	0.4%	15	0.8%
	R1	1,938	0.41	16	1,792	92%	0.41	260	1.7	5.0	8.3	-	-	-	1,903	98%	17	0.9%	10	0.5%	2	0.1%	6	0.3%
秋田県	H23	10	1.5	20	5	50%	1.6	7.7	2.1	3.5	4.9	-	6.6	-	10	100%	0	0%	0	0%	0	0%	0	0%
	H24	54	0.79	14	44	81%	0.79	12	1.1	3.2	5.2	-	4.3	-	54	100%	0	0%	0	0%	0	0%	0	0%
	H25	55	1.2	16	45	82%	0.9	110	5.1	9.4	14	-	11	-	51	93%	3	5.5%	0	0%	0	0%	1	1.8%
	H26	48	0.86	14	41	85%	0.86	120	8.1	12	16	-	12	-	44	92%	0	0%	2	4.2%	0	0%	2	4.2%
	H27	30	1.3	15	22	73%	0.8	79	8.9	13	17	-	29	-	26	87%	1	3.3%	2	6.7%	1	3.3%	0	0%
	H28	14	1.0	11	5	36%	0.8	88	21	22	24	11	63	26	11	79%	1	7.1%	1	7.1%	1	7.1%	0	0%
	H29	11	7.3	13	3	27%	7.3	85	23	24	26	7.8	79	29	8	73%	1	9.1%	0	0%	2	18%	0	0%
	H30	3	5.0	8.0	1	33%	5.0	12	6	7	8	5.0	-	4	3	100%	0	0%	0	0%	0	0%	0	0%
	R1	19	5.9	13	8	42%	5.9	80	18	20	23	7.5	47	21	12	63%	5	26%	1	5.3%	1	5.3%	0	0%
宮城県	H23	585	0.42	58	212	36%	0.42	460	14	15	15	2.5	40	36	500	85%	42	7.2%	17	2.9%	7	1.2%	19	3.2%
	H24	2,394	0.11	20	686	29%	0.34	3,300	27	28	29	7.0	62	90	1,801	75%	287	12%	117	4.9%	78	3.3%	111	4.6%
	H25	2,455	0.31	25	1,113	45%	0.31	1,700	17	20	22	1.1	38	58	2,085	85%	194	7.9%	60	2.4%	40	1.6%	76	3.1%
	H26	3,046	0.37	25	2,144	70%	0.37	1,300	11	16	21	-	25	-	2,749	90%	141	4.6%	60	2.0%	39	1.3%	57	1.9%
	H27	2,802	0.34	25	2,140	76%	0.34	3,800	14	19	24	-	27	-	2,512	90%	105	3.7%	57	2.0%	32	1.1%	96	3.4%
	H28	3,169	0.33	25	2,358	74%	0.33	720	9.6	15	20	-	26	-	2,851	90%	175	5.5%	56	1.8%	30	0.9%	57	1.8%
	H29	2,757	0.32	25	2,130	77%	0.32	640	8.3	13	18	-	17	-	2,556	93%	105	3.8%	33	1.2%	14	0.5%	49	1.8%
	H30	2,747	0.39	25	2,153	78%	0.39	670	9.2	15	20	-	20	-	2,516	92%	114	4.1%	41	1.5%	22	0.8%	54	2.0%
	R1	2,431	0.34	25	1,870	77%	0.34	630	8.8	14	19	-	19	-	2,240	92%	105	4.3%	26	1.1%	17	0.7%	43	1.8%
山形県	H23	63	1.2	20	36	57%	1.8	560	41	45	50	-	139	-	47	75%	4	6.3%	1	1.6%	1	1.6%	10	16%
	H24	125	1.2	17	101	81%	4.4	110	5.8	10	15	-	17	-	116	93%	4	3.2%	3	2.4%	0	0%	2	1.6%
	H25	435	4.0	25	392	90%	6.0	240	3.0	10	18	-	-	-	421	97%	7	1.6%	5	1.1%	0	0%	2	0.5%
	H26	339	6.1	20	291	86%	6.1	200	4.7	11	18	-	17	-	321	95%	8	2.4%	7	2.1%	2	0.6%	1	0.3%
	H27	276	7.1	20	241	87%	7.1	129	3.5	10	17	-	10	-	264	96%	9	3.3%	0	0%	1	0.4%	2	0.7%
	H28	267	6.0	20	224	84%	6.0	160	4.7	11	18	-	18	-	250	94%	13	4.9%	2	0.7%	1	0.4%	1	0.4%
	H29	216	7.0	20	159	74%	7.0	110	7.6	14	20	-	27	-	192	89%	16	7.4%	6	2.8%	1	0.5%	1	0.5%
	H30	211	6.2	20	151	72%	6.2	130	8.9	15	20	-	31	-	184	87%	16	7.6%	7	3.3%	3	1.4%	1	0.5%
	R1	168	6.0	19	119	71%	10	160	9.4	15	20	-	29	-	145	86%	17	10%	2	1.2%	1	0.6%	3	1.8%
福島県	H23	2,810	6.6	57	725	26%	6.6	18,700	180	182	185	55	420	615	985	35%	369	13%	282	10%	211	7.5%	963	34%
	H24	7,913	3.3	20	3,490	44%	3.3	61,000	145	149	152	9.8	170	1,370	4,907	62%	961	12%	482	6.1%	337	4.3%	1,22	

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90ile値 (Bq/kg)	標準偏差 (Bq/kg)	濃度区分 (Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
茨城県	H23	1,237	0.40	20	146	12%	0.40	850	40	40	40	21	91	67	725	59%	253	20%	100	8.1%	45	3.6%	114	9.2%
	H24	2,889	0.32	25	819	28%	0.32	1,300	21	22	24	9.7	48	40	2,172	75%	444	15%	118	4.1%	71	2.5%	84	2.9%
	H25	2,980	0.36	25	1,477	50%	0.36	1,000	8.1	11	13	0.60	20	26	2,747	92%	155	5.2%	44	1.5%	15	0.5%	19	0.6%
	H26	3,234	0.35	25	1,839	57%	0.35	330	5.6	8.3	11	-	18	-	3,039	94%	159	4.9%	24	0.7%	6	0.2%	6	0.2%
	H27	2,484	0.42	25	1,829	74%	0.42	180	3.3	6.5	9.7	-	8.5	-	2,383	96%	78	3.1%	13	0.5%	7	0.3%	3	0.1%
	H28	2,118	0.40	25	1,646	78%	0.40	110	3.4	6.8	10	-	10	-	2,020	95%	75	3.5%	19	0.9%	3	0.1%	1	0.05%
	H29	1,611	0.39	15	1,231	76%	0.39	160	3.1	6.2	9.3	-	11	-	1,562	97%	41	2.5%	7	0.4%	0	0%	1	0.06%
	H30	1,286	0.31	35	971	76%	0.31	77	3.5	6.6	9.7	-	11	-	1,223	95%	55	4.3%	7	0.5%	1	0%	0	0.00%
	R1	856	0.39	14	740	86%	0.39	630	4.7	8.3	12	-	0.76	-	826	96%	21	2.5%	0	0%	1	0.1%	8	0.9%
栃木県	H23	222	5.7	26	61	27%	5.7	2,490	147	150	152	57	284	320	76	34%	26	12%	23	10%	14	6.3%	83	37%
	H24	1,451	0.99	28	484	33%	1.0	31,000	98	100	103	16	130	1,030	854	59%	230	16%	118	8.1%	62	4.3%	187	13%
	H25	1,018	1.4	23	507	50%	1.4	1,000	29	32	35	2.4	89	61	736	72%	96	9.4%	63	6.2%	41	4.0%	82	8.1%
	H26	754	1.9	19	361	48%	1.9	450	31	34	36	3.75	110	58	522	69%	92	12%	35	4.6%	28	3.7%	77	10%
	H27	584	2.5	18	399	68%	2.5	500	16	19	23	-	44	-	501	86%	35	6.0%	11	1.9%	11	1.9%	26	4.5%
	H28	839	0.20	18	430	51%	2.6	250	19	21	24	-	49	-	606	72%	158	19%	32	3.8%	18	2.1%	25	3.0%
	H29	746	3.0	19	411	55%	3.0	170	12	15	18	-	40	-	621	83%	80	11%	28	3.8%	9	1.2%	8	1.1%
	H30	711	1.0	25	338	48%	1.0	600	22	24	27	5.8	61	44	531	75%	90	13%	46	6.5%	14	2.0%	30	4.2%
	R1	837	3.1	25	435	52%	3.1	600	15	18	21	-	41	-	699	84%	79	9.4%	25	3.0%	12	1.4%	22	2.6%
群馬県	H23	250	2.0	100	70	28%	2.0	768	130	133	136	68	336	163	85	34%	29	12%	17	6.8%	21	8.4%	98	39%
	H24	566	2.8	23	260	46%	2.8	2,500	64	67	70	11	180	147	330	58%	47	8.3%	48	8.5%	32	5.7%	109	19%
	H25	712	3.4	20	249	35%	3.4	500	46	49	51	15	130	66	393	55%	91	13%	59	8.3%	61	8.6%	108	15%
	H26	539	4.1	20	198	37%	4.1	650	46	48	50	11	110	81	325	60%	46	8.5%	61	11%	47	8.7%	60	11%
	H27	443	3.8	20	163	37%	3.8	1,100	38	40	42	10	110	75	277	63%	53	12%	49	11%	18	4.1%	46	10%
	H28	468	2.9	20	160	34%	2.9	440	34	36	38	11	90	59	308	66%	69	15%	30	6.4%	25	5.3%	36	7.7%
	H29	422	4.5	20	201	48%	4.5	880	32	34	37	5.6	77	79	312	74%	43	10%	23	5.5%	12	2.8%	32	7.6%
	H30	446	3.8	20	215	48%	3.8	780	34	37	40	5.0	110	77	327	73%	50	11%	13	2.9%	7	1.6%	49	11.0%
	R1	320	4.2	19	169	53%	4.2	830	20	23	26	-	50	-	266	83%	22	6.9%	12	3.8%	8	2.5%	12	3.8%
千葉県	H23	112	1.3	20	32	29%	1.3	400	34	37	39	11	91	57	75	67%	11	9.8%	8	7.1%	9	8.0%	9	8.0%
	H24	730	0.31	21	235	32%	0.31	260	15	15	16	1.9	44	30	605	83%	65	8.9%	33	4.5%	8	1.1%	19	2.6%
	H25	1,496	0.36	28	641	43%	0.36	220	12	13	14	0.97	35	23	1,283	86%	128	8.6%	48	3.2%	18	1.2%	19	1.3%
	H26	1,563	0.34	28	772	49%	0.34	210	8.2	9.8	11	0.43	25	16	1,412	90%	111	7.1%	26	1.7%	7	0.4%	7	0.4%
	H27	1,182	0.29	26	682	58%	0.29	140	6.0	8.1	10	-	18	-	1,107	94%	54	4.6%	12	1.0%	4	0.3%	5	0.4%
	H28	1,110	0.29	38	693	62%	0.29	140	4.6	7.5	10	-	11	-	1,053	95%	38	3.4%	11	1.0%	6	0.5%	2	0.2%
	H29	1,022	0.28	20	677	66%	0.28	96	3.3	5.9	8.6	-	8.7	-	986	96%	27	2.6%	7	0.7%	2	0.2%	0	0%
	H30	1,227	0.31	20	905	74%	0.31	93	3.3	7.3	11	-	10	-	1,181	96%	39	3.2%	5	0.4%	2	0.2%	0	0%
	R1	907	0.29	20	620	68%	0.29	92	4.0	7.8	12	-	16	-	864	95%	35	3.9%	6	0.7%	2	0.2%	0	0%
埼玉県	H23	30	5.5	40	15	50%	10	290	37	45	53	-	111	-	17	57%	7	23%	1	3.3%	0	0%	5	17%
	H24	240	2.4	20	127	53%	2.4	820	24	27	31	-	56	-	199	83%	14	5.8%	9	3.8%	6	2.5%	12	5.0%
	H25	172	1.9	20	117	68%	1.9	540	14	18	22	-	32	-	152	88%	11	6.4%	2	1.2%	1	0.6%	6	3.5%
	H26	128	2.4	20	87	68%	2.4	530	10	15	19	-	24	-	116	91%	11	8.6%	0	0%	0	0%	1	0.8%
	H27	95	3.1	20	60	63%	3.1	50	7.3	12	17	-	27	-	84	88%	11	12%	0	0%	0	0%	0	0%
	H28	30	2.6	20	25	83%	5.2	40	2.4	5.9	9.3	-	5.7	-	29	97%	1	3.3%	0	0%	0	0%	0	0%
	H29	33	2.2	15	27	82%	7.1	130	8.1	12	17	-	14	-	31	94%	0	0%	0	0%	1	3.0%	1	3.0%
	H30	29	4.1	13	26	90%	4.2	8.6	0.7	5.4	10	-	0.84	-	29	100%	0	0%	0	0%	0	0%	0	0.0%
	R1	22	8.4	12	21	95%	12	12	0.55	5.7	11	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%
東京都	H23	32	0.94	20	23	72%	0.94	81	6.9	9.4	12	-	27	-	28	88%	3	9.4%	0	0%	1	3.1%	0	0%
	H24	78	0.45	25	55	71%	0.45	36	2.6	6.2	9.7	-	9.8	-	76	97%	2	2.6%	0	0%	0	0%	0	0%
	H25	414	0.70	20	282	68%	2.6	30	2.5	6.1	9.8	-	8.0	-	413	99.8%	1	0.2%	0	0%	0	0%	0	0%
	H26	272	1.2	15	210	77%	3.2	27	1.7	5.4	9.1	-	6.2	-	271	99.6%	1	0.4%	0	0%	0	0%	0	0%
	H27	115	0.90	16	109	95%	0.90	6.3	0.23	4.2	8.1	-	-	-	115	100%	0	0%	0	0%	0	0%	0	0%
	H28	49	1.3	9.7	47	96%	1.3	5.3	0.13	3.9	7.6	-	-	-	49	100%	0	0%	0	0%	0	0%	0	0%
	H29	45	0.60	13	44	98%	4.3	4.3	0.10	4.0	7.9	-	-	-	45	100%	0	0%	0	0%	0	0%	0	0%
	H30	38	0.80	11	38	100%	-	-	0	4.1	8.3	-	-	-	38	100%	0	0%	0	0%	0	0%	0	0%
	R1	51	0.90	14	51	100%	-	-	0	4.1	8.2	-	-	-	51	100%	0	0%	0	0%	0	0%	0	0%
神奈川県	H23	186	0.47	20	99	53%	0.47	71	6.0	7.9	9.8	-	17	-	172	92%	9	4.8%	5	2.7%	0	0%	0	0%
	H24	221	0.95	17	192	87%	2.2	110	4.1	7.5	11	-	6.5	-	213	96%	2	0.9%	0	0%	5	2.3%	1	0.5%
	H25	166	0.44	16	156	94%	0.44	57	0.72	3.9	7.1	-	-	-	165	99%	0	0%	1	0.6%	0	0%	0	0%
	H26	118	1.0	14	112	95%	4.6	34	0.70	3.7	6.7	-	-	-	117	99%	1	0.8%	0	0%	0	0%	0	0%
	H27	105	0.29	13	101	96%	0.29	32	0.38	3.1	5.7	-	-	-	104	99%	1	1.0%	0	0%	0	0%	0	0%
	H28	90	0.61	25	87	97%	2.6	7.7	0.19	2.8	5.3	-	-	-	90	100%	0	0%	0	0%	0	0%	0	0%
	H29	80	0.20	10	77	96%	0.20	13	0.17	2.4	4.6	-	-	-	80	100%	0	0%	0	0%	0	0%	0	0%
	H30	85	0.13	13	82	96%	0.13	3.8	0.072	2.6	5.1	-	-	-	85	100%	0	0%	0	0%	0	0%	0	0%
	R1	70	0.098	9.5	68	97%	0.098	2.1	0.031	2.2	4.3	-	-	-	70	100%	0	0%	0	0%	0	0%	0	0%

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
新潟県	H23	36	4.9	20	24	67%	4.9	106	7.9	12	16	-	16	-	33	92%	1	2.8%	1	2.8%	0	0%	1	2.8%
	H24	45	2.4	14	31	69%	4.2	760	31	34	37	-	22	-	41	91%	1	2.2%	1	2.2%	0	0%	2	4.4%
	H25	224	3.4	14	153	68%	3.4	230	8.1	11	13	-	29	-	200	89%	17	7.6%	4	1.8%	2	0.9%	1	0.4%
	H26	247	2.8	12	159	64%	2.8	280	11	13	15	-	34	-	214	87%	18	7.3%	7	2.8%	3	1.2%	5	2.0%
	H27	187	2.1	16	140	75%	2.1	210	5.6	8.3	11	-	13	-	176	94%	8	4.3%	1	0.5%	0	0%	2	1.1%
	H28	203	2.1	9.3	139	68%	2.1	220	7.5	9.8	12	-	22	-	184	91%	12	5.9%	2	1.0%	4	2.0%	1	0.5%
	H29	158	2.3	9.7	117	74%	2.3	150	7.1	9.6	12	-	19	-	148	94%	3	1.9%	1	0.6%	4	2.5%	2	1.3%
	H30	157	2.5	9.3	116	74%	2.5	170	9.1	12	14	-	22	-	142	90%	7	4.5%	1	0.6%	2	1.3%	5	3.2%
	R1	160	2.9	9.0	105	66%	3.7	170	13	15	17	-	34	-	141	88%	7	4.4%	1	0.6%	5	3.1%	6	3.8%
山梨県	H23	38	2.0	38	29	76%	36	454	38	45	51	-	100	-	29	76%	2	5.3%	1	2.6%	2	5.3%	4	11%
	H24	132	1.8	26	93	70%	1.8	360	17	21	25	-	45	-	114	86%	6	4.5%	5	3.8%	0	0%	7	5.3%
	H25	222	2.6	19	118	53%	2.9	700	32	35	38	-	87	-	163	73%	18	8.1%	16	7.2%	12	5.4%	13	5.9%
	H26	100	3.0	17	28	28%	3.0	970	66	68	69	21	200	142	53	53%	20	20%	8	8.0%	5	5.0%	14	14%
	H27	94	1.6	18	34	36%	3.6	590	54	56	58	16	95	120	57	61%	17	18%	7	7.4%	5	5.3%	8	8.5%
	H28	102	3.6	15	34	33%	4.1	970	58	60	61	17	127	141	56	55%	19	19%	14	14%	2	2.0%	11	11%
	H29	95	6.4	18	46	48%	6.4	470	33	36	39	7.3	87	76	70	74%	12	13%	2	2.1%	4	4.2%	7	7.4%
	H30	73	2.9	16	16	22%	8.0	630	66	67	68	24	148	108	37	51%	11	15%	6	8.2%	3	4.1%	16	21.9%
	R1	65	5.8	19	33	51%	5.8	670	140	143	146	-	466	-	36	55%	7	11%	0	0%	1	1.5%	21	32%
長野県	H23	97	5.0	83	82	85%	16	1320	29	46	64	-	45	-	84	87%	4	4.1%	0	0%	3	3.1%	6	6.2%
	H24	216	1.7	15	143	66%	1.7	2100	30	33	36	-	56	-	180	83%	11	5.1%	10	4.6%	4	1.9%	11	5.1%
	H25	160	3.2	14	84	53%	3.2	2900	62	64	66	-	111	-	125	78%	11	6.9%	5	3.1%	2	1.3%	17	11%
	H26	321	3.3	25	241	75%	3.3	1500	25	30	35	-	37	-	284	88%	11	3.4%	8	2.5%	2	0.6%	16	5.0%
	H27	276	2.4	25	199	72%	4.3	910	25	29	32	-	36	-	239	87%	14	5.1%	6	2.2%	4	1.4%	13	4.7%
	H28	112	3.3	40	78	70%	3.3	420	20	24	28	-	57	-	93	83%	6	5.4%	5	4.5%	3	2.7%	5	4.5%
	H29	472	3.1	25	442	94%	3.1	410	4.6	16	27	-	-	-	452	96%	9	1.9%	3	0.6%	0	0%	8	1.7%
	H30	425	4.1	26	391	92%	4.1	200	3.6	15	26	-	-	-	403	95%	13	3.1%	3	0.7%	2	0%	4	0.9%
R1	526	5.5	25	511	97%	5.5	250	1.7	14	26	-	-	-	518	98%	3	0.6%	2	0.4%	1	0.2%	2	0.4%	
静岡県	H23	19	0.068	20	4	21%	0.068	145	17	18	18	1.1	39	40	17	89%	0	0%	0	0%	0	0%	2	11%
	H24	31	0.047	10	12	39%	0.047	350	41	42	43	0.066	200	98	25	81%	0	0%	1	3.2%	1	3.2%	4	13%
	H25	49	0.033	11	14	29%	0.033	220	29	29	30	2.7	120	50	36	73%	3	6.1%	3	6.1%	1	2.0%	6	12%
	H26	40	0.045	9.5	15	38%	0.045	360	35	36	37	0.11	111	84	31	78%	3	7.5%	1	2.5%	0	0%	5	13%
	H27	32	0.0061	9.7	15	47%	0.0061	410	33	35	37	0.50	86	80	26	81%	0	0%	2	6.3%	1	3.1%	3	9.4%
	H28	60	0.45	11	39	65%	0.45	350	26	27	29	-	80	-	49	82%	3	5.0%	1	1.7%	1	1.7%	6	10%
	H29	28	0.64	11	13	46%	0.64	210	26	28	30	2.5	104	50	23	82%	0	0%	1	3.6%	1	3.6%	3	11%
	H30	41	2.0	12	23	56%	4.4	220	28	30	32	-	98	-	33	80%	2	5%	0	0%	2	4.9%	4	10%
R1	22	2.5	9.3	11	50%	3.9	150	16	18	20	-	56	-	18	82%	1	4.5%	2	9.1%	0	0%	1	4.5%	

【栽培/飼養管理が困難な品目群】

(13)きのこ類(野生)

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LLOD	濃度区分 (Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満+1/2LOD	(3) LOD未満-LLOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
17都県 (合計)	H23	286	1.0	83	161	56%	1.6	2,800	56	64	73	-	112	-	207	72%	26	9.1%	10	3.5%	7	2.4%	36	13%
	H24	449	1.8	20	160	36%	1.8	31,000	246	248	250	14	222	1,869	268	60%	41	9.1%	37	8.2%	21	4.7%	82	18%
	H25	541	3.2	25	204	38%	3.2	2,900	49	51	53	8.9	97	181	381	70%	54	10%	35	6.5%	25	4.6%	46	8.5%
	H26	638	3.0	25	377	59%	3.0	1,500	28	32	36	-	47	-	527	83%	54	8.5%	15	2.4%	8	1.3%	34	5.3%
	H27	666	2.1	25	417	63%	2.1	910	18	21	24	-	31	-	580	87%	49	7.4%	11	1.7%	10	1.5%	16	2.4%
	H28	890	2.1	40	477	54%	2.1	970	16	19	22	-	35	-	760	85%	74	8.3%	25	2.8%	11	1.2%	20	2.2%
	H29	929	2.3	20	511	55%	2.3	470	11	14	16	-	26	-	834	90%	61	6.6%	11	1.1%	8	0.9%	15	1.6%
	H30	1,063	2.5	25	543	51%	2.5	630	15	18	21	-	37	-	896	84%	106	10%	22	2.1%	14	1.3%	25	2.4%
	R1	615	3.3	25	338	55%	3.3	670	22	25	28	-	33	-	528	86%	55	8.9%	5	0.8%	1	0.2%	26	4.2%
青森県	H23	20	8.1	23	12	60%	8.1	60	7.2	13	19	-	15	-	19	95%	0	0%	1	5.0%	0	0%	0	0%
	H24	45	10	20	35	78%	12	120	15	23	31	-	77	-	37	82%	2	4.4%	0	0%	3	6.7%	3	6.7%
	H25	84	6.0	10	51	61%	6.0	40	4.8	7.8	11	-	13	-	82	98%	2	2.4%	0	0%	0	0%	0	0%
	H26	194	5.2	20	149	77%	5.2	31	3.3	8.1	13	-	14	-	191	98%	3	1.5%	0	0%	0	0%	0	0%
	H27	245	5.2	20	194	79%	5.2	31	2.7	6.7	11	-	12	-	242	99%	3	1.2%	0	0%	0	0%	0	0%
	H28	392	4.7	10	290	74%	4.7	48	2.6	6.0	9.5	-	10	-	391	99.7%	1	0.3%	0	0%	0	0%	0	0%
	H29	423	5.1	10	321	76%	5.1	34	2.6	6.4	10	-	9.0	-	419	99.1%	4	0.9%	0	0%	0	0%	0	0%
	H30	390	5.0	10	301	77%	5.0	44	2.6	6.5	10	-	12.0	-	387	99.2%	3	0.8%	0	0%	0	0%	0	0%
	R1	298	4.3	10	214	72%	4.3	46	3.3	6.9	10	-	12	-	292	98%	6	2.0%	0	0%	0	0%	0	0%
岩手県	H23	5	8.0	20	2	40%	8.0	33	14	18	22	8.0	-	10	3	60%	2	40%	0	0%	0	0%	0	0%
	H24	52	4.9	19	8	15%	4.9	3,000	182	183	184	28	427	521	25	48%	9	17%	6	12%	3	5.8%	9	17%
	H25	39	7.7	17	16	41%	8.1	120	18	21	23	8.8	55	25	30	77%	4	10%	3	7.7%	1	2.6%	1	2.6%
	H26	26	8.4	18	12	46%	8.6	67	13	16	19	8.8	39	14	21	81%	4	15%	1	3.8%	0	0%	0	0%
	H27	24	6.6	18	8	33%	6.6	40	11	13	15	8.7	27	8.8	21	88%	3	13%	0	0%	0	0%	0	0%
	H28	26	8.0	19	12	46%	13	94	25	28	31	14	84	28	17	65%	4	15%	1	3.8%	4	15%	0	0%
	H29	12	8.6	15	2	17%	8.6	78	22	23	24	15	39	20	8	67%	3	25%	0	0%	1	8.3%	0	0%
	H30	13	10	10	1	8%	16	86	36	36	36	28	79	26	5	38%	5	38%	1	8%	2	15%	0	0%
	R1	24	9.2	14	11	46%	9.2	54	11	14	16	9.3	29	10	20	83%	3	13%	1	4.2%	0	0%	0	0%
秋田県	H23	7	1.6	3.1	2	29%	1.6	7.7	3.0	3.4	3.8	1.9	-	2.4	7	100%	0	0%	0	0%	0	0%	0	0%
	H24	3	9.8	12	2	67%	9.8	10	3.3	7.3	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	H25	6	7.8	13	4	67%	7.8	9.3	2.9	6.9	11	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	H26	3	11	13	3	100%	-	-	0	5.8	12	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	H27	3	9.5	11	3	100%	-	-	0	5.3	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	H28	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H29	1	-	-	0	0%	7.7	7.7	7.7	7.7	7.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
宮城県	H23	9	1.0	1.0	1	11%	13	460	94	94	94	30	-	147	4	44%	2	22%	0	0%	1	11%	2	22%
	H24	4	20	20	1	25%	25	620	189	191	194	68	-	287	2	50%	0	0%	0	0%	0	0%	2	50%
	H25	19	11	25	6	32%	11	1,700	153	157	160	36	209	400	9	47%	3	16%	3	16%	2	11%	2	11%
	H26	7	-	-	0	0%	3.5	530	136	136	136	50	-	189	2	29%	2	29%	0	0%	0	0%	3	43%
	H27	2	15	25	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H28	7	15	25	5	71%	200	210	59	66	73	-	-	-	5	71%	0	0%	0	0%	0	0%	2	29%
	H29	10	2.8	9.6	2	20%	2.8	110	22	23	24	9.8	54	33	8	80%	1	10%	0	0%	0	0%	1	10%
	H30	22	5.4	25	4	18%	5.4	390	87	88	90	39.5	342	122	7	32%	5	23%	4	18%	3	14%	3	14%
	R1	15	8.2	25	9	60%	8.2	36	7.6	12	17	-	26	-	13	87%	2	13%	0	0%	0	0%	0	0%
山形県	H23	20	1.8	20	17	85%	1.8	13	1.3	10	18	-	2.8	-	20	100%	0	0%	0	0%	0	0%	0	0%
	H24	14	8.4	15	12	86%	8.4	15	1.7	6.7	12	-	5.9	-	14	100%	0	0%	0	0%	0	0%	0	0%
	H25	33	6.5	19	30	91%	6.5	10	0.78	8.1	15	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	H26	20	8.9	19	13	65%	8.9	24	6.4	12	17	-	23	-	20	100%	0	0%	0	0%	0	0%	0	0%
	H27	32	7.1	19	25	78%	7.1	38	3.6	10	17	-	12	-	31	97%	1	3.1%	0	0%	0	0%	0	0%
	H28	24	10	19	16	67%	10	25	5.5	11	17	-	21	-	24	100%	0	0%	0	0%	0	0%	0	0%
	H29	28	9.0	20	20	71%	9.0	110	12	17	23	-	36	-	23	82%	3	11%	1	3.6%	0	0%	1	3.6%
	H30	21	9.6	18	18	86%	9.6	15	1.8	8.8	16	-	10	-	21	100%	0	0%	0	0%	0	0%	0	0%
	R1	14	11	19	11	79%	11	30	3.6	10	17	-	11	-	13	93%	1	7.1%	0	0%	0	0%	0	0%
福島県	H23	81	9.8	20	31	38%	9.8	2,800	113	117	121	19	155	370	43	53%	12	15%	7	8.6%	3	3.7%	16	20%
	H24	72	4.3	18	22	31%	4.3	5,600	190	192	193	13	169	814	45	63%	9	13%	4	5.6%	5	6.9%	9	13%
	H25	91	3.2	18	22	24%	3.2	790	32	33	34	11	57	89	67	74%	13	14%	4	4.4%	3	3.3%	4	4.4%
	H26	72	3.6	20	24	33%	3.6	430	21	23	24	7.8	40	55	60	83%	8	11%	1	1.4%	0	0%	3	4.2%
	H27	51	3.8	18	20	39%	3.8	47	11	13	15	5.5	33	11	42	82%	9	18%	0	0%	0	0%	0	0%
	H28	246	3.5	20	83	34%	3.5	120	14	17	19	9.4	37	15	197	80%	41	17%	6	2.4%	1	0.4%	1	0.4%
	H29	307																						

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未検		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未検=LOD	濃度区分(Bq/kg) (LOD未検=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未検=0	(2) LOD未検=1/2LOD	(3) LOD未検=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
茨城県	H23	10	7.0	20	3	30%	7.0	32	17	18	20	22	32	10	7	70%	3	30%	0	0%	0	0%	0	0%	0	0%
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	6	4.6	6.0	2	33%	4.6	40	15	16	17	11	-	15	4	67%	2	33%	0	0%	0	0%	0	0%	0	0%
	H27	22	2.7	5.6	3	14%	2.7	78	18	18	19	14	37	18	15	68%	6	27%	0	0%	1	4.5%	0	0%	0	0%
	H28	22	2.8	5.8	7	32%	3.3	98	15	16	17	3.9	43	23	17	77%	3	14%	1	4.5%	1	4.5%	0	0%	0	0%
	H29	10	3.6	4.7	2	20%	5.4	49	14	15	15	11	25	14	9	90%	1	10%	0	0%	0	0%	0	0%	0	0%
	H30	16	2.7	6.4	4	25%	2.7	41	14	14	15	6.0	34	13	12	75%	4	25%	0	0%	0	0%	0	0%	0	0%
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
栃木県	H23	9	-	-	0	0%	5.7	134	64	64	64	43	-	48	2	22%	3	33%	0	0%	1	11%	3	33%	0	0%
	H24	27	2.2	17	3	11%	3.1	31,000	2,391	2,392	2,392	110	3,000	7,224	8	30%	2	7.4%	2	7.4%	1	3.7%	14	52%	0	0%
	H25	3	13	13	1	33%	49	98	49	51	53	49	-	43	1	33%	1	33%	0	0%	1	33%	0	0%	0	0%
	H26	5	8.5	12	1	20%	8.5	130	47	48	49	28	-	51	2	40%	1	20%	1	20%	0	0%	1	20%	0	0%
	H27	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	6	5.8	14	6	100%	-	-	0	5.4	11	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	8	12	15	6	75%	35	35	8.8	14	19	-	-	-	6	75%	2	25%	0	0%	0	0%	0	0%	0	0%
	H30	10	4.3	25	7	70%	4.3	9.7	2.3	7.8	13	-	9.3	-	10	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
群馬県	H23	7	16	20	3	43%	16	283	83	87	91	16	-	124	5	71%	0	0%	0	0%	0	0%	0	0%	2	29%
	H24	32	14	20	6	19%	14	2,500	253	254	256	62	560	462	10	31%	2	6.3%	7	22%	0	0%	13	41%	0	0%
	H25	1	17	17	1	100%	-	-	0	8.5	17	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	6	10	19	3	50%	10	46	14	18	23	-	-	-	4	67%	2	33%	0	0%	0	0%	0	0%	0	0%
	H28	1	16	16	1	100%	-	-	0	8.0	16	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	5	-	-	0	0%	12	26	19	19	19	19	-	5.4	4	80%	1	20%	0	0%	0	0%	0	0%	0	0%
千葉県	H23	1	-	-	0	0%	5.4	5.4	5.4	5.4	5.4	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
埼玉県	H23	9	5.5	40	5	56%	27	290	60	67	74	-	-	-	5	56%	1	11%	0	0%	0	0%	3	33%	0	0%
	H24	60	8.4	19	19	32%	8.6	500	59	62	64	23	210	86	32	53%	6	10%	6	10%	6	10%	10	17%	0	0%
	H25	14	8.4	9.9	5	36%	35	540	107	108	110	53	232	146	5	36%	2	14%	1	7.1%	1	7.1%	5	36%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	7	12	13	5	71%	92	130	32	36	41	-	-	-	5	71%	0	0%	0	0%	1	14%	1	14%	0	0%
	H30	4	10	12	4	100%	-	-	0	5.5	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
東京都	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
神奈川県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	2	8.7	10	2	100%	-	-	0	4.7	9.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	24	4.9	20	15	63%	4.9	106	10	14	19	-	24	-	21	88%	1	4.2%	1	4.2%	0	0%	0	0%	1	4.2%
	H24	1	-	-	0	0%	450	450	450	450	450	-	-	-	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
	H25	28	3.8	8.7	13	46%	3.8	230	26	28	30	4.9	76	47	21	75%	2	7.1%	2	7.1%	2	7.1%	1	3.6%	1	3.6%
	H26	30	3.8	8.5	13	43%	3.8	280	25	26	28	4.4	48	55	23	77%	4	13%	0	0%	1	3.3%	2	6.7%	1	3.6%
	H27	28	2.1	8.7	12	43%	2.1	210	14	15	17	4.5	20	38	26	93%	1	3.6%	0	0%	0	0%	0	0%	1	3.6%
	H28	33	2.1	8.4	11	33%	2.1	83	10	12	13	5.8	23	15	30	91%	2	6.1%	0	0%	1	3.0%	0	0%	0	0%
	H29	29	2.3	8.4	11	38%	2.3	61	8.3	9.4	10	3.6	20	11	27	93%	1	3.4%	1	3.4%	0	0%	0	0%	0	0%
	H30	45	2.5	9.3	25	56%	2.5	91	7.5	9.4	11	-	18	-	42	93%	2	4.4%	0	0%	1	2%	0	0%	0	0%
	R1	37	3.7	8.2	15	41%	3.7	120	11	12	14	7.7	22	19	36	97%	0	0%	0	0%	0	0%	1	2.7%	1	2.7%
山梨県	H23	20	20	26	12	60%	41	454	71	78	85	-	218	-	12	60%	1	5.0%	1	5.0%	2	10%	4	20%	7	35%
	H24	43	1.8	18	15	35%	1.8	360	48	51	53	13	150	80	26	60%	6	14%	4	9.3%	0	0%	7	16%	16	37%
	H25	126	3.3	19	34	27%	3.3	700	55	57	59	21	105	107	69	55%	17	13%	15	12%	12	9.5%	13	10%	21	17%
	H26	81	3.0	17	12	15%	3.0	970	81	82	83	37	210	154	34	42%	20	25%	8	9.9%	5	6.2%	14	17%	14	17%
	H27	62	3.6	18	10	16%	3.6	590	79	81	82	32	129	142	25	40%	17	27%	7	11%	5	8.1%	8	13%	8	13%
	H28	77	4.7	14	14	18%	4.7	970	76	77	78	33	148	159	31	40%	19	25%	14	18%	2	2.6%	11	14%	11	14%
	H29	66	6.4	18	19	29%	6.4	470	47	49	51	20	104	89	41	62%	12	18%	2	3.0%	4	6.1%	7	11%	7	11%
	H30	50	2.9	16	8	16%	8.0	630	91	92	93	50	182	123	14	28%	11	22%	6	12%	3	6.0%	16	32%	16	32%
	R1	39	5.8	19	8	21%	5.8	670	232	233	235	210	522	217	10	26%	7	18%	0	0%	1	2.6%	21	54%	21	54%
長野県	H23	64	20	83	58	91%	49	1,320	35	57	79	-	-	-	58	91%	1	1.6%	0	0%	0	0%	5	7.8%	5	7.8%
	H24	85	2.6	11	34	40%	2.6	2,100	67	69	70	6.9	126	243	61	72%	5	5.9%	7	8.2%	2	2.4%	10	12%	10	12%
	H25	76	3.2	10	16	21%	3.2	2,900	114	115	115	14	150	391	48	63%	8	11%	4	5.3%	2	2.6%	14	18%	14	18%
	H26	176	4.7	25	143	81%	4.7	1,500	29	36	43	-	24	-	158	90%	7	4.0%	3	1.7%	2	1.1%	6	3.4%	6	3.4%
	H27	175	2.4	25	134	77%	4.7	910	20	23	26	-	23	-	159	91%	7	4.0%	2	1.1%	3	1.7%	4	2.3%	4	2.3%
	H28	37	5.0	40	26	70%	5.0	76	8.5	12	16	-	25	-	33	89%	1	2.7%	2	5.4%	1	2.7%	0	0%	0	0%
	H29	12	9.3	9.7	3	25%	12	150	32	33	34	24	60	40	6	50%	4	33%	1	8.3%	0	0%	1	8.3%	1	8.3%
	H30	26	5.8	9.4	11	42%	5.8	48	12	14	16	6.1	30	11	21	81%	5	19%	0	0%	0	0%	0	0%	0	0%
R1	8	6.2	25	5	63%	6.2	18	4.4	8.1	12	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%	
静岡県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	11	5.4	10	3	27%	5.4	350	116	118	119	60	340	137	5	45%	0	0%	1	9.1%	1	9.1%	4	36%	4	36%
	H25	19	7.6	9.8	3	16%	11	220	70	70	71	53	136	62	7	37%	2	11%	3	16%	1	5.3%	6	32%	6	32%
	H26	18	8.4	9.4	5	28%	14	360	78	79	80	26	267	113	9	50%	3	17%	1	5.6%	0	0%	5	28%	5	28%
	H27	15	5.0	9.4	2	13%	5.0	410	70	70	71	17	170	109	9	60%	0	0%	2	13%	1	6.7%	3	20%	3	20%
	H28	18	4.8	10	5	28%	4.8	350	84	86	87	46	241	104	7	39%	3	17%	1	5.6%	1	5.6%	6	33%	6	33%
	H29	16	4.3	9.5	3	19%	4.3	210	45	46	47	14	130	62	11	69%	0	0%	1	6.3%	1	6.3%	3	19%	3	19%
	H30	18	5.5	11	3	17%	5.5	220	62	62	63	23	179	74	10	56%	2	11%	0	0%	2	11%	4	22%	4	22%
R1	8	6.1	9.3	2	25%	6.1	150	41	42	43	18	-	50	4	50%	1	13%	2	25%	0	0%	1	13%	1	13%	

【栽培/飼養管理が困難な品目群】

(14)山菜類等(野生)(野生の野菜類を含む。)

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未検出		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 +1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
17都県 (合計)	H23	121	4.0	57	52	43%	8.0	1,060	95	101	106	17	320	175	65	54%	12	9.9%	10	8.3%	6	5.0%	28	23%
	H24	1,405	0.99	26	555	40%	0.99	2,900	67	69	71	11	140	202	860	61%	179	13%	111	7.9%	70	5.0%	185	13%
	H25	2,457	1.4	25	1,241	51%	1.6	12,000	49	53	56	-	57	-	1,916	78%	255	10%	94	3.8%	54	2.2%	138	5.6%
	H26	2,932	1.4	25	1,435	49%	1.4	1,200	16	19	22	2.85	37	45	2,467	84%	265	9.0%	103	3.5%	38	1.3%	59	2.0%
	H27	2,571	0.89	25	1,649	64%	0.89	690	13	17	21	-	31	-	2,272	88%	144	5.6%	66	2.6%	26	1.0%	63	2.5%
	H28	3,219	0.20	25	2,000	62%	0.93	720	10	14	18	-	27	-	2,869	89%	224	7.0%	55	1.7%	30	0.9%	41	1.3%
	H29	2,435	0.90	25	1,482	61%	0.90	450	8.8	12	15	-	23	-	2,220	91%	134	5.5%	34	1.4%	18	0.7%	29	1.2%
	H30	2,577	0.90	25	1,553	60%	0.90	780	16	20	23	-	40	-	2,196	85%	177	6.9%	70	2.7%	36	1.4%	98	3.8%
	R1	1,947	1.1	25	1,245	64%	1.1	630	14	18	22	-	29	-	1,732	89%	104	5.3%	29	1.5%	24	1.2%	58	3.0%
青森県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	53	10	25	53	100%	-	-	0	10	20	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%
	H25	42	25	25	42	100%	-	-	0	13	25	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	H26	42	25	25	42	100%	-	-	0	13	25	-	-	-	42	100%	0	0%	0	0%	0	0%	0	0%
	H27	43	25	25	43	100%	-	-	0	13	25	-	-	-	43	100%	0	0%	0	0%	0	0%	0	0%
	H28	16	25	25	16	100%	-	-	0	13	25	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	H29	18	25	25	18	100%	-	-	0	13	25	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
岩手県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	44	-	-	0	0%	9.7	330	106	106	106	84	236	78	3	6.8%	5	11%	8	18%	14	32%	14	32%
	H25	74	5.3	20	52	70%	6.4	170	17	21	25	-	41	-	60	81%	7	9.5%	0	0%	2	2.7%	5	6.8%
	H26	59	5.9	18	49	83%	5.9	220	8.4	14	20	-	14	-	54	92%	2	3.4%	2	3.4%	0	0%	1	1.7%
	H27	241	4.7	19	180	75%	4.7	360	6.2	11	16	-	19	-	229	95%	9	3.7%	2	0.8%	0	0%	1	0.4%
	H28	139	7.0	25	123	88%	7.0	85	2.9	9.8	17	-	7.7	-	133	96%	4	2.9%	1	0.7%	1	0.7%	0	0%
	H29	17	5.7	25	14	82%	5.7	16	1.6	9.8	18	-	5.9	-	17	100%	0	0%	0	0%	0	0%	0	0%
	H30	20	6.5	25	13	65%	6.5	44	6.3	10	15	-	17	-	18	90%	2	10%	0	0%	0	0%	0	0%
	R1	73	3.6	16	53	73%	3.6	61	4.1	8.2	12	-	11	-	71	97%	1	1.4%	1	1.4%	0	0%	0	0%
秋田県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	9	1.4	17	7	78%	8.2	12	2.2	2.9	3.5	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	H25	26	9.9	16	19	73%	10	110	10	14	19	-	33	-	22	85%	3	12%	0	0%	0	0%	1	3.8%
	H26	25	8.6	14	19	76%	9.2	120	15	20	25	-	66	-	21	84%	0	0%	2	8.0%	0	0%	2	8.0%
	H27	24	8.3	15	16	67%	8.3	79	11	15	19	-	47	-	20	83%	1	4.2%	2	8.3%	1	4.2%	0	0%
	H28	10	8.0	11	1	10%	8.0	88	29	30	30	19	71	28	7	70%	1	10%	1	10%	1	10%	0	0%
	H29	10	7.3	13	3	30%	7.3	85	24	26	28	10	80	30	7	70%	1	10%	0	0%	2	20%	0	0%
	H30	3	5.0	8.0	1	33%	5.0	12	6	7	8	5	-	4	3	100%	0	0%	0	0%	0	0%	0	0%
	R1	15	5.9	13	6	40%	5.9	80	22	24	26	10	58	23	8	53%	5	33%	1	6.7%	1	6.7%	0	0%
宮城県	H23	3	9.0	9.0	1	33%	14	143	52	54	55	14	-	76	2	67%	0	0%	0	0%	0	0%	1	33%
	H24	69	5.7	20	2	3%	5.7	530	101	102	102	79	192	87	5	7.2%	6	8.7%	21	30%	17	25%	20	29%
	H25	284	7.5	25	89	31%	7.5	930	46	49	52	19	110	82	157	55%	55	19%	26	9.2%	15	5.3%	31	11%
	H26	579	8.2	25	241	42%	8.2	1,200	25	29	33	12	53	68	433	75%	85	15%	29	5.0%	19	3.3%	13	2.2%
	H27	509	2.4	25	266	52%	7.3	690	32	36	40	-	84	-	359	71%	57	11%	36	7.1%	16	3.1%	41	8.1%
	H28	1,070	4.4	25	586	55%	4.4	720	18	23	28	-	39	-	865	81%	130	12%	27	2.5%	18	1.7%	30	2.8%
	H29	549	3.1	25	215	39%	3.1	450	18	21	23	5.9	44	40	453	83%	52	9.5%	15	2.7%	9	1.6%	20	3.6%
	H30	599	4.9	25	339	57%	4.9	440	23	28	33	-	55	-	477	80%	57	9.5%	18	3.0%	13	2.2%	34	5.7%
	R1	548	2.8	25	247	45%	2.8	630	30	34	37	5.0	80	72	413	75%	59	11%	18	3.3%	16	2.9%	42	7.7%
山形県	H23	3	20	20	3	100%	-	-	0	10	20	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	H24	31	11	15	31	100%	-	-	0	6.2	12	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%
	H25	345	4.0	25	311	90%	6.7	240	2.9	10	18	-	-	-	333	97%	6	1.7%	5	1.4%	0	0%	1	0.3%
	H26	249	7.2	20	224	90%	7.2	200	4.0	11	19	-	1.4	-	238	96%	3	1.2%	5	2.0%	2	0.8%	1	0.4%
	H27	175	7.9	20	161	92%	7.9	129	3.0	11	19	-	-	-	170	97%	2	1.1%	0	0%	1	0.6%	2	1.1%
	H28	175	7.0	19	158	90%	8.8	160	3.6	11	18	-	-	-	166	95%	7	4.0%	0	0%	1	0.6%	1	0.6%
	H29	145	8.6	19	115	79%	8.6	75	6.5	13	20	-	26	-	130	90%	10	6.9%	5	3.4%	0	0%	0	0%
	H30	149	8.3	20	108	72%	8.3	130	9.6	16	22	-	40	-	128	86%	12	8.1%	5	3.4%	3	2%	1	1%
	R1	114	6.0	19	87	76%	10	78	6.6	13	19	-	28	-	101	89%	11	9.6%	1	0.9%	1	0.9%	0	0%
福島県	H23	66	12	57	33	50%	12	1,060	118	125	131	-	430	-	38	58%	5	7.6%	4	6.1%	2	3.0%	17	26%
	H24	555	3.3	20	241	43%	3.3	1,800	78	80	82	6.9	210	217	354	64%	72	13%	28	5.0%	19	3.4%	82	15%
	H25	771	3.5	20	376	49%	3.5	12,000	115	117	120	4.3	100	683	570	74%	71	9.2%	33	4.3%	21	2.7%	76	9.9%
	H26	797	3.7	19	499	63%	3.7	700	15	18	21	-	34	-	693	87%	44	5.5%	25	3.1%	13	1.6%	22	2.8%
	H27	753	3.7	20	552	73%	3.7	260	6.2	9.9	13	-	13.8	-	708	94%	22	2.9%	11	1.5%	5	0.7%	7	0.9%
	H28	915	3.1	20	657	72%	3.1	180	5.5	9.0	12													

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分(Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
			点数	割合 (%)											点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
茨城県	H23	9	-	-	0	0%	28	730	226	226	226	156	-	218	0	0%	1	11%	1	11%	1	11%	6	67%
	H24	68	4.0	11	11	16%	4.0	1,300	84	85	85	32	193	169	32	47%	10	15%	5	7.4%	3	4.4%	18	26%
	H25	20	2.6	7.2	3	15%	2.6	47	8.4	8.9	9.3	4.9	18	10	19	95%	1	5.0%	0	0%	0	0%	0	0%
	H26	226	1.6	8.5	19	8%	1.6	59	15	15	15	12	31	12	187	83%	34	15%	5	2.2%	0	0%	0	0%
	H27	98	1.7	12	54	55%	2.3	37	4.9	6.6	8.3	-	15	-	95	97%	3	3.1%	0	0%	0	0%	0	0%
	H28	233	2.4	14	95	41%	2.4	55	7.4	8.6	9.8	3.7	22	8.6	215	92%	16	6.9%	2	0.9%	0	0%	0	0%
	H29	271	2.0	11	88	32%	2.0	59	8.2	9.0	9.9	4.0	23	9.6	251	93%	17	6.3%	3	1.1%	0	0%	0	0%
	H30	255	2.0	19	86	34%	2.0	71	7.1	8.0	8.9	3.6	23	8.7	242	95%	11	4.3%	2	0.8%	0	0%	0	0%
	R1	9	-	-	0	0%	89	630	295	295	295	290	-	181	0	0%	0	0%	1	11%	8	89%		
栃木県	H23	4	-	-	0	0%	18	51	33	33	33	31	-	14	1	25%	2	50%	1	25%	0	0%	0	0%
	H24	259	0.99	23	65	25%	1.0	2,900	104	105	106	23	210	323	134	52%	49	19%	27	10%	9	3.5%	40	15%
	H25	174	2.4	19	91	52%	2.4	500	22	25	28	-	52	-	145	83%	9	5.2%	6	3.4%	6	3.4%	8	4.6%
	H26	164	1.9	19	91	55%	1.9	240	13	16	18	-	25	-	147	90%	6	3.7%	5	3.0%	0	0%	6	3.7%
	H27	173	2.5	18	122	71%	2.5	92	5.5	9.5	14	-	17	-	161	93%	9	5.2%	2	1.2%	1	0.6%	0	0%
	H28	247	0.20	18	166	67%	2.6	66	4.4	8.2	12	-	14	-	237	96%	7	2.8%	3	1.2%	0	0%	0	0%
	H29	259	3.0	19	198	76%	3.0	68	4.2	8.1	12	-	13	-	242	93%	15	5.8%	2	0.8%	0	0%	0	0%
	H30	193	4.0	25	153	79%	4.0	67	3.1	8.3	14	-	12	-	190	98%	1	0.5%	2	1.0%	0	0%	0	0%
	R1	231	3.1	25	170	74%	3.1	52	3.6	8.6	14	-	12	-	224	97%	6	2.6%	1	0.4%	0	0%	0	0%
群馬県	H23	8	16	30	6	75%	16	33	6.1	16	25	-	-	-	7	88%	1	13%	0	0%	0	0%	0	0%
	H24	39	20	23	25	64%	24	290	28	35	41	-	66	-	26	67%	6	15%	3	7.7%	2	5.1%	2	5.1%
	H25	98	6.5	19	37	38%	6.5	350	34	37	40	13.5	113	51	61	62%	18	18%	4	4.1%	4	4.1%	11	11%
	H26	28	7.4	18	20	71%	8.9	530	28	34	40	-	45	-	23	82%	3	11%	0	0%	0	0%	2	7.1%
	H27	32	8.3	19	24	75%	8.3	79	8.6	15	21	-	21	-	29	91%	0	0%	2	6.3%	1	3.1%	0	0%
	H28	21	9.5	18	7	33%	9.5	68	20	23	26	17	41	15	12	57%	8	38%	1	4.8%	0	0%	0	0%
	H29	30	7.4	19	7	23%	7.4	99	26	28	30	20	56	22	16	53%	10	33%	2	6.7%	2	6.7%	0	0%
	H30	102	7.9	19	33	32%	7.9	780	78	81	84	34	220	120	46	45%	21	21%	5	4.9%	3	2.9%	27	26%
	R1	62	8	19	33	53%	8	150	14	18	23	-	33	-	51	82%	6	10%	4	6.5%	0	0%	1	1.6%
千葉県	H23	14	-	-	0	0%	22	250	90	90	90	73	166	62	1	7.1%	2	14%	4	29%	3	21%	4	29%
	H24	152	1.3	10	37	24%	1.3	170	30	31	31	15	75	35	90	59%	28	18%	19	13%	6	3.9%	9	5.9%
	H25	351	1.6	3.5	6	2%	1.6	130	23	23	23	17	46	19	244	70%	80	23%	19	5.4%	6	1.7%	2	0.6%
	H26	479	1.4	17	16	3%	1.4	96	18	18	18	14	37	15	373	78%	80	17%	22	4.6%	4	0.8%	0	0%
	H27	284	0.89	9.3	48	17%	0.89	130	12	13	13	7.4	29	15	250	88%	26	9.2%	6	2.1%	0	0%	2	0.7%
	H28	180	0.93	8.5	20	11%	0.93	62	8.6	8.9	9.2	6.1	21	8.8	168	93%	11	6.1%	1	0.6%	0	0%	0	0%
	H29	127	0.90	2.6	10	8%	0.90	36	7.3	7.3	7.4	5.0	16	7.1	123	97%	4	3.1%	0	0%	0	0%	0	0%
	H30	87	0.90	3.7	14	16%	0.90	45	6.5	6.7	6.8	3.0	18	8.1	83	95%	4	4.6%	0	0%	0	0%	0	0%
	R1	122	1.1	3.3	17	14%	1.1	32	6.1	6.3	6.4	3.9	17	6.2	120	98%	2	1.6%	0	0%	0	0%	0	0%
埼玉県	H23	6	40	40	6	100%	-	-	0.0	20	40	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	H24	59	2.4	20	26	44%	2.4	43	7.1	9.1	11	4.3	17	7.4	57	97%	2	3.4%	0	0%	0	0%	0	0%
	H25	61	1.9	18	41	67%	1.9	34	2.3	5.9	9.4	-	7.7	-	60	98%	1	1.6%	0	0%	0	0%	0	0%
	H26	27	2.4	16	23	85%	2.4	8.6	0.86	4.7	8.5	-	3.9	-	27	100%	0	0%	0	0%	0	0%	0	0%
	H27	17	3.1	11	14	82%	3.1	50	3.3	6.4	9.4	-	3.3	-	16	94%	1	5.9%	0	0%	0	0%	0	0%
	H28	15	2.6	20	14	93%	5.2	5.2	0.35	3.5	6.7	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	H29	12	2.2	15	11	92%	7.1	7.1	0.59	5.6	11	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
	H30	15	4.1	13	14	93%	4.2	4.2	0.28	5.3	10	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	R1	14	11	12	14	100%	-	-	0	5.9	12	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%
東京都	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	7	5.0	16	6	86%	5.0	5.0	0.71	5.8	11	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%
	H25	6	5.2	12	5	83%	5.2	5.2	0.87	5.5	10	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%
	H26	1	12	12	1	100%	-	-	0	6.0	12	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
神奈川県	H23	4	-	-	0	0%	12	38	21	21	21	17	-	12	3	75%	1	25%	0	0%	0	0%	0	0%
	H24	9	1.8	4.8	2	22%	10	35	14	15	15	12	-	10	8	89%	1	11%	0	0%	0	0%	0	0%
	H25	7	1.4	6.4	2	29%	2.6	16	5.7	6.2	6.8	3.4	-	5.3	7	100%	0	0%	0	0%	0	0%	0	0%
	H26	6	4.6	6.0	2	33%	4.6	34	12	13	14	9.8	-	11	5	83%	1	17%	0	0%	0	0%	0	0%
	H27	6	3.6	5.8	3	50%	3.6	32	6.6	7.9	9.3	-	-	-	5	83%	1	17%	0	0%	0	0%	0	0%
	H28	5	2.6	5.4	2	40%	2.6	7.7	3.5	4.5	5.6	2.6	-	2.0	5	100%	0	0%	0	0%	0	0%	0	0%
	H29	4	5.8	6.8	3	75%	13	13	3.3	5.6	7.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	H30	3	2.2	5.6	1	33%	2.2	3.8	2.0	2.9	3.9	2.2	-	1.7	3	100%	0	0%	0	0%	0	0%	0	0%
	R1	1	-	-	0	0%	2.1	2.1	2.1	2.1	2.1	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	8	5.7	8.5	8	100%	-	-	0	3.8	7.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	126	4.5	9.6	113	90%	4.5	38	1.6	5.0	8.3	-	2.3	-	123	98%	3	2.4%	0	0%	0	0%	0	0%	0	0%
	H26	120	4.9	9.6	106	88%	4.9	170	5.8	9.0	12	-	5.4	-	112	93%	3	2.5%	3	2.5%	0	0%	0	0%	2	1.7%
	H27	134	3.4	9.6	114	85%	3.4	140	4.1	7.2	10	-	6.1	-	126	94%	6	4.5%	1	0.7%	0	0%	0	0%	1	0.7%
	H28	144	3.1	9.3	124	86%	3.1	220	4.3	7.3	10	-	5.6	-	136	94%	5	3.5%	1	0.7%	1	0.7%	1	0.7%	1	0.7%
	H29	119	4.4	9.7	103	87%	4.4	150	6.5	9.5	13	-	8.3	-	112	94%	1	0.8%	0	0%	0	0%	4	3.4%	2	1.7%
	H30	107	3.3	9.3	89	83%	3.3	170	9.9	13	15	-	33	-	95	89%	5	4.7%	1	1%	1	0.9%	1	0.9%	5	4.7%
	R1	110	2.9	9.0	88	80%	4.3	170	13	15	18	-	42	-	94	85%	6	5.5%	1	0.9%	4	3.6%	5	4.5%		
山梨県	H23	1	4.0	4.0	1	100%	-	-	0	2.0	4.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	24	3.3	26	22	92%	5	22	1.1	6.5	11.8	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	28	2.6	18	24	86%	2.9	17	1.4	5.0	8.6	-	4.0	-	28	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	13	5.1	17	11	85%	11	12	1.8	6.2	11	-	8.8	-	13	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	12	1.6	16	9	75%	7.5	13	2.7	5.5	8.4	-	12	-	12	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	10	3.6	15	8	80%	4.1	8.4	1.3	4.6	8.0	-	4.5	-	10	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	14	7.6	18	14	100%	-	-	0	6.4	13	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	8	6.6	16	8	100%	-	-	0	5.2	10	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	11	7.2	17	11	100%	-	-	0	5.0	10	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%	0	0%
長野県	H23	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	17	2.1	9.7	17	100%	-	-	0	3.4	6.9	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	30	5.2	9.1	23	77%	16	610	38	40	43	-	65	-	25	83%	1	3.3%	1	3.3%	0	0%	0	0%	3	10%
	H26	112	3.3	19	68	61%	3.3	400	25	27	30	-	60	-	93	83%	4	3.6%	5	4.5%	0	0%	0	0%	10	8.9%
	H27	65	6.4	25	38	58%	7.5	680	52	58	65	-	122	-	44	68%	7	11%	4	6.2%	1	1.5%	9	14%		
	H28	34	7.3	25	18	53%	19	420	54	59	65	-	174	-	19	56%	5	15%	3	8.8%	2	5.9%	5	15%		
	H29	17	8.4	25	6	35%	31	410	89	93	97	45	206	106	6	35%	3	18%	2	12%	0	0%	6	35%		
	H30	10	25	25	3	30%	48	200	66	69	73	50	119	55	3	30%	3	30%	0	0%	1	10%	3	30%		
R1	7	-	-	0	0%	5.5	250	99	99	99	71	-	94	-	2	29%	0	0%	2	29%	1	14%	2	29%		
静岡県	H23	2	8.0	20	1	50%	8.0	8.0	4.0	9.0	14	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	2	3.2	3.6	2	100%	-	-	0	1.7	3.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	14	1.9	11	7	50%	1.9	7.6	2.8	4.7	6.5	-	7.0	-	14	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	5	5.8	9.5	4	80%	5.8	5.8	1.2	4.8	8.4	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	5	8.0	9.7	5	100%	-	-	0	4.5	9.1	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	5	3.7	11	5	100%	-	-	0	3.6	7.3	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	5	7.3	11	4	80%	12	12	2.4	6.1	9.8	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	5	7.5	12	5	100%	-	-	0	4.7	9.3	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
R1	5	5.1	9.2	2	40%	5.1	8.2	3.9	5.7	7.5	5.1	-	1.7	-	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%

【栽培/飼養管理が困難な品目群】

(15) 野生鳥獣の肉類

産地	検査年度	検査 点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 +1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
17都県 (合計)	H23	611	1.4	100	57	9%	1.4	14,600	371	373	374	141	850	938	89	15%	60	9.8%	47	7.7%	42	6.9%	373	61%
	H24	1,241	1.1	25	152	12%	1.1	61,000	667	668	669	70	840	3,395	328	26%	190	15%	128	10%	104	8.4%	491	40%
	H25	1,382	1.4	28	241	17%	1.4	20,000	184	185	186	52	290	771	459	33%	215	16%	170	12%	121	8.8%	417	30%
	H26	1,363	1.6	28	298	22%	1.6	30,000	184	186	187	38	270	1,114	555	41%	240	18%	117	8.6%	102	7.5%	349	26%
	H27	893	1.0	26	333	37%	1.0	9,800	95	98	101	17	170	453	501	56%	120	13%	54	6.0%	52	5.8%	166	19%
	H28	1,719	1.7	38	462	27%	1.7	30,000	154	156	158	27	270	929	833	48%	268	16%	148	8.6%	92	5.4%	378	22%
	H29	1,638	2.6	25	802	49%	3.0	14,000	56	61	66	5.6	86	476	1,175	72%	196	12%	83	5.1%	54	3.3%	130	7.9%
	H30	2,133	2.3	26	1,106	52%	2.6	10,000	51	56	61	-	81	-	1,549	73%	252	12%	105	4.9%	61	2.9%	166	7.8%
	R1	2,089	2.5	25	1,224	59%	3.9	5,200	25	31	36	-	41	-	1,739	83%	199	10%	53	2.5%	29	1.4%	69	3.3%
青森県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	10	20	20	10	100%	-	-	0	10	20	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	2	20	20	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	1	20	20	1	100%	-	-	0	10	20	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
岩手県	H23	32	-	-	0	0%	1.4	600	147	147	147	98	359	145	3	9.4%	3	9.4%	8	25%	2	6.3%	16	50%
	H24	91	3.7	12	19	21%	3.7	580	61	62	63	21	150	99	50	55%	10	11%	7	7.7%	7	7.7%	17	19%
	H25	107	4.7	11	21	20%	4.7	380	43	44	45	24	98	55	56	52%	16	15%	15	14%	10	9.3%	10	9.3%
	H26	66	5.8	12	6	9%	5.8	380	59	59	60	28	165	81	30	45%	14	21%	8	12%	5	7.6%	9	14%
	H27	46	5.9	11	4	9%	5.9	150	48	48	49	40	109	40	21	46%	6	13%	7	15%	7	15%	5	11%
	H28	93	4.4	10	19	20%	4.4	430	47	47	48	21	120	74	51	55%	16	17%	10	11%	3	3.2%	13	14%
	H29	55	5.0	8.9	9	16%	5.0	130	32	33	34	19	82	31	30	55%	12	22%	5	9.1%	6	11%	2	3.6%
	H30	122	3.5	10	37	30%	3.5	590	40	41	43	11.5	110	75	78	64%	19	16%	4	3%	6	5%	15	12%
	R1	92	4.8	12	23	25%	4.8	260	28	29	30	13	69	41	63	68%	13	14%	8	8.7%	2	2.2%	6	6.5%
秋田県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	5	1.1	1.3	3	60%	1.1	8.4	1.9	2.3	2.6	-	-	-	5	100%	0	0%	0	0%	0	0%	0	0%
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	4	7.5	10	2	50%	7.5	8.5	4.0	6.5	8.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
宮城県	H23	14	-	-	0	0%	6.0	196	57	57	57	36	120	57	6	43%	3	21%	1	7.1%	0	0%	4	29%
	H24	53	-	-	0	0%	8.1	470	150	150	150	110	326	116	3	5.7%	8	15%	4	7.5%	11	21%	27	51%
	H25	91	7.0	7.5	2	2%	7.2	640	110	110	110	63	290	122	15	16%	23	25%	13	14%	11	12%	29	32%
	H26	131	7.9	17	7	5%	7.9	1,300	99	100	100	57	220	151	36	27%	25	19%	20	15%	14	11%	36	27%
	H27	137	3.0	16	2	1%	3.0	3,800	146	146	146	67	258	350	34	25%	24	18%	15	11%	10	7.3%	54	39%
	H28	158	7.1	19	17	11%	7.1	480	57	58	59	35	123	69	65	41%	31	20%	25	16%	12	7.6%	25	16%
	H29	142	7.2	18	19	13%	7.2	640	74	75	76	30	208	116	62	44%	31	22%	16	11%	5	3.5%	28	20%
	H30	308	6.8	19	122	40%	6.8	670	26	29	32	10	61	54	225	73%	41	13%	19	6%	6	1.9%	17	6%
	R1	377	6.7	20	214	57%	6.7	130	9.6	14	19	-	27	-	331	88%	36	10%	8	2.1%	1	0.3%	1	0.3%
山形県	H23	26	4.7	17	6	23%	4.7	560	93	94	96	29	201	133	12	46%	3	12%	0	0%	1	3.8%	10	38%
	H24	14	9.0	17	4	29%	9.0	110	38	40	42	36	94	34	6	43%	3	21%	3	21%	0	0%	2	14%
	H25	6	11	18	1	17%	11	180	44	45	47	19	-	66	4	67%	1	17%	0	0%	0	0%	1	17%
	H26	22	9.2	13	7	32%	13	63	20	22	24	20	37	15	15	68%	5	23%	2	9.1%	0	0%	0	0%
	H27	25	8.0	16	11	44%	8.0	48	13	16	18	9.0	39	12	19	76%	6	24%	0	0%	0	0%	0	0%
	H28	29	6.0	12	11	38%	6.0	53	17	19	21	13	41	14	21	72%	6	21%	2	6.9%	0	0%	0	0%
	H29	19	-	-	0	0%	7.0	100	20	20	20	13	29	21	15	79%	3	16%	0	0%	1	5.3%	0	0%
	H30	17	6.2	10	1	6%	6.2	66	24	24	24	19	51	18	11	65%	4	24%	2	12%	0	0%	0	0%
	R1	20	9.6	9.6	1	5%	10	160	39	39	40	24	110	41	11	55%	5	25%	1	5.0%	0	0%	3	15%
福島県	H23	265	12	30	16	6%	12	14,600	637	638	638	330	1,220	1,347	23	9%	17	6.4%	13	4.9%	13	4.9%	199	75%
	H24	393	4.2	17	15	4%	4.2	61,000	1,917	1,918	1,918	260	4,700	5,843	44	11%	30	7.6%	23	5.9%	22	5.6%	274	70%
	H25	310	4.1	18	9	3%	4.1	20,000	604	604	605	210	1,310	1,551	31	10%	13	4.2%	27	8.7%	20	6.5%	219	71%
	H26	338	5.3	17	17	5%	5.3	30,000	568	568	568	110	800	2,189	62	18%	49	14%	23	6.8%	25	7.4%	179	53%
	H27	56	7.0	19	7	13%	7.0	9,800	699	700	701	195	1,450	1,598	11	20%	4	7.1%	2	3.6%	4	7.1%	35	63%
	H28	590	4.4	18	55	9%	4.4	30,000	381	382	383	88	701	1,560	156	26%	67	11%	53	9.0%	33	5.6%	281	48%
	H29	262	4.5	17	54	21%	4.5	14,000</																

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未検		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未検=LOD	濃度区分(Bq/kg) (LOD未検=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未検=0	(2) LOD未検=1/2LOD	(3) LOD未検=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
茨城県	H23	27	11	11	1	4%	12	850	272	272	273	215	560	212	3	11%	2	7.4%	0	0%	1	3.7%	21	78%		
	H24	31	3.2	5.4	3	10%	3.2	240	64	64	65	50	120	58	10	32%	7	23%	3	9.7%	6	19%	5	16%		
	H25	41	-	-	0	0%	11	250	77	77	77	56	150	57	7	17%	12	29%	6	15%	4	10%	12	29%		
	H26	33	-	-	0	0%	7.2	330	64	64	64	42	128	63	10	30%	11	33%	1	3.0%	5	15%	6	18%		
	H27	38	3.6	3.6	1	3%	5.4	180	51	51	51	37	99	40	10	26%	13	34%	6	16%	6	16%	3	7.9%		
	H28	29	5.0	10	1	3%	5.0	110	39	39	39	36	71	26	11	38%	10	34%	6	21%	1	3.4%	1	3.4%		
	H29	32	-	-	0	0%	3.0	160	29	29	29	23	58	31	19	59%	8	25%	4	13%	0	0%	1	3.1%		
	H30	19	-	-	0	0%	6.0	77	36	36	36	38	61	20	7	37%	8	42%	3	16%	1	5%	0	0%		
	R1	27	-	-	0	0%	4.8	50	26	26	26	23	44	15	15	56%	12	44%	0	0%	0	0%	0	0%		
栃木県	H23	81	-	-	0	0%	26	2,490	314	314	314	152	551	482	0	0%	7	8.6%	10	12%	6	7.4%	58	72%		
	H24	265	4.6	25	8	3%	4.6	1,100	112	112	112	57	230	162	35	13%	81	31%	46	17%	27	10%	76	29%		
	H25	291	1.4	11	11	4%	1.4	1,000	79	79	79	53	180	87	58	20%	77	26%	53	18%	33	11%	70	24%		
	H26	281	4.4	13	22	8%	4.4	450	70	70	70	41	160	76	82	29%	82	29%	27	9.6%	25	8.9%	65	23%		
	H27	110	3.0	13	16	15%	3.0	500	68	69	69	35	172	90	48	44%	23	21%	7	6.4%	8	7.3%	24	22%		
	H28	237	4.7	13	7	3%	4.7	250	46	46	46	33	100	43	90	38%	84	35%	24	10%	16	6.8%	23	10%		
	H29	260	5.9	13	24	9%	5.9	170	28	29	29	19	62	27	164	63%	56	22%	25	10%	9	3.5%	6	2.3%		
	H30	326	6.2	25	20	6%	6.2	600	43	44	45	26	97	60	157	48%	84	26%	42	13%	13	4.0%	30	9.2%		
	R1	380	5.7	25	68	18%	5.7	600	30	31	32	15	68	52	258	68%	70	18%	19	5.0%	11	2.9%	22	5.8%		
群馬県	H23	111	15	100	14	13%	15	482	136	139	142	115	277	100	16	14%	12	11%	10	9.0%	14	13%	59	53%		
	H24	215	10	20	23	11%	10	1,100	109	110	111	81	220	114	43	20%	26	12%	35	16%	28	13%	83	39%		
	H25	214	10	20	5	2%	10	500	102	102	102	76	207	84	18	8.4%	42	20%	44	21%	37	17%	73	34%		
	H26	159	10	20	5	3%	10	650	110	110	110	73	230	114	27	17%	24	15%	31	18%	25	16%	52	33%		
	H27	125	7.4	20	4	3%	7.4	1,100	99	99	100	69	186	120	27	22%	21	17%	15	12%	17	14%	45	36%		
	H28	186	8.2	20	19	10%	8.2	440	70	71	72	39	190	80	68	37%	33	18%	27	15%	23	12%	35	19%		
	H29	143	5.8	20	19	13%	5.8	880	77	79	80	31	168	123	62	43%	25	17%	16	11%	9	6.3%	31	22%		
	H30	88	7.3	20	16	18%	7.3	510	67	69	70	33.5	163	89	37	42%	21	24%	5	6%	3	3.4%	22	25%		
	R1	73	4.2	19	12	16%	4.2	830	60	61	62	22	110	116	40	55%	9	12%	7	10%	8	11%	9	12%		
千葉県	H23	10	-	-	0	0%	9.5	242	74	74	74	62	100	63	1	10%	3	30%	2	20%	3	30%	1	10%		
	H24	57	1.9	21	4	7%	2.3	260	34	34	35	22	62	46	35	61%	15	26%	2	3.5%	1	1.8%	4	7.0%		
	H25	160	3.2	28	94	59%	3.2	150	15	20	25	-	57	-	130	81%	13	8.1%	9	5.6%	6	3.8%	2	1.3%		
	H26	182	1.6	28	154	85%	1.6	91	4.5	12	19	-	23	-	166	91%	14	7.7%	1	0.5%	1	0.5%	0	0%		
	H27	244	3.8	26	209	86%	3.8	67	4.5	12	19	-	24	-	223	91%	19	7.8%	2	0.8%	0	0%	0	0%		
	H28	316	4.5	38	284	90%	4.5	97	2.8	10	18	-	2.3	-	298	94%	16	5.1%	0	0%	2	0.6%	0	0%		
	H29	256	3.1	20	227	89%	3.1	70	3.2	11	18	-	10	-	240	94%	14	5.5%	2	0.8%	0	0%	0	0%		
	H30	523	7.7	20	475	91%	8.7	82	2.6	10	18	-	-	-	500	96%	22	4.2%	0	0%	1	0.2%	0	0%		
	R1	353	15	20	321	91%	20	47	2.5	11	19	-	-	-	339	96%	14	4.0%	0	0%	0	0%	0	0%		
埼玉県	H23	9	-	-	0	0%	10	130	56	56	56	49	-	42	2	22%	4	44%	1	11%	0	0%	2	22%		
	H24	51	12	20	37	73%	12	820	21	28	36	-	19	-	47	92%	3	5.9%	0	0%	0	0%	1	2.0%		
	H25	34	12	20	23	68%	12	200	13	19	26	-	30	-	30	88%	3	8.8%	0	0%	0	0%	1	2.9%		
	H26	41	11	20	28	68%	11	530	20	27	34	-	33	-	35	85%	5	12%	0	0%	0	0%	1	2.4%		
	H27	38	10	20	31	82%	10	30	3.9	12	20	-	18	-	35	92%	3	7.9%	0	0%	0	0%	0	0%		
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
東京都	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
神奈川県	H23	6	-	-	0	0%	32	69	48	48	48	43	-	16	0	0%	4	67%	2	33%	0	0%	0	0%	0	0%
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	17	4.2	9.7	8	47%	4.2	760	54	56	58	4.2	43	181	14	82%	1	5.9%	1	5.9%	0	0%	1	5.9%	1	5.9%
	H25	49	3.4	6.5	13	27%	3.4	75	16	17	17	8.6	43	17	36	73%	11	22%	2	4.1%	0	0%	0	0%	0	0%
	H26	74	2.8	9.3	20	27%	2.8	130	16	17	18	6.3	46	23	56	76%	11	15%	4	5.4%	2	2.7%	1	1.4%	1	1.4%
	H27	17	3.6	6.1	8	47%	3.6	32	6.2	7.5	8.8	3.6	14	6.8	16	94%	1	5.9%	0	0%	0	0%	0	0%	0	0%
	H28	20	3.6	4.9	1	5%	3.6	83	27	27	27	16	60	24	12	60%	5	25%	1	5.0%	2	10%	0	0%	0	0%
	H29	10	3.5	6.0	3	30%	3.5	40	9.6	10	11	4.3	25	12	9	90%	1	10%	0	0%	0	0%	0	0%	0	0%
	H30	5	2.6	7.4	2	40%	2.6	23	7.9	9.3	11	2.6	-	8.0	5	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	13	5.3	6.2	2	15%	5.3	87	16	16	17	8.8	29	22	11	85%	1	7.7%	0	0%	1	7.7%	0	0%	0	0%
山梨県	H23	8	19	38	7	88%	36	36	4.5	15	25	-	-	-	7	88%	1	13%	0	0%	0	0%	0	0%	0	0%
	H24	10	5.1	20	7	70%	5.1	72	8.4	14	19	-	13	-	9	90%	0	0%	1	10%	0	0%	0	0%	0	0%
	H25	15	7.4	15	10	67%	7.4	69	9.6	14	18	-	27	-	13	87%	1	6.7%	1	6.7%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	18	7.4	16	13	72%	9.4	25	3.9	8.3	13	-	12	-	18	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	15	4.2	15	12	80%	4.2	13	1.6	5.7	9.7	-	6.1	-	15	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	15	7.3	16	13	87%	12	14	1.7	7.1	12	-	7.2	-	15	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	15	-	-	0	0%	11	22	16	16	16	15	20	3.3	15	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	15	11	18	14	93%	12	12	0.80	7.6	14	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%	0	0%
長野県	H23	19	15	60	13	68%	16	110	20	32	45	-	91	-	15	79%	1	5.3%	0	0%	2	11%	1	5.3%	1	5.3%
	H24	39	4.5	8.3	21	54%	4.5	140	20	22	24	-	59	-	27	69%	6	15%	3	7.7%	2	5.1%	1	2.6%	1	2.6%
	H25	51	4.0	8.0	42	82%	4.0	40	2.3	5.0	7.6	-	5.9	-	49	96%	2	3.9%	0	0%	0	0%	0	0%	0	0%
	H26	33	4.0	7.7	30	91%	4.0	22	0.93	4.1	7.4	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	36	4.3	8.4	27	75%	4.3	16	1.6	4.2	6.8	-	5.0	-	36	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	41	3.3	7.8	34	83%	3.3	21	1.6	4.5	7.4	-	3.7	-	41	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	443	3.1	25	433	98%	3.1	160	0.63	12	24	-	-	-	440	99%	2	0.5%	0	0%	0	0%	1	0.2%	1	0.2%
	H30	389	4.1	26	377	97%	4.1	120	1.5	13	25	-	-	-	379	97%	5	1.3%	3	1%	1	0%	1	0.3%	1	0.3%
	R1	511	22	25	506	99%	22	46	0.29	13	25	-	-	-	508	99%	3	0.6%	0	0%	0	0%	0	0%	0	0.0%
静岡県	H23	3	-	-	0	0%	20	145	94	94	94	116	-	65	1	33%	0	0%	0	0%	0	0%	2	67%	2	67%
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	3	-	-	0	0%	2.7	27	13	13	13	9.0	-	13	2	67%	1	33%	0	0%	0	0%	0	0%	0	0%
	H26	3	2.3	3.3	2	67%	3.0	3.0	1.0	1.9	2.9	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	3	-	-	0	0%	1.0	9.0	4.3	4.3	4.3	3.0	-	4.2	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	3	-	-	0	0%	1.7	3.5	2.8	2.8	2.8	3.1	-	0.95	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	1	2.6	2.6	1	100%	-	-	0	1.3	2.6	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	9	2.3	9.0	6	67%	4.4	15	2.7	4.5	6.3	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	9	2.5	9.1	7	78%	3.9	11	1.7	4.2	6.8	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%

【栽培/飼養管理が困難な品目群】

(16)水産物(海産)

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値 (Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=+1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
			点数	割合 (%)	点数	割合 (%)			点数	割合 (%)	点数				割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数
17都県 (合計)	H23	4,545	0.068	58	1,334	29%	0.068	4,500	70	72	74	14	161	194	2,659	59%	583	13%	345	7.6%	214	4.7%	744	16%
	H24	13,927	0.047	25	6,448	46%	0.047	3,300	28	31	34	2.2	61	91	10,792	77%	1,427	10%	552	4.0%	326	2.3%	830	6.0%
	H25	15,762	0.033	25	10,787	68%	0.033	1,700	7.6	12	16	-	16	-	14,682	93%	544	3.5%	219	1.4%	125	0.8%	192	1.2%
	H26	16,416	0.045	25	13,563	83%	0.045	510	2.7	8.0	13	-	6.8	-	16,007	98%	243	1.5%	76	0.5%	40	0.2%	50	0.3%
	H27	14,884	0.0061	25	13,414	90%	0.0061	94	0.97	6.7	12	-	-	-	14,788	99%	70	0.5%	21	0.1%	5	0.034%	0	0%
	H28	14,713	0.28	25	13,953	95%	0.28	87	0.39	6.4	13	-	-	-	14,683	99.8%	25	0.2%	3	0.02%	2	0.01%	0	0%
	H29	13,672	0.20	25	13,303	97%	0.20	66	0.15	6.6	13	-	-	-	13,666	99.96%	4	0.03%	2	0.01%	0	0%	0	0%
	H30	11,003	0.13	35	10,767	98%	0.13	50	0.10	6.5	13	-	-	-	10,998	99.95%	5	0.05%	0	0%	0	0%	0	0%
	R1	9,211	0.098	25	9,068	98%	0.098	17	0.026	6.2	12	-	-	-	9,211	100%	0	0%	0	0%	0	0%	0	0%
青森県	H23	282	0.53	45	207	73%	0.53	117	3.4	13	23	-	7.2	-	273	97%	4	1.4%	2	0.7%	2	0.7%	1	0.4%
	H24	1,050	0.37	25	732	70%	0.37	120	4.4	8.8	13	-	16	-	1,001	95%	40	3.8%	7	0.7%	1	0.1%	1	0.1%
	H25	979	0.36	25	733	75%	0.36	24	1.3	5.2	9.0	-	5.5	-	979	100%	0	0%	0	0%	0	0%	0	0%
	H26	759	0.36	25	620	82%	0.36	15	0	3.8	7.2	-	1.1	-	759	100%	0	0%	0	0%	0	0%	0	0%
	H27	581	0.31	25	523	90%	0.31	3.3	0.070	3.2	6.2	-	-	-	581	100%	0	0%	0	0%	0	0%	0	0%
	H28	568	0.28	25	533	94%	0.28	1.6	0	2.9	5.9	-	-	-	568	100%	0	0%	0	0%	0	0%	0	0%
	H29	275	0.30	25	264	96%	0.30	0.59	0.020	3.3	6.6	-	-	-	275	100%	0	0%	0	0%	0	0%	0	0%
	H30	193	0.35	25	185	96%	0.35	0.92	0.022	3.6	7.2	-	-	-	193	100%	0	0%	0	0%	0	0%	0	0%
	R1	223	0.28	25	218	98%	0.28	0.51	0.0083	2.7	5.4	-	-	-	223	100%	0	0%	0	0%	0	0%	0	0%
岩手県	H23	289	0.37	20	158	55%	0.37	89	4.7	6.7	8.7	-	11	-	276	96%	9	3.1%	3	1.0%	1	0.3%	0	0%
	H24	1,622	0.36	24	1,126	69%	0.36	400	4.9	8.4	12	-	17	-	1,535	95%	80	4.9%	4	0.2%	2	0.1%	1	0.1%
	H25	1,653	0.35	20	1,318	80%	0.35	68	1.2	4.9	8.7	-	4.7	-	1,650	100%	2	0.1%	1	0.1%	0	0%	0	0%
	H26	1,528	0.42	20	1,480	97%	0.42	6.3	0.045	4.5	8.9	-	-	-	1,528	100%	0	0%	0	0%	0	0%	0	0%
	H27	1,476	0.40	19	1,448	98%	0.40	4.1	0.016	3.7	7.4	-	-	-	1,476	100%	0	0%	0	0%	0	0%	0	0%
	H28	1,485	0.35	16	1,460	98%	0.35	6.4	0.018	3.6	7.1	-	-	-	1,485	100%	0	0%	0	0%	0	0%	0	0%
	H29	1,537	0.33	15	1,519	99%	0.33	4.3	0.0088	3.5	7.0	-	-	-	1,537	100%	0	0%	0	0%	0	0%	0	0%
	H30	1,512	0.21	15	1,485	98%	0.21	3.3	0.012	3.3	6.5	-	-	-	1,512	100%	0	0%	0	0%	0	0%	0	0%
	R1	1,684	0.41	15	1,662	99%	0.41	11	0.019	3.4	6.9	-	-	-	1,684	100%	0	0%	0	0%	0	0%	0	0%
秋田県	H23	3	1.5	20	3	100%	-	-	0	3.8	7.7	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	H24	17	0.79	12	16	94%	0.79	0.79	0.046	1.2	2.4	-	-	-	17	100%	0	0%	0	0%	0	0%	0	0%
	H25	9	1.2	12	9	100%	-	-	0	2.8	5.7	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	H26	9	1.1	11	9	100%	-	-	0	2.2	4.4	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	H27	2	1.3	1.4	2	100%	-	-	0	0.68	1.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H28	2	1.0	1.7	2	100%	-	-	0	0.68	1.4	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
宮城県	H23	509	0.42	58	181	36%	0.42	360	10	11	11	2.4	27	26	454	89%	33	6.5%	12	2.4%	3	0.6%	7	1.4%
	H24	1,988	0.11	16	572	29%	0.34	3,300	19	20	21	5.6	41	86	1,622	82%	227	11%	75	3.8%	36	1.8%	28	1.4%
	H25	1,827	0.31	20	920	50%	0.31	310	5.9	8.8	12	-	16	-	1,743	95%	63	3.4%	9	0.5%	5	0.3%	7	0.4%
	H26	2,024	0.37	20	1,766	87%	0.37	190	0.82	6.7	12	-	1.4	-	2,019	100%	3	0.1%	0	0%	0	0%	2	0.1%
	H27	1,925	0.34	20	1,775	92%	0.34	27	0.27	6.3	12	-	-	-	1,924	99.9%	1	0.1%	0	0%	0	0%	0	0%
	H28	1,748	0.33	20	1,673	96%	0.33	50	0.088	6.1	12	-	-	-	1,747	99.9%	1	0.1%	0	0%	0	0%	0	0%
	H29	1,875	0.32	20	1,831	98%	0.32	8.9	0.045	6.3	12	-	-	-	1,875	100%	0	0%	0	0%	0	0%	0	0%
	H30	1,627	0.39	20	1,603	99%	0.39	19	0.032	6.4	13	-	-	-	1,627	100%	0	0%	0	0%	0	0%	0	0%
	R1	1,373	0.34	20	1,346	98%	0.34	1.1	0.011	5.9	12	-	-	-	1,373	100%	0	0%	0	0%	0	0%	0	0%
山形県	H23	10	1.2	20	10	100%	-	-	0	5.0	10	-	-	-	10	100%	0	0%	0	0%	0	0%	0	0%
	H24	21	1.6	13	21	100%	-	-	0	5.1	10	-	-	-	21	100%	0	0%	0	0%	0	0%	0	0%
	H25	23	7.7	12	23	100%	-	-	0	5.4	11	-	-	-	23	100%	0	0%	0	0%	0	0%	0	0%
	H26	25	8.3	14	25	100%	-	-	0	5.4	11	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	H27	22	8.9	13	22	100%	-	-	0	5.2	10	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%
	H28	22	8.7	13	22	100%	-	-	0	5.3	11	-	-	-	22	100%	0	0%	0	0%	0	0%	0	0%
	H29	9	9.4	14	9	100%	-	-	0	5.9	12	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	H30	8	10	16	8	100%	-	-	0	6.0	12	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
	R1	8	9.2	18	8	100%	-	-	0	6.4	13	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
福島県	H23	2,097	6.6	35	493	24%	6.6	4,500	132	134	136	54	290	271	709	34%	310	15%	242	12%	178	8.5%	658	31%
	H24	6,138	4.8	20	2,822	46%	4.8	2,000	50	54	58	9.0	130	122	3,969	65%	754	12%	379	6.2%	257	4.2%	779	13%
	H25	7,766	3.3	20	5,749	74%	3.3	1,700	12	17	23	-	31	-	6,889	89%	391	5.0%	193	2.5%	113	1.5%	180	2.3%
	H26	8,606	3.9	20	7,254	84%	3.9	510	4.2	11	17	-	11	-	8,232	96%	214	2.5%	72	0.8%	40	0.5%	48	0.6%
	H27	8,214	5.2	20	7,481	91%	5.2	94																



産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
茨城県	H23	1,088	0.40	20	136	13%	0.40	540	32	32	32	20	75	41	673	62%	223	20%	84	7.7%	30	2.8%	78	7.2%
	H24	2,453	0.32	25	776	32%	0.32	600	15	17	19	7.6	37	23	2,000	82%	319	13%	84	3.4%	30	1.2%	20	0.8%
	H25	2,513	0.36	25	1,340	53%	0.36	1,000	5.9	8.6	11	-	15	-	2,400	95.5%	85	3.4%	16	0.6%	7	0.3%	5	0.2%
	H26	2,614	0.35	25	1,728	66%	0.35	65	2.4	5.6	8.8	-	6.8	-	2,584	98.9%	26	1.0%	4	0.2%	0	0%	0	0%
	H27	2,061	0.42	25	1,661	81%	0.42	39	0.88	4.4	8.0	-	3.1	-	2,057	99.8%	4	0.2%	0	0%	0	0%	0	0%
	H28	1,586	0.41	25	1,441	91%	0.41	80	0.45	4.5	8.6	-	-	-	1,577	99.4%	8	0.5%	0	0%	1	0.1%	0	0%
	H29	1,114	0.39	15	1,042	94%	0.39	25	0.29	4.2	8.1	-	-	-	1,114	100%	0	0%	0	0%	0	0%	0	0%
	H30	853	0.31	35	807	95%	0.31	33	0.20	4.2	8.2	-	-	-	851	99.8%	2	0.2%	0	0%	0	0%	0	0%
	R1	720	0.39	14	681	95%	0.39	16	0.078	4.0	7.9	-	-	-	720	100%	0	0%	0	0%	0	0%	0	0%
栃木県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	養殖(4)	17	22	4	100%	-	-	0	9.4	19	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%
	H25	養殖(2)	19	20	2	100%	-	-	0	9.8	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H26	養殖(1)	9.2	9.2	1	100%	-	-	0	4.6	9.2	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H27	養殖(1)	9.9	9.9	1	100%	-	-	0	5.0	9.9	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H28	養殖(1)	9.5	9.5	1	100%	-	-	0	4.8	9.5	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H29*	養殖(1)	6.7	6.7	1	100%	-	-	0	3.4	6.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H30*	養殖(1)	8.3	8.3	1	100%	-	-	0	4.2	8.3	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	R1*	養殖(1)	9.7	9.7	1	100%	-	-	0	4.9	9.7	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
群馬県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
千葉県	H23	68	1.5	20	30	44%	3.0	53	8.2	12	15	4.1	19	9.9	63	93%	4	5.9%	1	1.5%	0	0%	0	0%
	H24	401	0.31	15	174	43%	0.31	130	2.8	3.5	4.1	0.65	4.1	9.7	390	97%	7	1.7%	3	0.7%	0	0%	1	0.2%
	H25	797	0.36	15	513	64%	0.36	38	1.4	2.4	3.3	-	4.5	-	794	99.6%	3	0.4%	0	0%	0	0%	0	0%
	H26	706	0.34	15	546	77%	0.34	12	0.27	1.5	2.7	-	0.69	-	706	100%	0	0%	0	0%	0	0%	0	0%
	H27	472	0.29	13	374	79%	0.29	9.5	0.21	1.2	2.1	-	0.66	-	472	100%	0	0%	0	0%	0	0%	0	0%
	H28	440	0.29	14	322	73%	0.29	69	1.0	2.1	3.2	-	0.97	-	438	99.5%	0	0%	2	0.5%	0	0%	0	0%
	H29	478	0.28	13	367	77%	0.28	66	0.81	1.8	2.8	-	1.2	-	474	99.2%	3	0.6%	1	0.2%	0	0%	0	0%
	H30	424	0.31	13	325	77%	0.31	26	1.0	1.7	2.4	-	2.2	-	423	99.8%	1	0.2%	0	0%	0	0%	0	0%
	R1	271	0.29	14	227	84%	0.29	16	0.28	1.2	2.1	-	0.53	-	271	100%	0	0%	0	0%	0	0%	0	0%
埼玉県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
東京都	H23	20	0.94	20	18	90%	0.94	9.3	0.51	3.3	6.1	-	0.094	-	20	100%	0	0%	0	0%	0	0%	0	0%
	H24	39	0.45	25	27	69%	0.45	12	1.0	4.3	7.6	-	4.3	-	39	100%	0	0%	0	0%	0	0%	0	0%
	H25	31	0.70	20	30	97%	2.8	2.8	0.090	5.2	10	-	-	-	31	100%	0	0%	0	0%	0	0%	0	0%
	H26	25	1.2	14	25	100%	-	-	0	4.6	9.2	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	H27	25	0.90	16	24	96%	0.90	0.90	0.036	4.2	8.4	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	H28	16	1.3	9.1	15	94%	1.3	1.3	0.081	3.7	7.3	-	-	-	16	100%	0	0%	0	0%	0	0%	0	0%
	H29	15	0.60	11	15	100%	-	-	0	3.7	7.4	-	-	-	15	100%	0	0%	0	0%	0	0%	0	0%
	H30	13	0.80	11	13	100%	-	-	0	3.9	7.7	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	R1	24	0.90	14	24	100%	-	-	0	4.1	8.3	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
神奈川県	H23	166	0.47	20	95	57%	0.47	59	2.9	4.8	6.7	-	9.1	-	165	99%	0	0%	1	0.6%	0	0%	0	0%
	H24	177	0.95	17	172	97%	2.2	16	0.17	4.0	7.8	-	-	-	177	100%	0	0%	0	0%	0	0%	0	0%
	H25	149	0.44	16	146	98%	0.44	6.7	0.067	3.3	6.5	-	-	-	149	100%	0	0%	0	0%	0	0%	0	0%
	H26	103	1.0	14	103	100%	-	-	0	3.1	6.2	-	-	-	103	100%	0	0%	0	0%	0	0%	0	0%
	H27	96	0.29	13	95	99%	0.29	0.29	0	2.7	5.4	-	-	-	96	100%	0	0%	0	0%	0	0%	0	0%
	H28	83	0.61	25	83	100%	-	-	0	2.6	5.2	-	-	-	83	100%	0	0%	0	0%	0	0%	0	0%
	H29	74	0.20	10	72	97%	0.20	0.41	0.0082	2.2	4.4	-	-	-	74	100%	0	0%	0	0%	0	0%	0	0%
	H30	80	0.13	11	79	99%	0.13	0.13	0.0016	2.5	5.0	-	-	-	80	100%	0	0%	0	0%	0	0%	0	0%
	R1	67	0.098	9.5	66	99%	0.098	0.098	0.0015	2.1	4.3	-	-	-	67	100%	0	0%	0	0%	0	0%	0	0%

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H24	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H25	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H26	2	7.2	7.6	2	100%	--	--	0	3.7	7.4	--	--	--	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H28	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H29	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H30	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	R1	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
山梨県	H23	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H24	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H25	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H26	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H27	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H28	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H29	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H30	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	R1	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
長野県	H23	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H24	3	7.7	8.4	3	100%	--	--	0	4.0	8.0	--	--	--	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H26	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H27	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H28	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H29	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	H30	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	R1	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
静岡県	H23	13	0.068	0.15	3	23%	0.068	15	2.9	3.0	3.0	0.49	9.6	5.0	13	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	14	0.047	0.15	3	21%	0.047	0.33	0.10	0	0	0.074	0.24	0.087	14	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	13	0.033	0.12	4	31%	0.033	0.36	0.10	0	0	0.070	0.21	0.086	13	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	14	0.045	0.14	4	29%	0.045	0.29	0.094	0	0	0.082	0.19	0.067	14	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	9	0.0061	9.4	8	89%	0.0061	0.0061	0.00068	3.4	6.9	--	--	--	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	34	0.45	9.1	29	85%	0.45	2.9	0.22	2.1	3.9	--	0.84	--	34	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	6	0.64	8.9	5	83%	0.64	0.64	0.11	2.1	4.2	--	--	--	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	9	2.0	9.1	9	100%	--	--	0	3.1	6.2	--	--	--	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

※ 精査の結果、栃木県産の水産物（海産）のうち平成29年度～令和元年度における各1点を削除し、水産物（淡水産）として集計することとした。

【栽培/飼養管理が困難な品目群】

(17)水産物(淡水産)

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	偏差 (Bq/kg) LOD未満 =LOD	濃度区分 (Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 +1/2LOD	(3) LOD未満 -LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)
17都県 (合計)	H23	918	0.51	50	437	48%	0.51	18,700	85	88	91	7.0	190	630	539	59%	99	11%	61	6.6%	58	6.3%	161	18%
	H24	3,435	0.37	29	1,743	51%	0.37	1,400	27	30	33	-	79	-	2,518	73%	402	12%	159	4.6%	116	3.4%	240	7.0%
	H25	3,507	0.58	25	2,029	58%	0.62	600	15	18	21	-	39	-	2,962	84%	267	7.6%	99	2.8%	70	2.0%	109	3.1%
	H26	3,392	0.44	25	1,913	56%	0.44	740	13	16	19	-	36	-	2,898	85%	266	7.8%	113	3.3%	65	1.9%	50	1.5%
	H27	2,532	0.49	25	1,515	60%	0.49	240	9.6	13	16	-	30	-	2,221	88%	190	7.5%	76	3.0%	31	1.2%	14	0.6%
	H28	2,218	0.40	25	1,243	56%	0.40	170	10	13	16	-	35	-	1,895	85%	254	11%	43	1.9%	15	0.7%	11	0.5%
	H29	2,109	0.39	42	1,274	60%	0.39	480	8.3	12	15	-	24	-	1,910	91%	139	6.6%	37	1.8%	12	0.6%	11	0.5%
	H30	2,214	0.63	20	1,397	63%	0.85	220	7.5	11	15	-	24	-	2,007	91%	160	7.2%	33	1.5%	9	0.4%	5	0.2%
R1	2,170	0.62	20	1,283	59%	0.66	230	8.0	12	15	-	26	-	1,949	90%	183	8.4%	28	1.3%	6	0.3%	4	0.2%	
青森県	H23	9	1.2	50	9	100%	-	-	0	12	24	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	H24	131	0.96	25	130	99%	6.0	6.0	0.046	5.5	11	-	-	-	131	100%	0	0%	0	0%	0	0%	0	0%
	H25	155	1.0	15	155	100%	-	-	0	5.1	10	-	-	-	155	100%	0	0%	0	0%	0	0%	0	0%
	H26	136	5.9	15	136	100%	-	-	0	5.0	10	-	-	-	136	100%	0	0%	0	0%	0	0%	0	0%
	H27	107	6.2	13	107	100%	-	-	0	4.8	9.5	-	-	-	107	100%	0	0%	0	0%	0	0%	0	0%
	H28	113	4.8	14	113	100%	-	-	0	4.3	8.5	-	-	-	113	100%	0	0%	0	0%	0	0%	0	0%
	H29	126	5.6	15	126	100%	-	-	0	4.1	8.2	-	-	-	126	100%	0	0%	0	0%	0	0%	0	0%
	H30	126	0.85	12	125	99%	0.85	0.85	0	4.3	8.6	-	-	-	126	100%	0	0%	0	0%	0	0%	0	0%
R1	105	4.7	12	105	100%	-	-	0	4.2	8.4	-	-	-	105	100%	0	0%	0	0%	0	0%	0	0%	
岩手県	H23	127	0.51	15	97	76%	0.51	240	24	25	26	-	98	-	101	80%	3	2.4%	3	2.4%	8	6.3%	12	9.4%
	H24	350	0.37	29	240	69%	0.37	310	12	15	19	-	37	-	306	87%	21	6.0%	11	3.1%	4	1.1%	8	2.3%
	H25	271	0.65	15	212	78%	4.2	68	3.7	7.0	10	-	12	-	259	96%	8	3.0%	4	1.5%	0	0%	0	0%
	H26	387	0.61	15	278	72%	0.68	180	4.2	7.1	9.9	-	9.7	-	375	97%	7	1.8%	2	0.5%	1	0.3%	2	0.5%
	H27	338	0.58	16	244	72%	0.70	79	3.8	6.9	10	-	11	-	328	97%	5	1.5%	3	0.9%	2	0.6%	0	0%
	H28	117	0.52	14	88	75%	0.52	170	5.9	9.3	13	-	15	-	111	95%	4	3.4%	0	0%	0	0%	2	1.7%
	H29	171	0.39	17	117	68%	0.39	56	5.1	8.1	11	-	21	-	159	93%	11	6.4%	1	0.6%	0	0%	0	0%
	H30	120	0.63	12	94	78%	4.1	62	3.5	6.1	8.7	-	11	-	115	96%	4	3.3%	1	0.8%	0	0%	0	0%
R1	65	0.74	13	43	66%	5.0	16	3.1	5.8	8.5	-	10	-	65	100%	0	0%	0	0%	0	0%	0	0%	
秋田県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H24	20	1.0	14	16	80%	1.0	11	1.0	4.6	8.2	-	3.6	-	20	100%	0	0%	0	0%	0	0%	0	0%
	H25	14	4.9	14	13	93%	4.9	4.9	0.35	5.4	10	-	-	-	14	100%	0	0%	0	0%	0	0%	0	0%
	H26	11	0.86	11	10	91%	0.86	0.86	0.078	4.3	8.6	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	H27	1	10	10	1	100%	-	-	0	5.0	10	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H28	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
宮城県	H23	50	0.77	8.0	29	58%	7.6	128	26	27	28	-	93	-	34	68%	4	8.0%	4	8.0%	3	6.0%	5	10%
	H24	280	0.38	15	111	40%	0.38	530	42	43	45	12	121	74	169	60%	46	16%	17	6.1%	14	5.0%	34	12%
	H25	234	0.58	20	96	41%	0.62	250	21	23	25	9.7	49	29	161	69%	50	21%	9	3.8%	7	3.0%	7	3.0%
	H26	305	0.77	20	130	43%	3.8	160	13	15	18	5.9	39	20	259	85%	26	8.5%	11	3.6%	6	2.0%	3	1.0%
	H27	229	3.5	20	95	41%	3.5	240	13	16	18	6.2	36	23	193	84%	23	10%	6	2.6%	6	2.6%	1	0.4%
	H28	186	4.0	20	77	41%	4.0	68	8.8	11	13	6.0	24	10	169	91%	13	7.0%	4	2.2%	0	0%	0	0%
	H29	181	0.63	20	63	35%	3.6	71	10	12	13	6.5	28	11	158	87%	21	12%	2	1.1%	0	0%	0	0%
	H30	191	0.65	20	85	45%	4.2	42	8.2	10	12	5.3	21	7.7	180	94%	11	5.8%	0	0%	0	0%	0	0%
R1	118	0.62	20	54	46%	4.6	43	7.6	10	12	5.5	23	7.3	110	93%	8	6.8%	0	0%	0	0%	0	0%	
山形県	H23	4	-	-	0	0%	4.4	57	30	30	30	30	-	26	2	50%	1	25%	1	25%	0	0%	0	0%
	H24	41	1.2	13	29	71%	4.4	40	4.2	7.8	11	-	17	-	40	98%	1	2.4%	0	0%	0	0%	0	0%
	H25	24	6.0	18	23	96%	6.0	6.0	0.25	7.2	14	-	-	-	24	100%	0	0%	0	0%	0	0%	0	0%
	H26	19	6.1	16	18	95%	6.1	6.1	0.32	6.6	13	-	-	-	19	100%	0	0%	0	0%	0	0%	0	0%
	H27	18	9.1	18	18	100%	-	-	0	7.4	15	-	-	-	18	100%	0	0%	0	0%	0	0%	0	0%
	H28	13	10	20	13	100%	-	-	0	7.8	16	-	-	-	13	100%	0	0%	0	0%	0	0%	0	0%
	H29	11	9.0	17	11	100%	-	-	0	6.2	12	-	-	-	11	100%	0	0%	0	0%	0	0%	0	0%
	H30	12	11	14	12	100%	-	-	0	6.2	12	-	-	-	12	100%	0	0%	0	0%	0	0%	0	0%
R1	8	8.9	12	8	100%	-	-	0	5.3	11	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	
福島県	H23	295	7.2	20	149	51%	7.2	18,700	148	153	157	-	270	-	168	57%	24	8.1%	16	5.4%	15	5.1%	72	24%
	H24	701	7.1	20	344	49%	7.1	1,400	43	47	51	7.7	120	94	445	63%	94	13%	47	6.7%	33	4.7%	82	12%
	H25	753	6.5	20	402	53%	6.5	600	28	32	36	-	89	-	564	75%	73	9.7%	27	3.6%	32	4.2%	57	7.6%
	H26	994	6.4	20	532	54%	6.4	740	18	22	27	-	57	-	785	79%	101	10%	51	5.1%	30	3.0%	27	2.7%
	H27	680	6.2	20	397	58%	6.2	180	13	17	22	-	38	-	573	84%	61	9.0%	22	3.2%	17	2.5%	7	1.0%
	H28	712	5.8	20	361	51%	5.8	170	12	16	20	-	34	-	595	84%	92	13%	14					

産地	検査年度	検査 点数	LOD (Bq/kg)		LOD未満		検出した 最小値 (Bq/kg)	検出した 最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準 偏差 (Bq/kg) LOD未満 =LOD	濃度区分(Bq/kg) (LOD未満=0)									
			最小値	最大値	点数	割合 (%)			(1) LOD未満 =0	(2) LOD未満 =1/2LOD	(3) LOD未満 =LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過	
									点数	割合 (%)	点数				割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数
茨城県	H23	103	2.0	20	6	5.8%	2.0	330	46	46	46	36	94	46	42	41%	24	23%	15	15%	13	13%	9	8.7%
	H24	337	3.6	15	29	8.6%	3.6	330	48	48	49	29	110	49	130	39%	108	32%	26	7.7%	32	9.5%	41	12%
	H25	406	0.88	25	134	33%	0.88	150	14	16	18	6.7	39	18	321	79%	57	14%	22	5.4%	4	1.0%	2	0.5%
	H26	355	0.44	25	90	25%	0.44	89	18	19	20	16	38	14	254	72%	86	24%	14	3.9%	1	0.3%	0	0%
	H27	265	0.49	25	110	42%	0.49	68	13	15	17	8.3	36	13	206	78%	52	20%	7	2.6%	0	0%	0	0%
	H28	248	0.40	25	102	41%	0.40	64	14	15	17	7.9	41	14	200	81%	38	15%	10	4.0%	0	0%	0	0%
	H29	184	0.57	13	99	54%	3.7	49	7.4	9.8	12	-	22	-	169	92%	15	8.2%	0	0%	0	0%	0	0%
	H30	143	0.71	14	74	52%	1.1	60	11.2	13.5	16	-	38	-	111	78%	30	21%	2	1%	0	0%	0	0%
	R1	100	2.2	12	59	59%	2.2	44	6.5	9.1	12	-	21	-	91	91%	9	9%	0	0%	0	0%	0	0%
栃木県	H23	128	11	26	61	48%	11	396	51	55	60	12	164	75	73	57%	14	11%	12	9.4%	7	5.5%	22	17%
	H24	894	2.6	28	403	45%	2.6	420	23	27	30	7.0	71	38	671	75%	98	11%	43	4.8%	25	2.8%	57	6.4%
	H25	538	3.1	23	392	73%	3.1	190	4.9	9.4	14	-	14	-	520	97%	9	1.7%	4	0.7%	1	0.2%	4	0.7%
	H26	295	3.1	15	240	81%	3.1	260	6.0	10	14	-	7.9	-	282	96%	3	1.0%	2	0.7%	3	1.0%	5	1.7%
	H27	289	3.4	14	249	86%	3.4	130	3.1	6.8	11	-	5.5	-	280	97%	3	1.0%	2	0.7%	2	0.7%	2	0.7%
	H28	338	3.9	14	240	71%	3.9	110	11	14	18	-	46	-	262	78%	67	20%	5	1.5%	2	0.6%	2	0.6%
	H29	208	3.7	14	174	84%	3.7	160	3.9	7.7	12	-	6.6	-	198	95%	7	3.4%	1	0.5%	0	0%	2	1.0%
	H30	171	1.0	13	148	87%	1.0	95	3.0	6.9	11	-	5.0	-	163	95%	5	2.9%	2	1.2%	1	1%	0	0%
	R1	225	3.5	13	196	87%	3.5	76	2.8	6.6	10	-	5.7	-	216	96%	3	1.3%	5	2.2%	1	0.4%	0	0%
群馬県	H23	124	2.0	50	47	38%	2.0	768	135	138	140	34	487	208	57	46%	16	13%	7	5.6%	7	5.6%	37	30%
	H24	280	2.8	16	206	74%	2.8	360	13	17	22	-	26	-	251	90%	13	4.6%	3	1.1%	2	0.71%	11	3.9%
	H25	399	3.4	15	206	52%	3.4	260	20	23	26	-	84	-	313	78%	31	7.8%	11	2.8%	20	5.0%	24	6.0%
	H26	352	4.1	15	173	49%	4.1	380	19	22	24	4.5	71	34	275	78%	19	5.4%	30	8.5%	22	6.3%	6	1.7%
	H27	280	3.8	14	132	47%	3.8	130	14	16	18	4.8	52	19	217	78%	30	11%	32	11%	0	0%	1	0.4%
	H28	260	2.9	14	133	51%	2.9	120	9.2	11	14	-	29	-	227	87%	28	11%	2	0.8%	2	0.8%	1	0.4%
	H29	249	4.5	14	175	70%	4.5	130	5.8	9.1	12	-	15	-	234	94%	8	3.2%	5	2.0%	1	0.4%	1	0.4%
	H30	256	3.8	14	166	65%	3.8	92	5.5	8.5	12	-	16	-	244	95%	8	3.1%	3	1.2%	1	0.4%	0	0%
	R1	180	4.5	15	124	69%	4.5	230	5.7	9.0	12	-	11	-	171	95%	6	3.3%	1	0.6%	0	0%	2	1.1%
千葉県	H23	19	1.3	3.0	2	11%	1.3	400	68	68	69	34	137	95	9	47%	2	11%	1	5.3%	3	16%	4	21%
	H24	120	4.6	14	20	17%	4.6	240	26	27	28	15	58	41	90	75%	15	13%	9	7.5%	1	0.8%	5	4.2%
	H25	188	3.6	16	28	15%	3.6	220	34	35	36	15	80	44	115	61%	32	17%	20	11%	6	3.2%	15	8.0%
	H26	196	1.2	15	56	29%	3.0	210	16	17	19	7.4	32	27	167	85%	17	8.7%	3	1.5%	2	1.0%	7	3.6%
	H27	182	0.74	13	51	28%	4.0	140	13	14	16	6.9	28	21	162	89%	9	4.9%	4	2.2%	4	2.2%	3	1.6%
	H28	174	3.9	13	67	39%	3.9	140	13	15	16	5.7	34	22	149	86%	11	6.3%	8	4.6%	4	2.3%	2	1.1%
	H29	161	3.5	16	73	45%	3.5	96	7.6	9.7	12	4.4	18	14	149	93%	6	3.7%	4	2.5%	2	1.2%	0	0%
	H30	193	2.6	13	91	47%	2.6	93	8.8	11	13	3.6	24	13	175	91%	12	6.2%	5	2.6%	1	0.5%	0	0%
	R1	161	0.66	14	55	34%	0.66	92	12	14	15	5.6	37	16	134	83%	19	12%	6	3.7%	2	1.2%	0	0%
埼玉県	H23	4	28	40	2	50%	28	28	14	24	34	-	-	-	2	50%	2	50%	0	0%	0	0%	0	0%
	H24	68	5.1	15	43	63%	5.1	130	9.3	13	17	-	24	-	61	90%	3	4.4%	3	4.4%	0	0%	1	1.5%
	H25	63	4.5	15	48	76%	4.5	60	5.5	9.5	13	-	23	-	57	90%	5	7.9%	1	1.6%	0	0%	0	0%
	H26	60	3.3	14	36	60%	3.3	46	7.4	10	13	-	23	-	54	90%	6	10%	0	0%	0	0%	0	0%
	H27	40	6.4	14	15	38%	6.4	39	12	14	16	11	28	8.8	33	83%	7	18%	0	0%	0	0%	0	0%
	H28	15	5.2	15	11	73%	5.2	40	4.5	8.2	12	-	11	-	14	93%	1	6.7%	0	0%	0	0%	0	0%
	H29	14	7.7	10	11	79%	7.7	16	2.8	6.5	10	-	14	-	14	100%	0	0%	0	0%	0	0%	0	0%
	H30	10	6.5	11	8	80%	6.5	8.6	1.5	5.3	9.2	-	6.7	-	10	100%	0	0%	0	0%	0	0%	0	0%
	R1	8	8.4	10	7	88%	12	12	1.5	5.6	9.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%
東京都	H23	12	4.2	17	5	42%	6.9	81	18	20	22	12	33	21	8	67%	3	25%	0	0%	1	8.3%	0	0%
	H24	32	5.3	15	22	69%	7.9	36	5.1	8.6	12	-	17	-	30	94%	2	6.3%	0	0%	0	0%	0	0%
	H25	377	2.6	17	247	66%	2.6	30	2.7	6.2	9.8	-	8.1	-	376	99.7%	1	0.3%	0	0%	0	0%	0	0%
	H26	246	3.2	15	184	75%	3.2	27	1.8	5.5	9.1	-	6.6	-	245	99.6%	1	0.4%	0	0%	0	0%	0	0%
	H27	90	3.3	13	85	94%	3.3	6.3	0.28	4.1	8.0	-	-	-	90	100%	0	0%	0	0%	0	0%	0	0%
	H28	33	5.3	9.7	32	97%	5.3	5.3	0.16	3.9	7.7	-	-	-	33	100%	0	0%	0	0%	0	0%	0	0%
	H29	30	4.3	13	29	97%	4.3	4.3	0.14	4.1	8.1	-	-	-	30	100%	0	0%	0	0%	0	0%	0	0%
	H30	25	6.4	10	25	100%	-	-	0	4.3	8.6	-	-	-	25	100%	0	0%	0	0%	0	0%	0	0%
	R1	27	5.8	10	27	100%	-	-	0	4.1	8.2	-	-	-	27	100%	0	0%	0	0%	0	0%	0	0%
神奈川県	H23	10	20	20	4	40%	27	71	27	31	35	30	58	18	4	40%	4	40%	2	20%	0	0%	0	0%
	H24	35	3.7	13	18	51%	3.7	110	21	23	25	-	96	-	28	80%	1	2.9%	0	0%	5	14%	1	2.9%
	H25	8	7.2	14	6	75%	13	57	8.8	13	17	-	-	-	7	88%	0	0%	1	13%	0	0%	0	0%
	H26	9	5.3	14	7	78%	5.3	6.9	1.4	4.9	8.5	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%
	H27	3	8.7	12	3	100%	-	-	0	4.9	9.8	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%
	H28	2	8.3	11	2	100%	-	-	0	4.8	9.7	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H29	2	5.0	7.9	2	100%	-	-	0	3.2	6.5	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	H30	2	6.2	13	2	100%	-	-	0	4.8	9.6	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%
	R1	2	7.6	8.1	2	100%	-	-	0	3.9	7.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
新潟県	H23	12	10	10	9	75%	12	17	3.7	7.5	11	-	15	-	12	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	19	2.4	14	15	79%	5.4	17	2.2	5.9	9.6	-	8.5	-	19	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	21	4.0	14	14	67%	4.0	39	5.5	8.3	11	-	18	-	20	95%	1	4.8%	0	0%	0	0%	0	0%	0	0%
	H26	21	5.0	12	18	86%	5.0	7.8	0.90	4.6	8.3	-	5.0	-	21	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	8	2.7	16	6	75%	4.8	6.0	1.4	4.0	6.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	6	4.4	7.1	3	50%	4.8	7.8	3.1	4.4	5.8	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
山梨県	H23	9	2.0	8.0	9	100%	-	-	0	3.1	6.1	-	-	-	9	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	55	3.3	15	49	89%	3.3	19	1.0	5.2	9.3	-	2.0	-	55	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	53	3.7	14	50	94%	3.7	5.4	0.25	4.9	9.6	-	-	-	53	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	6	4.9	8.6	5	83%	4.9	4.9	0.82	4.2	7.6	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	2	7.5	8.3	2	100%	-	-	0	4.0	7.9	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
長野県	H23	11	5.0	29	8	73%	42	87	16	19	23	-	42	-	8	73%	2	18%	0	0%	1	9.1%	0	0%	0	0%
	H24	68	1.7	15	64	94%	1.7	18	0.47	5.2	9.9	-	-	-	68	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	3	7.2	14	3	100%	-	-	0	5.7	11	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
静岡県	H23	1	-	-	0	0%	2.0	2.0	2.0	2.0	2.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H24	4	3.4	3.7	4	100%	-	-	0	1.8	3.6	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

【栽培/飼養管理が困難な品目群】

(18)はちみつ

産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) (LOD未満=LLOD)	濃度区分 (Bq/kg) (LOD未満=0)											
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満 +1/2LOD	(3) LOD未満 -LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過			
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)		
17都県 (合計)	H23	10	11	20	7	70%	11	160	22	28	33	-	61	-	8	80%	1	10%	0	0%	0	0%	0	0%	1	10%
	H24	73	5.1	16	64	88%	5.1	97	4.0	9.1	14	-	5.8	-	69	95%	2	2.7%	1	1.4%	1	1.4%	0	0%	0	0%
	H25	58	6.5	15	49	84%	6.5	67	3.8	9.0	14	-	9.2	-	55	95%	1	1.7%	2	3.4%	0	0%	0	0%	0	0%
	H26	53	5.8	14	46	87%	5.8	58	2.2	7.4	13	-	6.0	-	52	98%	0	0%	1	1.9%	0	0%	0	0%	0	0%
	H27	50	6.4	15	48	96%	6.4	8.8	0.30	6.1	12	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	53	7.2	14	51	96%	7.2	67	1.4	7.0	13	-	-	-	52	98%	0	0%	1	1.9%	0	0%	0	0%	0	0%
	H29	50	5.7	15	48	96%	5.7	7.4	0.26	6.2	12	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	50	6.7	15	48	96%	6.7	12	0.37	5.9	11	-	-	-	50	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	48	5.8	14	44	92%	5.8	9.1	0.55	5.9	11	-	-	-	48	100%	0	0%	0	0%	0	0%	0	0%	0	0%
青森県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
岩手県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	7	11	14	7	100%	-	-	0	6.4	13	-	-	-	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
秋田県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
宮城県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
山形県	H23	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H24	4	6.9	8.9	4	100%	-	-	0	3.9	7.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	4	12	14	4	100%	-	-	0	6.6	13	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H26	4	13	14	4	100%	-	-	0	6.6	13	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H27	4	15	15	4	100%	-	-	0	7.5	15	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	4	9.0	14	4	100%	-	-	0	5.9	12	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H29	4	8.0	13	4	100%	-	-	0	5.5	11	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	4	8.0	9.0	4	100%	-	-	0	4.4	8.8	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	4	6.3	7.9	4	100%	-	-	0	3.5	6.9	-	-	-	4	100%	0	0%	0	0%	0	0%	0	0%	0	0%
福島県	H23	6	11	15	3	50%	11	160	37	40	44	-	-	-	4	67%	1	17%	0	0%	0	0%	0	0%	1	17%
	H24	54	5.1	16	46	85%	5.1	97	5.3	11	16	-	7.1	-	50	93%	2	3.7%	1	1.9%	1	1.9%	0	0%	0	0%
	H25	44	6.5	15	35	80%	6.5	67	5.1	9.9	15	-	16	-	41	93%	1	2.3%	2	4.5%	0	0%	0	0%	0	0%
	H26	41	6.1	14	36	88%	6.1	58	2.4	7.7	13	-	6.1	-	40	98%	0	0%	1	2.4%	0	0%	0	0%	0	0%
	H27	36	6.4	15	34	94%	6.4	8.8	0.42	6.0	12	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H28	39	7.2	14	37	95%	7.2	67	1.9	7.5	13	-	-	-	38	97%	0	0%	1	2.6%	0	0%	0	0%	0	0%
	H29	36	11	15	36	100%	-	-	0	6.3	13	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	H30	36	8.9	15	35	97%	12	12	0	6.2	12	-	-	-	36	100%	0	0%	0	0%	0	0%	0	0%	0	0%
	R1	44	5.8	14	40	91%	5.8	9.1	0.60	6.1	12	-	-	-	44	100%	0	0%	0	0%	0	0%	0	0%	0	0%











産地	検査年度	検査点数	LOD (Bq/kg)		LOD未満		検出した最小値 (Bq/kg)	検出した最大値 (Bq/kg)	平均値(Bq/kg)			中央値 (Bq/kg)	90%ile値 (Bq/kg)	標準偏差 (Bq/kg) LOD未満=LOD	濃度区分 (Bq/kg) (LOD未満=0)													
			最小値	最大値	点数	割合 (%)			(1) LOD未満=0	(2) LOD未満=1/2LOD	(3) LOD未満=LOD				25 以下		25 超過 50 以下		50 超過 75 以下		75 超過 100 以下		100 超過					
															点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)	点数	割合 (%)				
新潟県	H23	2	20	20	2	100%	-	-	0	10	20	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H24	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
山梨県	H23	7	3.0	3.0	2	29%	38	207	71	72	72	73	-	70	2	29%	1	14%	1	14%	2	29%	1	14%	0	0%		
	H24	3	5.5	6.7	3	100%	-	-	0	3.1	6.1	-	-	-	3	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
	H25	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H26	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H27	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H28	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
長野県	H23	4	20	46	3	75%	28	28	7.0	20	34	-	-	-	3	75%	1	25%	0	0%	0	0%	0	0%	0	0%		
	H24	8	2.5	6.4	7	88%	5.9	5.9	0.74	2.2	3.6	-	-	-	8	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H25	6	3.6	10	4	67%	3.6	6.1	1.6	4.3	6.9	-	-	-	6	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H26	2	7.7	25	2	100%	-	-	0	8.2	16	-	-	-	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H27	1	11	11	1	100%	-	-	0	5.5	11	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H28	1	7.0	7.0	1	100%	-	-	0	3.5	7.0	-	-	-	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%		
	H29	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	H30	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	R1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
静岡県	H23	103	2.0	14	4	4%	2.0	599	96	96	96	49	266	119	29	28%	24	23%	10	9.7%	10	9.7%	30	29%	0	0%		
	H24	12	-	-	0	0%	7.0	77	31	31	31	22	62	24	6	50%	4	33%	1	8.3%	1	8.3%	0	0%	0	0%		
	H25	27	-	-	0	0%	0.81	47	11	11	11	3.3	32	14	21	78%	6	22%	0	0%	0	0.0%	0	0%	0	0%		
	H26	12	-	-	0	0%	2.3	28	14	14	14	12	27	10	9	75%	3	25%	0	0%	0	0%	0	0%	0	0%		
	H27	12	2.0	2.8	1	8%	2.0	59	15	15	15	12	25	16	10	83%	1	8.3%	1	8.3%	0	0%	0	0%	0	0%		
	H28	12	2.5	3.1	3	25%	3.0	42	11	11	11	9.8	21	11	11	92%	1	8.3%	0	0%	0	0%	0	0%	0	0%		
	H29	15	2.0	2.9	1	7%	2.0	64	28	28	28	26	59	21	7	47%	5	33%	3	20%	0	0%	0	0%	0	0%		
	H30	20	2.0	3.1	4	20%	2.0	27	10	10	11	8.95	23	8.2	19	95%	1	5%	0	0%	0	0%	0	0%	0	0%		
	R1	17	1.4	2.9	3	18%	1.4	62	19	19	19	14	56	20	14	82%	0	0%	3	18%	0	0%	0	0%	0	0%		