



マカジキ

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
22	0.02	0.76	0.41	0.23

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	5	22.7	5	22.7
0.1 < C ≤ 0.2	0	0.0	5	22.7
0.2 < C ≤ 0.3	0	0.0	5	22.7
0.3 < C ≤ 0.4	2	9.1	7	31.8
0.4 < C ≤ 0.5	7	31.8	14	63.6
0.5 < C ≤ 0.6	5	22.7	19	86.4
0.6 < C ≤ 0.7	2	9.1	21	95.5
0.7 < C ≤ 0.8	1	4.5	22	100.0
0.8 < C ≤ 0.9	0	0.0	22	100.0
0.9 < C ≤ 1.0	0	0.0	22	100.0
1.0 < C	0	0.0	22	100.0

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
22	N.D.(<0.01)	0.53	0.31	0.17

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	2	9.1	2	9.1
0.01 ≤ C ≤ 0.1	3	13.6	5	22.7
0.1 < C ≤ 0.2	0	0.0	5	22.7
0.2 < C ≤ 0.3	4	18.2	9	40.9
0.3 < C ≤ 0.4	9	40.9	18	81.8
0.4 < C ≤ 0.5	3	13.6	21	95.5
0.5 < C ≤ 0.6	1	4.5	22	100.0
0.6 < C ≤ 0.7	0	0.0	22	100.0
0.7 < C ≤ 0.8	0	0.0	22	100.0
0.8 < C ≤ 0.9	0	0.0	22	100.0
0.9 < C ≤ 1.0	0	0.0	22	100.0
1.0 < C	0	0.0	22	100.0





メカジキ

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
37	0.63	1.71	0.93	0.32

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	0	0.0	0	0.0
0.2 < C ≤ 0.3	3	8.1	3	8.1
0.3 < C ≤ 0.4	1	2.7	4	10.8
0.4 < C ≤ 0.5	0	0.0	4	10.8
0.5 < C ≤ 0.6	1	2.7	5	13.5
0.6 < C ≤ 0.7	2	5.4	7	18.9
0.7 < C ≤ 0.8	3	8.1	10	27.0
0.8 < C ≤ 0.9	6	16.2	16	43.2
0.9 < C ≤ 1.0	6	16.2	22	59.5
1.0 < C ≤ 1.2	10	27.0	32	86.5
1.2 < C ≤ 1.4	4	10.8	36	97.3
1.4 < C ≤ 1.6	0	0.0	36	97.3
1.6 < C ≤ 1.8	1	2.7	37	100.0
1.8 < C ≤ 2.0	0	0.0	37	100.0
2.0 < C	0	0.0	37	100.0

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
37	0.46	1.00	0.65	0.21


メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	3	8.1	3	8.1
0.2 < C ≤ 0.3	1	2.7	4	10.8
0.3 < C ≤ 0.4	1	2.7	5	13.5
0.4 < C ≤ 0.5	2	5.4	7	18.9
0.5 < C ≤ 0.6	3	8.1	10	27.0
0.6 < C ≤ 0.7	9	24.3	19	51.4
0.7 < C ≤ 0.8	12	32.4	31	83.8
0.8 < C ≤ 0.9	2	5.4	33	89.2
0.9 < C ≤ 1.0	4	10.8	37	100.0
1.0 < C ≤ 1.2	0	0.0	37	100.0
1.2 < C ≤ 1.4	0	0.0	37	100.0
1.4 < C ≤ 1.6	0	0.0	37	100.0
1.6 < C ≤ 1.8	0	0.0	37	100.0
1.8 < C ≤ 2.0	0	0.0	37	100.0
2.0 < C	0	0.0	37	100.0



カツオ


全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
30	0.07	0.24	0.14	0.04

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	5	16.7	5	16.7
0.1 < C ≤ 0.2	24	80.0	29	96.7
0.2 < C ≤ 0.3	1	3.3	30	100.0
0.3 < C ≤ 0.4	0	0.0	30	100.0
0.4 < C ≤ 0.5	0	0.0	30	100.0
0.5 < C ≤ 0.6	0	0.0	30	100.0
0.6 < C ≤ 0.7	0	0.0	30	100.0
0.7 < C ≤ 0.8	0	0.0	30	100.0
0.8 < C ≤ 0.9	0	0.0	30	100.0
0.9 < C ≤ 1.0	0	0.0	30	100.0
1.0 < C	0	0.0	30	100.0



全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
30	0.06	0.14	0.09	0.02


メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	21	70.0	21	70.0
0.1 < C ≤ 0.2	9	30.0	30	100.0
0.2 < C ≤ 0.3	0	0.0	30	100.0
0.3 < C ≤ 0.4	0	0.0	30	100.0
0.4 < C ≤ 0.5	0	0.0	30	100.0
0.5 < C ≤ 0.6	0	0.0	30	100.0
0.6 < C ≤ 0.7	0	0.0	30	100.0
0.7 < C ≤ 0.8	0	0.0	30	100.0
0.8 < C ≤ 0.9	0	0.0	30	100.0
0.9 < C ≤ 1.0	0	0.0	30	100.0
1.0 < C	0	0.0	30	100.0



メスケ類


全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
20	0.06	0.81	0.21	0.17

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	9	45.0	9	45.0
0.1 < C ≤ 0.2	3	15.0	12	60.0
0.2 < C ≤ 0.3	5	25.0	17	85.0
0.3 < C ≤ 0.4	2	10.0	19	95.0
0.4 < C ≤ 0.5	0	0.0	19	95.0
0.5 < C ≤ 0.6	0	0.0	19	95.0
0.6 < C ≤ 0.7	0	0.0	19	95.0
0.7 < C ≤ 0.8	0	0.0	19	95.0
0.8 < C ≤ 0.9	1	5.0	20	100.0
0.9 < C ≤ 1.0	0	0.0	20	100.0
1.0 < C	0	0.0	20	100.0



全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
20	0.05	0.44	0.12	0.09

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	11	55.0	11	55.0
0.1 < C ≤ 0.2	7	35.0	18	90.0
0.2 < C ≤ 0.3	1	5.0	19	95.0
0.3 < C ≤ 0.4	0	0.0	19	95.0
0.4 < C ≤ 0.5	1	5.0	20	100.0
0.5 < C ≤ 0.6	0	0.0	20	100.0
0.6 < C ≤ 0.7	0	0.0	20	100.0
0.7 < C ≤ 0.8	0	0.0	20	100.0
0.8 < C ≤ 0.9	0	0.0	20	100.0
0.9 < C ≤ 1.0	0	0.0	20	100.0
1.0 < C	0	0.0	20	100.0





キンメダイ

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
36	0.27	2.18	0.73	0.47

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	1	2.8	1	2.8
0.2 < C ≤ 0.3	6	16.7	7	19.4
0.3 < C ≤ 0.4	5	13.9	12	33.3
0.4 < C ≤ 0.5	3	8.3	15	41.7
0.5 < C ≤ 0.6	2	5.6	17	47.2
0.6 < C ≤ 0.7	2	5.6	19	52.8
0.7 < C ≤ 0.8	3	8.3	22	61.1
0.8 < C ≤ 0.9	3	8.3	25	69.4
0.9 < C ≤ 1.0	3	8.3	28	77.8
1.0 < C ≤ 1.2	3	8.3	31	86.1
1.2 < C ≤ 1.4	2	5.6	33	91.7
1.4 < C ≤ 1.6	1	2.8	34	94.4
1.6 < C ≤ 1.8	0	0.0	34	94.4
1.8 < C ≤ 2.0	1	2.8	35	97.2
2.0 < C	1	2.8	36	100.0

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
36	0.20	1.24	0.48	0.29

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	6	16.7	6	16.7
0.2 < C ≤ 0.3	5	13.9	11	30.6
0.3 < C ≤ 0.4	6	16.7	17	47.2
0.4 < C ≤ 0.5	5	13.9	22	61.1
0.5 < C ≤ 0.6	2	5.6	24	66.7
0.6 < C ≤ 0.7	6	16.7	30	83.3
0.7 < C ≤ 0.8	3	8.3	33	91.7
0.8 < C ≤ 0.9	0	0.0	33	91.7
0.9 < C ≤ 1.0	0	0.0	33	91.7
1.0 < C ≤ 1.2	1	2.8	34	94.4
1.2 < C ≤ 1.4	2	5.6	36	100.0
1.4 < C ≤ 1.6	0	0.0	36	100.0
1.6 < C ≤ 1.8	0	0.0	36	100.0
1.8 < C ≤ 2.0	0	0.0	36	100.0
2.0 < C	0	0.0	36	100.0





ギンダラ

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
20	0.03	0.81	0.33	0.24

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	3	15.0	3	15.0
0.1 < C ≤ 0.2	5	25.0	8	40.0
0.2 < C ≤ 0.3	2	10.0	10	50.0
0.3 < C ≤ 0.4	3	15.0	13	65.0
0.4 < C ≤ 0.5	2	10.0	15	75.0
0.5 < C ≤ 0.6	2	10.0	17	85.0
0.6 < C ≤ 0.7	1	5.0	18	90.0
0.7 < C ≤ 0.8	1	5.0	19	95.0
0.8 < C ≤ 0.9	1	5.0	20	100.0
0.9 < C ≤ 1.0	0	0.0	20	100.0
1.0 < C	0	0.0	20	100.0

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
20	0.02	0.51	0.21	0.15

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	7	35.0	7	35.0
0.1 < C ≤ 0.2	3	15.0	10	50.0
0.2 < C ≤ 0.3	5	25.0	15	75.0
0.3 < C ≤ 0.4	2	10.0	17	85.0
0.4 < C ≤ 0.5	2	10.0	19	95.0
0.5 < C ≤ 0.6	1	5.0	20	100.0
0.6 < C ≤ 0.7	0	0.0	20	100.0
0.7 < C ≤ 0.8	0	0.0	20	100.0
0.8 < C ≤ 0.9	0	0.0	20	100.0
0.9 < C ≤ 1.0	0	0.0	20	100.0
1.0 < C	0	0.0	20	100.0





ベニズワイガニ

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
10	0.13	0.50	0.30	0.11

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	2	20.0	2	20.0
0.2 < C ≤ 0.3	4	40.0	6	60.0
0.3 < C ≤ 0.4	2	20.0	8	80.0
0.4 < C ≤ 0.5	2	20.0	10	100.0
0.5 < C ≤ 0.6	0	0.0	10	100.0
0.6 < C ≤ 0.7	0	0.0	10	100.0
0.7 < C ≤ 0.8	0	0.0	10	100.0
0.8 < C ≤ 0.9	0	0.0	10	100.0
0.9 < C ≤ 1.0	0	0.0	10	100.0
1.0 < C	0	0.0	10	100.0

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
10	0.08	0.30	0.19	0.06

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	1	10.0	1	10.0
0.1 < C ≤ 0.2	5	50.0	6	60.0
0.2 < C ≤ 0.3	4	40.0	10	100.0
0.3 < C ≤ 0.4	0	0.0	10	100.0
0.4 < C ≤ 0.5	0	0.0	10	100.0
0.5 < C ≤ 0.6	0	0.0	10	100.0
0.6 < C ≤ 0.7	0	0.0	10	100.0
0.7 < C ≤ 0.8	0	0.0	10	100.0
0.8 < C ≤ 0.9	0	0.0	10	100.0
0.9 < C ≤ 1.0	0	0.0	10	100.0
1.0 < C	0	0.0	10	100.0





エッチュウバイガイ

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
10	0.61	0.89	0.74	0.10

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	0	0.0	0	0.0
0.2 < C ≤ 0.3	0	0.0	0	0.0
0.3 < C ≤ 0.4	0	0.0	0	0.0
0.4 < C ≤ 0.5	0	0.0	0	0.0
0.5 < C ≤ 0.6	0	0.0	0	0.0
0.6 < C ≤ 0.7	4	40.0	4	40.0
0.7 < C ≤ 0.8	3	30.0	7	70.0
0.8 < C ≤ 0.9	3	30.0	10	100.0
0.9 < C ≤ 1.0	0	0.0	10	100.0
1.0 < C	0	0.0	10	100.0

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
10	0.37	0.55	0.49	0.06

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	0	0.0	0	0.0
0.2 < C ≤ 0.3	0	0.0	0	0.0
0.3 < C ≤ 0.4	1	10.0	1	10.0
0.4 < C ≤ 0.5	5	50.0	6	60.0
0.5 < C ≤ 0.6	4	40.0	10	100.0
0.6 < C ≤ 0.7	0	0.0	10	100.0
0.7 < C ≤ 0.8	0	0.0	10	100.0
0.8 < C ≤ 0.9	0	0.0	10	100.0
0.9 < C ≤ 1.0	0	0.0	10	100.0
1.0 < C	0	0.0	10	100.0



サメ類(ヨシキリザメ)

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
30	0.36	0.81	0.54	0.12

総水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	0	0.0	0	0.0
0.2 < C ≤ 0.3	0	0.0	0	0.0
0.3 < C ≤ 0.4	3	10.0	3	10.0
0.4 < C ≤ 0.5	10	33.3	13	43.3
0.5 < C ≤ 0.6	6	20.0	19	63.3
0.6 < C ≤ 0.7	9	30.0	28	93.3
0.7 < C ≤ 0.8	1	3.3	29	96.7
0.8 < C ≤ 0.9	1	3.3	30	100.0
0.9 < C ≤ 1.0	0	0.0	30	100.0
1.0 < C	0	0.0	30	100.0

全試料数	最小値 (mg/kg)	最大値 (mg/kg)	平均値 (mg/kg)	標準偏差
30	0.25	0.45	0.35	0.06

メチル水銀濃度 (mg/kg)	試料数	割合 (%)	累積試料数	割合 (%)
C < 0.01	0	0.0	0	0.0
0.01 ≤ C ≤ 0.1	0	0.0	0	0.0
0.1 < C ≤ 0.2	0	0.0	0	0.0
0.2 < C ≤ 0.3	11	36.7	11	36.7
0.3 < C ≤ 0.4	11	36.7	22	73.3
0.4 < C ≤ 0.5	8	26.7	30	100.0
0.5 < C ≤ 0.6	0	0.0	30	100.0
0.6 < C ≤ 0.7	0	0.0	30	100.0
0.7 < C ≤ 0.8	0	0.0	30	100.0
0.8 < C ≤ 0.9	0	0.0	30	100.0
0.9 < C ≤ 1.0	0	0.0	30	100.0
1.0 < C	0	0.0	30	100.0

