

# The Scolytidae and Platypodidae (Coleoptera) from Solomon Islands, found in logs at Nagoya port, I

Shizuo OHNO, Kotaro YOSHIOKA, Kohichi YONEYAMA  
and Hirofumi NAKAZAWA\*

Seibu Sub-Branch Station, Nagoya Plant Protection Station

**Abstract :** A total of 62 scolytid species from Solomon Is. were found in logs at Nagoya port in this work. Details of the host record for the present collection are given.

## Introduction

The fauna of the Scolytidae and Platypodidae of the Solomon Islands is one of the least known in the New Guinea areas and Pacific Islands.

These reports, part I and part II, are virtually arranged on a result of inspection of tropical logs, which are host plants of the beetles belonging to the Scolytidae and Platypodidae, imported to the Nagoya port from the Solomon Islands.

The results of this examination are divided into two parts, Scolytidae and Platypodidae, of which family Scolytidae is described in this paper.

More than 26,800 specimens were collected from these Islands including 62 species 17 genera of Scolytidae collected by plant inspectors of Seibu Sub-Branch from April 1982 to March 1987.

In the following list of collected species details of the host records for the present collection are given, and also details of locality records of shipment are designated.

## Family Scolytidae

1. *Dactylipalpus transversus* CHAPUIS  
Aola, Lever Harbour, Waimamura<sup>1)</sup>; 1 ex.,  
*Amoora? cucullata*, 1 ex., *Eugenia* sp., 1 ex., *Pometia*


*pinnata*<sup>2)</sup>

2. *Hylesinus despectus* WALKER  
Dios; 36 exs., *Ficus* sp.
3. *Hylesinus porcatus* CHAPUIS  
Dios, Kaonasugo, Lever Harbour, Waimamura ;  
9 exs., *Artocarpus* sp., 96 exs., *Ficus* sp.
4. *Phloeosinus latus* EGGERS  
Lever Harbour : 7 ♂ 3 ♀, Myristicaceae sp.
5. *Phloeosinus solomonicus* BROWNE  
Lever Harbour, Viru Harbour ; 147 exs., Myristicaceae sp.
6. *Diamerus interstitialis* (LEA)  
Dios; 3 exs., *Ficus* sp.
7. *Scolytomimus pusillus* (EGGERS)  
Aola, Dios, Lever Harbour, Mangakiki; 29  
exs., *Palaquium* sp., 38 exs., *Planchonella* sp.
8. *Margadillius loronthus* BROWNE  
Dios; 13 exs., *Ficus* sp.
9. *Margadillius terminaliae* BROWNE  
Viru Harbour; 12 exs., *Terminalia* sp.
10. *Cryphalus dilutus* EICHHOFF  
Dios, San Cristobal Is. ; 42 exs., *Pterocarpus* sp.,  
42 exs., *Ficus* sp.
11. *Cryphalus discretus* EICHHOFF  
Kaonasugo, Lakena, Lever Harbour, Mangakiki ;  
43 exs., *Canarium* sp.
12. *Cryphalus striatulus* BROWNE  
Honiara, Lakena, Mangakiki, Viru Harbour ;  
15 exs., *Canarium* sp.
13. *Cryphalus terminaliae* BROWNE  
Dios, Kaonasugo, Viru Harbour; 106 exs.,

1) Shipment locality.

2) Host record.

\* Omaezaki Sub-Branch Station.



*Terminalia* sp.

14. *Cryphalus wapleri* EICHHOFF  
Dios, Lakena ; 35 exs., *Canarium* sp.
15. *Hypocryphalus fici* BROWNE  
Dios ; 125 exs., *Ficus* sp.
16. *Hypothenemus eruditus* WESTWOOD  
Lakena ; 1♂7♀, *Pterocarpus* sp.
17. *Cyrtogenius brevior* (EGGERS)  
Various shipment localities ; 16♂15♀, *Parishia* sp., 102♂86♀, *Canarium* sp.
18. *Cyrtogenius orientalis* (EGGERS)  
Dios, Lever Harbour, Ringi Cove, Viru Harbour ; 17♂20♀, *Canarium* sp., 31♂36♀, *Ficus* sp.
19. *Ozopemon angustae* EGGERS  
Gizo, Lever Harbour, Viru Harbour ; 2♀, *Camptosperma* sp., 2♂45♀, *Schizomeria* sp., 3♀, *Parinari* sp.
20. *Ozopemon obanus* HAGEDORN  
Dios ; 3♀, *Ficus* sp.
21. *Ozodendron parinari* BROWNE  
Lever Harbour ; 57♂22♀, *Neoschortechinia* sp., 142♂59♀, *Parinari* sp.
22. *Poecilips nitidipennis* SCHEDL  
Lever Harbour ; 12 exs., *Schizomeria* sp.
23. *Poecilips papuanus* (EGGERS)  
Viru Harbour ; 1 ex., *Dillenia* sp.

24. *Poecilips vulgaris* (EGGERS)

Gizo, Lever Harbour ; 11 exs., *Camptosperma* sp., 54 exs., *Schizomeria* sp., 4 exs., *Parinari* sp.

25. *Arixyleborus subsimilis* SCHEDL

Various shipment localities ; 1♂8♀, *Dracontomelon puberulum*, 44♀, *Canarium* sp., 83♀, *Terminalia* sp., 4♀, *Dillenia* sp., 3♀, *Endospermum*? *medulosum*, 1♀, *Neoschortechinia* sp., 1♂13♀, *Calophyllum* sp., 2♀, *Eugenia* sp., 6♀, ? Rubiaceae sp., 2♂55♀, *Pometia pinnata*, 2♀, *Burckella* sp., 11♀, *Palaquium* sp., 2♀, *Planchonella* sp., 1♀, *Sloanea* sp., 4♀, *Celtis* sp.

26. *Xylosandrus difficilis* (EGGERS)

Lever Harbour, Viru Harbour ; 3♀, *Terminalia* sp., 15♀, *Calophyllum* sp., 1♀, *Parinari* sp.

27. *Xylosandrus morigerus* (BLANDFORD)

Viru Harbour ; 3♀, *Calophyllum* sp., 4♀, *Parinari* sp.

28. *Xyleborus affinis* EICHHOFF

Various shipment localities ; 10♀, *Camptosperma* sp., 1♂19♀, *Ilex* sp., 1♂51♀, *Canarium* sp., 3♂85♀, *Terminalia* sp., 64♀, *Schizomeria* sp., 1♂36♀, *Dillenia* sp., 3♀, *Endospermum*? *medulosum*, 9♂93♀, *Neoschortechinia* sp., 1♀, *Pimelodendron* sp., 13♀, *Gonystylus* sp., 3♂104♀, *Calophyllum* sp., 11♀, *Beilschmiedia* sp., 22♀, *Cryptocarya* sp., 1♂16♀,

*Intsia* sp., 1 ♀, *Amoora* ? *cucullata*, 1 ♂30 ♀, *Chisocheton* sp., 1 ♀, *Dysoxylum* sp., 4 ♂85 ♀, *Artocarpus* sp., 1 ♂9 ♀, *Ficus* sp., 9 ♀, *Eugenia* sp., 70 ♀, *Xanthophyllum* sp., 6 ♂129 ♀, *Parinari* sp., 25 ♀, *Nauclea* sp., 89 ♀, *Neonauclea* sp., 2 ♀, *Euodia* sp., 1 ♂69 ♀, *Pometia pinnata*, 9 ♀, *Burckella* sp., 56 ♀, *Palaquium* sp., 1 ♀, *Planchonella* sp., 4 ♀, *Ailanthus integrifolia*, 5 ♀, *Pterygota horsfieldii*, 2 ♀, *Tarrietia* sp., 3 ♀, *Sloanea* sp., 2 ♀, *Pentace* sp., 1 ♂43 ♀, *Celtis* sp., 2 ♀, *Gmelina* sp., 2 ♂35 ♀, *Vitex* sp.

29. *Xyleborus agnatus* EGGERS

Various shipment localities; 37 ♀, *Campnosperma* sp., 1 ♂11 ♀, *Canarium* sp., 1 ♂331 ♀, *Terminalia* sp., 1 ♂62 ♀, *Schizomeria* sp., 2 ♂109 ♀, *Dillenia* sp., 5 ♀, *Endospermum* ? *medullosum*, 1 ♀, *Trichadenia philippinensis*, 13 ♀, *Gonystylus* sp., 31 ♂1065 ♀, *Calophyllum* sp., 2 ♂70 ♀, *Planchonia papuana*, 1 ♀, *Albizia* sp., 33 ♀, *Amoora* ? *cucullata*, 3 ♀, *Dysoxylum* sp., 4 ♀, *Artocarpus* sp., 2 ♀, *Eugenia* sp., 2 ♀, *Xanthophyllum* sp., 10 ♀, *Parinari* sp., 1 ♀, *Neonauclea* sp., 1 ♂49 ♀, *Pometia pinnata*, 19 ♀, *Palaquium* sp., 1 ♀, *Planchonella* sp., 7 ♀, *Vitex* sp.

30. *Xyleborus bidentatus* (MOTSCHULSKY)

Kalena Bay, Lever Harbour, Ringi Cove, Viru Harbour; 2 ♀, *Canarium* sp., 3 ♂13 ♀, *Terminalia* sp., 3 ♀, *Schizomeria* sp., 1 ♀, *Dillenia* sp., 3 ♀, *Gonystylus* sp., 4 ♀, *Calophyllum* sp., 1 ♀, *Albizia* sp., 2 ♀, *Pometia pinnata*, 1 ♀, *Pentace* sp.

31. *Xyleborus canarii* BROWNE

Lever Harbour; 1 ♀, *Canarium* sp.

32. *Xyleborus cognatus* BLANDFORD

Various shipment localities; 2 ♀, *Campnosperma* sp., 1 ♀, *Parishia* sp., 6 ♀, *Spondias* sp., 12 ♀, *Canarium* sp., 54 ♀, *Terminalia* sp., 3 ♀, *Schizomeria* sp., 6 ♀, *Dillenia* sp., 1 ♂9 ♀, *Endospermum* ? *medullosum*, 7 ♀, *Neoschortechinia* sp., 3 ♀, *Gonystylus* sp., 19 ♀, *Calophyllum* sp., 1 ♀, *Beilschmiedia* sp., 4 ♀, *Albizia* sp., 3 ♀, *Pterocarpus* sp., 1 ♀, *Chisocheton* sp., 1 ♀, *Artocarpus* sp., 2 ♀, *Ficus* sp., 22 ♀, *Xanthophyllum* sp., 17 ♀, *Pometia pinnata*, 1 ♂14 ♀, *Burckella* sp., 6 ♀, *Palaquium* sp., 3 ♀, *Sloanea* sp., 2 ♀, *Celtis* sp., 1 ♀, *Vitex* sp.

33. *Xyleborus corporaali* EGGERS

Lever Harbour, Viru Harbour; 3 ♀, *Dillenia* sp., 1 ♂6 ♀, *Parinari* sp.

34. *Xyleborus dentatulus* BROWNE

Mangakiki, Viru Harbour; 1 ♀, *Dillenia* sp., 1 ♀, *Pometia pinnata*, 1 ♀, *Burckella* sp.

35. *Xyleborus destruens* BLANDFORD

Various shipment localities; 24 ♀, *Campnosperma* sp., 6 ♀, *Alstonia* sp., 2 ♂24 ♀, *Canarium* sp., 19

♀, *Terminalia* sp., 3 ♀, *Schizomeria* sp., 2 ♀, *Octomeles sumatrana*, 36 ♀, *Dillenia* sp., 83 ♀, *Endospermum* ? *medullosum*, 27 ♀, *Neoschortechinia* sp., 401 ♀, *Pimelodendron* sp., 1 ♀, *Homalium* sp., 1 ♀, *Trichadenia philippinensis*, 175 ♀, *Gonystylus* sp., 2 ♂151 ♀, *Calophyllum* sp., 9 ♀, *Beilschmiedia* sp., 2 ♀, *Intsia* sp., 1 ♀, *Aglaia* sp., 3 ♀, *Chisocheton* sp., 2 ♂257 ♀, *Dysoxylum* sp., 1 ♀, *Artocarpus* sp., 46 ♀, *Ficus* sp., 2 ♀, *Eugenia* sp., 2 ♂100 ♀, *Xanthophyllum* sp., 2 ♂205 ♀, *Parinari* sp., 9 ♀, *Neonauclea* sp., 1 ♀, *Euodia* sp., 2 ♂20 ♀, *Pometia pinnata*, 17 ♀, *Burckella* sp., 13 ♀, *Palaquium* sp., 68 ♀, *Planchonella* sp., 5 ♀, *Ailanthus integrifolia*, 8 ♀, *Pterygota horsfieldii*, 37 ♀, *Celtis* sp., 4 ♀, *Gmelina* sp.

36. *Xyleborus diversicolor* EGGERS

Lever Harbour; 1 ♀, *Ilex* sp.

37. *Xyleborus emarginatus* EICHHOFF

Honiara, Lever Harbour, Mangakiki, San Cristobal Is., Viru Harbour; 6 ♀, *Campnosperma* sp., 5 ♀, *Canarium* sp., 189 ♀, *Terminalia* sp., 1 ♂36 ♀, *Schizomeria* sp., 15 ♀, *Dillenia* sp., 2 ♀, *Gonystylus* sp., 2 ♂58 ♀, *Calophyllum* sp., 1 ♀, *Albizia* sp., 1 ♀, *Dysoxylum* sp., 1 ♀, *Xanthophyllum* sp., 5 ♀, *Parinari* sp., 1 ♂62 ♀, *Pometia pinnata*, 27 ♀, *Burckella* sp.

38. *Xyleborus exiguus* (WALKER)

Various shipment localities; 2 ♀, *Canarium* sp., 34 ♀, *Terminalia* sp., 13 ♀, *Schizomeria* sp., 1 ♀, *Neoschortechinia* sp., 3 ♀, *Calophyllum* sp., 1 ♀, *Dysoxylum* sp., 2 ♀, *Xanthophyllum* sp., 1 ♂30 ♀, *Parinari* sp., 1 ♂36 ♀, *Pometia pinnata*, 1 ♂6 ♀, *Planchonella* sp., 1 ♀, *Celtis* sp.

39. *Xyleborus fallax* EICHHOFF

Kalena Bay, Lever Harbour, Mangakiki, Ringi Cove, Viru Harbour, Waimamura; 3 ♂40 ♀, *Campnosperma* sp., 11 ♀, *Canarium* sp., 6 ♂187 ♀, *Terminalia* sp., 3 ♂76 ♀, *Schizomeria* sp., 38 ♀, *Dillenia* sp., 1 ♀, *Endospermum* ? *medullosum*, 1 ♂69 ♀, *Gonystylus* sp., 1 ♂74 ♀, *Calophyllum* sp., 8 ♀, *Neoschortechinia* sp., 1 ♀, *Ficus* sp., 1 ♀, *Xanthophyllum* sp., 25 ♀, *Parinari* sp., 13 ♀, *Pometia pinnata*, 6 ♀, *Burckella* sp., 5 ♀, *Palaquium* sp.

40. *Xyleborus ferrugineus* (FABRICIUS)

Various shipment localities; 2 ♀, *Campnosperma* sp., 35 ♀, *Canarium* sp., 2 ♂162 ♀, *Terminalia* sp., 60 ♀, *Schizomeria* sp., 6 ♂638 ♀, *Dillenia* sp., 1 ♂68 ♀, *Endospermum* ? *medullosum*, 8 ♀, *Trichadenia philippinensis*, 17 ♀, *Gonystylus* sp., 1 ♂265 ♀, *Calophyllum* sp., 12 ♀, *Beilschmiedia* sp., 3 ♀, *Albizia* sp., 2 ♀, *Pterocarpus* sp., 5 ♀, *Amoora* ? *cucullata*, 7 ♀, *Chisocheton* sp., 7 ♀, *Dysoxylum* sp., 6 ♀, *Artocarpus* sp., 4 ♀, *Ficus* sp., 2 ♀, *Eugenia* sp., 7 ♀, *Xanthophyl-*

*lum* sp., 74 ♀, *Parinari* sp., 1 ♂ 77 ♀, *Neonauclea* sp., 4 ♀, *Euodia* sp., 1 ♂ 150 ♀, *Pometia pinnata*, 1 ♂ 45 ♀, *Burckella* sp., 2 ♂ 34 ♀, *Palaquium* sp., 5 ♀, *Planchonella* sp., 6 ♀, *Ailanthus integrifolia*, 3 ♀, *Pentace* sp., 7 ♀, *Celtis* sp., 1 ♀, *Gmelina* sp., 10 ♀, *Vitex* sp.

41. *Xyleborus funereus* LEA

Dios, Honiara; 6 ♀, *Ficus* sp.

42. *Xyleborus glabratus* BROWNE

Viru Harbour; 4 ♀, *Terminalia* sp., 54 ♀, *Dillenia* sp., 12 ♀, *Calophyllum* sp., 11 ♀, *Pometia pinnata*

43. *Xyleborus hashimotoi* BROWNE

Lever Harbour; 1 ♀, *Pimelodendron* sp.

44. *Xyleborus interjectus* BLANDFORD

Honiara, Lever Harbour; 1 ♂ 6 ♀, *Dysoxylum* sp., 1 ♀, *Xanthophyllum* sp.

45. *Xyleborus kororensis* WOOD

Kalena Bay, Viru Harbour; 11 ♀, *Dillenia* sp.

46. *Xyleborus laevis* EGGERS

Lever Harbour, Viru Harbour, Waimamura; 1 ♂ 1 ♀, *Terminalia* sp., 1 ♂ 20 ♀, *Dillenia* sp., 9 ♀, *Endospermum ? medullosum*, 31 ♀, *Pimelodendron* sp., 1 ♂ 17 ♀, ? Lauraceae sp., 2 ♀, *Albizia* sp., 2 ♀, *Amoora ? cucullata*, 1 ♀, *Chisocheton* sp., 1 ♂ 29 ♀, *Dysoxylum* sp., 34 ♀, *Xanthophyllum* sp., 2 ♀, *Parinari* sp., 1 ♀, *Pometia pinnata*, 5 ♀, *Ailanthus integrifolia*

47. *Xyleborus leverensis* BROWNE

Kalena Bay, Lever Harbour, Viru Harbour, Waimamura; 4 ♀, *Campnosperma* sp., 6 ♀, *Terminalia* sp., 19 ♀, *Dillenia* sp., 15 ♀, *Calophyllum* sp., 9 ♀, *Eugenia* sp., 1 ♀, *Pometia pinnata*

48. *Xyleborus minutus* BLANDFORD

Viru Harbour; 1 ♀, *Canarium* sp., 2 ♂ 12 ♀, *Dillenia* sp.

49. *Xyleborus perforans* (WOLLASTON)

Various shipment localities; 119 ♂ 15, 241 ♀, were collected from trees in 57 Genera 32 Families

50. *Xyleborus perparvus* SAMPSON

Kalena Bay, Viru Harbour; 10 ♀, *Terminalia* sp., 1 ♀, *Calophyllum* sp.

51. *Xyleborus piceus* (MOTSCHULSKY)

Various shipment localities; 7 ♀, *Buchanania* sp., 3 ♀, *Canarium* sp., 13 ♀, *Terminalia* sp., 1 ♀, *Octomeles sumatrana*, 4 ♂ 115 ♀, *Endospermum ? medullosum*, 1 ♀, *Pimelodendron* sp., 9 ♀, *Gonystylus* sp., 6 ♀, *Calophyllum* sp., 1 ♀, *Intsia* sp., 2 ♀, *Pterocarpus* sp., 9 ♀, *Chisocheton* sp., 4 ♀, *Dysoxylum* sp., 5 ♀, *Antiaris* sp., 10 ♀, *Ficus* sp., 1 ♀, *Eugenia* sp., 2 ♀, *Xanthophyllum* sp., 1 ♀, *Euodia* sp., 1 ♂ 46 ♀, *Pometia pinnata*, 12 ♀, *Ailanthus integrifolia*, 1 ♀,

*Sloanea* sp., 11 ♀, *Celtis* sp.

52. *Xyleborus pinguis* BROWNE

Lever Harbour; 6 ♀, ? *Garcinia* sp., 12 ♀, *Eugenia* sp.

53. *Xyleborus pumilus* EGGERS

Dios, Lever Harbour, Toimanapu, Viru Harbour; 2 ♀, *Dillenia* sp., 2 ♂ 100 ♀, *Calophyllum* sp., 12 ♀, *Ficus* sp., 8 ♂ 69 ♀, *Artocarpus* sp., 1 ♀, *Palaquium* sp.

54. *Xyleborus sejugatus* SCHEDL

Viru Harbour; 1 ♀, *Terminalia* sp., 8 ♀, *Dillenia* sp.

55. *Xyleborus similis* FERRARI

Various shipment localities; 2 ♀, *Alstonia* sp., 7 ♀, *Canarium* sp., 35 ♀, *Terminalia* sp., 1 ♀, *Octomeles sumatrana*, 1 ♀, *Dillenia* sp., 1 ♀, *Elaeocarpus* sp., 19 ♀, *Endospermum ? medullosum*, 7 ♀, *Neoschortechinia* sp., 4 ♀, *Gonystylus* sp., 14 ♀, *Calophyllum* sp., 1 ♀, *Beilschmiedia* sp., 1 ♀, *Intsia* sp., 6 ♀, *Pterocarpus* sp., 1 ♀, *Amoora ? cucullata*, 7 ♀, *Dysoxylum* sp., 3 ♀, *Antiaris* sp., 3 ♀, *Artocarpus* sp., 24 ♀, *Ficus* sp., 9 ♀, *Xanthophyllum* sp., 1 ♀, *Parinari* sp., 8 ♀, *Euodia* sp., 12 ♀, *Pometia pinnata*, 2 ♀, *Palaquium* sp., 1 ♀, *Planchonella* sp., 1 ♀, *Ailanthus integrifolia*, 3 ♀, *Sloanea* sp., 1 ♂ 13 ♀, *Celtis* sp., 2 ♀, *Vitex* sp.

56. *Xyleborus solomonicus* SCHEDL

Viru Harbour; 1 ♀, *Neonauclea* sp.

57. *Xyleborus striatotruncatus* SCHEDL

Viru Harbour; 9 ♀, *Dillenia* sp., 1 ♀, *Pometia pinnata*

58. *Xyleborus subagnatus* SCHEDL

Various shipment localities; 40 ♀, *Campnosperma* sp., 31 ♀, *Canarium* sp., 5 ♂ 163 ♀, *Terminalia* sp., 21 ♀, *Schizomeria* sp., 1 ♂ 93 ♀, *Dillenia* sp., 8 ♀, *Gonystylus* sp., 13 ♂ 205 ♀, *Calophyllum* sp., 1 ♀, *Planchonia papuana*, 5 ♀, *Artocarpus* sp., 20 ♀, *Eugenia* sp., 1 ♀, *Maranthes* sp., 12 ♀, *Parinari* sp., 10 ♀, *Pometia pinnata*, 4 ♀, *Burckella* sp., 10 ♀, *Palaquium* sp.

59. *Xyleborus viruensis* BROWNE

Viru Harbour; 1 ♀, *Endospermum ? medullosum*

60. *Xyleborus volvulus* (FABRICIUS)

Various shipment localities; 2 ♀, *Terminalia* sp., 1 ♀, *Octomeles sumatrana*, 4 ♀, *Dillenia* sp., 6 ♀, *Gonystylus* sp., 6 ♀, *Calophyllum* sp., 2 ♀, *Chisocheton* sp., 1 ♀, *Dysoxylum* sp., 3 ♀, *Ficus* sp., 2 ♀, *Xanthophyllum* sp., 2 ♀, *Pometia pinnata*

61. *Xyleborus wallacei* BLANDFORD

Viru Harbour, Waimamura; 3 ♀, *Endosper-*

*mum* ? *medullosum*, 1 ♀, *Ficus* sp., 1 ♀, *Pometia pinnata*

62. *Eccoptyterus spinosus* (OLIVIER)

Dios, Mangakiki, Ringi Cove; 2 ♀, *Canarium* sp., 1 ♀, *Terminalia* sp., 1 ♀, *Vitex* sp.

### Acknowledgements

We are much indebted to late Mr. F.G. BROWNE (England), for identification of many collected

species. We are also grateful to Dr. K. OGATA (Government Forest Experiment Station), Mr. T. FUJIWARA, Mr. T. MIWA (Meiko Unyu K.K.), Mr. H. ADACHI (Nagoya Port Lumber Scaling Co., Ltd.), for the examination of tree species, and Mr. S. OKADA (Nagoya Port Lumber Warehouse Inc.), Mr. Y. HATANAKA (Chubu Mokuzai Soko Co., Ltd.), Mr. H. ISOGAI (Chubu Shizai K.K.), Mrs. R. ISHIHARA (To-kaichiku Plant Quarantine Association), for their helps in this way.