

Revision of List of the Import Prohibited Plants (Annexed Table 2 of the Ordinance for Enforcement of the Plant Protection Act)

Note: Underlined region/countries or plants will be added.

Item No	Region/countries	Plants	Quarantine pests
1	<p>[Middle East] Yemen, Israel, Iran, Saudi Arabia, Syria, Turkey, Jordan, Lebanon,</p> <p>[Europe] Albania, Italy, Austria, Netherlands, Republic of North Macedonia, Cyprus, Greece, Croatia, Kosovo, Switzerland, Spain, Slovenia, Serbia, Germany, Hungary, France, Belgium, Bosnia and Herzegovina, Portugal, Malta, Montenegro, Russia,</p> <p>[Africa] Africa,</p> <p>[Latin America] Bermuda islands, Argentina, Uruguay, Ecuador, El Salvador, Guatemala, Costa Rica, Colombia, Nicaragua, West Indies (excluding Cuba, Dominican Republic and Puerto Rico), Panama, Paraguay, Brazil, Venezuela, Peru, Bolivia, Honduras,</p> <p>[Oceania] Australia (excluding Tasmania), Hawaiian Islands</p>	<p>Fresh fruits of the following plants:</p> <p>akee (<i>Blighia sapida</i>), avocado (<i>Persea americana</i>) (excluding those listed in Appendix 60, 64, 70 and 72), Malay gooseberry (star berry) (<i>Phyllanthus acidus</i>), allspice (<i>Pimenta dioica</i> (syn. <i>Pimenta officinalis</i>)), olive (<i>Olea europaea</i>), cashew (<i>Anacardium occidentale</i>), kiwi fruit (<i>Actinidia deliciosa</i>, <i>A. chinensis</i>), yellow oleander (<i>Thevetia peruviana</i> (syn. <i>T. nereifolia</i>)), <i>Cucumis dipsaceus</i>, <i>Coccinia microphylla</i>, <i>Corallocarpus ellipticus</i>, carambola (<i>Averrhoa carambola</i>), pomegranate (<i>Punica granatum</i>), jaboticaba (<i>Plinia cauliflora</i> (syn. <i>Eugenia cauliflora</i>, <i>Myrcia jaboticaba</i>)), broad bean (<i>Vicia faba</i>), alexandrian laurel (<i>Calophyllum inophyllum</i>), date palm (<i>Phoenix dactylifera</i>), nance (<i>Byrsonima crassifolia</i>), Jamaica cherry (<i>Muntingia calabura</i>), bitter gourd (balsam pear) (<i>Momordica charantia</i>), feijoa (<i>Feijoa sellowiana</i>), pawpaw (<i>Asimina triloba</i>), mamey apple (mammee apple) (<i>Mammea americana</i>), longan (<i>Euphoria longana</i> (syn. <i>Dimocarpus longan</i>)), litchi (<i>Litchi chinensis</i>), <i>Ficus</i>, <i>Phaseolus</i>, <i>Diospyros</i> (excluding those listed in Appendix 41), <i>Carissa</i>, <i>Juglans</i>, <i>Morus</i>, <i>Coccoloba</i>, <i>Coffea</i>, <i>Ribes</i>, <i>Vaccinium</i>, <i>Passiflora</i>, <i>Dovyalis</i>, <i>Ziziphus</i>, <i>Spondias</i>, <i>Musa</i> (excluding immature banana), <i>Carica</i> (excluding those listed in Appendix 1), <i>Psidium</i>, <i>Artocarpus</i>, <i>Annona</i>, <i>Malpighia</i>, <i>Santalum</i>, <i>Garcinia</i>, <i>Vitis</i> (excluding those listed in Appendix 3, 54 and 59), <i>Syzygium</i>, <i>Mangifera</i> (excluding those listed in Appendix 2, 36, 43, 51 and 53), <i>Ilex</i>, <i>Terminalia</i>, <i>Eugenia</i>, <i>Gossypium</i>, Sapotaceae, Cactaceae (excluding those listed in Appendix 35), Solanaceae (excluding those listed in Appendix 3 and 42), Rosaceae (excluding those listed in Appendix 3 and 31), Rutaceae (excluding those listed in Appendix 4 to 8, 39, 45, 56, 65 and 73)</p>	<p><i>Ceratitis capitata</i> (Mediterranean fruit fly)</p>

2	<p>[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Nepal, Pakistan, Bangladesh, East Timor, Philippines, Bhutan, Brunei, Viet Nam, Hong Kong, Malaysia, Myanmar, Laos,</p> <p>[Africa] Angola, Uganda, Eswatini, Ethiopia, Ghana, Gabon, Cameroon, Gambia, Guinea, Guinea-Bissau, Kenya, Cote d'Ivoire, Comoros, Republic of Congo, Democratic Republic of the Congo, Zambia, Sierra Leone, Sudan, Equatorial Guinea, Senegal, Tanzania, Chad, Central African Republic, Togo, Nigeria, Namibia, Niger, Burkina Faso, Burundi, Benin, Botswana, Madagascar, Mayotte, Mali, South African Republic, Mozambique, Mauritania, Liberia, Rwanda, Reunion,</p> <p>[Oceania] Papua New Guinea, Hawaiian Islands, French Polynesia, Micronesia</p>	<p>Fresh fruits of the following plants:</p> <p>citrus (including genera <i>Citrus</i>, <i>Fortunella</i> and <i>Poncirus</i>) (excluding those listed in Appendix 10 and 58), akee (<i>Blighia sapida</i>), acerola (<i>Malpighia emarginata</i>, (syn. <i>M. glabra</i>, <i>M. puniceifolia</i>)), avocado (<i>Persea americana</i>), common fig (<i>Ficus carica</i>), <i>Ficus sycomorus</i>, <i>Irvingia gabonensis</i>, Burmese grape (<i>Baccaurea sapida</i>), <i>Ficus racemosa</i>, strawberry (<i>Fragaria x ananassa</i>), olive (<i>Olea europaea</i>), cashew (<i>Anacardium occidentale</i>), Indian laurel (<i>Ficus microcarpa</i>), cucumber (<i>Cucumis sativus</i>), Manila tamarind (<i>Pithecellobium dulce</i>), orangeberry (<i>Glycosmis pentaphylla</i>), formosa palm (<i>Arenga termula</i> var. <i>engleri</i> (syn. <i>Arenga engleri</i>)), <i>Cordyla pinnata</i>, carambola (<i>Averrhoa carambola</i>), <i>Citrullus colocynthis</i> (excluding those listed in Appendix 66), pomegranate (<i>Punica granatum</i>), salak (<i>Salacca edulis</i>), santol (<i>Sandoricum koetjape</i> (syn. <i>S. nervosum</i>, <i>S. indicum</i>)), watermelon (<i>Citrullus lanatus</i> (syn. <i>Citrullus vulgaris</i>)), <i>Sclerocarya birrea</i>, <i>Cucurbita maxima</i> (excluding those listed in Appendix 67), Tahitian chestnut (<i>Inocarpus fagifer</i>), <i>Tetractomia majus</i>, Alexandrian laurel (<i>Calophyllum inophyllum</i>), <i>Flacourtia indica</i> (syn. <i>F. ramontchi</i>), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S. arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), limeberry (<i>Triphasia trifolia</i>), pear (<i>Pyrus</i>), date palm (<i>Phoenix dactylifera</i>), Jamaica cherry (<i>Muntingia calabura</i>), bitter melon (balsam pear) (<i>Momordica charantia</i>), <i>Nauclea esculenta</i> (syn. <i>Sarcocephalus latifolius</i>), bitter bean (<i>Parkia speciosa</i>), <i>Baccaurea racemosa</i>, <i>Baccaurea ramiflora</i>, papaya (<i>Carica papaya</i> (excluding those listed in Appendix 1, 11 and 12)), <i>Paramignya andamanica</i>, loquat (<i>Eriobotrya japonica</i>), betel palm (<i>Areca catechu</i>), <i>Ficus eligodon</i>, <i>Ficus grossularioides</i>, <i>Ficus concatian</i>, grape (<i>Vitis vinifera</i> (excluding those listed in Appendix 32)), summer squash (<i>Cucurbita pepo</i> (excluding those listed in Appendix 68)), Singapore almond (<i>Terminalia catappa</i>), red bayberry (<i>Myrica rubra</i>), bottle gourd (<i>Lagenaria siceraria</i> (syn. <i>Lagenaria leucantha</i>) (excluding those</p>	<p><i>Bactrocera dorsalis</i> species complex (Oriental fruit fly)</p>
---	---	--	--

		<p>listed in Appendix 69)), <i>Baccaurea motleyana</i>, rambutan (<i>Nephelium lappaceum</i>), longan (<i>Euphoria longana</i> (syn. <i>Dimocarpus longan</i>)), apple (<i>Malus</i>), litchi (<i>Litchi chinensis</i> (excluding those listed in Appendix 13, 14 and 71)), wampi (<i>Clausena lansium</i> (syn. <i>C. wampi</i>)), <i>Bouea</i>, <i>Diospyros</i>, <i>Carissa</i>, <i>Elaeagnus</i>, <i>Prunus</i>, <i>Coffea</i>, <i>Capsicum</i>, <i>Passiflora</i>, <i>Solanum</i>, <i>Ziziphus</i> (excluding those listed in Appendix 63), <i>Spondias</i>, <i>Psidium</i>, <i>Artocarpus</i>, <i>Annona</i>, <i>Hylocereus</i> (excluding those listed in Appendix 52 and 55), <i>Garcinia</i> (excluding those listed in Appendix 40), <i>Syzygium</i>, <i>Mangifera</i> (excluding those listed in Appendix 15 to 17, 36, 48, 50, 57 and 61), <i>Eugenia</i>, <i>Lansium</i>, <i>Rollinia</i>, Sapotaceae, mature banana (<i>Musa</i>)</p>	
--	--	---	--

3	<p>[Oceania] Australia (excluding Tasmania), New Caledonia, Papua New Guinea, French Polynesia</p>	<p>Fresh fruits of the following plants:</p> <p>citrus (including genera <i>Citrus</i>, <i>Fortunella</i> and <i>Poncirus</i>) (excluding those listed in Appendix 7), acerola (<i>Malpighia emarginata</i>, (syn. <i>M. glabra</i>, <i>M. puniceifolia</i>)), avocado (<i>Persea americana</i> (excluding those listed in Appendix 64)), apricot (<i>Prunus armeniaca</i>), common fig (<i>Ficus carica</i>), Australian desert lime (<i>Eremocitrus glauca</i>), Indian fig (spineless cactus) (<i>Opuntia ficus-indica</i>), strawberry (<i>Fragaria x ananassa</i>), olive (<i>Olea europaea</i>), <i>Casimiroa tetrameria</i>, cashew (<i>Anacardium occidentale</i>), kiwi fruit (<i>Actinidia deliciosa</i>, <i>A. chinensis</i>)), <i>Capsicum frutescens</i>, <i>Glycosmis trifoliata</i>, tamarillo (<i>Cyphomandra betacea</i> (syn. <i>Pionandra betacea</i>, <i>Solanum insigne</i>)), carambola (<i>Averrhoa carambola</i>), cherry (including <i>Prunus avium</i>, <i>P. cerasus</i>, others), pomegranate (<i>Punica granatum</i>), santol (<i>Sandoricum koetjape</i> (syn. <i>S. nervosum</i>, <i>S. indicum</i>)), cape gooseberry (<i>Physalis peruviana</i>), white sapote (<i>Casimiroa edulis</i>), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i>), medlar (<i>Mespilus germanica</i>), sweet pepper (chili pepper, shishito pepper, bell pepper) (<i>Capsicum annuum</i>), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S. arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), pear (<i>Pyrus</i>), date palm (<i>Phoenix dactylifera</i>), papaya (<i>Carica papaya</i>), guava (<i>Psidium guajava</i>), breadfruit (<i>Artocarpus altilis</i>), <i>Hylocereus megalanthus</i>, loquat (<i>Eriobotrya japonica</i>), feijoa (<i>Feijoa sellowiana</i>), grape (<i>Vitis</i> (excluding those listed in Appendix 59)), quince (<i>Cydonia oblonga</i>), <i>Prunus cerasifera</i> (syn. <i>Amygdalus persica</i>), <i>Murraya exotica</i>, peach (<i>Prunus persica</i>), apple (<i>Malus</i>), litchi (<i>Litchi chinensis</i>), wampi (<i>Clausena lansium</i> (syn. <i>C. wampi</i>)), <i>Acronychia</i>, <i>Diospyros</i>, <i>Rubus</i>, <i>Morus</i>, <i>Coffea</i>, <i>Vaccinium</i>, <i>Passiflora</i>, <i>Solanum</i>, <i>Ziziphus</i>, <i>Spondias</i>, <i>Annona</i>, <i>Syzygium</i>, <i>Mangifera</i> (excluding those listed in Appendix 2), <i>Terminalia</i>, <i>Eugenia</i>, <i>Rollinia</i>, Sapotaceae, mature banana (<i>Musa</i>)</p>	<p><i>Bactrocera tryoni</i> (Queensland fruit fly)</p>
---	---	---	--

4	<p>[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Nepal, Pakistan, Bangladesh, East Timor, Philippines, Bhutan, Brunei, Viet Nam, Hong Kong, Malaysia, Myanmar, Laos,</p> <p>[Middle East] Afghanistan,</p> <p>[Africa] Uganda, Cameroon, Gambia, Guinea, Kenya, Cote d'Ivoire, Republic of Congo, Sudan, Seychelles, Senegal, Tanzania, Togo, Nigeria, Niger, Burkina Faso, Benin, Mali, South Sudan, Mauritius, Reunion,</p> <p>[Oceania] Papua New Guinea, Hawaiian Islands, Micronesia</p>	<p>Live plants and plant parts for planting (excluding seed and underground parts) and cut flowers, cut branches and fruits of plants for consumption and ornament of the following plants:</p> <p>Cucurbitaceae</p> <p>Fresh fruits of the following plants:</p> <p>common bean (kidney bean) (<i>Phaseolus vulgaris</i>), <i>Capsicum frutescens</i>, pigeon pea (<i>Cajanus cajan</i>), carambola (<i>Averrhoa carambola</i>), cowpea (<i>Vigna unguiculata</i>), sweet pepper (chili pepper, Shishito pepper, bell pepper) (<i>Capsicum annuum</i>), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S. arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), eggplant (<i>Solanum melongena</i>), papaya (<i>Carica papaya</i> (excluding those listed in Appendix 1, 11 and 12)), hyacinth bean (<i>Lablab purpureus</i> (syn <i>Dolichos lablab</i>)), <i>Hylocereus</i> (excluding those listed in Appendix 52 and 55), <i>Mangifera</i> (excluding those listed in Appendix 15 to 17, 36, 48, 50, 57 and 61), Cucurbitaceae (excluding those listed in Appendix 18)</p>	<p><i>Bactrocera cucurbitae</i> (Melon fly)</p>
5	<p>[Asia] India, China (excluding Hong Kong), Pakistan,</p> <p>[Middle East] Afghanistan, Israel, Iraq, Iran, Syria, Turkey, Jordan, Lebanon,</p> <p>[Europe] Europe,</p> <p>[Africa] Africa,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Argentina, Uruguay, Colombia, Chile, Brazil, Peru, Bolivia, Mexico,</p> <p>[Oceania] Australia, New Zealand</p>	<p>Fresh fruits of the following plants:</p> <p>apricot (<i>Prunus armeniaca</i>), cherry (including <i>Prunus avium</i>, <i>P. cerasus</i>, others) (excluding those listed in Appendix 19 to 21, 38 and 44), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i> (excluding those listed in Appendix 37)), pear (<i>Pyrus</i>), quince (<i>Cydonia oblonga</i>), peach (<i>Prunus persica</i> (excluding those listed in Appendix 22 and 23)), apple (<i>Malus</i> (excluding those listed in Appendix 24, 25, 31 and 34)),</p> <p>Fresh fruits and nuts in shell of the following plants:</p> <p>walnut (<i>Juglans</i> (fruits and nuts in shell) (excluding those listed in Appendix 26))</p>	<p><i>Cydia pomonella</i> (Codling moth)</p>

6	<p>[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Pakistan, Bangladesh, East Timor, Philippines, Brunei, Viet Nam, Hong Kong, Malaysia, Myanmar, Maldives, Laos,</p> <p>[Africa] Africa,</p> <p>[North America] United States of America (excluding Hawaiian Islands),</p> <p>[Latin America] Guyana, Guatemala, Venezuela, Belize, Mexico, West Indies,</p> <p>[Oceania] Australia, Papua New Guinea, Hawaiian Islands, Polynesia, Micronesia, Melanesia</p>	<p>Live vines, stems, leaves, tuberous roots and other underground portions of the following plants: <i>Stictocardia tiliifolia, Pharbitis, Ipomoea, Calystegia</i></p> <p>Live tuberous roots and other underground portions of the following plants: cassava (<i>Manihot esculenta</i>)</p>	<i>Cylas formicarius</i> (sweet potato weevil)
7	<p>[Asia] China (excluding Hong Kong),</p> <p>[North America] United States of America (excluding Hawaiian Islands),</p> <p>[Latin America] Guyana, Surinam, West Indies, Paraguay, Brazil, French Guiana, Venezuela, Peru,</p> <p>[Oceania] Hawaiian Islands, Polynesia, Micronesia, Melanesia</p>	<p>Live vines, stems, leaves, tuberous roots and other underground portions of the following plants: <i>Pharbitis, Ipomoea, Calystegia</i></p>	<i>Euscepes postfasciatus</i> (West Indian sweet potato weevil)
8	<p>[Asia] India, Nepal, Bhutan,</p> <p>[Middle East] Turkey,</p> <p>[Europe] Europe (excluding Albania, Cyprus and Greece and Latvia),</p> <p>[Africa] Algeria, Tunisia, South African Republic,</p> <p>[North America] Canada,</p> <p>[Latin America] Uruguay, Ecuador, Falkland Islands, Peru, Bolivia,</p> <p>[Oceania] New Zealand</p>	<p>Live stems, leaves, tubers, and other underground portions of the following plants: Solanaceae</p>	<i>Synchytrium endobioticum</i> (Potato wart)

9	<p>[Asia] China (excluding Hong Kong),</p> <p>[Middle East] Iraq, Iran, Turkey,</p> <p>[Europe] Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, Republic of North Macedonia, Greece, Kyrgyz Republic, Croatia, Kosovo, Georgia, Switzerland, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Hungary, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Moldova, Montenegro, Lithuania, Luxembourg, Romania, Russia,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Mexico</p>	<p>Live stems and leaves of the following plants: <i>Cirsium, Verbascum, Solanaceae</i></p>	<p><i>Leptinotarsa decemlineata</i> (Colorado potato beetle)</p>
10	<p>[Asia] India, Indonesia, Sri Lanka, Pakistan, Philippines,</p> <p>[Middle East] Israel, Iran, Turkey, Lebanon,</p> <p>[Europe] Iceland, Ireland, Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, Cyprus, Greece, Kyrgyz Republic, Croatia, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Moldova, Latvia, Lithuania, Luxembourg, Russia,</p> <p>[Africa] Algeria, Egypt, Canary Islands, Kenya, South African Republic,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Argentina, El Salvador, Guatemala, Costa Rica, Chile, Nicaragua, Panama, Venezuela, Belize, Peru, Bolivia, Honduras, Mexico,</p> <p>[Oceania] Australia, New Zealand</p>	<p>Live tubers and other underground portions of the following plants: <i>Chenopodium, Solanaceae</i> (excluding those listed in Appendix 46)</p>	<p><i>Globodera rostochiensis</i> (potato cyst nematode)</p>

11	<p>[Asia] India, Pakistan, [Middle East] Turkey, [Europe] Iceland, Ireland, Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, Cyprus, Greece, Kyrgyz Republic, Georgia, Switzerland, Sweden, Spain, Slovenia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Moldova, Latvia, Lithuania, Russia, [Africa] Algeria, Canary Islands, Kenya, [North America] United States of America (excluding Hawaiian Islands), Canada, [Latin America] Ecuador, Costa Rica, Colombia, Chile, Panama, Falkland Islands, Venezuela, Peru, Bolivia, [Oceania] New Zealand</p>	<p>Live tubers and other underground portions of the following plants: Solanaaceae (excluding those listed in Appendix 46)</p>	<p><i>Globodera pallida</i> (white potato cyst nematode)</p>
12	<p>[Asia] Myanmar, [Middle East] United Arab Emirates, Yemen, Israel, Iraq, Iran, Syria, Turkey, Jordan, Lebanon, [Europe] Europe (excluding Netherlands and Cyprus), [Africa] Algeria, Egypt, Tunisia, South African Republic, Morocco, Libya, [North America] United States of America (excluding Hawaiian Islands), Canada, [Latin America] Argentina, Uruguay, El Salvador, Cuba, Guatemala, Costa Rica, Jamaica, Dominican Republic, Nicaragua, Haiti, Puerto Rico, Brazil, Venezuela, Honduras, Mexico, [Oceania] Australia (excluding Tasmania)</p>	<p>Live stems, leaves and fresh fruits of the following plants: Solanaaceae (excluding those listed in Appendix 27, 30, 42, 47 and 62)</p>	<p><i>Peronospora tabacina</i> (Blue mold)</p>

13	<p>[North America] United States of America, [Oceania] Hawaiian Islands</p>	<p>Underground portions of live plants of the following plants: avocado (<i>Persea americana</i>), alfalfa (<i>Medicago sativa</i>), common bean (kidney bean) (<i>Phaseolus vulgaris</i>), <i>Indigofera hirsuta</i>, okra (<i>Abelmoschus esculentus</i> (syn. <i>Hibiscus esculentus</i>)), <i>Capsicum frutescens</i>, pepper (<i>Piper nigrum</i>), sweet potato (<i>Ipomoea batatas</i> (including <i>Ipomoea batatas</i> var. <i>edulis</i>)), sugarcane (<i>Saccharum officinarum</i>), watermelon (<i>Citrullus lanatus</i> (syn. <i>Citrullus vulgaris</i>)), radish (<i>Raphanus sativus</i>), soybean (<i>Glycine max</i>), loblolly pine (<i>Pinus taeda</i>), sweet pepper (chili pepper, Shishito pepper, bell pepper) (<i>Capsicum annuum</i>), corn (<i>Zea mays</i>), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S. arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), bitter gourd (balsam pear) (<i>Momordica charantia</i>), pineapple (<i>Ananas comosus</i>), slash pine (<i>Pinus elliotii</i>), summer squash (<i>Cucurbita pepo</i>), melon (<i>Cucumis melo</i>), groundnut (excluding seeds without pod) (<i>Arachis hypogaea</i>), leek (<i>Allium ampeloprasum</i>), litchi (<i>Litchi chinensis</i>), <i>Anthurium</i> (excluding those listed in Appendix 49), <i>Musa</i>, <i>Beta</i>, Rutaceae</p>	<p><i>Radopholus citrophilus</i> (citrus burrowing nematode)</p>
14	<p>[Middle East] Israel, Turkey, Syria, [Europe] Europe (excluding Cyprus), [Africa] Tunisia, Morocco, [North America] United States of America (excluding Hawaiian Islands), Canada, [Oceania] New Zealand</p>	<p>Stems and leaves of the following plants: <i>Hordeum</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33), <i>Triticum</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33) and <i>Secale</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33)</p> <p>Stems and leaves of the following plants: <i>Agropyron</i> (excluding those listed in Appendix 28 and 33).</p>	<p><i>Mayetiola destructor</i> (Hessian fly)</p>

15	All countries excluding North Korea, Republic of Korea and Taiwan	rice plants, rice straw (including rice straw bags, mats, and other rice straw goods similar thereof (excluding those listed in Appendix 29)), unhulled rice and rice hull.	<i>Balansia oryzae-sativae</i> , <i>Ditylenchus angustus</i> (rice stem nematode), <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> and other quarantine pests not existing in Japan
16	<p>[Middle East] Israel, Iran, Syria, Turkey, Jordan, Lebanon,</p> <p>[Europe] Ireland, Albania, Armenia, Italy, Ukraine, United Kingdom (Great Britain and Northern Ireland), Austria, Netherlands, Kazakhstan, Republic of North Macedonia, Cyprus, Greece, Kyrgyz Republic, Croatia, Kosovo, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Serbia, Czech, Denmark, Germany, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Poland, Bosnia and Herzegovina, Moldova, Montenegro, Latvia, Lithuania, Liechtenstein, Romania, Luxembourg, Russia,</p> <p>[Africa] Algeria, Egypt, Tunisia, Morocco,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Guatemala, Bermuda islands, Mexico,</p> <p>[Oceania] New Zealand</p>	Live plants and plant parts (including fruit, flower and pollen, other than seed) of the following plants: <i>Chaenomeles sinensis</i> (syn. <i>Pseudocydonia sinensis</i>), bridal wreath (<i>Spiraea prunifolia</i>), medlar (<i>Mespilus germanica</i>), loquat (<i>Eriobotrya japonica</i>), quince (<i>Cydonia oblonga</i>), dog rose (<i>Rosa canina</i>), <i>Aronia</i> , <i>Photinia</i> , <i>Crataegomespilus</i> , <i>Amelanchier</i> , <i>Crataegus</i> , <i>Cotoneaster</i> , <i>Rhaphiolepis</i> , <i>Stranvaesia</i> , <i>Osteomeles</i> , <i>Dichotomanthes</i> , <i>Pyracantha</i> , <i>Docynia</i> , <i>Pyrus</i> , <i>Sorbus</i> , <i>Heteromeles</i> , <i>Peraphyllum</i> , <i>Chaenomeles</i> (syn. <i>Choenomeles</i>), <i>Malus</i> (excluding those listed in Appendix 24, 25 and 31)	<i>Erwinia amylovora</i> (Fire blight)

17	<p>[Asia] India, Indonesia, Cambodia, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Nepal, Pakistan, Bangladesh, East Timor, Philippines, Bhutan, Viet Nam, Malaysia, Myanmar, Laos,</p> <p>[Middle East] Yemen, Iran, Oman, Saudi Arabia,</p> <p>[Africa] Africa,</p> <p>[North America] United States of America (excluding Hawaiian Islands),</p> <p>[Latin America] United States Virgin Islands, Argentina, Cuba, Guatemala, Costa Rica, Colombia, Jamaica, Dominica, Dominican Republic, Nicaragua, Barbados, Puerto Rico, Venezuela, Belize, Mexico, Brazil,</p> <p>[Oceania] Papua New Guinea</p>	<p>Live plants and plant parts (excluding seed and fruit) of the following plants:</p> <p><i>Aeglopsis chevalieri</i>, <i>Atalantia missionis</i>, <i>Calodendrum capensis</i>, limeberry (<i>Triphasia trifolia</i>), <i>Clausena indica</i>, x <i>Citroncirus webberi</i>, tabog (<i>Swinglea glutinosa</i>), wood apple (<i>Feronia limonia</i>), <i>Severinia buxifolia</i>, <i>Balsamocitrus dawei</i>, <i>Microcitrus australasica</i>, <i>Microcitrus australis</i>, wampi (<i>Clausena lansium</i> (syn. <i>C. wampi</i>)), <i>Toddalia</i></p>	<p><i>Candidatus</i> Liberibacter africanus, <i>Candidatus</i> Liberibacter americanus, <i>Candidatus</i> Liberibacter asiaticus</p>
----	---	--	--

Appendix

- 1 Solo type of papaya shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 2 R2E2 variety, Keitt variety, Kensington variety, Kent variety and Palmer variety of mango shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 3 Strawberry, pepper(capsicum), tomato, eggplant and grape shipped from Netherlands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 4 Valencia variety, Washington Navel variety, Tomango variety and Protea variety of sweet orange, lemon, grapefruit and clementine shipped from South Africa directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 5 Valencia variety, Washington Navel variety, Tomango variety and Protea variety of sweet orange, grapefruit and clementine shipped through South Africa from Eswatini without going by way of other countries to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 6 Shamouti variety and Valencia variety of sweet orange, grapefruit, sweetie, pomelo, lemon and Or mandarin shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 7 Citrus spp. shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 8 Navel variety, Valencia variety and Salustiana variety of sweet orange, lemon and clementine shipped from Spain directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 9 Deleted

- 10 Ponkan orange, Tankan orange and Liutin variety of sweet orange and pomelo shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 11 Solo type and Tailung No.2 type of papaya shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 12 Solo type of papaya shipped from Philippines directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 13 Litchi shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 14 Litchi shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 15 Manila Super variety of mango shipped from Philippines directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 17 Irwin variety, Keitt variety and Haden variety of mango shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
Nan Klarngwun variety, Nam Dorkmai variety, Pimsen Daeng variety, Mahachanok variety and Rad variety of mango shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 18 Squash and Melon shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 19 Cherry shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 20 Cherry shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 21 Cherry shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 22 Nectarine shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 23 Firebrite variety, Fantasia variety and Red Gold variety of nectarine shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 24 Apple shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 25 Apple shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 26 Hartley variety, Payne variety and Franquette variety of inshell walnut shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 27 Tomato shipped from Canada directly to Japan
- 28 Straw of wheat and barley group and culms and leaves of plants of the genus Agropyron mixed in hay shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 29 Rice straw shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 30 Tomato shipped from United States of America directly to Japan
- 31 Golden Delicious variety of apple shipped from France directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 32 Kyoho variety and Italy variety of grape shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 33 Straw of wheat and barley group and culms and leaves of plants of the genus Agropyron shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 34 Apple shipped from Tasmania directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 35 Yellow Pitaya shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 36 Keitt variety and Haden variety of mango shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

Fisheries

- 37 Plum shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 38 Cherry shipped from Chili directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 39 Grapefruit, sweet orange(Valencia variety, Salustiana variety, Lanelate variety and Washington Navel variety), lemon, ellendale, clementine, nova mandarin and murcott shipped from Argentine directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 40 Mangosteen shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 41 Triumph variety of persimmon shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 42 Tomato shipped from Belgium directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 43 Kent variety and Tommy Atkins variety of mango shipped from Brazil directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 44 Cherry shipped from Tasmania directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 45 Tarocco variety, Sanguinello variety and Moro variety of sweet orange shipped from Italy directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 46 Live tubers of potato shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 47 Tomato shipped from Mexico directly to Japan
- 48 Alphonso variety, Kesar variety, Chausa variety, Banganpalli variety, Mallika variety and Langra variety of mango shipped from India directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 49 Underground portions of live plants of the genera Anthurium shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 50 Harumanis variety of mango shipped from Malaysia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 51 Tommy Atkins variety of mango shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 52 Hylocereus undatus shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 53 Kent variety of mango shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 54 Barlinka variety of grape shipped from South Africa directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 55 Hylocereus undatus shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 56 Grapefruit and Lemon shipped from Turkey directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 57 Sindhri variety and Chaunsa variety of mango shipped from Pakistan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 58 Thong Dee variety of pomelo shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 59 Crimson Seedless variety, Tompson Seedless variety and Red Globe variety of grape shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 60 Hass variety of avocado shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 61 Cát Chu variety of mango shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 62 Pepper (capsicum) shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 63 Indian jujube shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

- 64 Hass variety of avocado shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 65 *Citrus unshiu* shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 66 *Citrullus colocynthis* shipped from areas excluding Africa and is not moved through Africa.
- 67 *Cucurbita maxima* shipped from areas excluding Africa and is not moved through Africa.
- 68 Summer squash shipped from areas excluding Africa and is not moved through Africa.
- 69 Bottle gourd shipped from areas excluding Africa and is not moved through Africa.
- 70 Hass variety of avocado shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 71 Thieu variety of litchi shipped from Vietnam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 72 Hass variety of avocado shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 73 *Citrus sinensis*, *C. reticulata* × *C. sinensis*, *C. limon*, *C. paradisi*, *C. reticulata*, *C. clementina* shipped from Egypt directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries