

別紙 3

輸出国植物防疫機関に対する通報実施要綱

の一部を次のように改正する。

別表を次のように改める。

別表 (第2 関係)

1. 植物防疫法施行規則別表1に掲げる有害動物又は有害植物

(学名)

Ceratitis capitata (Wiedemann)
Dacus dorsalis Hendel
Dacus tryoni (Froggatt)
Dacus cucurbitae Coquillett
Laspeyresia pomonella (Linné)
Cylas formicarius Fabricius
Omphisa anastomosalis (Guenée)
Eusceps postfasciatus (Fairmaire)
Leptinotarsa decemlineata (Say)
Mayetiola destructor (Say)
Synchytrium endobioticum
 (Schilb) Percival
Peronospora tabacina Adam
Globodera rostochiensis (Wollenweber) Behrens
Radopholus similis (Cobb) Thorne
Ditylenchus angustus (Butler) Filipjev
Trichochois caudata (Appel et Strunk) Clements
Balansia oryzae (Sydow) Narasimhan
 et Thirunulachar

その他の日本に産しない、いわの各種病害虫

(和名又は英名)

Mediterranean fruit fly (チヌウカイミバエ)
 oriental fruit fly (ミカンコミバエ)
 Queensland fruit fly (クインズランドミバエ)
 melon fly (うりミバエ)
 codling moth (コドリノカ)
 sweetpotato weevil (アリモドキウムシ)
 sweetpotato stem borer (サツマイモノメイガ)
 West Indian sweetpotato weevil (イモウムシ)
 Colorado potato beetle (コロラドハムシ)
 Hessian fly (ヘシアノバエ)
 potato wart (ウズカいもがくし菌)
 tobacco blue mold (たばこべと病菌)
 golden nematode (シメガイモシストセチュウ)
 burrowing nematode (ミカンネモグリセチュウ),
 rice stem nematode (イネクキセンチュウ)
 (変色米菌の一種)
 sterility disease (不稔病菌)

2 特定重要病害虫

Deuterophoma tracheiphila Petri mal secco

Dibotryon morbosum Theissen & Sydow black knot

Guignardia citricarpa Kiely black spot

Colletotrichum capsici Butler & Bisby die back

Fusarium solani f. sp. *cucurbitae* Snyder & Hansen root rot

Verticillium tricorpus Isaac Verticillium wilt

Erwinia amylovora Winslow et al. fire blight (火傷病菌)

Streptomyces ipomoeae (Person & Martin) Waksn & Henrici soil rot (サツマ(モモ)か病菌)

Spiroplasma citri Saglio et al. citrus stubborn disease

Citrus cachexia-xyloporosis virus

Potato yellow dwarf virus

Plum pox virus

Sugarcane Fiji disease virus

Potato spindle tuber disease viroid

Orseolia oryzae (Wood-Mason) rice gall midge (イネノミダマシ)

Rhagoletis pomonella Walsh apple maggot (リンゴミバエ)

Anastrepha ludens Loew Mexican fruitfly (メキシコミバエ)

Anastrepha fraterculus Wiedemann South American fruitfly (ミナミアメリカミバエ)

Anarsia lineatella Zeller peach twig borer (モモキバガ)

Elasmopalpus lignosellus Zeller lesser cornstalk borer (モロコシマダラメイガ)

Pieris brassicae Linné large cabbage white (オオモンシロチョウ)

Diabrotica undecimpunctata Mannerheim spotted cucumber beetle
Hypera postica Gyllenhal alfalfa weevil (アムツアムツムシ) (ユエウイ4ホシカハムシ)

Otiorynchus sulcatus Fabricius black vine weevil (キンケクチフトゾウムシ)

Pantomorus cervinus Boheman Fuller's rose weevil (クラーバラゾウムシ)

Graphognathus leucoloma Boheman whitefringed beetle (シロヘリクチフトゾウムシ)

Lissorhoptrus oryzophilus Kuschel rice water weevil (イネミズゾウムシ)

Conotrachelus nenuphar Herbst plum curculio (スモモゾウムシ)

Scolytus scolytus (Fabricius) large elm bark beetle (ヨーロッパエノキクイムシ)

Scolytus multistriatus (Marshall) smaller european elm bark beetle (セスジクイムシ)

Epilachna varivestis Mulsant Mexican bean beetle (インゲンテントウ)

Eurygaster integriceps Puton senn pest (セシヤイロカメシ)

Lygus lineolaris Palisot de Beauvois tarnished plant bug (サビイロメクラガメ)

Blissus leucopterus Say chinch bug (アメリカコバネナガカメムシ)

Neoliturus tenellus Baker beet leafhopper (テンサイヨコバイ)

Empoasca fabae Harris potato leafhopper (ジャガイモヒメヨコバイ)

Aleurocanthus woglumi Ashby citrus blackfly (ミカンクロトゲコナシ)

Heterodera schachtii Schmidt sugar beet nematode (テンサイシストセンチュウ)

Xiphinema index Thorne et Allen dagger nematode (ブドウオオハリセンチュウ)

3 1及び2以外の有害植物又は有害動物

<i>Aplanobacter populi</i> Ride	canker (ポプラかいよう細菌病菌)
<i>Corynebacterium fascians</i> (Tilford) Dowson	fasciation (帯化病菌)
<i>Corynebacterium flaccumfaciens</i> (Hedges) Dowson	bacterial wilt (萎凋細菌病菌)
<i>Pseudomonas mors-prunorum</i> Wormald	canker (核果類かいよう細菌病菌)
<i>Xanthomonas juglandis</i> (Pierce) Dowson	blight (クルミ褐色腐敗病菌)
<i>Xanthomonas translucens</i> f. sp. <i>oryzicola</i> (Fang et al.) Bradbury	leaf streak (イネ条斑細菌病菌)
<i>Xanthomonas vasculorum</i> (Cobb) Dowson	gunmosis (サトウキビゴム病菌)
<i>Coleosporium ipomoeae</i> (Schw.) Burrill	sweet potato orange rust (さび病菌)
<i>Elsinoe australis</i> Bitancourt & Tenkins	sweet orange scab (さび病菌)
<i>Eutypa armeniacae</i> Hansf. & Carter	gunmosis (ゴム病菌)
<i>Pezizula corticola</i> (Trgens.) Nannf	bark canker (胴枯病菌)
<i>Phytophthora hibernalis</i> Carne	brown rot (褐色腐敗病菌)
<i>Phytophthora syringae</i> Kleb.	stem rot (幹ぐされ病菌)
<i>Puccinia erianthi</i> Padwick & Kham	leaf rust of sugarcane (サトウキビさび病菌)
<i>Puccinia pittieriana</i> R. Hennings	rust (さび病菌)
<i>Sphaeropsis tumefaciens</i> Hedges	knot (カンキツてんぐす病菌)
Apple rubbery wood disease	
Grapevine fan leaf virus	
Peach phony disease	
Peach yellow disease	
Pierce's disease of grapevines	

Tomato bushy stunt virus	
<i>Rhagoletis cingulata</i> Loew	cherry fruitfly (シロオビオウトウミバエ)
<i>Rhagoletis indifferens</i> Curran	western cherry fruitfly (セイブオウトウミバエ)
<i>Rhagoletis cerasi</i> Linnaeus	European cherry fruitfly (ヨーロッパオウトウミバエ)
<i>Anastrepha suspensa</i> Loew	Caribbean fruitfly (カリブミバエ)
<i>Zonosemata electa</i> Say	pepper maggot (トウガラシミバエ)
<i>Psila rosae</i> Fabricius	carrot rustfly (ニンジンサビバエ)
<i>Solenopsis geminata</i> Fabricius	fire ant (ヒアリ)
<i>Iridomyrmex humilis</i> mayr	Argentine ant (アルゼンチンクサアリ)
<i>Spodoptera frugiperda</i> J.E. Smith	fall armyworm (ツマジロクサヨトウ)
<i>Heliothis zea</i> Boddie	Corn earworm (アメリカタバコガ)
<i>Estigmene acraea</i> Drury	salt-marsh caterpillar (キシタゴマダラヒトリ)
<i>Anthonomus eugenii</i> Cano	pepper weevil (トウガラシゾウムシ)
<i>Therioaphis trifolii</i> Monell	yellow clover aphid (アルファルファアブラムシ)
<i>Unaspis citri</i> Comstock	citrus snow scale (ミカンナガカイガラムシ)
<i>Parlatoria oleae</i> Colvee	olive scale (オリーブクロホシカイガラムシ)
<i>Pseudococcus calccolariae</i> Maskell	citrophilus mealy bug (ガハニコナカイガラムシ)