

(4)

輸出国植物防疫機関に対する通報実施要綱

新旧対照表

改正後	現 行
別表 (第2 関係)	別表 (第2 関係)
1 [田各]	1 [田各]
2 特定重要病害虫	2 特定重要病害虫
<i>Dibotryon morbosum</i> (Schweinitz) black knot	<i>Deuterophoma tracheiphila</i> Petri mal secco
<i>Theissen & Sydow</i>	<i>Dibotryon morbosum</i> Theissen & Sydow black knot
<i>Guignardia citricarpa</i> Kiely black spot	
<i>Puccinia pittieriana</i> P. Hennings rust	
<i>Deuterophoma tracheiphila</i> Petri mal secco	<i>Guignardia citricarpa</i> Kiely black spot
<i>Colltotrichum capsici</i> (Sydow) dieback	<i>Colletotrichum capsici</i> Butler & Bisby die back
<i>Butler & Bisby</i>	
<i>Fusarium solani</i> f. sp. cucurbitae root rot (カボチャ立枯病)	<i>Fusarium solani</i> f. sp. cucurbitae root rot
Snyder & Hansen	Snyder & Hansen
<i>Verticillium tricorpus</i> Isaac Verticillium wilt	<i>Verticillium tricorpus</i> Isaac Verticillium wilt
<i>Drechslera iridis</i> (Oud.) M.B. Ellis ink disease	
<i>Xanthomonas campestris</i> pv. <i>oryzicola</i> bacterial leaf streak	
(Fang et al) Dye of rice (イネ葉斑細菌病)	
<i>Erwinia amylovora</i> (Burrill) Winslow et al. fire blight (火傷病菌)	<i>Erwinia amylovora</i> Winslow et al. fire blight (火傷病菌)
<i>Streptomyces ipomoeae</i> (Person & Martin) Waks. & Henrici soil rot (サツマイモそうか病菌)	<i>Streptomyces ipomoeae</i> (Person & Martin) Waks. & Henrici soil rot (サツマイモそうか病菌)
<i>Spiroplasma citri</i> Saglio et al. citrus stubborn disease	<i>Spiroplasma citri</i> Saglio et al. citrus stubborn disease
<i>Citrus greening disease</i> citrus greening disease	
Potato yellow dwarf virus	<i>Citrus cachexia-xyloporosis</i> virus
Plum pox virus	Potato yellow dwarf virus
Sugarcane Fiji disease virus	Plum pox virus
<i>Sweet potato mild mottle virus</i>	Sugarcane Fiji disease virus
<i>Citrus cachexia viroid</i>	
Potato spindle tuber viroid	Potato spindle tuber disease

新旧対照表

改正後		現行	
<u>Orseolia oryzae</u> (Wood-Mason)	rice gall midge (イネノシントメタマバエ)	<u>Orseolia oryzae</u> <u>Wood-Mason</u>	rice gall midge (イネノシントメタマバエ)
<u>Rhagoletis pomonella</u> (Walsh)	apple maggot (リンゴミバエ)	<u>Rhagoletis pomonella</u> <u>Walsh</u>	apple maggot (リンゴミバエ)
<u>Rhagoletis indifferens</u> Curran	<u>Western cherry fruit fly</u> (セイウチオウトウミバエ)		
<u>Anastrepha ludens</u> (Loew)	Mexican fruit fly (メキシコミバエ)	<u>Anastrepha ludens</u> <u>Loew</u>	Mexican fruit fly (メキシコミバエ)
<u>Anastrepha fraterculus</u> (Wiedemann)	South American fruit fly (ミナミアメリカミバエ)	<u>Anastrepha fraterculus</u> <u>Wiedemann</u>	South American fruit fly (ミナミアメリカミバエ)
<u>Anastrepha suspensa</u> (Loew)	<u>Caribbean fruit fly</u> (カリブミバエ)		
<u>Ceratitis rosa</u> Karsch	<u>Natal fruit fly</u> (ナターレミバエ)		
<u>Anarsia lineatella</u> Zeller	peach twig borer (モモキバガ)	<u>Anarsia lineatella</u> <u>Zeller</u>	peach twig borer (モモキバガ)
<u>Elasmopalpus lignosellus</u> (Zeller)	lesser cornstalk borer (モロコシマダラメイガ)	<u>Elasmopalpus lignosellus</u> <u>Zeller</u>	lesser cornstalk borer (モロコシマダラメイガ)
<u>Piers brassicae</u> (Linne)	large cabbage white (オオモンシロチョウ)	<u>Piers brassicae</u> <u>Linne</u>	large cabbage white (オオモンシロチョウ)
<u>Diabrotica undecimpunctata</u> Mannerheim	spotted cucumber beetle (ジュウイチホシウリハムシ)	<u>Diabrotica undecimpunctata</u> <u>Mannerheim</u>	spotted cucumber beetle (ジュウイチホシウリハムシ)
<u>Hypera postica</u> (Gyllenhal)	alfalfa weevil (アルファルファタコゾウムシ)	<u>Hypera postica</u> <u>Gyllenhal</u>	alfalfa weevil (アルファルファタコゾウムシ)
<u>Otiorhynchus sulcatus</u> (Fabricius)	black vine weevil (キンケクチブトゾウムシ)	<u>Otiorhynchus sulcatus</u> <u>Fabricius</u>	black vine weevil (キンケクチブトゾウムシ)
<u>Otiorhynchus ovatus</u> (Linne)	<u>strawberry root weevil</u> (イチゴクキブトゾウムシ)		
<u>Pantomorus cervinus</u> (Boheman)	Fuller's rose weevil (フラーバラゾウムシ)	<u>Pantomorus cervinus</u> <u>Boheman</u>	Fuller's rose weevil (フラーバラゾウムシ)
<u>Graphognathus leucoloma</u> (Boheman)	white fringed beetle (シロヘリクチブトゾウムシ)	<u>Graphognathus leucoloma</u> <u>Boheman</u>	white fringed beetle (シロヘリクチブトゾウムシ)
<u>Lissorhoptrus oryzophilus</u> Kuschel	rice water weevil (イネミズゾウムシ)	<u>Lissorhoptrus oryzophilus</u> <u>Kuschel</u>	rice water weevil (イネミズゾウムシ)
<u>Conotrachelus nenuphar</u> (Herbst)	plum curculio (スモモゾウムシ)	<u>Conotrachelus nenuphar</u> <u>Herbst</u>	plum curculio (スモモゾウムシ)
<u>Dendroctonus brevicornis</u> Le Conte	western pine beetle (アメリカマツノコキクイムシ)	<u>Dendroctonus brevicornis</u> <u>Le Conte</u>	western pine beetle (アメリカマツノコキクイムシ)
<u>Dendroctonus ponderosae</u> Hopkins	mountain pine beetle (アメリカマツノキクイムシ)	<u>Dendroctonus ponderosae</u> <u>Hopkins</u>	mountain pine beetle (アメリカマツノキクイムシ)
<u>Scolytus scolytus</u> (Fabricius)	large elm bark beetle (ヨーロッパニレノキクイムシ)	<u>Scolytus scolytus</u> <u>Fabricius</u>	large elm bark beetle (ヨーロッパニレノキクイムシ)
<u>Scolytus multistriatus</u> (Marshall)	smaller European elm bark beetle (セズジキクイムシ)	<u>Scolytus multistriatus</u> <u>Marshall</u>	smaller European elm bark beetle (セズジキクイムシ)

新旧対照表

改正後		現 行	
Epilachna varivestis Mulsant	Mexican bean beetle (インゲンテントウ)	Epilachna varivestis Mulsant	Mexican bean beetle (インゲンテントウ)
Zabrotes subfasciatus (Boheman)	<u>Mexican bean weevil</u> (ブエニシマメノウムシ)		
Eurygaster integriceps Puton	senn pest (ムギチャイロカメムシ)	Eurygaster integriceps Puton	senn pest (ムギチャイロカメムシ)
Lygus lineolaris (Palisot de Beauvois)	tarnished plant bug (サビイロメクラガメ)	Lygus lineolaris Palisot de Beauvois	tarnished plant bug (サビイロメクラガメ)
Blissus leucopterus (Say)	chinch bug (アメリカコバメナガカメムシ)	Blissus leucopterus Say	chinch bug (アメリカコバメナガカメムシ)
Circulifer tenellus (Baker)	beet leafhopper (テンサイヨコバイ)	Neoaliturus tenellus Baker	beet leafhopper (テンサイヨコバイ)
Empoasca fabae (Harris)	potato leafhopper (ジャガイモヒメヨコバイ)	Empoasca fabae Harris	potato leafhopper (ジャガイモヒメヨコバイ)
Aleulocanthus woglumi Ashby	citrus blackfly (ミカンクロトゲコナジラミ)	Aleulocanthus woglumi Ashby	citrus blackfly (ミカンクロトゲコナジラミ)
Heterodera schachtii Schmidt	sugar beet nematode (テンサイシストセンチュウ)	Heterodera schachtii Schmidt	sugar beet nematode (テンサイシストセンチュウ)
Xiphinema index Thorne et Allen	<u>California dagger nematode</u> (ブドウオオハリセンチュウ)	Xiphinema index Thorne et Allen	<u>dagger nematode</u> (ブドウオオハリセンチュウ)
Rodopholus similis (Cobb) Thorne	<u>banana burrowing nematode</u> (バナナオモク)センチュウ)	Rodopholus similis (Cobb) Thorne	<u>burrowing nematode</u> (ラドフォルス・シミリス)

新旧対照表

改正後	現 行
3 1 及び 2 以外の有害植物又は有害動物	3 1 及び 2 以外の有害植物又は有害動物
Aplanobacter populi Ride canker (ポプラかいよう細菌病菌)	Aplanobacter populi Ride canker (ポプラかいよう細菌病菌)
Corynebacterium fascians (Tilford) Dowson fasciation (帯化病菌)	Corynebacterium fascians (Tilford) Dowson fasciation (帯化病菌)
Corynebacterium flaccumfaciens (Hedges) Dowson bacterial wilt (萎凋細菌病菌)	Corynebacterium flaccumfaciens (Hedges) Dowson bacterial wilt (萎凋細菌病菌)
Pseudomonas mors-prunorum Wormald canker (核果類かいよう細菌病菌)	Pseudomonas mors-prunorum Wormald canker (核果類かいよう細菌病菌)
Xanthomonas juglandis (Pierce) Dowson blight (クルミ褐色腐敗病菌)	Xanthomonas juglandis (Pierce) Dowson blight (クルミ褐色腐敗病菌)
(削除)	
(削除)	
Xanthomonas vasculorum (Cobb) Dowson gummosis (サトウキビゴム病菌)	Xanthomonas translucens f. sp. oryzicola (Fang et al.) Bradbury leaf streak (イネ条斑細菌病菌)
Coleosporium ipomoeae (Schw.) Burrill sweet potato orange rust (さび病菌)	Xanthomonas vasculorum (Cobb) Dowson gummosis (サトウキビゴム病菌)
Elsinoe australis Bitancourt & Tenkins sweet orange scab (さび病菌)	Coleosporium ipomoeae (Schw.) Burrill sweet potato orange rust (さび病菌)
Eutypa armeniacae Hansf. & Carter gummosis (ゴム病菌)	Elsinoe australis Bitancourt & Tenkins sweet orange scab (さび病菌)
Pezicula corticola (Tragens.) Nannf bark canker (胴枯病菌)	Eutypa armeniacae Hansf. & Carter gummosis (ゴム病菌)
Phytophthora hibernalis Carne brown rot (褐色腐敗病菌)	Pezicula corticola (Tragens.) Nannf bark canker (胴枯病菌)
Phytophthora syringae Kleb. stem rot (幹ぐされ病菌)	Phytophthora hibernalis Carne brown rot (褐色腐敗病菌)
Puccinia erianthi Padwick & Kham leaf rust of sugarcane (サトウキビさび病菌)	Phytophthora syringae Kleb. stem rot (幹ぐされ病菌)
(削除)	Puccinia erianthi Padwick & Kham leaf rust of sugarcane (サトウキビさび病菌)
Sphaeropsis tumefaciens Hedges knot (カンキツてんぐす病菌)	Puccinia pittieriana P. Hennings rust (さび病菌)
Apple rubbery wood disease	Sphaeropsis tumefaciens Hedges knot (カンキツてんぐす病菌)
Grapevine fan leaf virus	Apple rubbery wood disease
Peach phony disease	Grapevine fan leaf virus
Peach yellow disease	Peach phony disease
Pierce's disease of grapevines	Peach yellow disease
Tomato bushy stunt virus	Pierce's disease of grapevines
	Tomato bushy stunt virus

新旧対照表

改正後		現行	
Rhagoletis cingulata Loew	cherry fruitfly (シロオビオウトウミバエ)	Rhagoletis cingulata Loew	cherry fruitfly (シロオビオウトウミバエ)
[削除]		<u>Rhagoletis indifferens Curran</u>	<u>western cherry fruitfly</u> (セイブオウトウミバエ)
Rhagoletis cerasi Linnaeus	European cherry fruitfly (ヨーロッパオウトウミバエ)	Rhagoletis cerasi Linnaeus	European cherry fruitfly (ヨーロッパオウトウミバエ)
[削除]		<u>Anastrepha suspensa Loew</u>	<u>Caribbean fruitfly (カリブミバエ)</u>
Zonosemata electa Say	pepper maggot (トウガラシミバエ)	Zonosemata electa Say	pepper maggot (トウガラシミバエ)
Psila rosae Fabricius	carrot rustfly (ニンジンサビバエ)	Psila rosae Fabricius	carrot rustfly (ニンジンサビバエ)
Solenopsis geminata Fabricius	fire ant (ヒアリ)	Solenopsis geminata Fabricius	fire ant (ヒアリ)
Iridomyrmex humilis mayr	Argentine ant (アルゼンチンクサアリ)	Iridomyrmex humilis mayr	Argentine ant (アルゼンチンクサアリ)
Spodoptera frugiperda J. E. Smith	fall armyworm (ツマジロクサヨトウ)	Spodoptera frugiperda J. E. Smith	fall armyworm (ツマジロクサヨトウ)
Heliothis zea Boddie	Corn carworm (アメリカタバコガ)	Heliothis zea Boddie	Corn carworm (アメリカタバコガ)
Estigmene acraea Drury	salt-marsh caterpillar (キシタゴマダラヒトリ)	Estigmene acraea Drury	salt-marsh caterpillar (キシタゴマダラヒトリ)
Anthonomus eugenii Cano	pepper weevil (トウガラシゾウムシ)	Anthonomus eugenii Cano	pepper weevil (トウガラシゾウムシ)
Therioaphis trifolii Monell	yellow clover aphid (アルファルファアブラムシ)	Therioaphis trifolii Monell	yellow clover aphid (アルファルファアブラムシ)
Unaspis citri Comstock	citrus snow scale (ミカンナガカイガラムシ)	Unaspis citri Comstock	citrus snow scale (ミカンナガカイガラムシ)
Parlatoria oleae Colvee	olive scale (オリーブクロホシカイガラムシ)	Parlatoria oleae Colvee	olive scale (オリーブクロホシカイガラムシ)
Pseudococcus calccolariae Maskell	citrophilus mealy bug (ガハニコナカイガラムシ)	Pseudococcus calccolariae Maskell	citrophilus mealy bug (ガハニコナカイガラムシ)