

別添 1 令和元年度 帰還困難区域外のため池調査結果

－：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μ Sv/h)	測定位置	水質調査結果						底質調査結果				実施主体	備考	
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs
1	小舟沼 (2)	福島市	R1. 7. 23	曇	0.30	流入口	0.5	0.1	17	16.5	33	<1	—	9.7	61.8	5,500	237,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	59.2	9,200	690,000		
						取水口	0.8	0.1	17	16.3	21	<1	—	10.0	65.1	13,000	2,301,000		
													20.0	62.6	16,000				
			R1. 9. 3	曇	0.25	流入口	0.5	0.1	—	—	36	<1	—	6.3	31.7	3,300	222,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	58.1	9,600	652,000		
						取水口	0.8	0.1	—	—	26	<1	—	10.0	60.8	12,000	1,200,000		
													20.3	56.6	12,000				
			R1. 12. 18	曇	0.27	流入口	0.7	0.1	52	8.4	14	<1	—	7.5	58.3	7,100	287,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	49.2	4,300	315,000		
						取水口	0.7	0.1	50	4.4	8	<1	—	10.0	59.5	18,000	3,215,000		
													20.0	61.8	32,000				
2	土合沼	福島市	R1. 7. 20	曇	0.16	流入口	0.7	0.1	35	7.0	7	<1	—	10.7	25.8	620	91,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.3	49.4	4,100	277,000		
3	沼ノ上沼	福島市	R1. 7. 22	霧雨	0.18	流入口	2.1	0.5	38	5.9	7	<1	—	8.3	28.6	6,900	643,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	9.3	52.8	23,000	1,328,000		
						取水口	1.8	0.5	34	4.8	6	<1	—	10.0	66.4	49,000	4,532,000		
													20.0	61.9	52,000				
			R1. 9. 2	小雨	0.16	流入口	1.5	0.5	—	—	3	<1	—	6.0	22.6	2,500	218,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	6.7	46.7	22,000	1,126,000		
						取水口	2.3	0.5	—	—	<1	<1	—	10.0	58.6	37,000	2,473,000		
													14.0	49.3	27,000				
			R1. 12. 18	曇	0.18	流入口	1.0	0.1	>100	2.7	3	<1	—	10.0	16.2	2,400	392,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	51.7	44,000	5,230,000		
						取水口	1.1	0.5	95	2.7	2	<1	—	10.0	68.3	43,000	2,210,000		
													20.0	65.1	13,000				
4	田沢沼	福島市	R1. 7. 22	曇のち 霧雨	0.21	流入口	2.0	0.5	29	7.2	9	<1	—	7.3	25.3	1,600	145,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	11.0	39.0	4,800	416,000		
5	天王寺沼	福島市	R1. 7. 23	曇	0.26	取水口	2.2	0.5	28	9.1	9	<1	—	10.0	50.2	26,000	3,466,000	東北農政局	
														21.3	37.6	23,000			
						流入口	1.2	0.5	45	6.1	3	<1	—	6.7	32.5	810	58,000		
						湖心部	—	—	—	—	—	—	—	10.0	63.6	3,400	509,000		
			R1. 12. 17	雨	0.18	取水口	3.5	0.5	48	2.5	4	<1	—	10.0	47.5	2,800	502,000	東北農政局	
														20.0	48.2	4,500			
														31.7	54.5	360			
						流入口	1.5	0.2	>100	3.3	2	<1	—	6.5	31.4	1,200	89,000		
						湖心部	—	—	—	—	—	—	—	10.0	51.9	2,700	672,000		
						取水口	3.5	0.5	>100	3.2	3	<1	—	10.0	60.2	5,100	680,000		
														20.0	57.8	7,400			

別添1 令和元年度 帰還困難区域外のため池調査結果

一：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μSv/h)	測定位置	水質調査結果						底質調査結果				実施主体	備考		
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)	
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs	
5	天王寺沼	福島市		雨	0.18	取水口							30.0	56.5	370	680,000	東北農政局			
6	上の池	二本松市	R1. 7. 19	曇	0.25	流入口	1.7	0.5	16	12.7	19	<1	—	8.7	25.0	1,700	188,000	東北農政局		
						湖心部	—	—	—	—	—	—	10.0	50.9	29,000	3,078,000				
						取水口	1.7	0.5	13	13.4	25	<1	—	22.0	41.1	15,000	1,830,000			
						流入口	0.7	0.1	7	30.2	36	<1	—	11.3	61.9	13,000	713,000			
7	高平2号	二本松市	R1. 7. 20	雨	0.30	湖心部	—	—	—	—	—	—	—	10.0	55.3	12,000	2,141,000	東北農政局		
						—	—	—	—	—	—	20.0	55.9	13,000						
						—	—	—	—	—	—	30.0	61.1	18,000						
						取水口	0.7	0.1	8	27.2	27	<1	—	10.0	47.4	5,800				869,000
						—	—	—	—	—	—	19.7	40.9	6,400	850,000					
						流入口	4.3	0.5	50	8.7	12	<1	—	10.0		49.2				11,000
			R1. 12. 12	晴	0.27	湖心部	—	—	—	—	—	—	—	10.0	49.9	9,600	3,183,000	東北農政局		
						—	—	—	—	—	—	20.0	50.7	11,000						
						—	—	—	—	—	—	30.0	48.7	15,000						
						—	—	—	—	—	—	40.0	49.1	8,800	1,459,000					
						取水口	0.7	0.1	47	6.7	7	<1	—	10.0		41.5				4,900
						—	—	—	—	—	—	20.0	47.9	9,200						
8	方入内	二本松市	R1. 7. 19	晴	0.30	流入口	2.0	0.5	78	2.4	4	<1	—	7.3	31.4	910	76,000	東北農政局		
湖心部						—	—	—	—	—	—	10.0	46.1	3,300	485,000					
取水口						0.8	0.1	65	3.3	3	<1	—	8.0	26.1	720	68,000				
R1. 12. 12			晴	0.31	流入口	2.1	0.5	29	2.6	2	<1	—	11.5	37.1	2,400	284,000	東北農政局			
					湖心部	—	—	—	—	—	—	10.0	42.9	2,200	382,000					
					取水口	2.5	0.5	32	2.0	2	<1	—	11.5	38.3	3,700	431,000				
9	沼田	伊達市	R1. 7. 26	曇	0.45	流入口	1.0	0.5	18	12.4	18	<1	—	10.0	51.8	8,400	541,000	東北農政局		
						湖心部	—	—	—	—	—	—	10.0	59.1	9,600	2,097,000				
						—	—	—	—	—	—	20.0	54.3	18,000						
						取水口	1.5	0.5	18	14.3	11	<1	—	10.7	41.6	4,900	408,000			
10	芳沼入	伊達市	R1. 7. 24	曇	0.26	流入口	0.4	0.1	16	12.9	7	<1	—	7.3	36.1	120	9,000	東北農政局		
						湖心部	—	—	—	—	—	—	10.0	55.7	5,900	666,000				
						—	—	—	—	—	—	21.7	57.8	6,800	438,000					
						取水口	0.8	0.1	20	11.5	7	<1	—	10.3		61.0	9,600			
11	長沼	伊達市	R1. 7. 25	晴	0.10	流入口	0.4	0.1	11	13.6	26	<1	—	10.3	53.4	5,500	326,000	東北農政局		
						湖心部	—	—	—	—	—	—	9.0	69.9	3,500	107,000				
						取水口	0.8	0.1	13	12.9	20	<1	—	7.7	33.3	410	33,000			
						流入口	0.4	0.1	27	7.0	4	<1	—	8.3	42.9	9,600	569,000			
12	笹窪沼	伊達市	R1. 7. 27	小雨	0.65	湖心部	—	—	—	—	—	—	—	10.0	63.3	17,000	3,897,000	東北農政局		
						—	—	—	—	—	—	20.0	56.8	15,000						
						—	—	—	—	—	—	30.0	59.5	21,000						
						—	—	—	—	—	—	37.7	53.9	25,000	2,330,000					
						取水口	0.8	0.1	35	5.2	3	<1	—	10.0		65.5				18,000
						—	—	—	—	—	—	20.0	62.1	17,000						
13	新沼	伊達市	R1. 7. 26	晴	0.55	流入口	3.0	0.5	>100	1.7	3	<1	—	7.7	34.4	5,200	359,000	東北農政局		
湖心部						—	—	—	—	—	—	9.3	51.4	16,000	858,000					
—						—	—	—	—	—	10.0	67.4	30,000	4,053,000						
取水口						3.2	0.5	>100	4.1	<1	—	10.0	67.4		30,000					
—	—	—	—	—	—	20.0	66.5	30,000												
—	—	—	—	—	—	35.7	63.3	37,000												

別添 1 令和元年度 帰還困難区域外のため池調査結果

ー：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μ Sv/h)	測定位置	水質調査結果							底質調査結果				実施主体	備考	
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)	放射性物質 底質表面濃度 (Bq/m ²)			
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs	¹³⁷ Cs			
13	新沼	伊達市	R1. 12. 20	晴	0.57	流入口	1.2	0.5	73	3.5	3	<1	—	10.0	39.7	5,300	481,000	東北農政局		
						湖心部	—	—	—	—	—	—	—	8.5	34.0	1,400	146,000			
						取水口	4.5	0.5	78	3.2	3	<1	—	10.0	53.8	26,000	5,577,000			
							—	—	—	—	—	—	—	20.0	52.4	49,000				14,000
14	柳沢下沼	伊達市	R1. 7. 24	晴	0.24	流入口	4.4	0.5	25	3.3	4	<1	—	10.7	48.9	2,700	204,000	東北農政局		
						湖心部	—	—	—	—	—	—	—	9.3	53.4	9,000	482,000			
						取水口	3.2	0.5	25	3.2	5	<1	—	9.7	43.3	2,700	217,000			
							—	—	—	—	—	—	—	7.3	52.1	950	48,000			
15	赤貝	伊達市	R1. 7. 29	晴	0.40	流入口	0.9	0.1	86	4.1	2	<1	—	10.0	60.9	8,800	1,618,000			
						湖心部	—	—	—	—	—	—	—	10.0	60.9	8,800		16,000		
							—	—	—	—	—	—	—	20.0	54.6	16,000		3,400		
							—	—	—	—	—	—	—	30.0	47.8	3,400		230		
			取水口	0.9	0.1	40	5.5	14	<1	—	10.0	57.6	5,800	1,776,000						
				—	—	—	—	—	—	—	20.0	60.8	6,600		25,000					
				—	—	—	—	—	—	—	32.7	61.2	25,000		11.5					
				—	—	—	—	—	—	—	10.0	57.4	6,300		20,000					
			R1. 12. 20	晴	0.39	流入口	1.1	0.5	96	2.5	4	<1	—	11.5	41.1	1,900	166,000	東北農政局		
						湖心部	—	—	—	—	—	—	—	10.0	57.4	6,300	20,000			
							—	—	—	—	—	—	—	20.0	54.1	20,000	30.0			
							—	—	—	—	—	—	—	30.0	54.7	12,000	42.0			
取水口	1.1	0.5	64	3.9	10	<1	—	10.0	64.2	6,700	1,475,000									
	—	—	—	—	—	—	—	20.0	49.2	5,600		30.5								
	—	—	—	—	—	—	—	30.5	46.0	10,000		7.7								
	—	—	—	—	—	—	—	10.0	48.8	9,800		475,000								
16	堀沢沼	伊達市	R1. 7. 27	晴	0.21	流入口	0.9	0.1	32	5.7	2	<1	—	7.7	48.8	9,800	475,000	東北農政局		
						湖心部	—	—	—	—	—	—	—	5.7	41.4	1,700	77,000			
						取水口	0.8	0.1	28	6.8	2	<1	—	6.0	32.2	1,900	127,000			
			R1. 12. 19	晴	0.21	流入口	×	×	×	×	×	×	×	×	10.0	60.0	12,000	591,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	48.4	13,000	972,000			
						取水口	×	×	×	×	×	×	×	×	×	10.0	39.2	4,100		
17	台	伊達市	R1. 7. 25	晴	0.12	流入口	0.8	0.1	17	17.4	16	<1	—	11.3	57.2	760	392,000			
						湖心部	—	—	—	—	—	—	—	—	10.0	64.5		2,100	20.0	
							—	—	—	—	—	—	—	20.0	58.8	2,800		30.0		
							—	—	—	—	—	—	—	30.0	55.8	2,300		41.3		
			取水口	1.4	0.5	17	10.3	17	<1	—	10.0	66.3	2,100	344,000						
				—	—	—	—	—	—	—	20.0	63.5	3,300		30.0					
				—	—	—	—	—	—	—	30.0	63.0	1,800		42.0					
				—	—	—	—	—	—	—	42.0	62.9	390		10.0					
			R1. 12. 20	晴	0.10	流入口	0.3	0.1	8	41.0	110	<1	—	10.0	50.4	1,900	417,000			
						湖心部	—	—	—	—	—	—	—	—	20.5	49.2		4,000	10.0	
							—	—	—	—	—	—	—	10.0	54.9	1,900		20.0		
							—	—	—	—	—	—	—	30.0	54.7	1,800		42.0		
取水口	0.8	0.1	12	35.0	46	<1	—	10.0	59.2	2,200	293,000									
	—	—	—	—	—	—	—	20.0	58.9	2,800		41.5								
	—	—	—	—	—	—	—	30.0	55.3	400		51.9								
	—	—	—	—	—	—	—	41.5	51.9	85		8.7								
18	松沢上池	川俣町	R1. 7. 29	曇	0.24	流入口	1.5	0.5	>100	2.7	8	<1	—	8.7	48.4	2,600	161,000	東北農政局		
						湖心部	—	—	—	—	—	—	—	—	10.0	52.9	2,400			330
							—	—	—	—	—	—	—	20.0	53.6	330	29.3			
							—	—	—	—	—	—	—	29.3	58.1	24	61.1			
取水口	3.8	0.5	>100	3.0	4	<1	—	10.0	61.1	6,100	298,000									
	—	—	—	—	—	—	—	20.0	62.4	420		20.0								

別添 1 令和元年度 帰還困難区域外のため池調査結果

－：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μSv/h)	測定位置	水質調査結果						底質調査結果				実施主体	備考	
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs
18	松沢上池	川俣町	R1. 12. 16	快晴	0. 24	取水口								30. 3	61. 5	38	298, 000	東北農政局	
						流入口	0. 4	0. 1	15	28. 0	34	<1	—	10. 0	46. 3	530	68, 000		
						湖心部								20. 0	23. 4	200			
														10. 0	51. 7	9, 800			
														20. 0	49. 5	340	677, 000		
														33. 0	50. 7	24			
取水口	1. 5	0. 5	24	14. 0	17	<1	—	10. 0	54. 0	3, 900	255, 000								
								20. 0	54. 3	150									
								32. 0	54. 0	37									
19	大久保池	郡山市	R1. 7. 17	曇のち 晴	0. 18	流入口	0. 8	0. 1	18	14. 5	26	<1	—	7. 3	60. 2	3, 100	169, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	8. 7	60. 6	17, 000	726, 000		
						取水口	2. 1	0. 5	21	9. 2	20	<1	—	9. 3	58. 8	2, 200	109, 000		
			R1. 12. 19	曇	0. 18	流入口	1. 1	0. 5	30	9. 5	16	<1	—	13. 0	48. 5	4, 600	425, 000		
						湖心部	—	—	—	—	—	—	—	10. 0	58. 7	9, 100	476, 000		
						取水口	2. 9	0. 5	22	8. 7	13	<1	—	11. 5	48. 8	470	40, 000		
20	荒池	郡山市	R1. 7. 16	曇	0. 24	流入口	1. 2	0. 5	11	66. 2	46	<1	—	6. 3	41. 7	5, 000	256, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	5. 3	55. 2	11, 000	290, 000		
						取水口	1. 9	0. 5	13	39. 3	32	<1	—	6. 7	55. 0	17, 000	676, 000		
			R1. 12. 19	曇	0. 22	流入口	1. 1	0. 5	32	12. 0	17	<1	—	11. 5	32. 7	4, 000	521, 000		
						湖心部	—	—	—	—	—	—	—	9. 5	56. 6	13, 000	661, 000		
						取水口	1. 2	0. 5	33	7. 4	10	<1	—	11. 0	48. 3	9, 000	738, 000		
21	南田山田池-1号	郡山市	R1. 7. 16	曇	0. 20	流入口	0. 2	0. 1	12	18. 9	28	<1	—	11. 3	57. 8	2, 800	171, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	63. 3	3, 300	359, 000		
														24. 3	57. 0	3, 600			
			R1. 12. 18	曇	0. 22	取水口	0. 4	0. 1	12	22. 2	19	<1	—	10. 0	58. 8	3, 100	394, 000		
														20. 3	53. 6	3, 900			
						流入口	0. 3	0. 1	12	97. 0	44	<1	—	10. 0	53. 1	3, 100	397, 000		
								21. 5	48. 0	2, 800									
湖心部	—	—	—	—	—	—	—	10. 0	61. 3	3, 700	545, 000								
								20. 0	54. 6	4, 500									
								36. 0	51. 6	1, 200									
								0. 3	0. 1	13	45. 0	37	<1	—	10. 0	55. 7	3, 500	675, 000	
													20. 0	51. 5	4, 000				
													32. 5	48. 2	2, 900				
22	新池	須賀川市	R1. 7. 17	晴	0. 24	流入口	0. 7	0. 1	19	11. 3	11	<1	—	10. 3	59. 8	3, 500	187, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	59. 9	5, 000	554, 000		
						取水口	0. 8	0. 1	16	11. 3	11	<1	—	10. 0	57. 2	4, 500	531, 000		
			R1. 12. 18	曇	0. 23	流入口	0. 8	0. 1	31	10. 0	15	<1	—	10. 0	54. 7	3, 500	489, 000		
														20. 5	51. 5	4, 300			
						湖心部	—	—	—	—	—	—	—	10. 0	52. 8	4, 900	924, 000		
								20. 0	53. 4	5, 200									
取水口	0. 7	0. 1	32	7. 8	8	<1	—	10. 0	54. 5	5, 100	723, 000								
								34. 0	50. 8	4, 500									
													22. 5	51. 8	6, 000				
23	古戸大池	須賀川市	R1. 7. 18	曇	0. 16	流入口	2. 1	0. 5	52	5. 6	2	<1	—	7. 7	24. 5	200	21, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	18. 0	59. 6	3, 300	169, 000		
						取水口	1. 4	0. 5	43	5. 4	2	<1	—	10. 0	69. 3	4, 600	703, 000		
											20. 0	65. 9	5, 700						
											30. 0	68. 8	8, 100						
			R1. 12. 18	曇	0. 15	流入口	1. 8	0. 5	32	11. 0	11	<1	—	10. 5	50. 1	2, 200	162, 000		
湖心部	—	—				—	—	—	—	—	13. 5	56. 6	3, 200	245, 000					
取水口	0. 6	0. 1				33	9. 3	8	<1	—	10. 0	64. 6	4, 600	998, 000					
								20. 0	63. 0	5, 300									

別添 1 令和元年度 帰還困難区域外のため池調査結果

— : 調査対象外、× : 調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μ Sv/h)	測定位置	水質調査結果						底質調査結果				実施主体	備考					
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)				
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs				
23	古戸大池	須賀川市	R1. 12. 18	曇	0. 15	取水口								30. 0	62. 0	6, 800	998, 000	東北農政局					
24	中核工業団地3号 調整池	泉崎村	R1. 7. 18	曇	0. 17	流入口	1. 8	0. 5	20	11. 3	11	<1	—	10. 3	43. 4	10, 000	804, 000	東北農政局					
						—	—	—	—	—	—	—	—	10. 0	69. 8	15, 000	3, 240, 000						
						湖心部	—	—	—	—	—	—	—	20. 0	59. 6	49, 000				5, 200			
						—	—	—	—	—	—	—	—	31. 0	63. 6	5, 200					42, 000	1, 500, 000	
						取水口	1. 8	0. 5	26	6. 2	8	<1	—	10. 0	66. 8	42, 000							1, 500, 000
25	玉野	相馬市	R1. 7. 30	晴	0. 27	流入口	2. 8	0. 5	35	4. 8	7	<1	—	9. 0	62. 6	4, 800	200, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	9. 3	66. 5	8, 900	317, 000			6, 700	270, 000		
						取水口	1. 8	0. 5	33	4. 9	4	<1	—	9. 7	63. 3	6, 700	270, 000						
			R1. 12. 11	快晴	0. 26	流入口	0. 9	0. 1	43	6. 6	6	<1	—	10. 3	62. 0	8, 700	446, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	12. 0	60. 6	2, 200	137, 000			504, 000	26, 000		
取水口	1. 7	0. 5	56	4. 8	6	<1	—	12. 0	29. 0	3, 400	504, 000	26, 000											
26	一本木	相馬市	R1. 7. 30	晴	0. 15	流入口	1. 5	0. 5	26	12. 6	6	<1	—	7. 3	24. 2	260	76, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	6. 7	46. 1	1, 500	76, 000			54, 000	75, 000		
						取水口	2. 7	0. 5	23	16. 4	8	<1	—	6. 7	45. 4	1, 100	54, 000					75, 000	69, 000
			R1. 12. 12	快晴	0. 12	流入口	1. 0	0. 1	23	13. 0	10	<1	—	10. 7	42. 2	800	69, 000	58, 000	31, 000				
						湖心部	—	—	—	—	—	—	—	10. 7	41. 7	730	69, 000			58, 000	31, 000		
27	西の沢	広野町	R1. 8. 9	晴	0. 10	取水口	1. 5	0. 5	30	12. 0	10	<1	—	10. 0	41. 8	640	58, 000	東北農政局					
						流入口	1. 0	0. 5	>100	2. 7	5	<1	—	8. 0	29. 9	340	31, 000			57, 000	33, 000		
						湖心部	—	—	—	—	—	—	—	9. 7	39. 4	660	58, 000					57, 000	33, 000
			R1. 11. 19	晴	0. 09	取水口	1. 1	0. 5	>100	1. 3	<1	<1	—	9. 0	64. 5	1, 500	57, 000	430	62, 000				
						流入口	1. 0	0. 5	77	3. 8	3	<1	—	7. 3	31. 6	430	33, 000			62, 000	33, 000		
28	須賀作第 2	檜葉町	R1. 8. 16	雨	0. 19	湖心部	—	—	—	—	—	—	—	10. 0	59. 9	3, 600	271, 000	東北農政局					
						—	—	—	—	—	—	—	—	20. 0	52. 3	1, 100	271, 000			416, 000			
						—	—	—	—	—	—	—	—	30. 0	47. 4	24	<10				416, 000	5, 500	4, 000
						取水口	2. 1	0. 5	47	4. 0	3	<1	—	10. 0	63. 3	5, 500	4, 000				61		
			R1. 11. 20	晴	0. 19	流入口	1. 2	0. 5	30	11. 5	7	<1	—	7. 7	37. 0	1, 100	83, 000	東北農政局					
						—	—	—	—	—	—	—	—	10. 0	52. 1	2, 900	230, 000			302, 000			
						湖心部	—	—	—	—	—	—	—	20. 0	51. 6	730	<10				302, 000	55. 0	710
						—	—	—	—	—	—	—	—	33. 3	48. 1	<10	302, 000				54. 8		
						取水口	2. 0	0. 5	24	12. 3	9	<1	—	10. 0	59. 3	3, 500	1, 500			710		53	20
						—	—	—	—	—	—	—	—	20. 0	55. 0	1, 500	710			53	20		
						—	—	—	—	—	—	—	—	30. 0	55. 0	710	53			20			
						—	—	—	—	—	—	—	—	34. 0	54. 8	53	20						
R1. 8. 20	小雨	0. 37	流入口	1. 5	0. 5	66	2. 6	2	<1	—	8. 3	51. 1	980	49, 000	東北農政局								
			—	—	—	—	—	—	—	—	10. 0	56. 9	1, 700	103, 000			250	93					
			湖心部	—	—	—	—	—	—	—	20. 0	57. 7	63	103, 000					60. 5	2, 600			
			—	—	—	—	—	—	—	—	23. 0	55. 0	17	141, 000							62. 9	93	
			取水口	0. 7	0. 1	60	2. 1	4	<1	—	10. 0	60. 5	2, 600	250			93	31, 000	<10				
			—	—	—	—	—	—	—	—	20. 0	64. 2	250	93			31, 000	<10					
			—	—	—	—	—	—	—	—	27. 3	62. 9	93	31, 000			<10						
			—	—	—	—	—	—	—	—	17. 7	48. 3	<10	31, 000				<10					
R1. 11. 22	晴	0. 37	流入口	1. 4	0. 5	>100	4. 4	2	<1	—	7. 7	61. 1	4, 400	173, 000	東北農政局								
			—	—	—	—	—	—	—	—	10. 0	63. 2	4, 500	227, 000			330	40					
			湖心部	—	—	—	—	—	—	—	20. 0	59. 3	330	227, 000					560	<10			
			—	—	—	—	—	—	—	—	24. 7	52. 8	40	31, 000							<10		
取水口	0. 9	0. 1	>100	4. 6	2	<1	—	10. 0	58. 5	560	31, 000	<10											
—	—	—	—	—	—	—	—	17. 7	48. 3	<10	31, 000		<10										

別添 1 令和元年度 帰還困難区域外のため池調査結果

ー：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μSv/h)	測定位置	水質調査結果							底質調査結果				実施主体	備考
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	SS (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)	放射性物質 底質表面濃度 (Bq/m ²)		
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)						
30	汐ノ作第1	檜葉町	R1. 8. 19	晴	0. 24	流入口	×	×	×	×	×	×	×	10. 0	67. 8	6, 600	233, 000	東北農政局	調査時水が無く採水不可
						湖心部	—	—	—	—	—	—	—	10. 0	64. 3	4, 200	165, 000		
						取水口	×	×	×	×	×	×	×	10. 0	57. 6	5, 000	259, 000		
			R1. 11. 22	曇	0. 23	流入口	×	×	×	×	×	×	×	×	10. 0	67. 3	8, 500	340, 000	東北農政局
						湖心部	—	—	—	—	—	—	—	10. 0	70. 4	13, 000	468, 000		
						取水口	×	×	×	×	×	×	×	10. 0	69. 8	4, 200	153, 000		
31	風呂ヶ沢	檜葉町	R1. 8. 9	晴	0. 20	流入口	1. 2	0. 5	20	12. 2	11	<1	—	10. 7	74. 3	1, 400	48, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	77. 3	2, 500	64, 000		
						取水口	1. 2	0. 5	18	12. 2	7	<1	—	12. 3	73. 7	3, 600	127, 000		
			R1. 11. 19	晴	0. 19	流入口	1. 0	0. 5	46	5. 7	5	<1	—	12. 0	76. 5	11, 000	321, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	78. 2	3, 400	90, 000		
						取水口	1. 2	0. 5	49	8. 6	8	<1	—	10. 0	74. 6	6, 700	207, 000		
						流入口	0. 6	0. 1	26	6. 9	14	<1	—	10. 3	52. 7	1, 800	125, 000		東北農政局
						湖心部	—	—	—	—	—	—	—	10. 0	61. 4	3, 800	511, 000		
						取水口	1. 4	0. 5	26	4. 2	7	<1	—	10. 0	62. 0	3, 700	511, 000		
32	焼野	檜葉町	R1. 8. 16	雨	0. 18	流入口	0. 6	0. 1	19	14. 2	11	<1	—	9. 7	46. 0	1, 800	125, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	53. 8	2, 700	695, 000		
						取水口	1. 2	0. 5	20	12. 2	10	<1	—	10. 0	46. 0	1, 700	430, 000		
			R1. 11. 20	晴	0. 19	流入口	0. 6	0. 1	19	14. 2	11	<1	—	9. 7	46. 0	1, 800	125, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	53. 8	2, 700	695, 000		
						取水口	1. 2	0. 5	20	12. 2	10	<1	—	10. 0	46. 0	1, 700	430, 000		
						流入口	0. 9	0. 1	61	6. 4	5	<1	—	10. 3	35. 4	6, 700	617, 000		東北農政局
						湖心部	—	—	—	—	—	—	—	10. 0	65. 5	20, 000	2, 160, 000		
						取水口	1. 4	0. 5	68	2. 5	4	<1	—	10. 0	58. 6	24, 000	2, 980, 000		
33	目倉沢第1	浪江町	R1. 7. 19	曇	0. 81	流入口	0. 9	0. 1	61	6. 4	5	<1	—	10. 3	35. 4	6, 700	617, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	65. 5	20, 000	2, 160, 000		
						取水口	1. 4	0. 5	68	2. 5	4	<1	—	10. 0	58. 6	24, 000	2, 980, 000		
			R1. 7. 17	曇	1. 35	流入口	1. 9	0. 5	25	12. 7	16	<1	—	10. 3	31. 4	8, 800	1, 033, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	64. 7	26, 000	2, 485, 000		
						取水口	1. 5	0. 5	34	6. 1	7	<1	—	10. 0	64. 9	33, 000	3, 792, 000		
						流入口	1. 3	0. 5	>100	—	4	<1	—	5. 0	44. 6	270	10, 000		東北農政局
						湖心部	—	—	—	—	—	—	—	5. 3	31. 2	900	50, 000		
						取水口	2. 8	0. 5	>100	0. 2	<1	<1	—	5. 7	36. 1	1, 800	93, 000		
34	古堤	浪江町	R1. 7. 18	曇	0. 20	流入口	0. 3	0. 1	>100	1. 1	2	<1	—	5. 0	42. 0	56	2, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	5. 0	45. 9	230	9, 000		
						取水口	2. 8	0. 5	>100	0. 6	<1	<1	—	5. 0	39. 3	770	35, 000		
			R1. 12. 2	曇	0. 23	流入口	1. 8	0. 5	74	2. 7	4	<1	—	10. 3	48. 6	2, 100	155, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	44. 1	1, 500	108, 000		
						取水口	—	—	—	—	—	—	—	—	—	—	—		—
36	大日向第1	浪江町	R1. 7. 18	曇	0. 17	流入口	1. 8	0. 5	74	2. 7	4	<1	—	10. 3	48. 6	2, 100	155, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	44. 1	1, 500	108, 000		

別添 1 令和元年度 帰還困難区域外のため池調査結果

ー：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μ Sv/h)	測定位置	水質調査結果						底質調査結果				実施主体	備考					
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)				
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs				
36	大日向第1	浪江町	R1. 12. 6	曇	0. 15	取水口	3. 3	0. 5	71	2. 5	6	<1	—	10. 7	37. 3	1, 200	119, 000	東北農政局					
						流入口	2. 0	0. 5	54	5. 9	7	<1	—	10. 0	40. 3	1, 700	154, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	10. 0	36. 6	1, 800	173, 000						
						取水口	3. 8	0. 5	51	6. 1	8	<1	—	10. 0	24. 3	1, 800	185, 000						
37	百間沢	浪江町	R1. 7. 18	晴	0. 12	流入口	2. 1	0. 5	>100	—	1	<1	—	10. 3	53. 8	2, 800	164, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	7. 7	37. 2	1, 800	129, 000						
						取水口	5. 0	0. 5	>100	—	<1	<1	—	10. 3	61. 5	3, 000	151, 000						
			R1. 12. 6	晴	0. 13	流入口	1. 9	0. 5	>100	3. 6	3	<1	—	11. 5	36. 9	1, 400	158, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	10. 0	44. 7	500	41, 000						
						取水口	2. 6	0. 5	>100	4. 1	6	<1	—	10. 0	42. 6	1, 100	94, 000						
38	北谷地	浪江町	R1. 7. 19	曇	1. 54	流入口	1. 4	0. 5	100	3. 3	5	<1	—	9. 3	72. 9	16, 000	459, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	8. 3	67. 3	15, 000	464, 000						
						取水口	2. 3	0. 5	>100	0. 4	1	<1	—	10. 7	74. 6	52, 000	1, 382, 000						
			R1. 12. 5	晴	1. 38	流入口	1. 9	0. 5	>100	0. 4	<1	<1	—	11. 0	66. 4	3, 300	143, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	12. 0	68. 2	3, 800	172, 000						
						取水口	2. 9	0. 5	>100	0. 5	1	<1	—	11. 5	65. 9	22, 000	972, 000						
39	聖沢	浪江町	R1. 7. 19	曇	0. 41	流入口	0. 8	0. 1	54	3. 8	5	<1	—	10. 0	42. 4	5, 600	435, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	11. 7	61. 4	9, 700	544, 000						
						取水口	1. 3	0. 5	69	3. 4	4	<1	—	10. 0	59. 6	11, 000	1, 064, 000						
			R1. 12. 5	晴	0. 40	流入口	1. 8	0. 5	83	2. 7	3	<1	—	10. 0	56. 9	6, 400	355, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	10. 0	51. 3	9, 700	631, 000						
						取水口	2. 5	0. 5	>100	2. 1	2	<1	—	10. 0	53. 6	8, 900	1, 078, 000						
40	関ノ倉	浪江町	R1. 7. 17	曇	1. 46	流入口	1. 6	0. 5	40	9. 3	14	<1	—	9. 3	60. 2	14, 000	629, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	10. 0	65. 4	14, 000	1, 316, 000						
						取水口	2. 2	0. 5	31	12. 0	14	<1	—	10. 0	64. 6	19, 000	1, 257, 000						
						流入口	1. 6	0. 5	75	5. 3	6	<1	—	9. 3	71. 3	6, 500	193, 000			東北農政局			
						湖心部	—	—	—	—	—	—	—	10. 0	71. 9	5, 300	165, 000						
						取水口	1. 9	0. 5	96	3. 0	6	<1	—	10. 0	71. 9	5, 200	182, 000						
42	小高瀬	浪江町	R1. 7. 22	曇	0. 23	流入口	2. 3	0. 5	74	3. 1	3	<1	—	10. 0	42. 2	2, 400	187, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	10. 0	58. 2	4, 100	457, 000						
						取水口	2. 7	0. 5	61	2. 7	2	<1	—	10. 0	46. 2	6, 400	543, 000						
			R1. 12. 4	晴	0. 14	流入口	2. 5	0. 5	54	2. 4	2	<1	—	10. 0	38. 1	2, 600	239, 000	東北農政局					
						湖心部	—	—	—	—	—	—	—	10. 0	56. 5	5, 000	602, 000						
						取水口	2. 6	0. 5	51	2. 5	2	<1	—	10. 0	54. 8	4, 700	596, 000						
43	上井戸沢 3	大熊町	R1. 7. 27	曇時々 晴	0. 71	流入口	0. 8	0. 1	50	9. 1	7	1	<1	9. 3	67. 4	11, 000	359, 000	東北農政局	居住制限区域 (H31. 4. 10解除)				
						湖心部	—	—	—	—	—	—	—	10. 0	74. 3	28, 000	926, 000						
						取水口	0. 9	0. 1	61	5. 1	4	<1	—	10. 0	64. 3	7, 300	325, 000						
						流入口	0. 6	0. 1	32	13. 3	16	<1	—	8. 0	67. 2	16, 000	483, 000			東北農政局			
			湖心部	—	—	—	—	—	—	—	10. 0	69. 8	9, 800	373, 000									
			取水口	0. 9	0. 1	32	10. 4	11	1	<1	10. 0	75. 0	24, 000	698, 000									
			流入口	—	—	—	—	—	—	—	20. 0	65. 0	450	—									
			湖心部	—	—	—	—	—	—	—	28. 7	53. 6	220	—									

別添 1 令和元年度 帰還困難区域外のため池調査結果

ー：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μ Sv/h)	測定位置	水質調査結果					底質調査結果				実施主体	備考				
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)			放射性物質濃度 (乾泥) (Bq/kg)	放射性物質 底質表面濃度 (Bq/m ²)		
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)					¹³⁷ Cs	¹³⁷ Cs		
43	上井戸沢 3	大熊町				取水口							25.7	54.2	170	698,000	東北農政局				
44	万右衛門ため池	大熊町	R1. 7. 20	曇	0. 51	流入口	1.3	0.5	>100	0.7	2	<1	—	10.3	65.8	11,000	435,000	東北農政局	避難指示解除準備 区域 (H31. 4. 10解除)		
						湖心部	—	—	—	—	—	—	—	10.0	71.3	22,000	850,000				
						取水口	2.5	0.5	>100	0.2	2	<1	—	10.7	64.7	17,000	700,000				
						流入口	1.1	0.5	>100	—	6	<1	—	8.0	60.0	6,500	251,000				
			R1. 11. 27	曇	0. 53	湖心部	—	—	—	—	—	—	—	10.0	71.7	12,000	1,920,000	東北農政局			
						取水口	3.2	0.5	>100	1.7	3	<1	—	8.0	50.8	23,000	1,225,000				
						流入口	0.7	0.1	39	8.8	4	1	<1	7.3	51.9	8,500	374,000				
						湖心部	—	—	—	—	—	—	—	10.0	63.1	13,000	653,000				
45	宮田	富岡町	R1. 8. 19	晴	0. 56	取水口	0.8	0.1	33	9.8	9	1	<1	7.0	67.3	9,200	233,000	東北農政局			
						流入口	1.0	0.5	64	7.1	6	<1	—	7.0	42.3	5,600	333,000				
						湖心部	—	—	—	—	—	—	—	10.0	59.6	11,000	627,000				
						取水口	1.0	0.5	72	6.1	3	<1	—	7.3	69.0	13,000	350,000				
			R1. 11. 21	晴	0. 53	流入口	1.6	0.5	>100	1.7	5	<1	—	10.3	54.2	15,000	850,000	東北農政局			
						湖心部	—	—	—	—	—	—	—	10.0	57.5	10,000	963,000				
						取水口	2.1	0.5	>100	1.1	2	<1	—	10.0	64.8	19,000	835,000				
						流入口	1.2	0.5	37	0.5	20	<1	—	7.3	45.8	11,000	555,000				
46	北郷第一 (旧北郷)	富岡町	R1. 8. 19	晴	0. 52	湖心部	—	—	—	—	—	—	—	10.0	57.8	11,000	653,000	東北農政局			
						取水口	1.9	0.5	77	6.8	4	<1	—	10.0	61.5	20,000	1,125,000				
						流入口	4.1	0.5	55	2.5	9	<1	—	9.3	45.9	19,000	1,365,000				
						湖心部	—	—	—	—	—	—	—	9.3	62.2	14,000	556,000				
			R1. 11. 19	晴	0. 74	取水口	2.5	0.5	60	1.8	9	<1	—	10.7	67.2	26,000	1,009,000	東北農政局			
						流入口	5.1	0.5	13	24.0	16	<1	—	7.7	45.0	15,000	850,000				
						湖心部	—	—	—	—	—	—	—	8.0	63.6	27,000	967,000				
						取水口	2.3	0.5	17	17.1	10	<1	—	9.0	67.3	26,000	922,000				
48	北郷第三 (旧北郷第 2)	富岡町	R1. 8. 16	曇	0. 60	流入口	1.4	0.5	20	12.7	15	2	<1	8.0	40.3	22,000	1,554,000	東北農政局			
						湖心部	—	—	—	—	—	—	—	9.7	36.1	18,000	1,889,000				
						取水口	1.8	0.5	21	12.2	16	2	<1	10.7	58.0	48,000	2,810,000				
						流入口	1.6	0.5	33	5.3	6	<1	—	7.7	34.0	26,000	1,973,000				
			R1. 11. 19	晴	0. 65	湖心部	—	—	—	—	—	—	—	7.0	44.4	31,000	2,030,000	東北農政局			
						取水口	1.7	0.5	40	5.0	6	1	<1	8.3	45.0	38,000	2,633,000				
						流入口	2.1	0.5	92	2.5	4	<1	—	9.7	42.7	2,700	224,000			東北農政局	
						湖心部	—	—	—	—	—	—	—	8.7	58.6	5,100	235,000				
49	宮の前	富岡町	R1. 8. 20	曇	0. 65	取水口	3.3	0.5	79	3.1	4	<1	—	10.0	66.3	11,000	452,000	東北農政局			
						流入口	1.5	0.5	40	10.6	7	<1	—	8.0	46.3	8,500	513,000				
						湖心部	—	—	—	—	—	—	—	8.3	58.6	5,900	259,000				
						取水口	0.5	0.1	44	8.1	5	<1	—	7.3	54.7	6,100	264,000				
			R1. 11. 22	曇	0. 66	流入口	0.6	0.1	21	15.0	15	1	<1	7.7	47.8	13,000	711,000	東北農政局			
						湖心部	—	—	—	—	—	—	—	10.0	57.5	18,000	1,168,000				
						取水口	1.0	0.5	20	13.0	14	<1	—	29.0	61.2	140	264,000				
						流入口	0.6	0.1	21	15.0	15	1	<1	7.7	47.8	13,000	711,000				
50	前沢田	富岡町	R1. 8. 20	曇	0. 43	湖心部	—	—	—	—	—	—	—	10.0	57.5	18,000	1,168,000	東北農政局			
						取水口	1.0	0.5	20	13.0	14	<1	—	29.0	61.2	140	264,000				
						流入口	0.6	0.1	21	15.0	15	1	<1	7.7	47.8	13,000	711,000				
						湖心部	—	—	—	—	—	—	—	10.0	57.5	18,000	1,168,000				

別添 1 令和元年度 帰還困難区域外のため池調査結果

－：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μ Sv/h)	測定位置	水質調査結果						底質調査結果				実施主体	備考		
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	S S (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)	
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs	
50	前沢田	富岡町	R1. 8. 20	曇	0.43	取水口								20.0	64.2	7,700		1,190,000	東北農政局	
														30.0	62.4	210				
														36.3	64.0	110				
51	椿屋第3	富岡町	R1. 8. 15	晴	0.75	流入口	1.1	0.5	45	4.3	8	<1	—	10.7	58.3	11,000	583,000	951,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	55.4	13,000				
														19.0	55.1	3,900				
														10.0	55.0	7,400				
			R1. 11. 25	晴	0.68	取水口	1.9	0.5	53	4.0	7	<1	—	20.0	57.3	7,000	986,000	1,715,000	東北農政局	
														25.7	51.2	5,300				
						流入口	0.9	0.1	61	14.2	7	<1	—	10.0	48.1	9,700	706,000			2,018,000
						湖心部	—	—	—	—	—	—	—	10.0	60.8	16,000				
														20.0	61.4	16,000				
														28.0	53.3	3,400				
						取水口	1.9	0.5	69	11.1	4	<1	—	10.0	67.3	17,000				
														20.0	63.8	14,000				
								31.0	62.5	17,000										
52	家老	富岡町	R1. 7. 30	晴	0.59	流入口	1.7	0.5	53	6.3	5	<1	—	7.3	49.9	9,100	433,000	389,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	5.3	43.8	9,300				
						取水口	3.2	0.5	66	5.5	5	<1	—	8.0	48.6	14,000	761,000			
53	西沢	富岡町	R1. 8. 20	曇	0.37	流入口	2.2	0.5	47	3.7	10	<1	—	10.3	45.2	4,400	360,000	554,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	53.4	9,900				
						取水口	2.7	0.5	51	3.4	5	<1	—	7.7	47.2	7,200	407,000			
			R1. 11. 25	晴	0.37	流入口	2.5	0.5	22	25.0	15	<1	—	7.3	48.1	6,000	315,000	1,133,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	50.0	9,300				
														20.0	52.6	5,100				
														27.7	51.9	3,800				
						取水口	2.9	0.5	26	22.9	13	<1	—	10.0	49.1	14,000				
														20.0	54.4	7,300	1,441,000			
								29.7	51.7	640										
54	申田第二 (旧申田)	富岡町	R1. 8. 15	晴	0.93	流入口	1.1	0.5	27	14.8	12	<1	—	9.3	58.0	30,000	1,590,000	3,210,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	47.6	31,000				
														20.0	60.0	17,000				
														24.7	63.5	12,000				
			R1. 11. 21	晴	0.93	取水口	1.5	0.5	24	16.2	12	<1	—	10.0	61.2	44,000	2,909,000	4,528,000	東北農政局	
														20.0	59.5	28,000				
														26.7	60.5	1,500				
						流入口	0.8	0.1	20	31.4	19	1	<1	8.7	39.6	10,000	860,000			
						湖心部	—	—	—	—	—	—	—	10.0	62.3	38,000				
														20.0	62.3	49,000				
														30.0	61.5	12,000				
														33.3	60.7	300				
取水口	1.4	0.5	18	30.5	21	1	<1	10.0	58.2	33,000										
								20.0	58.3	37,000										
								30.7	55.9	2,000										
55	菅田第1	飯館村	R1. 7. 31	晴	0.79	流入口	0.3	0.1	24	6.9	23	<1	—	10.0	68.9	16,000	562,000	416,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	8.7	64.9	11,000				
						取水口	3.3	0.5	36	4.8	4	<1	—	10.0	72.5	34,000	2,445,000			
			R1. 12. 18	快晴	0.67										20.7	69.5	42,000			
						流入口	0.6	0.1	>100	1.2	1	<1	—	10.0	70.6	29,000	1,700,000	644,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	20.0	58.6	13,000				
取水口	2.0	0.5	>100	0.6	<1	<1	—	10.0	68.2	32,000										
								24.0	62.5	5,700	1,455,000									
56	大北	飯館村	R1. 8. 1	晴	0.70	流入口	0.2	0.1	35	4.8	25	<1	—	10.3	48.3	12,000	869,000	1,547,000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10.0	66.4	20,000				

別添 1 令和元年度 帰還困難区域外のため池調査結果

－：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 ($\mu\text{Sv/h}$)	測定位置	水質調査結果						底質調査結果				実施主体	備考	
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	SS (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs
56	大北	飯舘村	R1. 8. 1	晴	0. 70	湖心部								22. 7	63. 6	19, 000	1, 547, 000	東北農政局	
						取水口	0. 4	0. 1	51	3. 8	12	<1	—	10. 0	65. 6	25, 000			
														20. 0	59. 0	34, 000	3, 395, 000		
			R1. 12. 12	晴	0. 63	流入口	0. 4	0. 1	>100	1. 7	8	<1	—	11. 5	46. 3	8, 600	659, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	64. 4	23, 000	2, 130, 000		
						取水口	0. 4	0. 1	>100	1. 1	1	<1	—	10. 0	58. 3	25, 000	3, 679, 000		
57	大宮作ため池	飯舘村	R1. 8. 1	晴	0. 37	流入口	1. 6	0. 5	61	5. 3	5	<1	—	10. 0	76. 3	14, 000	381, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	71. 5	21, 000	1, 036, 000		
						取水口	3. 0	0. 5	84	2. 8	5	<1	—	10. 0	66. 5	24, 000	1, 872, 000		
			R1. 12. 12	晴	0. 34	流入口	1. 4	0. 5	45	3. 9	3	<1	—	10. 0	71. 3	43, 000	1, 452, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	66. 0	44, 000	3, 724, 000		
						取水口	3. 0	0. 5	48	3. 9	3	<1	—	10. 0	61. 0	24, 000	2, 936, 000		
58	山田	飯舘村	R1. 8. 5	晴	0. 43	流入口	0. 1	0. 1	18	23. 5	22	<1	—	8. 3	33. 7	3, 400	283, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	34. 1	3, 500	852, 000		
						取水口	0. 3	0. 1	25	18. 7	36	<1	—	10. 0	36. 4	2, 600	848, 000		
														22. 3	45. 9	7, 900			
59	野沢	飯舘村	R1. 8. 6	晴	0. 48	流入口	0. 1	0. 1	24	10. 7	43	<1	—	8. 0	77. 0	14, 000	274, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	7. 7	58. 6	1, 100	43, 000		
						取水口	0. 4	0. 1	27	8. 0	23	<1	—	12. 7	55. 2	5, 300	377, 000		
			R1. 12. 11	快晴	0. 38	流入口	0. 3	0. 1	>100	7. 0	26	<1	—	13. 5	68. 3	6, 000	227, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	14. 5	72. 5	71	2, 000		
						取水口	0. 4	0. 1	>100	2. 6	7	<1	—	11. 5	70. 8	13, 000	438, 000		
60	大火第 1	飯舘村	R1. 8. 6	晴	0. 33	流入口	1. 0	0. 5	>100	2. 1	8	<1	—	10. 3	45. 9	9, 200	684, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	61. 9	13, 000	1, 153, 000		
						取水口	1. 5	0. 5	>100	2. 0	2	<1	—	7. 3	46. 1	8, 300	440, 000		
			R1. 12. 18	曇	0. 24	流入口	1. 0	0. 1	>100	1. 6	1	<1	—	10. 0	55. 3	11, 000	1, 267, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	23. 0	41. 4	6, 200			
						取水口	1. 5	0. 5	>100	1. 5	1	<1	—	10. 0	54. 6	13, 000	1, 560, 000		
61	滝下	飯舘村	R1. 8. 7	晴	0. 75	流入口	1. 1	0. 5	>100	2. 0	2	<1	—	6. 7	61. 6	33, 000	922, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	71. 8	50, 000	5, 054, 000		
						取水口	3. 0	0. 5	>100	2. 4	1	<1	—	10. 0	75. 7	77, 000	6, 877, 000		
			R1. 12. 10	曇	0. 68	流入口	1. 0	0. 1	>100	0. 4	<1	<1	—	10. 0	50. 8	23, 000	1, 482, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	65. 3	42, 000			
						取水口	0. 3	0. 1	>100	0. 5	<1	<1	—	10. 0	30. 9	8, 800	978, 000		
62	洞ノ入	飯舘村	R1. 8. 2	晴	0. 38	流入口	2. 2	0. 5	>100	0. 9	<1	<1	—	9. 3	56. 5	4, 000	195, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	59. 9	23, 000	1, 190, 000		

別添 1 令和元年度 帰還困難区域外のため池調査結果

ー：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 ($\mu\text{Sv/h}$)	測定位置	水質調査結果						底質調査結果				実施主体	備考	
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	SS (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs
62	洞ノ入	飯舘村	R1. 8. 2	晴	0. 38	湖心部								22. 3	70. 1	2, 600	1, 190, 000	東北農政局	
						取水口	3. 1	0. 5	>100	1. 5	<1	<1	—	10. 3	50. 3	9, 400	640, 000		
			R1. 12. 13	晴	0. 33	流入口	0. 7	0. 1	>100	2. 6	4	<1	—	10. 0	57. 7	20, 000	1, 883, 000	東北農政局	
														20. 0	54. 4	13, 000			
														31. 0	49. 7	640			
						湖心部	—	—	—	—	—	—	—	10. 0	55. 0	18, 000	1, 057, 000		
取水口	1. 6	0. 5	>100	1. 6	2	<1	—	10. 0	54. 2	23, 000	1, 359, 000								
63	所久保	飯舘村	R1. 8. 7	晴	0. 72	流入口	0. 7	0. 1	71	4. 3	8	<1	—	9. 3	23. 1	1, 200	143, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	8. 3	39. 6	1, 900	146, 000		
			R1. 12. 19	快晴	0. 63	取水口	1. 9	0. 5	>100	2. 8	8	<1	—	8. 3	38. 7	1, 900	146, 000	東北農政局	
						流入口	0. 4	0. 1	95	2. 2	2	<1	—	10. 0	32. 9	1, 400	341, 000		
														22. 0	24. 7	1, 300			
						湖心部	—	—	—	—	—	—	—	10. 0	33. 9	1, 600	308, 000		
取水口	0. 7	0. 1	88	3. 6	5	<1	—	23. 0	34. 6	1, 200	158, 000								
64	水境	飯舘村	R1. 8. 2	晴	0. 18	流入口	1. 0	0. 5	>100	2. 0	2	<1	—	11. 3	49. 6	3, 100	241, 000	東北農政局	
														10. 0	62. 8	4, 200			
														20. 0	63. 4	4, 200	521, 000		
						湖心部	—	—	—	—	—	—	—	32. 3	62. 6	3, 400			
														10. 0	67. 7	5, 100			
						取水口	1. 0	0. 5	89	3. 3	6	<1	—	22. 3	65. 6	900	207, 000		
			R1. 12. 18	曇	0. 15	流入口	0. 5	0. 1	70	8. 6	27	7	<1	10. 0	46. 6	1, 400	243, 000	東北農政局	
														22. 0	42. 9	2, 000			
														10. 0	53. 1	3, 700			
						湖心部	—	—	—	—	—	—	—	20. 0	30. 6	1, 100	475, 000		
														30. 0	58. 0	1, 900			
						取水口	0. 5	0. 1	>100	2. 0	3	<1	—	10. 0	60. 2	5, 400	558, 000		
65	入山田	飯舘村	R1. 8. 5	晴	0. 28	流入口	0. 1	表層	17	22. 0	31	2	<1	10. 3	59. 2	17, 000	852, 000	東北農政局	
														10. 0	51. 8	11, 000			
						湖心部	—	—	—	—	—	—	—	21. 7	53. 9	19, 000	1, 756, 000		
														10. 0	48. 8	7, 100			
						取水口	0. 2	表層	13	29. 4	27	<1	—	20. 7	39. 3	7, 800	1, 197, 000		
														9. 7	74. 1	26, 000	721, 000		
66	小山田入	飯舘村	R1. 7. 31	晴	0. 60	流入口	1. 0	0. 5	>100	1. 4	4	<1	—	10. 0	76. 9	36, 000	995, 000	東北農政局	
														20. 0	81. 1	4, 600			
														31. 3	71. 9	170			
						湖心部	—	—	—	—	—	—	—	10. 0	80. 2	7, 200			
														20. 0	69. 8	450	175, 000		
						取水口	1. 6	0. 5	>100	5. 5	2	<1	—	33. 3	65. 0	170			
			R1. 12. 13	晴	0. 66	流入口	0. 2	0. 1	>100	1. 6	7	<1	—	10. 0	65. 7	3, 100	133, 000	東北農政局	
														19. 5	58. 4	103			
														10. 0	71. 1	12, 000	431, 000		
						湖心部	—	—	—	—	—	—	—	20. 0	67. 2	360			
														34. 0	64. 2	250			
						取水口	0. 8	0. 1	>100	0. 9	1	<1	—	10. 0	52. 4	4, 300	286, 000		
67	高森	飯舘村	R1. 8. 3	晴	0. 69	流入口	0. 2	表層	32	11. 1	20	<1	—	9. 0	67. 5	12, 000	413, 000	東北農政局	
														10. 0	42. 3	4, 100	340, 000		
						湖心部	—	—	—	—	—	—	—	21. 0	40. 4	430			
														10. 0	52. 0	460			
						取水口	0. 1	表層	17	10. 2	21	<1	—	22. 3	59. 8	470	53, 000		

別添 1 令和元年度 帰還困難区域外のため池調査結果

－：調査対象外、×：調査不可

No.	名 称	市町村	採取日	天候	空間 線量率 (μSv/h)	測定位置	水質調査結果						底質調査結果				実施主体	備考	
							全水深 (m)	採水深 (m)	透視度 (cm)	濁度 (度)	SS (mg/L)	放射性物質濃度 (Bq/L)		採取 深さ (cm)	含水率 (%)	放射性物質濃度 (乾泥) (Bq/kg)			放射性物質 底質表面濃度 (Bq/m ²)
												¹³⁷ Cs (ろ過前)	¹³⁷ Cs (ろ過後)			¹³⁷ Cs			¹³⁷ Cs
67	高森	飯舘村	R1. 12. 19	晴	0. 48	流入口	1. 1	0. 5	>100	1. 8	1	<1	—	7. 0	44. 5	1, 200	67, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	53. 0	13, 000	1, 442, 000		
							取水口	2. 0	0. 5	>100	2. 0	2	<1	—	19. 5	46. 9	8, 600		
68	冬住	飯舘村	R1. 8. 3	晴	0. 57	流入口	0. 3	0. 1	>100	1. 0	5	<1	—	9. 3	68. 4	18, 000	592, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	77. 2	42, 000	1, 391, 000		
							取水口	0. 4	0. 1	67	1. 4	2	<1	—	23. 3	72. 6	12, 000		
														10. 0	75. 7	36, 000	3, 615, 000		
			R1. 12. 11	快晴	0. 53	流入口	0. 1	0. 1	>100	0. 3	<1	—	11. 0	50. 0	8, 300	558, 000	東北農政局		
						湖心部	—	—	—	—	—	—	—	10. 0	62. 3	17, 000			1, 207, 000
							取水口	0. 1	0. 1	>100	3. 5	6	<1	—	22. 5	65. 0			10, 000
														10. 0	70. 7	34, 000			5, 159, 000
69	笹の沢第 3	飯舘村	R1. 8. 8	晴	0. 73	流入口	0. 8	0. 1	46	2. 2	2	<1	—	7. 3	44. 5	3, 200	164, 000	東北農政局	
						湖心部	—	—	—	—	—	—	—	10. 0	73. 2	24, 000	1, 358, 000		
							取水口	1. 2	0. 5	39	2. 6	11	<1	—	21. 7	73. 2	24, 000		
						R1. 12. 19	晴	0. 57	流入口	1. 2	0. 5	75	1. 2	1	<1	—	9. 0		
			湖心部	—	—				—	—	—	—	—	10. 0	70. 6	9, 600	—		
															10. 0	69. 6	27, 000	3, 367, 000	
			取水口	1. 3	0. 5				>100	1. 2	1	<1	—	20. 0	72. 3	37, 000	5, 735, 000		
												30. 0	70. 6	30, 000	—				
									40. 0	64. 9	4, 500	—							
									10. 0	60. 7	24, 000	—							
									20. 0	60. 9	33, 000	—							
									30. 0	60. 4	37, 000	—							
									36. 5	57. 6	30, 000	—							